

SIGMA ERP

Accounting Module — API Reference

Version	v1
Format	JSON
Auth	Bearer Token (JWT) – required on all endpoints
Generated	June 14, 2026

Table of Contents

#	Section	Endpoint / Route
1	Journal Entries	<code>/api/V1/JournalEntries</code>
2	Posting & Unposting	<code>/api/V1/Posting</code>
3	Ledger Reports	<code>/api/V1/Ledger</code>
3.1	General Ledger	GET <code>/api/V1/Ledger/general-ledger</code>
3.2	Agent Ledger	GET <code>/api/V1/Ledger/agent-ledger</code>
3.3	Customer Ledger	GET <code>/api/V1/Ledger/customer-ledger</code>
3.4	Worker Ledger	GET <code>/api/V1/Ledger/worker-ledger</code>
3.5	Trial Balance	GET <code>/api/V1/Ledger/trial-balance</code>
3.6	Income Statement	GET <code>/api/V1/Ledger/income-statement</code>
3.7	Balance Sheet	GET <code>/api/V1/Ledger/balance-sheet</code>
3.8	VAT Report	GET <code>/api/V1/Ledger/vat-report</code>

■ 1. Journal Entries

The Journal Entries controller manages manual accounting entries in Sigma ERP. All routes are prefixed with `/api/V1/JournalEntries`.

GET

<https://sigma-api.runasp.net/api/V1/JournalEntries>

DESCRIPTION

Retrieve a paginated and filtered list of all journal entries.

QUERY PARAMETERS

Parameter	Type	Required	Description
pageNumber	<i>int</i>	No	Page number (default: 1)
pageSize	<i>int</i>	No	Items per page (default: 10)
from	<i>DateTime</i>	No	Filter entries from this date (ISO 8601)
to	<i>DateTime</i>	No	Filter entries up to this date (ISO 8601)
status	<i>enum</i>	No	Filter by status: Draft Posted
source	<i>enum</i>	No	Filter by source: Manual System
customerId	<i>Guid</i>	No	Filter by customer ID
agentId	<i>Guid</i>	No	Filter by agent ID
workerId	<i>Guid</i>	No	Filter by worker ID
restrictionTypeId	<i>Guid</i>	No	Filter by restriction type ID

SUCCESS RESPONSE — 200 OK

Field	Type	Description
success	<i>bool</i>	true
statusCode	<i>int</i>	200
data.items	<i>JournalEntryDto[]</i>	Array of journal entry summaries
data.totalCount	<i>int</i>	Total number of matching records
data.pageNumber	<i>int</i>	Current page number
data.pageSize	<i>int</i>	Page size used

POST<https://sigma-api.runasp.net/api/V1/JournalEntries>**DESCRIPTION**

Create a new manual journal entry. The entry is saved with **Draft** status and must be posted separately.

REQUEST BODY (application/json)

Parameter	Type	Required	Description
date	<i>DateTime</i>	Yes	Entry date (ISO 8601)
description	<i>string</i>	Yes	Narrative / description of the entry
customerId	<i>Guid?</i>	Yes	Associated customer (optional)
agentId	<i>Guid?</i>	Yes	Associated agent (optional)
workerId	<i>Guid?</i>	Yes	Associated worker (optional)
employeeId	<i>Guid?</i>	Yes	Associated employee (optional)
restrictionTypeId	<i>Guid?</i>	Yes	Restriction type reference (optional)
lines	<i>JournalEntryLineDto[]</i>	Yes	Array of debit/credit lines (minimum 2)
lines[].accountId	<i>Guid</i>	Yes	Chart of account ID for this line
lines[].debit	<i>decimal</i>	Yes	Debit amount (0 if credit line)
lines[].credit	<i>decimal</i>	Yes	Credit amount (0 if debit line)
lines[].description	<i>string?</i>	Yes	Optional line-level description

Note: Total debits must equal total credits. Entry will be rejected if unbalanced.

SUCCESS RESPONSE — 200 OK

Field	Type	Description
success	<i>bool</i>	true
statusCode	<i>int</i>	200
data	<i>Guid</i>	ID of the newly created journal entry

GET

<https://sigma-api.runasp.net/api/V1/JournalEntries/{id}>

DESCRIPTION

Retrieve full details of a specific journal entry including all its lines.

PATH PARAMETER

Parameter	Type	Required	Description
id	Guid	Yes	The unique ID of the journal entry

SUCCESS RESPONSE — 200 OK

Field	Type	Description
data.id	Guid	Entry unique identifier
data.entryNumber	string	Auto-generated entry number (e.g. JE-00042)
data.date	DateTime	Entry date
data.description	string	Entry description
data.status	enum	Draft Posted
data.source	enum	Manual System
data.totalDebit	decimal	Sum of all debit lines
data.totalCredit	decimal	Sum of all credit lines
data.isBalanced	bool	true if totalDebit == totalCredit
data.customerId	Guid?	Associated customer (if any)
data.agentId	Guid?	Associated agent (if any)
data.workerId	Guid?	Associated worker (if any)
data.employeeId	Guid?	Associated employee (if any)
data.restrictionTypeId	Guid?	Restriction type (if any)
data.createdBy	string	User ID who created the entry
data.createdDate	DateTime	Creation timestamp
data.lines	array	Array of journal entry lines
data.lines[].accountId	Guid	Account ID
data.lines[].accountCode	string	Account code
data.lines[].accountName	string	Account name
data.lines[].debit	decimal	Debit amount
data.lines[].credit	decimal	Credit amount

<code>data.lines[].description</code>	<i>string?</i>	Line description
---------------------------------------	----------------	------------------

PUT

<https://sigma-api.runasp.net/api/V1/JournalEntries/{id}>

DESCRIPTION

Update an existing journal entry. Only entries with **Draft** status can be updated. Posted entries must be unposted first.

PATH PARAMETER

Parameter	Type	Required	Description
<code>id</code>	<i>Guid</i>	Yes	The unique ID of the journal entry to update

REQUEST BODY (application/json)

Same structure as the Create request body (see POST above).

SUCCESS RESPONSE — 200 OK

Field	Type	Description
<code>success</code>	<i>bool</i>	true
<code>statusCode</code>	<i>int</i>	200
<code>data</code>	<i>bool</i>	true on success

DELETE

<https://sigma-api.runasp.net/api/V1/JournalEntries/{id}>

DESCRIPTION

Permanently delete a journal entry. Only **Draft** entries can be deleted.

PATH PARAMETER

Parameter	Type	Required	Description
<code>id</code>	<i>Guid</i>	Yes	The unique ID of the journal entry to delete

SUCCESS RESPONSE — 200 OK

Field	Type	Description
<code>success</code>	<i>bool</i>	true
<code>statusCode</code>	<i>int</i>	200
<code>data</code>	<i>bool</i>	true on success

Note: Attempting to delete a Posted entry returns 400 Bad Request.

■ 2. Posting & Unposting

Posting commits a Draft journal entry to the ledger, updating all affected account balances. Unposting reverses the ledger movements and returns the entry to Draft status. Requires authentication.

POST

<https://slama-api.runasp.net/api/V1/Posting/{journalId}>

DESCRIPTION

Post a Draft journal entry. This operation writes ledger movements for all lines and updates running balances on each account.

PATH PARAMETER

Parameter	Type	Required	Description
journalId	Guid	Yes	ID of the journal entry to post

SUCCESS RESPONSE — 200 OK

Field	Type	Description
success	bool	true
statusCode	int	200
data	bool	true on success

ERROR RESPONSES

Field	Type	Description
400	Bad Request	Entry is already Posted, or entry is unbalanced
404	Not Found	Journal entry not found

POST<https://sigma-api.runasp.net/api/V1/Posting/{id}/unpost>**DESCRIPTION**

Unpost a previously posted journal entry. Reverses all ledger movements and resets account balances. Entry returns to Draft status.

PATH PARAMETER

Parameter	Type	Required	Description
id	Guid	Yes	ID of the journal entry to unpost

SUCCESS RESPONSE — 200 OK

Field	Type	Description
success	bool	true
statusCode	int	200
data	bool	true on success

Note: System-generated entries (source = System) may not be unpostable depending on business rules.

■ 3. Ledger Reports

All ledger and reporting endpoints live under `/Ledger`. They accept date-range filters via `from` and `to` query parameters (ISO 8601 format). All endpoints return only **Posted** data.

3.1 GENERAL LEDGER

GET

<https://sigma-api.runasp.net/api/V1 /Ledger/general-ledger>

DESCRIPTION

Returns all ledger movements for a specific account within a date range, along with opening balance, totals, and closing balance.

QUERY PARAMETERS

Parameter	Type	Required	Description
accountId	Guid	Yes	ID of the account to query
from	DateTime	No	Start date filter
to	DateTime	No	End date filter

SUCCESS RESPONSE — 200 OK

Field	Type	Description
data.accountId	Guid	Account ID
data.accountCode	string	Account code
data.accountName	string	Account name
data.openingBalance	decimal	Balance before the requested period
data.totalDebit	decimal	Sum of debits in period
data.totalCredit	decimal	Sum of credits in period
data.closingBalance	decimal	Balance at end of period
data.lines	array	Ledger movement lines
data.lines[].date	DateTime	Movement date
data.lines[].entryNumber	string	Journal entry number
data.lines[].description	string	Entry description
data.lines[].debit	decimal	Debit amount
data.lines[].credit	decimal	Credit amount
data.lines[].balanceAfter	decimal	Running balance after this movement

3.2 AGENT LEDGER

GET

<https://sigma-api.runasp.net/api/V1 /Ledger/agent-ledger>

DESCRIPTION

Returns all journal entry lines linked to a specific agent, showing account movements across entries in the date range.

QUERY PARAMETERS

Parameter	Type	Required	Description
agentId	Guid	Yes	ID of the agent
from	DateTime	No	Start date filter
to	DateTime	No	End date filter

SUCCESS RESPONSE — 200 OK

Field	Type	Description
data.agentId	Guid	Agent ID
data.totalDebit	decimal	Total debits across all lines
data.totalCredit	decimal	Total credits across all lines
data.balance	decimal	Net balance (totalDebit - totalCredit)
data.lines	array	Ledger lines array
data.lines[].date	DateTime	Entry date
data.lines[].entryNumber	string	Journal entry number
data.lines[].description	string	Entry description
data.lines[].accountCode	string	Account code
data.lines[].accountName	string	Account name
data.lines[].debit	decimal	Debit amount
data.lines[].credit	decimal	Credit amount
data.lines[].source	string	Source system (Manual / System)
data.lines[].sourceId	Guid?	Source document ID

3.3 CUSTOMER LEDGER

GET<https://sigma-api.runasp.net/api/V1/Ledger/customer-ledger>**DESCRIPTION**

Same structure as Agent Ledger, filtered by customer.

QUERY PARAMETERS

Parameter	Type	Required	Description
customerId	<i>Guid</i>	Yes	ID of the customer
from	<i>DateTime</i>	No	Start date filter
to	<i>DateTime</i>	No	End date filter

SUCCESS RESPONSE — 200 OK

Field	Type	Description
data.customerId	<i>Guid</i>	Customer ID
data.totalDebit	<i>decimal</i>	Total debits
data.totalCredit	<i>decimal</i>	Total credits
data.balance	<i>decimal</i>	Net balance
data.lines	<i>array</i>	Same line structure as Agent Ledger

3.4 WORKER LEDGER

GET<https://sigma-api.runasp.net/api/V1/Ledger/worker-ledger>**DESCRIPTION**

Same structure as Agent Ledger, filtered by worker.

QUERY PARAMETERS

Parameter	Type	Required	Description
workerId	<i>Guid</i>	Yes	ID of the worker
from	<i>DateTime</i>	No	Start date filter
to	<i>DateTime</i>	No	End date filter

SUCCESS RESPONSE — 200 OK

Field	Type	Description
data.workerId	<i>Guid</i>	Worker ID
data.totalDebit	<i>decimal</i>	Total debits
data.totalCredit	<i>decimal</i>	Total credits
data.balance	<i>decimal</i>	Net balance
data.lines	<i>array</i>	Same line structure as Agent Ledger

3.5 TRIAL BALANCE

GET

<https://sigma-api.runasp.net/api/V1/Ledger/trial-balance>

DESCRIPTION

Returns a trial balance for all leaf accounts, with opening balance, period debits/credits, and closing balance. Supports a grouped view.

QUERY PARAMETERS

Parameter	Type	Required	Description
from	<i>DateTime</i>	No	Period start date
to	<i>DateTime</i>	No	Period end date
groupedOnly	<i>bool</i>	No	If true, shows only accounts marked for grouped trial balance display

SUCCESS RESPONSE — 200 OK

Field	Type	Description
<code>data.totalDebit</code>	<i>decimal</i>	Grand total of all debit balances
<code>data.totalCredit</code>	<i>decimal</i>	Grand total of all credit balances
<code>data.lines</code>	<i>array</i>	Trial balance lines
<code>data.lines[].accountId</code>	<i>Guid</i>	Account ID
<code>data.lines[].accountCode</code>	<i>string</i>	Account code
<code>data.lines[].accountName</code>	<i>string</i>	Account name
<code>data.lines[].openingBalance</code>	<i>decimal</i>	Balance at period start
<code>data.lines[].debit</code>	<i>decimal</i>	Total debits in period
<code>data.lines[].credit</code>	<i>decimal</i>	Total credits in period
<code>data.lines[].closingBalance</code>	<i>decimal</i>	Balance at period end

3.6 INCOME STATEMENT

GET<https://sigma-api.runasp.net/api/V1/Ledger/Income-statement>**DESCRIPTION**

Returns a paginated income statement covering Revenue, Operating Expense, and Admin Expense accounts.

QUERY PARAMETERS

Parameter	Type	Required	Description
from	<i>DateTime</i>	No	Period start date
to	<i>DateTime</i>	No	Period end date
pageNumber	<i>int</i>	No	Page number (default: 1)
pageSize	<i>int</i>	No	Items per page (default: 10)

SUCCESS RESPONSE — 200 OK

Field	Type	Description
data.items	<i>array</i>	Paginated account lines
data.items[].accountId	<i>Guid</i>	Account ID
data.items[].accountCode	<i>string</i>	Account code
data.items[].accountName	<i>string</i>	Account name
data.items[].level	<i>int</i>	Account depth in chart of accounts tree
data.items[].openingBalance	<i>decimal</i>	Opening balance
data.items[].debit	<i>decimal</i>	Period debits
data.items[].credit	<i>decimal</i>	Period credits
data.items[].closingBalance	<i>decimal</i>	Closing balance
data.totalCount	<i>int</i>	Total account count
data.pageNumber	<i>int</i>	Current page
data.pageSize	<i>int</i>	Page size

3.7 BALANCE SHEET

GET

<https://sigma-api.runasp.net/api/V1/Ledger/balance-sheet>

DESCRIPTION

Returns balance sheet as of a specified date, split into Assets, Liabilities, and Equity sections. The period always starts from January 1st of the given year.

QUERY PARAMETERS

Parameter	Type	Required	Description
asOfDate	<i>DateTime</i>	Yes	The date to calculate the balance sheet as of (e.g. 2024-12-31)

SUCCESS RESPONSE — 200 OK

Field	Type	Description
<code>data.assets.sectionName</code>	<i>string</i>	"Assets"
<code>data.assets.total</code>	<i>decimal</i>	Total assets
<code>data.assets.lines</code>	<i>array</i>	Asset account lines (accountId, accountCode, accountName, closingBalance)
<code>data.liabilities.sectionName</code>	<i>string</i>	"Liabilities"
<code>data.liabilities.total</code>	<i>decimal</i>	Total liabilities
<code>data.liabilities.lines</code>	<i>array</i>	Liability account lines
<code>data.equity.sectionName</code>	<i>string</i>	"Equity"
<code>data.equity.total</code>	<i>decimal</i>	Total equity
<code>data.equity.lines</code>	<i>array</i>	Equity account lines
<code>data.totalAssets</code>	<i>decimal</i>	Sum of all assets
<code>data.totalLiabilities</code>	<i>decimal</i>	Sum of all liabilities
<code>data.totalEquity</code>	<i>decimal</i>	Sum of all equity

3.8 VAT REPORT

GET

<https://sigma-api.runasp.net/api/V1/Ledger/vat-report>

DESCRIPTION

Returns a quarterly VAT summary showing Output VAT (payable), Input VAT (receivable), and net VAT payable for the specified quarter.

QUERY PARAMETERS

Parameter	Type	Required	Description
year	int	Yes	Year (e.g. 2024)
quarter	int	Yes	Quarter number: 1, 2, 3, or 4

SUCCESS RESPONSE — 200 OK

Field	Type	Description
data.year	int	The requested year
data.quarter	int	The requested quarter (1-4)
data.periodStart	DateTime	First day of the quarter
data.periodEnd	DateTime	Last day of the quarter
data.outputVat	decimal	VAT collected on sales (VAT Payable account credits)
data.inputVat	decimal	VAT paid on purchases (VAT Receivable account debits)
data.netVatPayable	decimal	outputVat - inputVat (amount due to tax authority)

Note: Quarter must be between 1 and 4. Returns 400 Bad Request otherwise.

■ Error Reference

All error responses follow a consistent envelope structure:

Field	Type	Description
success	<i>bool</i>	Always false for errors
statusCode	<i>int</i>	HTTP status code (400, 401, 404, 500...)
message	<i>string</i>	Human-readable error description

Code	Meaning	Common Cause
400	Bad Request	Unbalanced entry, invalid state, bad quarter value
401	Unauthorized	Missing or expired JWT Bearer token
404	Not Found	Resource (entry, account) does not exist
500	Server Error	Unexpected server-side error