

H. Robin Hood Archery

time limit per test: 3 seconds
memory limit per test: 256 megabytes

At such times archery was always the main sport of the day, for the Nottinghamshire yeomen were the best hand at the longbow in all merry England, but this year the Sheriff hesitated...

Sheriff of Nottingham has organized a tournament in archery. It's the final round and Robin Hood is playing against Sheriff!

There are n targets in a row numbered from 1 to n . When a player shoots target i , their score increases by a_i and the target i is destroyed. The game consists of turns and players alternate between whose turn it is. Robin Hood always starts the game, then Sheriff and so on. The game continues until all targets are destroyed. Both players start with score 0.

At the end of the game, the player with most score wins and the other player loses. If both players have the same score, it's a tie and no one wins or loses. In each turn, the player can shoot any target that wasn't shot before. Both play optimally to get the most score possible.

Sheriff of Nottingham has a suspicion that he might lose the game! This cannot happen, you must help Sheriff. Sheriff will pose q queries, each specifying l and r . This means that the game would be played only with targets $l, l + 1, \dots, r$, as others would be removed by Sheriff before the game starts.

For each query l, r , determine whether the Sheriff can **not lose** the game when only considering the targets $l, l + 1, \dots, r$.

Input

The first line of input contains one integer t ($1 \leq t \leq 10^4$) — the number of test cases.

The first line of each test case contains two integers n, q ($1 \leq n, q \leq 2 \cdot 10^5$) — the number of targets and the queries Sheriff will pose.

The second line of each test case contains n integers a_1, a_2, \dots, a_n ($1 \leq a_i \leq 10^6$) — the points for hitting each target.

Then follow q lines, each with two integers l and r ($1 \leq l \leq r \leq n$) — the range of the targets that is considered for each query.

It is guaranteed that the sum of both n and q across all test cases does not exceed $2 \cdot 10^5$.

Output

For each query, output "YES", if the Sheriff **does not lose the game** when only considering the targets $l, l + 1, \dots, r$, and "NO" otherwise.

You can output the answer in any case (upper or lower). For example, the strings "yEs", "yes", "Yes", and "YES" will be recognized as positive responses.

Example

input	Copy
2 3 3 1 2 2 1 2 1 3 2 3 5 3 2 1 2 1 1 1 2 1 3 4 5	
output	Copy
NO NO YES NO NO YES	

Codeforces Round 974 (Div. 3)

Finished

Practice

Virtual participation

Virtual contest is a way to take part in past contest, as close as possible to participation on time. It is supported only ICPC mode for virtual contests. If you've seen these problems, a virtual contest is not for you - solve these problems in the archive. If you just want to solve some problem from a contest, a virtual contest is not for you - solve this problem in the archive. Never use someone else's code, read the tutorials or communicate with other person during a virtual contest.

Start virtual contest

Clone Contest to Mashup

You can clone this contest to a mashup.

Clone Contest

Submit?

Language: GNU G++20 13.2 (64 bit, win)

Choose file: Choose File No file chosen

Submit

Submission	Time	Verdict
282617663	Sep/23/2024 14:52	Accepted
282617540	Sep/23/2024 14:51	Accepted
282614199	Sep/23/2024 14:32	Accepted
282613140	Sep/23/2024 14:26	Wrong answer on test 2
282612620	Sep/23/2024 14:23	Wrong answer on test 2

Problem tags

data structures divide and conquer greedy hashing *1900

No tag edit access

Contest materials

Announcement (en) Tutorial (en)