

Bug Report Title: PUT Request Overwrites Existing Data Instead of Editing.

Bug Report Description:

The PUT request at /pet is intended for editing existing data based on the provided ID in the body. Both creating new data and editing existing data currently use the same request URL.

However, the current implementation creates a new entry with the provided ID if it doesn't exist in the database. Additionally, if the ID already exists, the PUT request overwrites the existing data entirely, even if you only want to edit one item not the whole data.

This can lead to data duplication or potential data loss if the original data is not retrieved before sending the PUT request.

(Severity: High) (Priority: High)

Steps to Reproduce (Scenario 1):

Pre-conditions:

A data entry with ID "123" exists in the database.

Steps:

1. Send a GET request to /pet/123 and store the retrieved data.
2. Modify the value of the "name" field in the retrieved data.
3. Send a PUT request to /pet/123 with the modified data.
4. Verify that the response status code is 200 (OK).

Expected Result:

The PUT request should modify the existing data entry with ID "123". The value of the "name" field should be updated, and all other data should remain unchanged.

Actual Result:

The PUT request overwrites the existing data entirely with ID "123".

Steps to Reproduce (Scenario 2):

Pre-conditions:

Make sure to DELETE any entry with ID "895"

Steps:

1. Send a GET request to /pet/895.
2. Verify that you receive code 404 (not found).
3. Send a PUT request to /pet/123 with the modified data.
4. Verify that the response status code is 404 (not found).

Expected Result:

No entry is found for the given ID.

Actual Result:

The PUT request creates a new data entry with ID "895".