

SQL Solutions (1-17)

Q1

```
SELECT * FROM employees WHERE employee_id BETWEEN 100 AND 105;
```

Q2

```
SELECT * FROM employees WHERE employee_id IN (151,152,153,154,155);
```

Q3

```
SELECT * FROM employees WHERE first_name LIKE 'P%' OR first_name LIKE 'p%';
```

Q4

```
SELECT * FROM employees WHERE first_name LIKE '%A' OR first_name LIKE '%a';
```

Q5

```
SELECT * FROM employees WHERE first_name LIKE 'A%' OR first_name LIKE 'a%';
```

Q6

```
SELECT * FROM employees WHERE SUBSTR(UPPER(first_name),3,1)='E';
```

Q7

```
SELECT * FROM employees WHERE manager_id IS NULL;
```

Q8

```
SELECT * FROM employees WHERE manager_id IS NOT NULL;
```

Q9

```
INSERT INTO employees (employee_id, first_name, last_name, email, hire_date, job_id, manager_id) VALUES (999,'Ahmed','Ali','AALI',SYSDATE,'IT_PROG',NULL);
```

Q10

```
SELECT * FROM employees WHERE job_id IN ('AD_VP','IT_PROG');
```

Q11

```
SELECT * FROM employees ORDER BY last_name ASC;
```

Q12

```
SELECT * FROM employees ORDER BY hire_date DESC;
```

Q13

```
SELECT * FROM employees ORDER BY department_id ASC, salary DESC;
```

Q14

```
SELECT LOWER(last_name) AS last_name FROM employees;
```

Q15

```
SELECT UPPER(first_name) AS first_name FROM employees;
```

Q16

```
SELECT INITCAP(first_name) AS first_name, INITCAP(last_name) AS last_name FROM employees;
```

Q17

```
SELECT * FROM employees WHERE UPPER(last_name)='SMITH';
```