



## 1. Description

### 1.1. Project

|                 |                    |
|-----------------|--------------------|
| Project Name    | Main ECU           |
| Board Name      | custom             |
| Generated with: | STM32CubeMX 6.12.1 |
| Date            | 07/12/2025         |


### 1.2. MCU

|                |               |
|----------------|---------------|
| MCU Series     | STM32F1       |
| MCU Line       | STM32F103     |
| MCU name       | STM32F103C8Tx |
| MCU Package    | LQFP48        |
| MCU Pin number | 48            |

### 1.3. Core(s) information

|         |               |
|---------|---------------|
| Core(s) | Arm Cortex-M3 |
|---------|---------------|

## 2. Pinout Configuration




### 3. Pins Configuration

| Pin Number<br>LQFP48 | Pin Name<br>(function after<br>reset) | Pin Type | Alternate<br>Function(s) | Label |
|----------------------|---------------------------------------|----------|--------------------------|-------|
| 1                    | VBAT                                  | Power    |                          |       |
| 7                    | NRST                                  | Reset    |                          |       |
| 8                    | VSSA                                  | Power    |                          |       |
| 9                    | VDDA                                  | Power    |                          |       |
| 11                   | PA1 *                                 | I/O      | GPIO_Output              |       |
| 23                   | VSS                                   | Power    |                          |       |
| 24                   | VDD                                   | Power    |                          |       |
| 32                   | PA11                                  | I/O      | CAN_RX                   |       |
| 33                   | PA12                                  | I/O      | CAN_TX                   |       |
| 34                   | PA13                                  | I/O      | SYS_JTMS-SWDIO           |       |
| 35                   | VSS                                   | Power    |                          |       |
| 36                   | VDD                                   | Power    |                          |       |
| 37                   | PA14                                  | I/O      | SYS_JTCK-SWCLK           |       |
| 44                   | BOOT0                                 | Boot     |                          |       |
| 47                   | VSS                                   | Power    |                          |       |
| 48                   | VDD                                   | Power    |                          |       |

\* The pin is affected with an I/O function

## 4. Clock Tree Configuration



## 1. Power Consumption Calculator report

### 1.1. Microcontroller Selection

|           |               |
|-----------|---------------|
| Series    | STM32F1       |
| Line      | STM32F103     |
| MCU       | STM32F103C8Tx |
| Datasheet | DS5319 Rev17  |

### 1.2. Parameter Selection

|             |     |
|-------------|-----|
| Temperature | 25  |
| Vdd         | 3.3 |

### 1.3. Battery Selection

|                   |                 |
|-------------------|-----------------|
| Battery           | Li-SOCL2(A3400) |
| Capacity          | 3400.0 mAh      |
| Self Discharge    | 0.08 %/month    |
| Nominal Voltage   | 3.6 V           |
| Max Cont Current  | 100.0 mA        |
| Max Pulse Current | 200.0 mA        |
| Cells in series   | 1               |
| Cells in parallel | 1               |


#### 1.4. Sequence

|                               |             |              |
|-------------------------------|-------------|--------------|
| <b>Step</b>                   | Step1       | Step2        |
| <b>Mode</b>                   | RUN         | STOP         |
| <b>Vdd</b>                    | 3.3         | 3.3          |
| <b>Voltage Source</b>         | Battery     | Battery      |
| <b>Range</b>                  | No Scale    | No Scale     |
| <b>Fetch Type</b>             | FLASH       | n/a          |
| <b>CPU Frequency</b>          | 72 MHz      | 0 Hz         |
| <b>Clock Configuration</b>    | HSE PLL     | Regulator_LP |
| <b>Clock Source Frequency</b> | 8 MHz       | 0 Hz         |
| <b>Peripherals</b>            |             |              |
| <b>Additional Cons.</b>       | 0 mA        | 0 mA         |
| <b>Average Current</b>        | 27 mA       | 14 $\mu$ A   |
| <b>Duration</b>               | 0.1 ms      | 0.9 ms       |
| <b>DMIPS</b>                  | 90.0        | 0.0          |
| <b>Ta Max</b>                 | 100.1       | 105          |
| <b>Category</b>               | In DS Table | In DS Table  |

#### 1.5. Results

|               |                               |                 |            |
|---------------|-------------------------------|-----------------|------------|
| Sequence Time | 1 ms                          | Average Current | 2.71 mA    |
| Battery Life  | 1 month, 21 days,<br>17 hours | Average DMIPS   | 61.0 DMIPS |

#### 1.6. Chart





## 2. Software Project

### 2.1. Project Settings

| Name                              | Value                                          |
|-----------------------------------|------------------------------------------------|
| Project Name                      | Main ECU                                       |
| Project Folder                    | D:\studying\GitHub\Graduation Project\Main ECU |
| Toolchain / IDE                   | STM32CubeIDE                                   |
| Firmware Package Name and Version | STM32Cube FW_F1 V1.8.6                         |
| Application Structure             | Advanced                                       |
| Generate Under Root               | Yes                                            |
| Do not generate the main()        | No                                             |
| Minimum Heap Size                 | 0x200                                          |
| Minimum Stack Size                | 0x400                                          |

### 2.2. Code Generation Settings

| Name                                                            | Value                                 |
|-----------------------------------------------------------------|---------------------------------------|
| STM32Cube MCU packages and embedded software                    | Copy only the necessary library files |
| Generate peripheral initialization as a pair of '.c/.h' files   | No                                    |
| Backup previously generated files when re-generating            | No                                    |
| Keep User Code when re-generating                               | Yes                                   |
| Delete previously generated files when not re-generated         | Yes                                   |
| Set all free pins as analog (to optimize the power consumption) | No                                    |
| Enable Full Assert                                              | No                                    |

### 2.3. Advanced Settings - Generated Function Calls

| Rank | Function Name      | Peripheral Instance Name |
|------|--------------------|--------------------------|
| 1    | SystemClock_Config | RCC                      |
| 2    | MX_GPIO_Init       | GPIO                     |
| 3    | MX_CAN_Init        | CAN                      |
| 4    | MX_RTC_Init        | RTC                      |

## 3. *Peripherals and Middlewares Configuration*

### 3.1. CAN

**mode: Activated**

#### 3.1.1. Parameter Settings:

##### **Bit Timings Parameters:**

|                              |            |
|------------------------------|------------|
| Prescaler (for Time Quantum) | 4 *        |
| Time Quantum                 | 125.0 *    |
| Time Quanta in Bit Segment 1 | 13 Times * |
| Time Quanta in Bit Segment 2 | 2 Times *  |
| Time for one Bit             | 2000 *     |
| Baud Rate                    | 500000 *   |
| ReSynchronization Jump Width | 1 Time     |

##### **Basic Parameters:**

|                                   |         |
|-----------------------------------|---------|
| Time Triggered Communication Mode | Disable |
| Automatic Bus-Off Management      | Disable |
| Automatic Wake-Up Mode            | Disable |
| Automatic Retransmission          | Disable |
| Receive Fifo Locked Mode          | Disable |
| Transmit Fifo Priority            | Disable |

##### **Advanced Parameters:**

|           |        |
|-----------|--------|
| Test Mode | Normal |
|-----------|--------|

### 3.2. RCC

#### 3.2.1. Parameter Settings:

##### **System Parameters:**

|                   |                    |
|-------------------|--------------------|
| VDD voltage (V)   | 3.3                |
| Prefetch Buffer   | Enabled            |
| Flash Latency(WS) | 2 WS (3 CPU cycle) |

##### **RCC Parameters:**

|                                |      |
|--------------------------------|------|
| HSI Calibration Value          | 16   |
| HSE Startup Timeout Value (ms) | 100  |
| LSE Startup Timeout Value (ms) | 5000 |

### 3.3. RTC

**mode: Activate Clock Source**

**mode: Activate Calendar**

#### 3.3.1. Parameter Settings:

##### **Calendar Time:**

Data Format

##### **Binary data format \***

Hours

0

Minutes

0

Seconds

0

##### **General:**

Auto Predivider Calculation

Enabled

Asynchronous Predivider value

Automatic Predivider Calculation Enabled

Output

Alarm pulse signal on the TAMPER pin

##### **Calendar Date:**

Week Day

Monday

Month

January

Date

1

Year

0

### 3.4. SYS

**Debug: Serial Wire**

**Timebase Source: TIM1**

**\* User modified value**

## 4. System Configuration

### 4.1. GPIO configuration

| IP   | Pin  | Signal         | GPIO mode                    | GPIO pull/up pull down      | Max Speed     | User Label |
|------|------|----------------|------------------------------|-----------------------------|---------------|------------|
| CAN  | PA11 | CAN_RX         | Input mode                   | No pull-up and no pull-down | n/a           |            |
|      | PA12 | CAN_TX         | Alternate Function Push Pull | n/a                         | <b>High *</b> |            |
| SYS  | PA13 | SYS_JTMS-SWDIO | n/a                          | n/a                         | n/a           |            |
|      | PA14 | SYS_JTCK-SWCLK | n/a                          | n/a                         | n/a           |            |
| GPIO | PA1  | GPIO_Output    | Output Push Pull             | No pull-up and no pull-down | Low           |            |

### 4.2. DMA configuration

nothing configured in DMA service

### 4.3. NVIC configuration

#### 4.3.1. NVIC

| Interrupt Table                          | Enable | Preenmption Priority | SubPriority |
|------------------------------------------|--------|----------------------|-------------|
| Non maskable interrupt                   | true   | 0                    | 0           |
| Hard fault interrupt                     | true   | 0                    | 0           |
| Memory management fault                  | true   | 0                    | 0           |
| Prefetch fault, memory access fault      | true   | 0                    | 0           |
| Undefined instruction or illegal state   | true   | 0                    | 0           |
| System service call via SWI instruction  | true   | 0                    | 0           |
| Debug monitor                            | true   | 0                    | 0           |
| Pendable request for system service      | true   | 0                    | 0           |
| System tick timer                        | true   | 15                   | 0           |
| USB high priority or CAN TX interrupts   | true   | 7                    | 0           |
| USB low priority or CAN RX0 interrupts   | true   | 7                    | 0           |
| TIM1 update interrupt                    | true   | 15                   | 0           |
| PVD interrupt through EXTI line 16       | unused |                      |             |
| RTC global interrupt                     | unused |                      |             |
| Flash global interrupt                   | unused |                      |             |
| RCC global interrupt                     | unused |                      |             |
| CAN RX1 interrupt                        | unused |                      |             |
| CAN SCE interrupt                        | unused |                      |             |
| RTC alarm interrupt through EXTI line 17 | unused |                      |             |

#### 4.3.2. NVIC Code generation

| Enabled interrupt Table                 | Select for init sequence ordering | Generate IRQ handler | Call HAL handler |
|-----------------------------------------|-----------------------------------|----------------------|------------------|
| Non maskable interrupt                  | false                             | true                 | false            |
| Hard fault interrupt                    | false                             | true                 | false            |
| Memory management fault                 | false                             | true                 | false            |
| Prefetch fault, memory access fault     | false                             | true                 | false            |
| Undefined instruction or illegal state  | false                             | true                 | false            |
| System service call via SWI instruction | false                             | false                | false            |
| Debug monitor                           | false                             | true                 | false            |
| Pendable request for system service     | false                             | false                | false            |
| System tick timer                       | false                             | false                | true             |
| USB high priority or CAN TX interrupts  | false                             | true                 | true             |
| USB low priority or CAN RX0 interrupts  | false                             | true                 | true             |
| TIM1 update interrupt                   | false                             | true                 | true             |

**\* User modified value**

## 5. System Views

### 5.1. Category view

#### 5.1.1. Current

#### Middleware

#### System Core

#### Analog

#### Timers

#### Connectivity

#### Computing

DMA

RTC 

CAN 

GPIO 

IVIC 

RCC 

SYS 

## 6. Docs & Resources

| Type                       | Link                                                                                                                                                                                                                                                                                  |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BSDL files                 | <a href="https://www.st.com/resource/en/bsdl_model/stm32f1_bsd1.zip">https://www.st.com/resource/en/bsdl_model/stm32f1_bsd1.zip</a>                                                                                                                                                   |
| IBIS models                | <a href="https://www.st.com/resource/en/ibis_model/stm32f1-ibis.zip">https://www.st.com/resource/en/ibis_model/stm32f1-ibis.zip</a>                                                                                                                                                   |
| System View<br>Description | <a href="https://www.st.com/resource/en/svd/stm32f1_svd.zip">https://www.st.com/resource/en/svd/stm32f1_svd.zip</a>                                                                                                                                                                   |
| Presentations              | <a href="https://www.st.com/resource/en/product_presentation/stm32-stm8_embedded_software_solutions.pdf">https://www.st.com/resource/en/product_presentation/stm32-stm8_embedded_software_solutions.pdf</a>                                                                           |
| Presentations              | <a href="https://www.st.com/resource/en/product_presentation/stm32_eval-tools_portfolio.pdf">https://www.st.com/resource/en/product_presentation/stm32_eval-tools_portfolio.pdf</a>                                                                                                   |
| Presentations              | <a href="https://www.st.com/resource/en/product_presentation/stm32_stm8_functional-safety-packages.pdf">https://www.st.com/resource/en/product_presentation/stm32_stm8_functional-safety-packages.pdf</a>                                                                             |
| Presentations              | <a href="https://www.st.com/resource/en/product_presentation/stm32-stm8_software_development_tools.pdf">https://www.st.com/resource/en/product_presentation/stm32-stm8_software_development_tools.pdf</a>                                                                             |
| Presentations              | <a href="https://www.st.com/resource/en/product_presentation/microcontrollers-stm32-family-overview.pdf">https://www.st.com/resource/en/product_presentation/microcontrollers-stm32-family-overview.pdf</a>                                                                           |
| Brochures                  | <a href="https://www.st.com/resource/en/brochure/products-and-solutions-for-plcs-and-smart-i-os.pdf">https://www.st.com/resource/en/brochure/products-and-solutions-for-plcs-and-smart-i-os.pdf</a>                                                                                   |
| Flyers                     | <a href="https://www.st.com/resource/en/flyer/flstm32nucleo.pdf">https://www.st.com/resource/en/flyer/flstm32nucleo.pdf</a>                                                                                                                                                           |
| Flyers                     | <a href="https://www.st.com/resource/en/flyer/fldpstpf11120.pdf">https://www.st.com/resource/en/flyer/fldpstpf11120.pdf</a>                                                                                                                                                           |
| Product<br>Certifications  | <a href="https://www.st.com/resource/en/certification_document/1239988349.pdf">https://www.st.com/resource/en/certification_document/1239988349.pdf</a>                                                                                                                               |
| Product<br>Certifications  | <a href="https://www.st.com/resource/en/certification_document/stm32_authentication_can.pdf">https://www.st.com/resource/en/certification_document/stm32_authentication_can.pdf</a>                                                                                                   |
| Application Notes          | <a href="https://www.st.com/resource/en/application_note/an1709-emc-design-guide-for-stm8-stm32-and-legacy-mcus-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an1709-emc-design-guide-for-stm8-stm32-and-legacy-mcus-stmicroelectronics.pdf</a>             |
| Application Notes          | <a href="https://www.st.com/resource/en/application_note/an2586-getting-started-with-stm32f10xxx-hardware-development-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an2586-getting-started-with-stm32f10xxx-hardware-development-stmicroelectronics.pdf</a> |
| Application Notes          | <a href="https://www.st.com/resource/en/application_note/an2604-stm32f101xx-and-stm32f103xx-rtc-calibration-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an2604-stm32f101xx-and-stm32f103xx-rtc-calibration-stmicroelectronics.pdf</a>                     |
| Application Notes          | <a href="https://www.st.com/resource/en/application_note/an2606-stm32-">https://www.st.com/resource/en/application_note/an2606-stm32-</a>                                                                                                                                             |



microcontroller-system-memory-boot-mode-stmicroelectronics.pdf

Application Notes [https://www.st.com/resource/en/application\\_note/an2945-stm8s-and-stm32-mcus-a-consistent-832bit-product-line-for-painless-migration-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2945-stm8s-and-stm32-mcus-a-consistent-832bit-product-line-for-painless-migration-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3070-managing-the-driver-enable-signal-for-rs485-and-iolink-communications-with-the-stm32s-usart-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3070-managing-the-driver-enable-signal-for-rs485-and-iolink-communications-with-the-stm32s-usart-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3095-stevalisv002v1-stevalisv002v2-3-kw-gridconnected-pv-system-based-on-the-stm32f103xx-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3095-stevalisv002v1-stevalisv002v2-3-kw-gridconnected-pv-system-based-on-the-stm32f103xx-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3108-stlm75-firmware-library-for-the-stm32f10x-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3108-stlm75-firmware-library-for-the-stm32f10x-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3126-audio-and-waveform-generation-using-the-dac-in-stm32-products-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3126-audio-and-waveform-generation-using-the-dac-in-stm32-products-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3128-stm32-embedded-graphic-objectstouchscreen-library-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3128-stm32-embedded-graphic-objectstouchscreen-library-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3154-can-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3154-can-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3155-usart-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3155-usart-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3156-usb-dfu-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3156-usb-dfu-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3364-migration-and-compatibility-guidelines-for-stm32-microcontroller-applications-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3364-migration-and-compatibility-guidelines-for-stm32-microcontroller-applications-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3422-migration-of-microcontroller-applications-from-stm32f1-to-stm32l1-series-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3422-migration-of-microcontroller-applications-from-stm32f1-to-stm32l1-series-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3427-migrating-a-microcontroller-application-from-stm32f1-to-stm32f2-series-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3427-migrating-a-microcontroller-application-from-stm32f1-to-stm32f2-series-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an3429-stm32-](https://www.st.com/resource/en/application_note/an3429-stm32-)

proprietary-code-protection-overview-stmicroelectronics.pdf

Application Notes [https://www.st.com/resource/en/application\\_note/an3961-stevalime003v1-demonstration-board-based-on-the-sthv748-ultrasound-pulser-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3961-stevalime003v1-demonstration-board-based-on-the-sthv748-ultrasound-pulser-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4070-250-w-grid-connected-microinverter-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4070-250-w-grid-connected-microinverter-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4076-two-or-three-shunt-resistor-based-current-sensing-circuit-design-in-3phase-inverters-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4076-two-or-three-shunt-resistor-based-current-sensing-circuit-design-in-3phase-inverters-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4088-migrating-between-stm32f1-and-stm32f0-series-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4088-migrating-between-stm32f1-and-stm32f0-series-microcontrollers-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4228-migrating-from-stm32f1-series-to-stm32f3-series-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4228-migrating-from-stm32f1-series-to-stm32f3-series-microcontrollers-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4566-extending-the-dac-performance-of-stm32-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4566-extending-the-dac-performance-of-stm32-microcontrollers-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4649-migrating-from-stm32f1-series-to-stm32l4-series--stm32l4-series-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4649-migrating-from-stm32f1-series-to-stm32l4-series--stm32l4-series-microcontrollers-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4655-virtually-increasing-the-number-of-serial-communication-peripherals-in-stm32-applications-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4655-virtually-increasing-the-number-of-serial-communication-peripherals-in-stm32-applications-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4724-stm32cube-firmware-examples-for-stm32f1-series-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4724-stm32cube-firmware-examples-for-stm32f1-series-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4750-handling-of-soft-errors-in-stm32-applications-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4750-handling-of-soft-errors-in-stm32-applications-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4776-generalpurpose-timer-cookbook-for-stm32-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4776-generalpurpose-timer-cookbook-for-stm32-microcontrollers-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4803-highspeed-si-simulations-using-ibis-and-boardlevel-simulations-using-hyperlynx-si-on-stm32-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4803-highspeed-si-simulations-using-ibis-and-boardlevel-simulations-using-hyperlynx-si-on-stm32-mcus-and-mpus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4904-migration-of-microcontroller-applications-from-stm32f1-series-to-stm32f4-access-lines](https://www.st.com/resource/en/application_note/an4904-migration-of-microcontroller-applications-from-stm32f1-series-to-stm32f4-access-lines)

stmicroelectronics.pdf

Application Notes [https://www.st.com/resource/en/application\\_note/an4989-stm32-microcontroller-debug-toolbox-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4989-stm32-microcontroller-debug-toolbox-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5027-interfacing-pdm-digital-microphones-using-stm32-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5027-interfacing-pdm-digital-microphones-using-stm32-mcus-and-mpus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4899-stm32-microcontroller-gpio-hardware-settings-and-lowpower-consumption-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4899-stm32-microcontroller-gpio-hardware-settings-and-lowpower-consumption-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5612-esd-protection-of-stm32-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5612-esd-protection-of-stm32-mcus-and-mpus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4838-introduction-to-memory-protection-unit-management-on-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4838-introduction-to-memory-protection-unit-management-on-stm32-mcus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4879-introduction-to-usb-hardware-and-pcb-guidelines-using-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4879-introduction-to-usb-hardware-and-pcb-guidelines-using-stm32-mcus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5225-introduction-to-usb-typec-power-delivery-for-stm32-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5225-introduction-to-usb-typec-power-delivery-for-stm32-mcus-and-mpus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5537-how-to-use-adc-oversampling-techniques-to-improve-signal-to-noise-ratio-on-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5537-how-to-use-adc-oversampling-techniques-to-improve-signal-to-noise-ratio-on-stm32-mcus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5036-guidelines-for-thermal-management-on-stm32-applications-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5036-guidelines-for-thermal-management-on-stm32-applications-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an2548-introduction-to-dma-controller-for-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2548-introduction-to-dma-controller-for-stm32-mcus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4013-introduction-to-timers-for-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4013-introduction-to-timers-for-stm32-mcus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4277-how-to-use-pwm-shutdown-for-motor-control-and-digital-power-conversion-on-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4277-how-to-use-pwm-shutdown-for-motor-control-and-digital-power-conversion-on-stm32-mcus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4908-getting-started-with-uart-automatic-baud-rate-detection-for-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4908-getting-started-with-uart-automatic-baud-rate-detection-for-stm32-mcus-stmicroelectronics.pdf)

stmicroelectronics.pdf

- Application Notes [https://www.st.com/resource/en/application\\_note/an5156-introduction-to-security-for-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5156-introduction-to-security-for-stm32-mcus-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an5543-guidelines-for-enhanced-spi-communication-on-stm32-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5543-guidelines-for-enhanced-spi-communication-on-stm32-mcus-and-mpus-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/cd00211314-how-to-optimize-the-adc-accuracy-in-the-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/cd00211314-how-to-optimize-the-adc-accuracy-in-the-stm32-mcus-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an2639-soldering-recommendations-and-package-information-for-leadfree-ecopack2-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2639-soldering-recommendations-and-package-information-for-leadfree-ecopack2-mcus-and-mpus-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an2557-stm32f10x-for-related-tools-in-application-programming-using-the-usart-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2557-stm32f10x-for-related-tools-in-application-programming-using-the-usart-stmicroelectronics.pdf)  
& Software
- Application Notes [https://www.st.com/resource/en/application\\_note/an2592-achieving-32bit-timer-resolution-with-software-expansion-for-stm32cube-and-standard-peripheral-library-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2592-achieving-32bit-timer-resolution-with-software-expansion-for-stm32cube-and-standard-peripheral-library-stmicroelectronics.pdf)  
& Software
- Application Notes [https://www.st.com/resource/en/application\\_note/an2594-eeeprom-emulation-in-stm32f10x-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2594-eeeprom-emulation-in-stm32f10x-microcontrollers-stmicroelectronics.pdf)  
& Software
- Application Notes [https://www.st.com/resource/en/application\\_note/an2598-smartcard-interface-with-stm32f10x-and-stm32l1xx-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2598-smartcard-interface-with-stm32f10x-and-stm32l1xx-microcontrollers-stmicroelectronics.pdf)  
& Software
- Application Notes [https://www.st.com/resource/en/application\\_note/an2629-stm32f101xx-stm32f102xx-and-stm32f103xx-lowpower-modes-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2629-stm32f101xx-stm32f102xx-and-stm32f103xx-lowpower-modes-stmicroelectronics.pdf)  
& Software
- Application Notes [https://www.st.com/resource/en/application\\_note/an2656-stm32f10xxx-lcd-glass-driver-firmware-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2656-stm32f10xxx-lcd-glass-driver-firmware-stmicroelectronics.pdf)  
& Software
- Application Notes [https://www.st.com/resource/en/application\\_note/an2668-improving-stm32f1-series-stm32f3-series-and-stm32lx-series-adc-resolution-by-oversampling-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2668-improving-stm32f1-series-stm32f3-series-and-stm32lx-series-adc-resolution-by-oversampling-stmicroelectronics.pdf)  
& Software
- Application Notes [https://www.st.com/resource/en/application\\_note/an2739-how-to-use-the-highdensity-stm32f103xx-microcontroller-to-play-audio-files-with-an](https://www.st.com/resource/en/application_note/an2739-how-to-use-the-highdensity-stm32f103xx-microcontroller-to-play-audio-files-with-an)  
& Software

|                                                      |                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| & Software                                           | <a href="#">external-is-audio-codec-stmicroelectronics.pdf</a>                                                                                                                                                                                                                                                                                                                                        |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an2784-using-the-highdensity-stm32f10xxx-fsmc-peripheral-to-drive-external-memories-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an2784-using-the-highdensity-stm32f10xxx-fsmc-peripheral-to-drive-external-memories-stmicroelectronics.pdf</a>                                                                   |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an2790-tft-lcd-interfacing-with-the-highdensity-stm32f10xxx-fsmc-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an2790-tft-lcd-interfacing-with-the-highdensity-stm32f10xxx-fsmc-stmicroelectronics.pdf</a>                                                                                                         |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an2820-driving-bipolar-stepper-motors-using-a-mediumdensity-stm32f103xx-microcontroller-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an2820-driving-bipolar-stepper-motors-using-a-mediumdensity-stm32f103xx-microcontroller-stmicroelectronics.pdf</a>                                                           |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an2821-clockcalendar-implementation-on-the-stm32f10xxx-microcontroller-rtc-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an2821-clockcalendar-implementation-on-the-stm32f10xxx-microcontroller-rtc-stmicroelectronics.pdf</a>                                                                                     |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an2824-stm32f10xxx-ic-optimized-examples-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an2824-stm32f10xxx-ic-optimized-examples-stmicroelectronics.pdf</a>                                                                                                                                                         |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an2841-led-dimming-implemented-on-stm32-microcontroller-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an2841-led-dimming-implemented-on-stm32-microcontroller-stmicroelectronics.pdf</a>                                                                                                                           |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an2868-stm32f10xxx-internal-rc-oscillator-hsi-calibration-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an2868-stm32f10xxx-internal-rc-oscillator-hsi-calibration-stmicroelectronics.pdf</a>                                                                                                                       |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an2931-implementing-the-adpcm-algorithm-in-highdensity-stm32f103xx-microcontrollers-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an2931-implementing-the-adpcm-algorithm-in-highdensity-stm32f103xx-microcontrollers-stmicroelectronics.pdf</a>                                                                   |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an2953-how-to-migrate-from-the-stm32f10xxx-firmware-library-v203-to-the-stm32f10xxx-standard-peripheral-library-v300-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an2953-how-to-migrate-from-the-stm32f10xxx-firmware-library-v203-to-the-stm32f10xxx-standard-peripheral-library-v300-stmicroelectronics.pdf</a> |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an3012-getting-started-with-uclinux-for-stm32f10x-highdensity-devices-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an3012-getting-started-with-uclinux-for-stm32f10x-highdensity-devices-stmicroelectronics.pdf</a>                                                                                               |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an3078-stm32-inapplication-programming-over-the-ic-bus-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an3078-stm32-inapplication-programming-over-the-ic-bus-stmicroelectronics.pdf</a>                                                                                                                             |

Application Notes for related Tools & Software [https://www.st.com/resource/en/application\\_note/an3109-communication-peripheral-fifo-emulation-with-dma-and-dma-timeout-in-stm32f10x-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3109-communication-peripheral-fifo-emulation-with-dma-and-dma-timeout-in-stm32f10x-microcontrollers-stmicroelectronics.pdf)

Application Notes for related Tools & Software [https://www.st.com/resource/en/application\\_note/an3116-stm32s-adc-modes-and-their-applications-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3116-stm32s-adc-modes-and-their-applications-stmicroelectronics.pdf)

Application Notes for related Tools & Software [https://www.st.com/resource/en/application\\_note/an3174-implementing-receivers-for-infrared-remote-control-protocols-using-stm32f10xxx-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3174-implementing-receivers-for-infrared-remote-control-protocols-using-stm32f10xxx-microcontrollers-stmicroelectronics.pdf)

Application Notes for related Tools & Software [https://www.st.com/resource/en/application\\_note/an3240-ultrasound-hv-pulser-demonstration-board-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3240-ultrasound-hv-pulser-demonstration-board-stmicroelectronics.pdf)

Application Notes for related Tools & Software [https://www.st.com/resource/en/application\\_note/an3241-qvga-tftlcd-direct-drive-using-the-stm32f10xx-fsmc-peripheral-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3241-qvga-tftlcd-direct-drive-using-the-stm32f10xx-fsmc-peripheral-stmicroelectronics.pdf)

Application Notes for related Tools & Software [https://www.st.com/resource/en/application\\_note/an3307-guidelines-for-obtaining-iec-60335-class-b-certification-for-any-stm32-application-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3307-guidelines-for-obtaining-iec-60335-class-b-certification-for-any-stm32-application-stmicroelectronics.pdf)

Application Notes for related Tools & Software [https://www.st.com/resource/en/application\\_note/an3970-plm-smartplug-v2-getting-started-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3970-plm-smartplug-v2-getting-started-stmicroelectronics.pdf)

Application Notes for related Tools & Software [https://www.st.com/resource/en/application\\_note/an3991-how-to-drive-multiple-stepper-motors-with-the-l6470-motor-driver-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3991-how-to-drive-multiple-stepper-motors-with-the-l6470-motor-driver-stmicroelectronics.pdf)

Application Notes for related Tools & Software [https://www.st.com/resource/en/application\\_note/an4075-stevalifp016v2-iolink-communication-master-transceiver-demonstration-board-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4075-stevalifp016v2-iolink-communication-master-transceiver-demonstration-board-stmicroelectronics.pdf)

Application Notes for related Tools & Software [https://www.st.com/resource/en/application\\_note/an4323-getting-started-with-stemwin-library-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4323-getting-started-with-stemwin-library-stmicroelectronics.pdf)

Application Notes for related Tools & Software [https://www.st.com/resource/en/application\\_note/an4435-guidelines-for-obtaining-ulcsaiec-607301603351-class-b-certification-in-any-stm32-application-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4435-guidelines-for-obtaining-ulcsaiec-607301603351-class-b-certification-in-any-stm32-application-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4453-implementing-](https://www.st.com/resource/en/application_note/an4453-implementing-)

for related Tools & Software the-adpcm-algorithm-in-stm32l1xx-microcontrollers-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4499-stm32--  
for related Tools nrf51822-bluetooth-low-energy-system-solution-stmicroelectronics.pdf  
& Software

Application Notes https://www.st.com/resource/en/application\_note/an4578-16channels-led-  
for related Tools driver-with-independent-pwm-dimming-control-based-on-led7708-  
& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4657-stm32-  
for related Tools inapplication-programming-iap-using-the-usart-stmicroelectronics.pdf  
& Software

Application Notes https://www.st.com/resource/en/application\_note/an4724-stm32cube-  
for related Tools firmware-examples-for-stm32f1-series-stmicroelectronics.pdf  
& Software

Application Notes https://www.st.com/resource/en/application\_note/an4841-digital-signal-  
for related Tools processing-for-stm32-microcontrollers-using-cmsis-stmicroelectronics.pdf  
& Software

Application Notes https://www.st.com/resource/en/application\_note/an4903-generating-jerk-  
for related Tools limited-move-profiles-with-the-stevalihm042v1-evaluation-board-  
& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5360-getting-started-  
for related Tools with-projects-based-on-the-stm32mp1-series-in-stm32cubeide-  
& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5361-getting-started-  
for related Tools with-projects-based-on-dualcore-stm32h7-microcontrollers-in-  
& Software stm32cubeide-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5394-getting-started-  
for related Tools with-projects-based-on-the-stm32l5-series-in-stm32cubeide-  
& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5418-how-to-build-a-  
for related Tools simple-usbp-d-sink-application-with-stm32cubemx-stmicroelectronics.pdf  
& Software

Application Notes https://www.st.com/resource/en/application\_note/an5426-migrating-  
for related Tools graphics-middleware-projects-from-stm32cubemx-540-to-stm32cubemx-

|                                                      |                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| & Software                                           | 550-stmicroelectronics.pdf                                                                                                                                                                                                                                                                                                                                                                |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5564-getting-started-with-projects-based-on-dualcore-stm32wl-microcontrollers-in-stm32cubeide-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5564-getting-started-with-projects-based-on-dualcore-stm32wl-microcontrollers-in-stm32cubeide-stmicroelectronics.pdf</a>                               |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5698-adapting-the-xcubestl-functional-safety-package-for-stm32-iec-61508-compliant-to-other-safety-standards-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5698-adapting-the-xcubestl-functional-safety-package-for-stm32-iec-61508-compliant-to-other-safety-standards-stmicroelectronics.pdf</a> |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5731-stm32cubemx-and-stm32cubeide-threadsafe-solution-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5731-stm32cubemx-and-stm32cubeide-threadsafe-solution-stmicroelectronics.pdf</a>                                                                                                               |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an4502-stm32-smbuspmbus-expansion-package-for-stm32cube-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an4502-stm32-smbuspmbus-expansion-package-for-stm32cube-stmicroelectronics.pdf</a>                                                                                                               |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5952-how-to-use-cmake-in-stm32cubeide-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5952-how-to-use-cmake-in-stm32cubeide-stmicroelectronics.pdf</a>                                                                                                                                               |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5054-how-to-perform-secure-programming-using-stm32cubeprogrammer-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5054-how-to-perform-secure-programming-using-stm32cubeprogrammer-stmicroelectronics.pdf</a>                                                                                         |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an6179-how-to-integrate-the-stl-firmware-into-a-time-critical-user-application-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an6179-how-to-integrate-the-stl-firmware-into-a-time-critical-user-application-stmicroelectronics.pdf</a>                                                                 |
| Device Option<br>Lists                               | <a href="https://www.st.com/resource/en/device_option_list/opl_stm32f103_64k.zip">https://www.st.com/resource/en/device_option_list/opl_stm32f103_64k.zip</a>                                                                                                                                                                                                                             |
| Errata Sheets                                        | <a href="https://www.st.com/resource/en/errata_sheet/es096-stm32f101x8b-stm32f102x8b-and-stm32f103x8b-mediumdensity-device-limitations-stmicroelectronics.pdf">https://www.st.com/resource/en/errata_sheet/es096-stm32f101x8b-stm32f102x8b-and-stm32f103x8b-mediumdensity-device-limitations-stmicroelectronics.pdf</a>                                                                   |
| Datasheet                                            | <a href="https://www.st.com/resource/en/datasheet/cd00161566.pdf">https://www.st.com/resource/en/datasheet/cd00161566.pdf</a>                                                                                                                                                                                                                                                             |
| Programming<br>Manuals                               | <a href="https://www.st.com/resource/en/programming_manual/pm0056-stm32f10xxx20xxx21xxxl1xxxx-cortexm3-programming-manual-stmicroelectronics.pdf">https://www.st.com/resource/en/programming_manual/pm0056-stm32f10xxx20xxx21xxxl1xxxx-cortexm3-programming-manual-stmicroelectronics.pdf</a>                                                                                             |
| Programming<br>Manuals                               | <a href="https://www.st.com/resource/en/programming_manual/pm0075-stm32f10xxx-flash-memory-microcontrollers-stmicroelectronics.pdf">https://www.st.com/resource/en/programming_manual/pm0075-stm32f10xxx-flash-memory-microcontrollers-stmicroelectronics.pdf</a>                                                                                                                         |



|                            |                                                                                                                                                                                                                                                                                                                                                                     |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reference Manuals          | <a href="https://www.st.com/resource/en/reference_manual/rm0008-stm32f101xx-stm32f102xx-stm32f103xx-stm32f105xx-and-stm32f107xx-advanced-armbased-32bit-mcus-stmicroelectronics.pdf">https://www.st.com/resource/en/reference_manual/rm0008-stm32f101xx-stm32f102xx-stm32f103xx-stm32f105xx-and-stm32f107xx-advanced-armbased-32bit-mcus-stmicroelectronics.pdf</a> |
| Technical Notes & Articles | <a href="https://www.st.com/resource/en/technical_note/tn0516-overview-of-the-stm32f0xf100xxf103xx-and-stm32f2xxf30xf4xx-mcus-pmsm-singledual-foc-sdk-v40-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn0516-overview-of-the-stm32f0xf100xxf103xx-and-stm32f2xxf30xf4xx-mcus-pmsm-singledual-foc-sdk-v40-stmicroelectronics.pdf</a>       |
| Technical Notes & Articles | <a href="https://www.st.com/resource/en/technical_note/tn1163-description-of-wlcsp-for-microcontrollers-and-recommendations-for-its-use-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1163-description-of-wlcsp-for-microcontrollers-and-recommendations-for-its-use-stmicroelectronics.pdf</a>                                           |
| Technical Notes & Articles | <a href="https://www.st.com/resource/en/technical_note/tn1204-tape-and-reel-shipping-media-for-stm32-microcontrollers-in-bga-packages-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1204-tape-and-reel-shipping-media-for-stm32-microcontrollers-in-bga-packages-stmicroelectronics.pdf</a>                                               |
| Technical Notes & Articles | <a href="https://www.st.com/resource/en/technical_note/tn1205-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-fpn-packages-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1205-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-fpn-packages-stmicroelectronics.pdf</a>                             |
| Technical Notes & Articles | <a href="https://www.st.com/resource/en/technical_note/tn1206-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-qfp-packages-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1206-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-qfp-packages-stmicroelectronics.pdf</a>                             |
| Technical Notes & Articles | <a href="https://www.st.com/resource/en/technical_note/tn1207-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-so-packages-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1207-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-so-packages-stmicroelectronics.pdf</a>                               |
| Technical Notes & Articles | <a href="https://www.st.com/resource/en/technical_note/tn1208-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-tssop-and-ssop-packages-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1208-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-tssop-and-ssop-packages-stmicroelectronics.pdf</a>       |
| Technical Notes & Articles | <a href="https://www.st.com/resource/en/technical_note/tn1433-reference-device-marking-schematics-for-stm32-microcontrollers-and-microprocessors-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1433-reference-device-marking-schematics-for-stm32-microcontrollers-and-microprocessors-stmicroelectronics.pdf</a>                         |
| Technical Notes & Articles | <a href="https://www.st.com/resource/en/technical_note/tn1489-security-bulletin-tn1489stpsirt-physical-attacks-on-stm32-and-stm32cube-firmware-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1489-security-bulletin-tn1489stpsirt-physical-attacks-on-stm32-and-stm32cube-firmware-stmicroelectronics.pdf</a>                             |
| User Manuals               | <a href="https://www.st.com/resource/en/user_manual/um1561-stevalisv003v1-firmware-user-manual-stmicroelectronics.pdf">https://www.st.com/resource/en/user_manual/um1561-stevalisv003v1-firmware-user-manual-stmicroelectronics.pdf</a>                                                                                                                             |
| User Manuals               | <a href="https://www.st.com/resource/en/user_manual/um1573-st7540-power-line-modem-firmware-stack-stmicroelectronics.pdf">https://www.st.com/resource/en/user_manual/um1573-st7540-power-line-modem-firmware-stack-stmicroelectronics.pdf</a>                                                                                                                       |