

Instrument controller software run summary:

Filename and data path: C:\Agilent Technologies\Data\2024 10 16 Zahnreich_total RNA - Copy\12-40-48\2024 10 16 12H 40M.raw
Created: Mittwoch, 16. Oktober 2024 13:00:45
Number of capillaries: 12
Array serial number: 062520-11SFS
Effective length: 33 cm
Array usage count: 227
Instrument type: 5200 Fragment Analyzer
Instrument controller software version: 4.0.0.11
Device serial number: MY2019AA45

Method Information


Method name: DNF-471-33 - SS Total RNA 15nt.mthds
Gel prime: No
Full conditioning: Yes
Gel prime to buffer: Yes
Gel selection: Gel 2
Prerun: 8,0 kV, 30 sec.
Rinse: No
Marker 1: No
Rinse: Tray: Marker, Row: B, Number of dips: 2
Sample injection: 5,0 kV, 4 sec.
Separation: 8,0 kV, 40,0 min.
Tray Name: Tray-1

Analysis mode: RNA (Eukaryotic)


Report Generated on 17-Okt-2024 at 07:43:23

Notes


Gel Image



Filename and data path: C:\Agilent Technologies\Data\2024 10 16 Zahnreich_total RNA - Copy\12-40-48\2024 10 16 12H 40M.raw



Sample: 000525_RNA_F-0Gy
Well location: F1
Created: Mittwoch, 16. Oktober 2024 13:00:45




Sample Peak Width (sec): 6	Sample Min Peak Height: 50	Sample Baseline V to V?: Y	Sample Baseline V to V pts: 3
Sample filter: Binomial	Number of points for filter: 9	Sample start region (min): 0	Sample end region (min): 39
Manual baseline start (min): 18	Manual baseline end (min): 38	Marker peak width (sec): 6	Marker min peak height: 100
Marker baseline V to V?: Y	Marker baseline V to V points: 3	Lower marker selection: First peak > 100 RFU	Upper marker selection: Last peak > 100 RFU
Ladder size (nt) 15, 200, 500, 1000, 1500, 2000, 3000, 4000, 6000	Quantification using: Ladder Final concentration (ng/uL): 8,0000 Dilution factor: 12,0	Minimum RFU for data processing: 2	

Sample: 000525_RNA_F-0Gy
Well location: F1
Created: Mittwoch, 16. Oktober 2024 13:00:45

Table Information

Peak Table					
Peak	Size	Concentration	From	To	RFU
	(nt)	(ng/uL)	(nt)	(nt)	
1	15 (LM)	0,6588	0	61	3523
2	157	0,9160	145	172	395
3	317	0,0051	267	384	9
4	471	0,0330	455	530	32
5	614	0,0366	530	665	40
6	883	0,0034	832	912	6
7	1084	1,7827	912	1223	287
8	1544	6,0740	1223	1656	793
9	1914	37,6789	1656	2395	10230
10	2859	7,6114	2395	2986	1305
11	3153	4,5087	2986	3348	1364
12	3566	5,0752	3348	3783	1524
13	4000	3,8445	3783	4109	1418
14	5136	56,3122	4109	6776	15700
15	7712	0,1258	6776	7899	56
16	8140	0,1031	7899	8301	47
17	8461	0,0827	8301	8836	35
18	10013	1,1357	9157	11484	136
19	12233	0,1594	11484	12581	77
20	13143	0,3434	12581	13972	81
	TIC:	125,8318	ng/uL		
	TIM:	153,1486	nmole/L		
	Total concentration:	124,7168	ng/uL		
28s/18s:			1,5		
RQN			10,0		

Sample: 000526_RNA_A-0Gy
Well location: F2
Created: Mittwoch, 16. Oktober 2024 13:00:45




Sample: 000526_RNA_A-0Gy
Well location: F2
Created: Mittwoch, 16. Oktober 2024 13:00:45

Table Information

Peak Table					
Peak	Size	Concentration	From	To	RFU
	(nt)	(ng/uL)	(nt)	(nt)	
1	15 (LM)	0,6588	0	68	3586
2	119	0,2735	68	125	58
3	138	0,5391	125	144	94
4	157	5,0854	144	173	1574
5	179	0,3151	173	185	132
6	244	0,7411	208	267	159
7	319	1,5778	267	332	441
8	350	2,7519	332	409	488
9	473	5,2255	409	526	721
10	610	3,8257	526	652	768
11	786	5,4572	652	828	730
12	878	2,7063	828	899	780
13	1077	11,8201	899	1202	1333
14	1527	20,9385	1202	1639	2435
15	1914	97,6572	1639	2395	27656
16	2536	4,3126	2395	2606	1586
17	2859	9,5332	2606	3000	2049
18	3175	6,8033	3000	3348	2291
19	3544	8,1776	3348	3761	2678
20	3978	6,5806	3761	4082	2553
21	5082	129,5540	4082	8327	44245
22	11965	0,0021	11644	13918	5
	TIC:	323,8777	ng/uL		
	TIM:	616,2303	nmole/L		
	Total concentration:	321,0389	ng/uL		
28s/18s:			1,4		
RQN			9,1		

Sample: 000527_RNA_S-0Gy
Well location: F3
Created: Mittwoch, 16. Oktober 2024 13:00:45




Sample Peak Width (sec): 6	Sample Min Peak Height: 50	Sample Baseline V to V?: Y	Sample Baseline V to V pts: 3
Sample filter: Binomial	Number of points for filter: 9	Sample start region (min): 0	Sample end region (min): 39
Manual baseline start (min): 18	Manual baseline end (min): 38	Marker peak width (sec): 6	Marker min peak height: 100
Marker baseline V to V?: Y	Marker baseline V to V points: 3	Lower marker selection: First peak > 100 RFU	Upper marker selection: Last peak > 100 RFU
Ladder size (nt)15, 200, 500, 1000, 1500, 2000, 3000, 4000, 6000	Quantification using: Ladder Final concentration (ng/uL): 8,0000 Dilution factor: 12,0	Minimum RFU for data processing: 2	

Sample: 000527_RNA_S-0Gy
Well location: F3
Created: Mittwoch, 16. Oktober 2024 13:00:45

Table Information

Peak Table					
Peak	Size	Concentration	From	To	RFU
	(nt)	(ng/uL)	(nt)	(nt)	
1	15 (LM)	0,6588	0	68	3018
2	157	3,5777	144	171	928
3	178	0,4423	171	184	138
4	240	0,8013	206	264	141
5	317	0,9064	292	330	259
6	348	1,7170	330	405	266
7	471	4,3995	405	539	513
8	610	2,1382	539	648	426
9	786	4,0905	648	828	527
10	878	2,2315	828	904	552
11	992	4,6356	904	1022	899
12	1077	5,0894	1022	1202	956
13	1535	17,0692	1202	1647	1735
14	1897	81,6669	1647	2381	20211
15	2859	11,1204	2381	2944	1601
16	3110	7,0196	2944	3305	1885
17	3500	7,4376	3305	3718	2147
18	5055	134,1649	3718	8060	37199
19	13143	0,1664	11805	13169	61
20	13169	0,1738	13169	13972	60
	TIC:	288,8482	ng/uL		
	TIM:	487,0301	nmole/L		
	Total concentration:	288,2807	ng/uL		
28s/18s:			1,8		
RQN			9,4		

Sample: 000528_RNA_F-4Gy
Well location: F4
Created: Mittwoch, 16. Oktober 2024 13:00:45




Sample Peak Width (sec): 6	Sample Min Peak Height: 50	Sample Baseline V to V?: Y	Sample Baseline V to V pts: 3
Sample filter: Binomial	Number of points for filter: 9	Sample start region (min): 0	Sample end region (min): 39
Manual baseline start (min): 18	Manual baseline end (min): 38	Marker peak width (sec): 6	Marker min peak height: 100
Marker baseline V to V?: Y	Marker baseline V to V points: 3	Lower marker selection: First peak > 100 RFU	Upper marker selection: Last peak > 100 RFU
Ladder size (nt)15, 200, 500, 1000, 1500, 2000, 3000, 4000, 6000	Quantification using: Ladder Final concentration (ng/uL): 8,0000 Dilution factor: 12,0	Minimum RFU for data processing: 2	

Sample: 000528_RNA_F-4Gy
Well location: F4
Created: Mittwoch, 16. Oktober 2024 13:00:45

Table Information

Peak Table					
Peak	Size	Concentration	From	To	RFU
	(nt)	(ng/uL)	(nt)	(nt)	
1	15 (LM)	0,6588	0	78	2720
2	157	1,2211	135	172	358
3	319	0,0424	264	332	23
4	350	0,0861	332	384	34
5	441	0,2118	384	455	62
6	471	0,3518	455	526	94
7	610	0,4189	526	656	131
8	786	0,3915	656	828	81
9	887	0,4050	828	908	107
10	1091	3,6268	908	1209	365
11	1493	9,2088	1209	1664	822
12	1914	47,7870	1664	2381	10159
13	2873	8,7677	2381	2972	1072
14	3131	5,0297	2972	3327	1176
15	3522	5,2181	3327	3718	1326
16	3935	4,4909	3718	4055	1187
17	5136	67,5107	4055	6749	15595
18	8515	0,2735	6749	9130	45
19	10039	0,9918	9130	10976	98
20	11430	0,7037	10976	13437	75
	TIC:	156,7373	ng/uL		
	TIM:	207,3350	nmole/L		
	Total concentration:	155,3347	ng/uL		
28s/18s:			1,5		
RQN			9,8		

Sample: 000529_RNA_A-4Gy
Well location: F5
Created: Mittwoch, 16. Oktober 2024 13:00:45




Sample Peak Width (sec): 6	Sample Min Peak Height: 50	Sample Baseline V to V?: Y	Sample Baseline V to V pts: 3
Sample filter: Binomial	Number of points for filter: 9	Sample start region (min): 0	Sample end region (min): 39
Manual baseline start (min): 18	Manual baseline end (min): 38	Marker peak width (sec): 6	Marker min peak height: 100
Marker baseline V to V?: Y	Marker baseline V to V points: 3	Lower marker selection: First peak > 100 RFU	Upper marker selection: Last peak > 100 RFU
Ladder size (nt)15, 200, 500, 1000, 1500, 2000, 3000, 4000, 6000	Quantification using: Ladder Final concentration (ng/uL): 8,0000 Dilution factor: 12,0	Minimum RFU for data processing: 2	

Sample: 000529_RNA_A-4Gy
Well location: F5
Created: Mittwoch, 16. Oktober 2024 13:00:45

Table Information

Peak Table					
Peak	Size	Concentration	From	To	RFU
	(nt)	(ng/uL)	(nt)	(nt)	
1	15 (LM)	0,6588	0	68	2551
2	157	3,0296	134	171	609
3	240	1,0002	201	264	145
4	317	0,8449	292	330	187
5	348	1,7043	330	405	220
6	468	3,3941	405	514	378
7	610	3,1018	514	648	460
8	782	4,4707	648	828	469
9	874	2,0814	828	899	462
10	992	4,6946	899	1008	794
11	1084	5,9298	1008	1195	926
12	1544	19,7894	1195	1656	1616
13	1905	97,1734	1656	2353	21831
14	2522	4,9071	2353	2620	1071
15	2831	6,4269	2620	2930	1202
16	3088	6,1229	2930	3283	1393
17	3479	6,6418	3283	3696	1621
18	5028	153,6742	3696	8220	39908
19	13597	0,2864	13250	14400	58
	TIC:	325,2735	ng/uL		
	TIM:	517,4871	nmole/L		
	Total concentration:	324,7942	ng/uL		
28s/18s:			1,7		
RQN			9,4		

Sample: 000530_RNA_S-4Gy
Well location: F6
Created: Mittwoch, 16. Oktober 2024 13:00:45




Sample Peak Width (sec): 6	Sample Min Peak Height: 50	Sample Baseline V to V?: Y	Sample Baseline V to V pts: 3
Sample filter: Binomial	Number of points for filter: 9	Sample start region (min): 0	Sample end region (min): 39
Manual baseline start (min): 18	Manual baseline end (min): 38	Marker peak width (sec): 6	Marker min peak height: 100
Marker baseline V to V?: Y	Marker baseline V to V points: 3	Lower marker selection: First peak > 100 RFU	Upper marker selection: Last peak > 100 RFU
Ladder size (nt)15, 200, 500, 1000, 1500, 2000, 3000, 4000, 6000	Quantification using: Ladder Final concentration (ng/uL): 8,0000 Dilution factor: 12,0	Minimum RFU for data processing: 2	

Sample: 000530_RNA_S-4Gy
Well location: F6
Created: Mittwoch, 16. Oktober 2024 13:00:45

Table Information

Peak Table					
Peak	Size	Concentration	From	To	RFU
	(nt)	(ng/uL)	(nt)	(nt)	
1	15 (LM)	0,6588	0	71	2059
2	157	3,0334	146	170	469
3	242	2,4271	192	269	200
4	321	2,4869	269	335	317
5	353	4,0856	335	414	393
6	471	5,4853	414	514	485
7	560	2,0994	514	581	363
8	610	2,0827	581	644	425
9	786	5,9355	644	828	468
10	1091	15,3633	828	1202	863
11	1570	23,2396	1202	1673	1458
12	1914	78,4082	1673	2395	12338
13	2536	6,0282	2395	2690	931
14	2831	5,9609	2690	2972	974
15	3131	5,6287	2972	3327	1081
16	3522	5,9493	3327	3739	1152
17	3957	4,6696	3739	4082	980
18	5136	81,2512	4082	8140	15380
TIC:		254,1352	ng/uL		
TIM:		538,0851	nmole/L		
Total concentration:		254,8663	ng/uL		
28s/18s:			1,2		
RQN			8,3		

Sample: Blank_14_05_2024
Well location: F7
Created: Mittwoch, 16. Oktober 2024 13:00:45




Sample Peak Width (sec): 6	Sample Min Peak Height: 50	Sample Baseline V to V?: Y	Sample Baseline V to V pts: 3
Sample filter: Binomial	Number of points for filter: 9	Sample start region (min): 0	Sample end region (min): 39
Manual baseline start (min): 18	Manual baseline end (min): 38	Marker peak width (sec): 6	Marker min peak height: 100
Marker baseline V to V?: Y	Marker baseline V to V points: 3	Lower marker selection: First peak > 100 RFU	Upper marker selection: Last peak > 100 RFU
Ladder size (nt)15, 200, 500, 1000, 1500, 2000, 3000, 4000, 6000	Quantification using: Ladder Final concentration (ng/uL): 8,0000 Dilution factor: 12,0	Minimum RFU for data processing: 2	

Sample: Blank_14_05_2024
Well location: F7
Created: Mittwoch, 16. Oktober 2024 13:00:45

Table Information

Peak Table					
Peak	Size (nt)	Concentration (ng/uL)	From (nt)	To (nt)	RFU
1	15 (LM)	0,6588	3	37	715
	TIC:	0,0000	ng/uL		
	TIM:	0,0000	nmole/L		
	Total concentration:	0,0406	ng/uL		
28s/18s:			0,0		
RQN			1,0		

Sample: Blank_14_05_2024
Well location: F8
Created: Mittwoch, 16. Oktober 2024 13:00:45




Sample Peak Width (sec): 6	Sample Min Peak Height: 50	Sample Baseline V to V?: Y	Sample Baseline V to V pts: 3
Sample filter: Binomial	Number of points for filter: 9	Sample start region (min): 0	Sample end region (min): 39
Manual baseline start (min): 18	Manual baseline end (min): 38	Marker peak width (sec): 6	Marker min peak height: 100
Marker baseline V to V?: Y	Marker baseline V to V points: 3	Lower marker selection: First peak > 100 RFU	Upper marker selection: Last peak > 100 RFU
Ladder size (nt)15, 200, 500, 1000, 1500, 2000, 3000, 4000, 6000	Quantification using: Ladder Final concentration (ng/uL): 8,0000 Dilution factor: 12,0	Minimum RFU for data processing: 2	

Sample: Blank_14_05_2024
Well location: F8
Created: Mittwoch, 16. Oktober 2024 13:00:45

Table Information

Peak Table					
Peak	Size (nt)	Concentration (ng/uL)	From (nt)	To (nt)	RFU
1	15 (LM)	0,6588	1	43	811
	TIC:	0,0000	ng/uL		
	TIM:	0,0000	nmole/L		
	Total concentration:	0,0131	ng/uL		
28s/18s:			0,0		
RQN			1,0		

Sample: Blank_25_02_2025
Well location: F9
Created: Mittwoch, 16. Oktober 2024 13:00:45




Sample Peak Width (sec): 6	Sample Min Peak Height: 50	Sample Baseline V to V?: Y	Sample Baseline V to V pts: 3
Sample filter: Binomial	Number of points for filter: 9	Sample start region (min): 0	Sample end region (min): 39
Manual baseline start (min): 18	Manual baseline end (min): 38	Marker peak width (sec): 6	Marker min peak height: 100
Marker baseline V to V?: Y	Marker baseline V to V points: 3	Lower marker selection: First peak > 100 RFU	Upper marker selection: Last peak > 100 RFU
Ladder size (nt)15, 200, 500, 1000, 1500, 2000, 3000, 4000, 6000	Quantification using: Ladder Final concentration (ng/uL): 8,0000 Dilution factor: 12,0	Minimum RFU for data processing: 2	

Sample: Blank_25_02_2025
Well location: F9
Created: Mittwoch, 16. Oktober 2024 13:00:45

Table Information

Peak Table					
Peak	Size (nt)	Concentration (ng/uL)	From (nt)	To (nt)	RFU
1	15 (LM)	0,6588	1	42	600
	TIC:	0,0000	ng/uL		
	TIM:	0,0000	nmole/L		
	Total concentration:	0,0169	ng/uL		
28s/18s:			0,0		
RQN			1,0		

Sample: Blank_25_02_2025
Well location: F10
Created: Mittwoch, 16. Oktober 2024 13:00:45




Sample Peak Width (sec): 6	Sample Min Peak Height: 50	Sample Baseline V to V?: Y	Sample Baseline V to V pts: 3
Sample filter: Binomial	Number of points for filter: 9	Sample start region (min): 0	Sample end region (min): 39
Manual baseline start (min): 18	Manual baseline end (min): 38	Marker peak width (sec): 6	Marker min peak height: 100
Marker baseline V to V?: Y	Marker baseline V to V points: 3	Lower marker selection: First peak > 100 RFU	Upper marker selection: Last peak > 100 RFU
Ladder size (nt)15, 200, 500, 1000, 1500, 2000, 3000, 4000, 6000	Quantification using: Ladder Final concentration (ng/uL): 8,0000 Dilution factor: 12,0	Minimum RFU for data processing: 2	

Sample: Blank_25_02_2025
Well location: F10
Created: Mittwoch, 16. Oktober 2024 13:00:45

Table Information

Peak Table					
Peak	Size (nt)	Concentration (ng/uL)	From (nt)	To (nt)	RFU
1	15 (LM)	0,6588	1	39	748
	TIC:	0,0000	ng/uL		
	TIM:	0,0000	nmole/L		
	Total concentration:	0,0817	ng/uL		
28s/18s:			0,0		
RQN			1,0		

Sample: Blank_25_02_2025
Well location: F11
Created: Mittwoch, 16. Oktober 2024 13:00:45




Sample Peak Width (sec): 6	Sample Min Peak Height: 50	Sample Baseline V to V?: Y	Sample Baseline V to V pts: 3
Sample filter: Binomial	Number of points for filter: 9	Sample start region (min): 0	Sample end region (min): 39
Manual baseline start (min): 18	Manual baseline end (min): 38	Marker peak width (sec): 6	Marker min peak height: 100
Marker baseline V to V?: Y	Marker baseline V to V points: 3	Lower marker selection: First peak > 100 RFU	Upper marker selection: Last peak > 100 RFU
Ladder size (nt)15, 200, 500, 1000, 1500, 2000, 3000, 4000, 6000	Quantification using: Ladder Final concentration (ng/uL): 8,0000 Dilution factor: 12,0	Minimum RFU for data processing: 2	

Sample: Blank_25_02_2025
Well location: F11
Created: Mittwoch, 16. Oktober 2024 13:00:45

Table Information

Peak Table					
Peak	Size (nt)	Concentration (ng/uL)	From (nt)	To (nt)	RFU
1	15 (LM)	0,6588	0	36	652
	TIC:	0,0000	ng/uL		
	TIM:	0,0000	nmole/L		
	Total concentration:	0,0484	ng/uL		
28s/18s:			0,0		
RQN			1,0		

Sample: Ladder DNF 382
Well location: F12
Created: Mittwoch, 16. Oktober 2024 13:00:45



Sample Peak Width (sec): 6	Sample Min Peak Height: 200	Sample Baseline V to V?: Y	Sample Baseline V to V pts: 3
Sample filter: Binomial	Number of points for filter: 9	Sample start region (min): 0	Sample end region (min): 39
Manual baseline start (min): 18	Manual baseline end (min): 38	Marker peak width (sec): 6	Marker min peak height: 100
Marker baseline V to V?: Y	Marker baseline V to V points: 3	Lower marker selection: First peak > 100 RFU	Upper marker selection: Last peak > 100 RFU
Ladder size (nt)15, 200, 500, 1000, 1500, 2000, 3000, 4000, 6000	Quantification using: Ladder Final concentration (ng/uL): 8,0000 Dilution factor: 12,0	Minimum RFU for data processing: 2	

Sample: Ladder DNF 382
Well location: F12
Created: Mittwoch, 16. Oktober 2024 13:00:45

Table Information

Peak Table					
Peak	Size (nt)	Concentration (ng/uL)	From (nt)	To (nt)	RFU
1	15 (LM)	0,6588	0	68	3935
2	200	8,9766	173	294	3657
3	500	15,2453	319	677	4660
4	1000	12,0135	933	1257	5336
5	1500	11,5408	1257	1802	5384
6	2000	12,7073	1802	2634	5942
7	3000	11,3004	2634	3653	4792
8	4000	11,9119	3653	5163	5815
9	6000	11,4717	5163	8836	4134
TIC:		95,1675	ng/uL		
TIM:		338,1534	nmole/L		
Total concentration:		96,0000	ng/uL		

Sample: Ladder DNF 382

Well location: F12

Created: Mittwoch, 16. Oktober 2024 13:00:45

Fit type: Point to Point

Calibration Curve

