Static Code Analysis:

Using CppCheck

- if we run a simple `main.c` it will complile and run put accually there is an issues with the code which `static code analysis tools` figure out them

```
O:\Jenkins>gcc main.c -o aloo

O:\Jenkins>aloo.exe
Hello, World.
```

```c
int main(){
        /*This is a wild Pointer */
        int *ptr;

        int array[10];

        /*Out of Range*/
        array[100] = 30;

        printf("Hello, World. \n");
}
```

```
O:\Jenkins>cppcheck --enable=all main.c

Checking main.c ...
main.c:10:7: error: Array 'array[10]' accessed at index 100, which is out of
bounds. [arrayIndexOutOfBounds]
 array[100] = 30;
      ^
main.c:10:13: style: Variable 'array[100]' is assigned a value that is never used.
[unreadVariable]
 array[100] = 30;
            ^
main.c:5:7: style: Unused variable: ptr [unusedVariable]
 int *ptr;
      ^
nofile:0:0: information: Cppcheck cannot find all the include files (use --check-
config for details) [missingIncludeSystem]
```

Misra C 2012 Static Code analysis:

- Install cppcheck and add its `.exe` to your PATH
- clone this repo

```
git clone https://github.com/danmar/cppcheck/tree/main
```

- Add the addrons directory to the `cppcheck` directory
- Add the `JSON` file which include the path of the `misra.py` script and `Misra_C_2012_rules.txt`

```
cppcheck --addon="O:\Jenkins\misra.json" --enable=all --
suppress=missingIncludeSystem main.c
```

- And yes it works

```
main.c:9:7: error: Array 'array[10]' accessed at index 100, which is out of
bounds. [arrayIndexOutOfBounds]
 array[100] = 30;
      ^
main.c:2:9: style: Required: Function types shall be in prototype form with named
parameters [misra-c2012-8.2]
int main(){
        ^
main.c:11:8: style: Required: The value returned by a function having non-void
return type shall be used [misra-c2012-17.7]
 printf("Hello, World. \n");
       ^
main.c:1:0: style: Required: The Standard Library input/output functions shall not
be used [misra-c2012-21.6]
#include <stdio.h>
^
```