

Hana's API Endpoints Documentation

This document lists all the API endpoints implemented by Hana across Sprints 1 and 2, including HTTP methods, routes, authorization requirements, and request bodies.

1. Public Explorer Endpoints

These endpoints are open to the public and do not require any authentication tokens.

GET

/api/v1/restaurants

Retrieves a paginated list of all restaurants loaded with category and destination details.

GET

/api/v1/restaurants/{id}

Retrieves detailed information about a specific restaurant by its ID.

GET

/api/v1/attractions

Retrieves a paginated list of all attractions.

GET

/api/v1/attractions/{id}

Retrieves detailed information about a specific attraction by its ID.

GET

/api/v1/flights

Retrieves a list of available flights with optional filters for departure_airport and arrival_airport.

GET

/api/v1/flights/{id}

Retrieves detailed information about a specific flight by its ID.

2. Authenticated User Dashboard

These endpoints require a valid User Bearer Token (Authorization: Bearer <token>).

GET

/api/v1/dashboard

Authorize: Logged-in User (Owner)

Returns general trip statistics for the user (total trips count, breakdown by status, total favorites count).

GET

/api/v1/dashboard/trips

Authorize: Logged-in User (Owner)

Returns a list of all saved trips and booking history belonging to the user.

GET

/api/v1/dashboard/favourites

Authorize: Logged-in User (Owner)

Returns a list of the user's favorite destinations, hotels, attractions, or restaurants with their full details.

3. Admin Management Endpoints

These endpoints require an Admin Bearer Token and specific Spatie roles/permissions.

GET

/api/v1/admin/trips

Permission Required: manage trips

Retrieves all trips in the database for admin management.

PUT

/api/v1/admin/trips/{id}

Permission Required: manage trips

Updates a trip's details or booking status.

Request Body (JSON):

```
{
  "status": "booked",
  "title": "Updated Trip Title"
}
```

DELETE

/api/v1/admin/trips/{id}

Permission Required: manage trips

Deletes a trip from the database.

GET

/api/v1/admin/flights

Permission Required: manage flights

Retrieves a list of all flights in the database for admin view.

POST

/api/v1/admin/flights

Permission Required: manage flights

Creates a flight either manually or via external TripAdvisor Flights API.

Request Body (Manual Source):

```
{
  "source": "manual",
  "airline": "EgyptAir",
  "flight_number": "MS779",
  "departure_airport": "CAI",
  "arrival_airport": "JFK",
  "departure_date": "2026-08-20 10:00:00",
  "arrival_date": "2026-08-20 22:00:00",
  "price": 850.00,
  "booking_status": "pending"
}
```

Request Body (External Source):

```
{
  "source": "external",
  "departure_airport": "CAI",
  "arrival_airport": "DXB",
  "departure_date": "2026-08-25 08:00:00"
}
```

PUT**/api/v1/admin/flights/{id}****Permission Required: manage flights**

Updates flight details.

Request Body (JSON):

```
{
  "price": 950.00,
  "booking_status": "confirmed"
}
```

DELETE**/api/v1/admin/flights/{id}****Permission Required: manage flights**

Deletes a flight from the database.

GET**/api/v1/admin/analytics/revenue****Permission Required: view analytics**

Retrieves administrative revenue reports (total bookings, total earnings, monthly breakdowns, travel style breakdowns, and recent bookings).