

T2

Conference Platform

API & Web Platform Reference

Team 2 · Laravel API · JWT Auth · Subscription Billing

Version 1.0 · Generated: August 9, 2026

API routes · 36 sections · + website documentation

HTTP Methods & Resource Actions

Standard RESTful routing definitions used throughout the Conference Platform.

GET	POST	PUT	PATCH	DELETE	
Read data	Create resource	Replace resource	Partial update	Remove resource	

Conference Platform HTTP Methods Reference

-- TOC --

Table of Contents

#	Section	Endpoints
1	Authentication	9
2	Profile & Account	2
3	Catalog — Categories	2
4	Catalog — Destinations	2
5	Catalog — Hotels	2
6	Catalog — Flights	2
7	Catalog — Restaurants	2
8	Catalog — Attractions	2
9	Site & Utilities	3
10	Maps	2
11	Trips	6
12	AI Itinerary Review	2
13	Favourites & Member Reviews	3
14	Surveys	5
15	Plans & Subscription	5
16	Dashboard	3
17	Notifications	3
18	Checkout & Payments	3
19	My Reports	1
20	Admin — Users	6
21	Admin — Trips	4
22	Admin — Categories	4
23	Admin — Countries	4
24	Admin — Destinations	4
25	Admin — Hotels	4
26	Admin — Flights	4
27	Admin — Restaurants	4
28	Admin — Attractions	4
29	Admin — Reviews	4
30	Admin — Contacts	3

31	Admin — Plans	1
32	Admin — Reports	3
33	Admin — Settings	3
34	Admin — Analytics	2
35	Admin — Notifications	1
36	Developer & Operations	6
Total		120

1

Authentication

#	Method	Endpoint	Access	Description
1	POST	api/register	—	Create a member account: name, email, password. Email verification flow triggered. Throttle: register.
2	POST	api/login	—	Authenticate credentials; returns JWT access token (Bearer). Throttle: login (5/60s).
3	POST	api/refresh	USER	Rotate expired access token. Throttle: 15/1min.
4	POST	api/logout	USER	Invalidate current access token.
5	POST	api/forgot-password	—	Send password reset link to email. Throttle: 3/10min.
6	POST	api/reset-password	—	Apply new password with emailed token. Throttle: 5/1min.
7	POST	api/email/resend	USER	Resend email verification link. Throttle: 6/1min.
8	GET	api/email/verify-notice	USER	Flag/notice page after registration before verification.
9	GET	api/email/verify/{id}/{hash}	—	Verify email via signed URL (Laravel signed routes — tamper-proof).

2

Profile & Account

#	Method	Endpoint	Access	Description
1	GET	api/user	USER	Current authenticated profile.
2	PATCH	api/v1/profile	USER	Update own profile: name, phone, photo, etc.

3

Catalog — Categories

#	Method	Endpoint	Access	Description
1	GET	api/v1/categories	—	List travel categories (beaches, mountains, ...).
2	GET	api/v1/categories/{category}	—	Single category with stats.

4

Catalog — Destinations

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/destinations</code>	—	Browse destinations. Search/filter/pagination.
2	GET	<code>api/v1/destinations/{id}</code>	—	Destination detail incl. related hotels, restaurants, attractions.

5

Catalog — Hotels

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/hotels</code>	—	List hotels. Location/price filters; paginated.
2	GET	<code>api/v1/hotels/{id}</code>	—	Hotel detail: rating, price, amenities.

6

Catalog — Flights

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/flights</code>	—	List flights. Origin/destination/date filters; paginated.
2	GET	<code>api/v1/flights/{id}</code>	—	Flight detail: airline, times, price, class.

7

Catalog — Restaurants

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/restaurants</code>	—	List restaurants. Cuisine/price filters; paginated.
2	GET	<code>api/v1/restaurants/{id}</code>	—	Restaurant detail: cuisine, price range, photos.

8

Catalog — Attractions

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/attractions</code>	—	List attractions. Category/destination filters; paginated.
2	GET	<code>api/v1/attractions/{id}</code>	—	Attraction detail: description, hours, entry info.

9

Site & Utilities

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/site-settings</code>	—	Public site settings (branding, contact info). Whitelisted keys only.
2	GET	<code>api/weather</code>	—	Weather lookup for destinations (external weather provider).
3	POST	<code>api/v1/contacts</code>	—	Contact form submission: name, email, subject, message.

10

Maps

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/maps/destination/{destination}</code>	—	Map markers for a destination (hotels/restaurants/attractions).
2	GET	<code>api/v1/maps/trip/{trip}</code>	USER	Map data for a member trip.

11

Trips

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/trips/create</code>	USER	Trip builder bootstrap: list of selectable hotels etc.
2	POST	<code>api/v1/trips</code>	USER	Create a trip: destination, dates, budget, companions, hotel plan.
3	GET	<code>api/v1/trips/{trip}</code>	USER	Trip detail with itinerary lines (hotel, flights, restaurants, attractions).
4	POST	<code>api/trips/{trip}/fork</code>	USER	Copy another member's trip into own collection (trip forking).
5	POST	<code>api/v1/trips/{trip}/attach/{type}</code>	USER	Attach an entity (hotel/flight/restaurant/attraction) to trip. OBSOLETE GATE: controller method missing.
6	DELETE	<code>api/v1/trips/{trip}/detach/{id}</code>	USER	Detach an entity from trip. OBSOLETE GATE: controller method missing.

12

AI Itinerary Review

#	Method	Endpoint	Access	Description
1	POST	<code>api/review</code>	USER	Generate AI itinerary/review for a trip (contract: generate ai itineraries).
2	GET	<code>api/review/{id}</code>	USER	Fetch generated AI review.

13

Favourites & Member Reviews

#	Method	Endpoint	Access	Description
1	POST	<code>api/v1/favourites/{type}/{id}</code>	USER	Add/remove favourite for entity (destinations, hotels...).
2	POST	<code>api/v1/reviews/{type}/{id}</code>	USER	Post a rating + review for entity.
3	DELETE	<code>api/v1/reviews/{id}</code>	USER	Delete own review (owner scoped).

14

Surveys

#	Method	Endpoint	Access	Description
1	GET	<code>api/surveys</code>	USER	List own surveys.
2	POST	<code>api/surveys</code>	USER	Submit a survey response.
3	GET	<code>api/surveys/{survey}</code>	USER	View one of own surveys (owner-scoped — IDOR fixed).
4	PUT	<code>api/surveys/{survey}</code>	USER	Update own survey (owner-scoped; user_id input stripped).
5	DELETE	<code>api/surveys/{survey}</code>	USER	Delete own survey (owner-scoped).

15

Plans & Subscription

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/plans</code>	USER	List available plans (perm: get plans).
2	POST	<code>api/v1/me/subscribe</code>	USER	Subscribe to a plan (perm: subscribe to plans).
3	POST	<code>api/v1/me/upgrade</code>	USER	Upgrade current plan (perm: upgrade plans).
4	POST	<code>api/v1/me/subscription/cancel</code>	USER	Cancel subscription (perm: cancel subscription).
5	GET	<code>api/v1/me/subscription</code>	USER	Current subscription details (perm: view my subscription).

16	Dashboard			
#	Method	Endpoint	Access	Description
1	GET	api/v1/dashboard	USER	Member dashboard aggregate: stats, recent trips, upcoming, recommendations.
2	GET	api/v1/dashboard/trips	USER	Paged member trips for dashboard.
3	GET	api/v1/dashboard/favourites	USER	Paged member favourites for dashboard.

17	Notifications			
#	Method	Endpoint	Access	Description
1	GET	api/v1/notifications	USER	My notifications; unread_count included. Filter: ?unread_only=.
2	PATCH	api/v1/notifications/read-all	USER	Mark all my notifications read.
3	PATCH	api/v1/notifications/{notification}/read	USER	Mark one notification read (ownership checked).

18	Checkout & Payments			
#	Method	Endpoint	Access	Description
1	POST	api/v1/checkout/initiate	USER	Start PayMob checkout for subscription/plan payment; returns payment token & URL.
2	POST	api/v1/paymob/webhook	—	PayMob webhook; transaction verified by signature before fulfilment.
3	GET	api/v1/paymob/callback	—	PayMob return URL; finalises payment state for the browser flow.

19	My Reports			
#	Method	Endpoint	Access	Description
1	GET	api/me/reports	USER	My generated report documents (downloads).

20

Admin — Users

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/admin/users</code>	ADMIN	List members; filters + pagination (perm: manage users).
2	POST	<code>api/v1/admin/users</code>	ADMIN	Create user/operator account (perm: manage users).
3	GET	<code>api/v1/admin/users/{user}</code>	ADMIN	User detail incl. subscription, stats (perm: manage users).
4	PUT	<code>api/v1/admin/users/{user}</code>	ADMIN	Update user record (perm: manage users).
5	PATCH	<code>api/v1/admin/users/{user}/active</code>	ADMIN	Toggle active state (perm: manage users).
6	PATCH	<code>api/v1/admin/users/{user}/block</code>	ADMIN	Block/unblock user (perm: manage users).

21

Admin — Trips

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/admin/trips</code>	ADMIN	List trips with filters + pagination (perm: manage trips).
2	POST	<code>api/v1/admin/trips</code>	ADMIN	Create a trip (perm: manage trips).
3	PUT	<code>api/v1/admin/trips/{id}</code>	ADMIN	Update trip (perm: manage trips).
4	DELETE	<code>api/v1/admin/trips/{id}</code>	ADMIN	Delete trip (perm: manage trips).

22

Admin — Categories

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/admin/categories</code>	ADMIN	List categories (perm: manage categories).
2	POST	<code>api/v1/admin/categories</code>	ADMIN	Create category (perm: manage categories).
3	PUT	<code>api/v1/admin/categories/{category}</code>	ADMIN	Update category (perm: manage categories).
4	DELETE	<code>api/v1/admin/categories/{category}</code>	ADMIN	Delete category; protection if in use (perm: manage categories).

23

Admin — Countries

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/admin/countries</code>	ADMIN	List countries (perm: manage countries).
2	POST	<code>api/v1/admin/countries</code>	ADMIN	Create country (perm: manage countries).
3	PUT	<code>api/v1/admin/countries/{id}</code>	ADMIN	Update country (perm: manage countries).
4	DELETE	<code>api/v1/admin/countries/{id}</code>	ADMIN	Delete country (perm: manage countries).

24

Admin — Destinations

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/admin/destinations</code>	ADMIN	List destinations (perm: manage destinations).
2	POST	<code>api/v1/admin/destinations</code>	ADMIN	Create destination (perm: manage destinations).
3	PUT	<code>api/v1/admin/destinations/{id}</code>	ADMIN	Update destination (perm: manage destinations).
4	DELETE	<code>api/v1/admin/destinations/{id}</code>	ADMIN	Delete destination; cascade guards (perm: manage destinations).

25

Admin — Hotels

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/admin/hotels</code>	ADMIN	List hotels (perm: manage hotels).
2	POST	<code>api/v1/admin/hotels</code>	ADMIN	Create hotel (perm: manage hotels).
3	PUT	<code>api/v1/admin/hotels/{id}</code>	ADMIN	Update hotel (perm: manage hotels).
4	DELETE	<code>api/v1/admin/hotels/{id}</code>	ADMIN	Delete hotel (perm: manage hotels).

26

Admin — Flights

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/admin/flights</code>	ADMIN	List flights (perm: manage flights).
2	POST	<code>api/v1/admin/flights</code>	ADMIN	Create flight (perm: manage flights).
3	PUT	<code>api/v1/admin/flights/{id}</code>	ADMIN	Update flight (perm: manage flights).
4	DELETE	<code>api/v1/admin/flights/{id}</code>	ADMIN	Delete flight (perm: manage flights).

27

Admin — Restaurants

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/admin/restaurants</code>	ADMIN	List restaurants (perm: manage restaurants).
2	POST	<code>api/v1/admin/restaurants</code>	ADMIN	Create restaurant (perm: manage restaurants).
3	PUT	<code>api/v1/admin/restaurants/{id}</code>	ADMIN	Update restaurant (perm: manage restaurants).
4	DELETE	<code>api/v1/admin/restaurants/{id}</code>	ADMIN	Delete restaurant (perm: manage restaurants).

28

Admin — Attractions

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/admin/attractions</code>	ADMIN	List attractions (perm: manage attractions).
2	POST	<code>api/v1/admin/attractions</code>	ADMIN	Create attraction (perm: manage attractions).
3	PUT	<code>api/v1/admin/attractions/{id}</code>	ADMIN	Update attraction (perm: manage attractions).
4	DELETE	<code>api/v1/admin/attractions/{id}</code>	ADMIN	Delete attraction (perm: manage attractions).

29

Admin — Reviews

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/admin/reviews</code>	ADMIN	List reviews, incl. moderation queue (perm: manage reviews).
2	PATCH	<code>api/v1/admin/reviews/{id}/approve</code>	ADMIN	Approve a review (perm: manage reviews).
3	PATCH	<code>api/v1/admin/reviews/{id}/reject</code>	ADMIN	Reject a review (perm: manage reviews).
4	DELETE	<code>api/v1/admin/reviews/{id}</code>	ADMIN	Delete a review (perm: manage reviews).

30

Admin — Contacts

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/admin/contacts</code>	ADMIN	Inbox of contact messages (perm: manage contacts).
2	PATCH	<code>api/v1/admin/contacts/{id}/read</code>	ADMIN	Mark contact message read (perm: manage contacts).
3	PATCH	<code>api/v1/admin/contacts/{id}/resolve</code>	ADMIN	Mark contact message resolved (perm: manage contacts).

31

Admin — Plans

#	Method	Endpoint	Access	Description
1	POST	<code>api/v1/admin/set-plans</code>	ADMIN	Create/update subscription plans (perm: manage plans).

32

Admin — Reports

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/admin/reports</code>	ADMIN	List platform reports (role: admin super_admin).
2	POST	<code>api/v1/admin/reports/generate</code>	ADMIN	Generate report document / dataset (role: admin super_admin).
3	GET	<code>api/v1/admin/reports/{id}/download</code>	ADMIN	Download generated report file (role: admin super_admin).

33

Admin — Settings

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/admin/settings</code>	ADMIN	List all site settings (perm: manage settings).
2	PUT	<code>api/v1/admin/settings</code>	ADMIN	Bulk update settings (perm: manage settings).
3	PATCH	<code>api/v1/admin/settings/{key}</code>	ADMIN	Update single setting key (perm: manage settings).

34

Admin — Analytics

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/admin/analytics</code>	ADMIN	Platform analytics aggregate (perm: view analytics).
2	GET	<code>api/v1/admin/analytics/revenue</code>	ADMIN	Revenue analytics (perm: view analytics).

35

Admin — Notifications

#	Method	Endpoint	Access	Description
1	GET	<code>api/v1/admin/notifications</code>	ADMIN	Send/broadcast platform notification (role: admin super_admin).

36

Developer & Operations

#	Method	Endpoint	Access	Description
1	GET	<code>docs/api</code>	—	Scramble-generated OpenAPI documentation UI (restricted).
2	GET	<code>docs/api.json</code>	—	OpenAPI JSON spec (restricted).
3	GET	<code>mail-preview/{type}</code>	—	Mail preview endpoint (local/dev only).
4	GET	<code>storage/{path}</code>	—	Serve uploaded media (PUT shows/overwrites preview).
5	GET	<code>up</code>	—	Health check heartbeat.
6	GET	<code>/</code>	—	Frontend entry root.



Part II — Website Platform Documentation

Product: Conference planning platform in which members build travel itineraries (destinations, hotel, flight, restaurants, attractions), get AI-generated itinerary reviews, pick subscription plans and pay via PayMob. Operators control content, members and analytics from the admin panel. All flows below map 1:1 to the API endpoints in Part I.

#	Area / Page	What is documented
1	Authentication	Sign up → verify email (signed URL) → login → JWT stored → logout / refresh. Throttled public endpoints.
2	Public catalog	Home + browse pages: categories, destinations with detail pages (hotel/flight/restaurant/attraction cards), search/filter & pagination, weather widget.
3	Trip builder	Create trip (form), attach hotels / flights / restaurants / attractions, detach, view personal itinerary, fork a shared trip into your library.
4	AI itinerary review	Generate AI review of a trip plan and read the result.
5	Favourites & reviews	Favourite toggle, submit review, review moderation status visible to member.
6	Plans & subscription	Browse plans → subscribe → upgrade → cancel → subscription state on dashboard/profile.
7	Checkout & payments	PayMob checkout: initiate → PayMob hosted page → webhook fulfilment → callback return. Signature-verified.
8	Member dashboard	Stats, recent trips, pinned favourites, reports & downloads.
9	Surveys	Answer / edit / delete own surveys (IDOR-protected, owner-scoped).
10	Notifications	Inbox with unread counter; read all or single.
11	Contact form	Public contact submission; admin inbox with read/resolve workflow.
12	Admin panel	Users, trips, categories/countries/destinations/hotels/flights/restaurants/attractions CRUD, reviews moderation, plans management, settings, analytics, reports generation/download, notifications broadcast. Every admin action gated by <code>permission:</code> or <code>role:</code> middleware.
13	Developer / ops	Interactive docs (Scramble/OpenAPI), health check <code>/up</code> , storage preview, mail preview in dev. Telescope available in local env for request profiling.

Permissions seeded: 28 route permissions; roles `super_admin` / `admin` / `user`. All operator routes also require `auth:api`.



Appendix — Security Model

Mechanism	Where it applies
auth:api	Every member and operator route; JWT bearer.
permission: middleware	Operator CRUD + member plan flows (28 seeded permissions on guard <code>api</code>).
role: middleware	Reports + admin notifications restricted to <code>admin super_admin</code> .
Owner scoping	Surveys, notifications, reviews, favourites, reports scoped by context user id.
Throttles	register, login, refresh, password endpoints, email resend.
Signed verification URL	Email verify route hash checks.
Signature verification	PayMob webhooks validated before fulfilment.

Known / flagged gaps: attach/detach routes point to missing controller methods (currently return 500 — either implement or remove); `GET review/{id}` + `GET maps/trip` could benefit from an explicit owner check; contacts endpoint public without throttle (recommend adding); `site-settings` public (whitelist keys).

Generated by Team 2 — Conference Case Study — August 9, 2026 — from `php artisan route:list -v --json` ; auditing of every route against seeded permissions & owner checks.