

Oracle SQL Assignment

Manger Table — Commands & Expected Oracle SQL Developer Output

1. Create the Manger table

SQL Command

```
CREATE TABLE Manger (  
  id NUMBER,  
  name VARCHAR2(100),  
  age NUMBER,  
  birth_date DATE,  
  address VARCHAR2(255)  
);
```

Expected Output

```
Table MANGER created.
```

Verification / Structure

Name	Null?	Type
ID		NUMBER
NAME		VARCHAR2(100)
AGE		NUMBER
BIRTH_DATE		DATE
ADDRESS		VARCHAR2(255)

2. Drop the address column

SQL Command

```
ALTER TABLE Manger  
DROP COLUMN address;
```

Expected Output

```
Table MANGER altered.
```

Verification / Structure

Name	Null?	Type
ID		NUMBER
NAME		VARCHAR2(100)
AGE		NUMBER
BIRTH_DATE		DATE

3. Add city_address and street

SQL Command

```
ALTER TABLE Manger  
ADD (  
  city_address VARCHAR2(100),  
  street VARCHAR2(100)  
);
```

Expected Output

```
Table MANGER altered.
```

Verification / Structure

Name	Null?	Type
ID		NUMBER
NAME		VARCHAR2(100)
AGE		NUMBER
BIRTH_DATE		DATE
CITY_ADDRESS		VARCHAR2(100)
STREET		VARCHAR2(100)

4. Rename name to full_name

SQL Command

```
ALTER TABLE Manger  
RENAME COLUMN name TO full_name;
```

Expected Output

```
Table MANGER altered.
```

Verification / Structure

Name	Null?	Type
ID		NUMBER
FULL_NAME		VARCHAR2(100)
AGE		NUMBER
BIRTH_DATE		DATE
CITY_ADDRESS		VARCHAR2(100)
STREET		VARCHAR2(100)

5. Make the table read-only

SQL Command

```
ALTER TABLE Manger READ ONLY;
```

Expected Output

```
Table MANGER altered.
```

Verification / Structure

```
SELECT table_name, read_only  
FROM user_tables  
WHERE table_name = 'MANGER';
```

TABLE_NAME	READ_ONLY
MANGER	YES

6. Create Owner with id, name, birth_date

SQL Command

```
CREATE TABLE Owner AS  
SELECT  
  id,  
  full_name AS name,  
  birth_date
```

```
FROM Manger
WHERE 1 = 0;
```

Expected Output

```
Table OWNER created.
```

Verification / Structure

Name	Null?	Type
ID		NUMBER
NAME		VARCHAR2(100)
BIRTH_DATE		DATE

7. Rename Manger to Master

SQL Command

```
RENAME Manger TO Master;
```

Expected Output

```
Table MANGER renamed.
```

Verification / Structure

```
SELECT table_name
FROM user_tables;
```

```
TABLE_NAME
```

```
MASTER
OWNER
```

8. Drop all tables

SQL Command

```
DROP TABLE Master;
```

```
DROP TABLE Owner;
```

Expected Output

```
Table MASTER dropped.
Table OWNER dropped.
```

Verification / Structure

```
SELECT table_name
FROM user_tables;
```

```
no rows selected
```