Web Tasarımı ve Programlama

Laboratuvar Hafta -1

Laravel Nedir?


 Laravel, sistemler üzerinde uygulamaları geliştirmek amacıyla kullanılan kod yazılım sistemidir. Birçok gelişmiş özelliği içerisinde barındıran bu sistem sayesinde pek çok faydalı kod sistemlerine yardımcı olur. Sistemsel kullanımda öğrenilmesi oldukça kolay olan bu sistem birçok kişi tarafından tercih edilir.


Laravel Nedir?

- Laravel, PHP dili ile yazılmış, güçlü bir frameworkdür. Laravel içinde birçok yapıyı ve özelliği barındırdığı için basit web uygulamalarında ya da karmaşık web sayfalarında rahatlıkla kullanılabilir.
- Laravel ile geliştirme yapmaya başlamak için, HTML/CSS bilgisine ve orta seviye PHP bilgisine ihtiyaç vardır.

Aşama 1 – Wamp Server kurulumu

• Öncelikle nedir bu Wamp server bundan bahsedelim. Wamp server bilgisayarımızı bir sunucuymuş gibi kullanabilmemizi sağlayan bir programdır. İstersek kendi ip adresimizden web sitemizi yayına koyabiliriz kendimize gerçek bir sunucu bile oluşturabiliriz.







Information

Please read the following important information before continuing.



When you are ready to continue with Setup, click Next.

--- Installation of Wampserver ---BEFORE proceeding with the installation of Wampserver, you must ensure that certain elements are installed on your system, otherwise Wampserver will absolutely not run, and in addition, the installation will be faulty and you need to remove Wampserver BEFORE installing the elements that were missing. Make sure you are "up to date" in the redistributable packages VC9, VC10, VC11, VC13 , VC15 and VS16. See --- Visual C++ Packages below. --- Do not install Wampserver OVER an existing version, follow the advice: - Install a new version of Wampserver: http://forum.wampserver.com/read.php?2,123606 If you install Wampserver over an existing version, not only it will not work, but you risk losing your existing databases. --- Install Wampserver in a folder at the root of a disk, for example C:\{\text{\psi}} wamp or D: no installation in c: ₩ Program Files₩ or C: ₩ Program Files (x86₩ We must BEFORE installing, disable or close some applications: - Close Skype or force not to use port 80 Wampserver TROUBLESHOOTING ▼

Wampserver 3.3.0 Install by Inno Setup Back Next Cancel



Select Destination Location

Where should Wampserver64 be installed?



Browse...




Setup will install Wampserver64 into the following folder.

To continue, click Next. If you would like to select a different folder, click Browse.



At least 385,2 MB of free disk space is required.



Setup - Wampserver64 3.3.0

Select Components

Which components should be installed?




Select the components you want to install; clear the components you do not want to install. Click Next when you are ready to continue.


Note that you have the possibility, after this installation, to add "addons", i.e. other versions of Apache, PHP, MySQL and MariaDB.



Current selection requires at least 1,50 GB of disk space.



Wampserver64



Browse...



Ready to Install

Setup is now ready to begin installing Wampserver64 on your computer.




Click Install to continue with the installation, or click Back if you want to review or change any settings.



Vampserver 3,3,0 Install by Inno Setup


Back Install Cancel

- Edge uyarısı
- Wordpad uyarısı



Wampserver 3.3.0 Install by Inno Setup -

Cancel







Wampserver

3.3.0

Completing the Wampserver64 Setup Wizard

Setup has finished installing Wampserver64 on your computer. The application may be launched by selecting the installed shortcuts.

After the first launch of Wampserver, it may be necessary to:
- Exit Wampserver then restart it

Click Finish to exit Setup.

Back

Finish

 \times

Aşama 2 – Composer Kurulumu

- Wamp kurulumunu tamamladıktan sonra "Composer" (Dependency Manager/Bağımlılık Yöneticisi) yüklememiz gerekiyor.
- https://getcomposer.org/
- Composer-Setup.exe açıyoruz.
- Composer genelde PHP'nin bulunduğu yeri görüyor, görmezse yerini seçiyoruz.
- Next next diyerek tamamlıyoruz.






A Dependency Manager for PHP

Latest: 2.5.4 (changelog)





Installation Options

Choose your installation type.



Setup will install Composer to a fixed location for all users. This includes a Control Panel uninstaller and is the recommended option. Click Next to use it.

☑ Developer mode

Take control and just install Composer. An uninstaller will not be included.

Next

Cancel

Select Destination Location

Where should Composer be installed?





Setup will install Composer into the following folder.


To continue, click Next. If you would like to select a different folder, click Browse.



At least 3,3 MB of free disk space is required.





Boşsa C/Wamp/PHP/sürümlerin_olduğu_uzantı_secilir



Back Next Cancel

• Seçmeden ileri







Information

Please read the following information before continuing.



Important

You must open a new command window to use Composer for the first time, because your environment has changed and running programs may not be aware of this.


If this does not work, you will have to do one of the following:

- Close all File Explorer windows, then open a new command window. OR
- Logoff and Logon again, then open a new command window.

As a last resort, you may need to restart your computer.


Next


• Nelerin yüklendiğini görmek için ister tıkla ister tıklama




Aşama 3 - PhpStorm Kurulumu


• **PHPStorm**, PHP geliştiricileri için tasarlanmış bir (IDE) tümleşik geliştirme ortamıdır.










- Masa üstü kısa yol
- projeleri açmak için
- php uzantıları açmak için










PhpStorm Lisans

https://www.jetbrains.com/community/education/#students




Aşama 4- Laravel Kurulumu

PHP ve Composer'ı kurduktan sonra Composer komutu ile yeni bir Laravel projesi oluşturabilirsiniz create-project:

composer create-project laravel/laravel:^9.0 example-app

Laravel Kurulumu



Proje oluşturulduktan sonra, Laravel'in yerel geliştirme sunucusunu Laravel'in Artisan CLI serve komutunu kullanarak başlatın:



Laravel Kurulumu

Laravel Kurulumu

