CROP NUTRITION PLAN · PER ACRE

Sugarcane, February planting

Feb–Mar sowing | Multi-nutrient (Zn-P-K-Mg-B) | 15 products · 5 stages

	PRODUCT	RATE	HOW	PACK	GROUP
Land Preparation					
	**Green Phosphate** P_2O_5 32% · N 6%	**2 bag**	Drill at sowing; broadcast if no drill	50 kg	PHOSPHORUS
	**Fusion Potash** K_2O 50% · N 2% · S 1.5% · B 1% · Mg 1%	**1 bag**	Drill at sowing; broadcast if no drill	25 kg	POTASH
	**Green Sulfur** Sulfur 70%	**¼ bag**	Drill at sowing; broadcast if no drill	20 kg	SECONDARY NUTRIENT
	**V-Compost** OM 25% + N 5%	**1 bag**	Drill at sowing; broadcast if no drill	20 kg	SOIL AMENDMENT
Germination					
	**Vital Urea** N 32% · S 13%	**1 bag + ½ bag in March; 1 bag + ½ bag in April (two applications each month)**	Placement/Broadcasting	25 kg	NITROGEN
	**V-Zinc** Zinc 10% w/v	**6¼ pack**	Fertigation	3 L	MICRONUTRIENTS
Early Growth					
	**V. Ammonium Phosphate (V-Phosphate)** NPK 10:44:0 + Fe	**1 bag**	Fertigation	10 kg	PHOSPHORUS
	Urea N 46%	**½ bag in May; 1 bag in June**	Fertigation	50 kg	NITROGEN
	**Vital Potash** NPK 11:0:44, coated with B	**½ bag + 1 bag (two applications)**	Fertigation	20 kg	POTASH
	**Green Sulfur** Sulfur 70%	**1/4 bag**	Fertigation	20 kg	SECONDARY NUTRIENT
	**Humi Grow** Humic Acid 40% · K_2O 7%	**½ pack in June**	Broadcasting	8 kg	SOIL AMENDMENT

	PRODUCT	RATE	HOW	PACK	GROUP
Early Growth, continued					
	**VL-Boron** Boron 5%	**1 pack**	Fertigation	1 L	MICRONUTRIENTS
Grand Growth					
	**Vital Potash** NPK 11:0:44, coated with B	**½ bag**	Fertigation	20 kg	POTASH
	**V-Mag Essential** Mg 8.5% · B 1%	**1 bag**	Fertigation	5 kg	SECONDARY NUTRIENT
Maturity					
	**VL-Potash Liquid** Potash 30%	**3 pack**	Spray	1 L	POTASH

Green Phosphate · V. Ammonium Phosphate (V-Phosphate) · Vital Urea · Fusion Potash · Vital Potash · VL-Potash Liquid · Green Sulfur · V-Mag Essential · V-Compost · Humi Grow · V-Zinc · VL-Boron · Urea · grey: general products, not VAN brands

Drill at sowing, first
The seed drill's fertilizer box places the granule about 5 cm beside and below the seed row, never touching the seed. The root meets it first and the whole bag is in the root zone.

Side-dress, second
A band beside the row, by hand or planter, at sowing or the first irrigation, covered with soil.

Broadcast, last
Spread on the surface before the last ploughing or before an irrigation, and mixed in. Most of the bag is away from the root.

Indicative programme. Built on best practice and the nutrient requirement of the crop, per acre. VAN prepares farm-specific plans against your soil analysis, yield target and the other variables that decide a rate: ask for one. Vital Urea is applied by drilling at sowing, side dressing or broadcasting, never by fertigation; the fertigation rows in the nitrogen group are general urea, a different material. Every VAN batch is tested before it ships; the batch number on the bag brings its certificate.

Rows as published on van.com.pk/crops/sugarcane.html, 25 Oct 2026. Rates are per acre unless marked. Where a row says "Drill at sowing; broadcast if no drill", the drill is first by VAN's order of methods.