





DEALER TRAINING · SEPTEMBER 2026

Fusion Potash

K₂O 50 with sulfur, magnesium and boron in 2 forms on the granule, 25 kg, drilled in at land preparation.

For VAN dealers and the field team, written so a dealer can repeat it to a grower. Lahore.



What a dealer says in 30 seconds.

Fusion Potash is K_2O 50 with N 2, and sulfur, magnesium and boron built onto the granule, in a 25 kg bag. It is the basal potash: in the ground at land preparation, drilled beside and below the seed row, or broadcast if there is no drill, before the crop. The crop asks for potash from its first weeks, for water, for cell walls, for standing, and again at fill for moving sugar into the grain. Only 1% of all nutrient applied in Pakistan is potash, so the soil's reserve is doing that job alone on most fields. The boron is coated on in 2 forms, sodium borate for fast action and calcium borate for slow release, so it lands wherever the potash lands and cannot separate in the bag. Wheat is $\frac{1}{2}$ bag an acre; most crops are 1. The fill line at grand growth is a different bag.

The 4 things it must contain

1

The bag: K_2O 50, N 2, S 1.5, B 1, Mg 1, 25 kg, PS 933-2026. 12.5 kg of K_2O in every bag.

2

The nutrient: potash runs the plant's plumbing from the first weeks; 1% of Pakistan's applied nutrient is potash.

3

The granule: boron in 2 forms, coated on, with sulfur and magnesium built in. It lands where the potash lands.

4

The stage and method: land preparation, drilled at sowing or broadcast if there is no drill. The basal line, not the fill line.

Say it in the grower's own words. Every figure in these 30 seconds is on the bag, in the published crop programme, or in the named evidence on the slides that follow.

THE BAG

What the bag says, and what it is registered as.

25 kg

the bag. 12.5 kg of K₂O and 0.5 kg of nitrogen in every bag, from the declared analysis.

K₂O 50%

potash, declared on the front as 2-0-50.

B 1%

boron, in 2 forms coated onto the granule: sodium borate for fast action, calcium borate for slow release. 250 g in a bag.

S 1.5 · Mg 1


sulfur and magnesium, as the declared composition and the crop programmes on van.com.pk print them.

2014

the year VAN began coating boron onto its potash granules on its own line, developed and built locally.

1%

of all nutrient applied in Pakistan is potash, as the Crop Force bag prints.



Registered as	Pakistan Standard	Manufacturing licence
Fusion Potash	PS 933-2026	CM/L-2674/2026

No expiry date is printed in this deck. The licence number is what a dealer quotes.

A GROWER'S QUESTION


“I put potash on late, when the crop was already standing, and it still lodged and filled light. When is potash supposed to go on?”

The grower did buy potash. He put it on at mid-life, the way most fields get it, and the crop had already built its stems and set its water plumbing without it. The answer is 3 ideas: what potash does from the first weeks, why the basal bag goes in before the crop, and what rides on the granule with it.

The 3 answers on the next 3 slides, 1 idea each.

Potash runs the plant's plumbing, from the first weeks.

Potash opens and closes the pores in the leaf, moves sugar from the leaf to the grain, tuber or fruit, and thickens the cell wall. It is the nutrient of standing, weight and stress: heat, drought and disease all hit a potash-short crop harder. A crop short of it shows scorched edges on the older leaves, weak stems, and light grain or small fruit. Only 1% of all nutrient applied in Pakistan is potash, about 1 kg for every 83 kg of nitrogen, so on most fields the soil's reserve is doing this job alone.




The 5 jobs of potash, from the 17-nutrients page on van.com.pk. A picture of the idea, not a measurement.

Say it like this: “Potash is the plumbing. Water, sugar, the stem that holds the crop up. It is needed from the start, not only at the end.”

The basal bag goes in before the crop. The fill bag is a different bag.

Every field-crop programme puts Fusion Potash on once, at land preparation or transplanting, in the ground where the root will grow. Potash in the soil moves little, so a granule placed at sowing is where the first roots find it, for the tillers, the stems and the water relations that are set early. The fill window at grand growth and maturity is served by a different bag, through the water. 2 jobs, 2 bags, 2 stages. Putting the basal bag on late puts it after the stems are built.




The 5 stage names are the programme's. Which stage carries Fusion Potash for your crop is on the programme slides: land preparation on every field crop.

Say it like this: "Fusion Potash goes in at land preparation, before the crop. The bag you put through the water at fill is another bag."

Boron rides on the granule, in 2 forms. Sulfur and magnesium go in with it.

The crop needs boron in grams an acre, and the gap between enough and too much is narrow. So VAN coats it onto the potash granule on its own line, in 2 forms: sodium borate, the more soluble, for fast action, and calcium borate, the less soluble, for slow release across the season. A coated granule cannot separate in the bag, in the spreader or on the ground; a loose blend can. Sulfur is in the granule too, the nutrient that turns nitrogen into protein, and magnesium, the centre of chlorophyll, which a heavy potash dose would otherwise push out.

Say it like this: “The boron is on every granule, 2 forms, so it lands exactly where the potash lands. With sulfur and magnesium in the same bag.”



Potash inside. Boron in 2 forms coated on. Sulfur and magnesium in the granule. It cannot separate in the bag.

The 2 forms are drawn as 2 kinds of fleck. No distribution-uniformity percentage is printed, because none is measured.

What is verified for Fusion Potash, and what is not.

No trial of Fusion Potash itself is on VAN's record. What a dealer may state as fact is the bag, the licence, the national figure, the soil record and the published research below, each as what it is.

Item	What it says	How a dealer may use it
The bag	Fusion Potash, 2-0-50, K ₂ O 50%, N 2%, S 1.5%, B 1%, Mg 1%, 25 kg. Powder and a granular (danaydar) grade, same analysis.	As fact.
The licence	Pakistan Standard PS 933-2026 for multinutrient fertilizer; manufacturing licence CM/L-2674/2026.	As fact. The number, never an expiry date.
National potash use	Potash is 1% of Pakistan's nutrient use (the Crop Force bag). About 1 kg of potash for every 83 kg of nitrogen (van.com.pk).	As fact.
The soil record (Punjab, 770,160 samples)	87.8% of samples below the working threshold for available potash (180 ppm); mean 132 ppm. 51.7% low in boron; mean 0.59 ppm.	As fact about the soil. Never as product performance.
Published research, not VAN trials	Sindh banana (Memon et al. 2010): potash applied far below removal; correcting potash alone lifted yield from 51.2 to 60.8 t/ha. Multan cotton (Hussain, Ali and Gardezi 2021): soil potassium reduced boll shedding.	Spoken, as research on potash. Never as a Fusion Potash result.
Not on file	A Fusion Potash trial; a yield figure; a named trial for the sugarcane uptake measurement (265 kg K against 220 kg N per ha); the IPI benefit percentages; a distribution-uniformity figure for the coating.	Not said until named.

Sources: the bag and van.com.pk; the PSQCA register as van.com.pk prints it; the Crop Force bag; the Punjab soil testing programme (36 district workbooks, 770,160 samples); Memon et al. 2010; Hussain, Ali and Gardezi 2021.

The bag, and the wheat application, in the grower’s own back-of-envelope.

Price from the VAN farmer price sheet, Aug 2026, delivered farmer price. Nutrients from the declared analysis. The wheat programme puts ½ bag on at land preparation, drilled at sowing or broadcast if there is no drill.

Fusion Potash, 2-0-50 + S · B · Mg	Weight	K ₂ O	S	B	Mg	Rupees
1 bag	25 kg	12.5 kg	375 g	250 g	250 g	11,500
Wheat, ½ bag an acre at land preparation	12.5 kg	6.25 kg	190 g	125 g	125 g	5,750
Potato, 1 to 2 bags an acre	25 to 50 kg	12.5 to 25 kg	375 to 750 g	250 to 500 g	250 to 500 g	11,500 to 23,000

On wheat the grower spends 5,750 rupees an acre to put 6.25 kg of K₂O in the ground before the crop, with 125 g of boron in 2 forms riding on it. That is the counter arithmetic. What the crop does with it is not a number VAN prints for this product.

Fusion Potash 25 kg PKR 11,500: the VAN farmer price sheet, Aug 2026. 12.5 kg = 25 × 0.50; 375 g = 25 × 0.015; 250 g = 25 × 0.01; 0.5 kg N = 25 × 0.02. Rates: the crop programmes on van.com.pk, wheat ½ bag and potato 1 to 2 bags at land preparation.

What the programme puts in at land preparation, per acre: the field crops.

Bags per acre from the published crop programmes; K₂O from the declared analysis; rupees at the VAN farmer price sheet, Aug 2026.

Crop	Fusion Potash per acre	K ₂ O put in	Rupees per acre	Stage and method, as printed
Wheat	½ bag of 25 kg	6.25 kg	5,750	Land preparation, drill at sowing (or broadcast)
Maize	½ bag of 25 kg	6.25 kg	5,750	Land preparation, fertigation
Hybrid rice	1 bag of 25 kg	12.5 kg	11,500	Land preparation, drill at sowing (or broadcast)
Cotton	1 bag of 25 kg	12.5 kg	11,500	Land preparation, drill at sowing (or broadcast)
Sugarcane	1 bag of 25 kg	12.5 kg	11,500	Land preparation, drill at sowing (or broadcast)
Potato	1 to 2 bags of 25 kg	12.5 to 25 kg	11,500 to 23,000	Land preparation, drill at sowing (or broadcast)

That is the grower's basal potash line for the field crops, in his own arithmetic. The fill line at grand growth is the Vital Potash row on the same programme, and it is added to this, never swapped for it.

The crop programmes on van.com.pk, Fusion Potash rows; 25 kg bag at PKR 11,500. Rupees = bags × 11,500. Method as the programme prints it for a land-preparation row.

What the programme puts in at land preparation, per acre: the transplanted crops and the orchard.

Bags per acre from the published crop programmes; K₂O from the declared analysis; rupees at the VAN farmer price sheet, Aug 2026. Transplanted crops take it at land preparation or transplanting.

Crop	Fusion Potash per acre	K ₂ O put in	Rupees per acre	Stage and method, as printed
Basmati rice	½ bag of 25 kg	6.25 kg	5,750	Land preparation / transplantation, broadcasting
Tomato	1 bag of 25 kg	12.5 kg	11,500	Land preparation / transplantation, fertigation
Chili	1 bag of 25 kg	12.5 kg	11,500	Land preparation / transplantation, broadcasting
Onion	1 bag of 25 kg	12.5 kg	11,500	Land preparation / transplanting, broadcasting
Citrus	1 bag of 25 kg	12.5 kg	11,500	Land preparation, drill at sowing (or broadcast)

On a transplanted crop the bag goes into the bed before the seedlings; the programme’s method column is printed as it stands. Tomato’s row runs it through the water at the same stage.

The crop programmes on van.com.pk, Fusion Potash rows; 25 kg bag at PKR 11,500. Rupees = bags × 11,500.

The potash account for an acre of wheat: what leaves, what the 2 bags put in.

What 40 maunds of wheat (1.6 tonnes) takes off the field, from the IPNI removal tables the site's balance block uses, beside the basal and fill applications the programme puts on.


Wheat, 1 acre at 40 maunds	K ₂ O per tonne of grain	K ₂ O at 1.6 t	
Grain taken off	4.8 kg	7.7 kg	
Straw (bhusa) taken off too, per tonne of grain	20 kg	32 kg	
Grain and straw together	24.8 kg	40 kg	
Fusion Potash, ½ bag at land preparation, puts in		6.25 kg	
Vital Potash, ½ bag at grand growth, puts in		4.4 kg	
The 2 bags together		10.65 kg	

On a field where the bhusa leaves too, the crop takes off about 40 kg of K₂O and the programme puts back about 10.65 kg. The rest comes from the soil's reserve, and 87.8% of Punjab samples already read low in potash. That is the case for the basal bag, in the grower's own numbers, and it is not a yield claim.

IPNI nutrient removal tables (metric, 01/15): wheat grain K₂O 4.8, straw 20 per tonne of grain. 40 maunds × 40 kg = 1.6 t. Fusion Potash ½ bag = 6.25 kg K₂O; Vital Potash ½ bag of 20 kg at K₂O 44 = 4.4 kg (the wheat programme on van.com.pk). Soil: the Punjab soil record, 87.8% below threshold.

HOW IT GOES ON

Basal. In the ground at land preparation: drill first, side-dress second, broadcast last.



1. Drill at sowing, best

The seed drill's fertilizer box places the granule about 5 cm beside and below the seed row, never touching the seed. The root meets it first; the whole bag is in the root zone. Every land-preparation row that was broadcast or placement now reads drill at sowing, broadcast if no drill.

2. Side-dress, second

A band beside the row, by hand or planter, at sowing or the first irrigation, covered with soil. Canola and sunflower print side dressing as their second method.

3. Broadcast, last

Spread before the last ploughing or before an irrigation and mixed in: the fallback where there is no drill, and the last in the order. Transplanted crops take it into the bed before the seedlings. Where a row prints fertigation (maize, tomato, banana), the powder grade dissolves and goes through the water at the same stage.

Drill first, side-dress second, broadcast last.

The order for every basal granule VAN sells. The same bag gives a different result by where it lands.

Order	Method	What it means	Why
1 · best	Drill at sowing	The seed drill's fertilizer box places the granule about 5 cm beside and below the seed row, never touching the seed.	The root meets it first. Least contact with air, sun and free calcium at the surface. The whole bag is in the root zone.
2	Side-dress	A band beside the row, by hand or planter, at sowing or the first irrigation, covered with soil.	Still a band near the root, but later and shallower than a drill.
3 · last	Broadcast	Spread on the surface before the last ploughing or before an irrigation, and mixed in.	Most of the bag is away from the root, and most of it is exposed at the surface.

In VAN's own fields and partner fields, on wheat, maize and sugarcane, basal fertilizer drilled at sowing has given 7 to 9% better response than the same bag broadcast: the mean of replicated observations across regions, not a published trial.

“11,500 for 25 kg? Potash is potash. MOP is cheaper.”

The dealer says, out loud

Write both prices on your paper; VAN prints no MOP price. Then write what is in each bag. This bag is 12.5 kg of K₂O with boron in 2 forms coated onto every granule, and sulfur and magnesium built in. On wheat it is ½ bag, 5,750 rupees, once, at land preparation. You are buying the potash and the 3 nutrients that ride with it, in the ground before the crop. What the crop does with it is not a number VAN prints.

The fact behind it

- Fusion Potash 25 kg PKR 11,500 (VAN farmer price sheet, Aug 2026); ½ bag on wheat 5,750. MOP carries no price on the VAN sheet.
- 12.5 kg K₂O, 375 g S, 250 g B, 250 g Mg, 0.5 kg N per bag, from the declared analysis.
- Boron in 2 forms on the granule: sodium borate fast, calcium borate slow (the product page on van.com.pk).

Never say: “It gives you X more maunds” or a rupees-per-acre return. No yield figure exists for the product.

“I put potash on at fill. Is that not enough?”

The dealer says, out loud

That is the fill line, and it has its own job: moving sugar into the grain in the weeks the crop fills. The stems, the tillers and the water plumbing are built in the first weeks, and a crop that was short of potash then has already lodged or tillered thin before the fill bag arrives. The programme has both: Fusion Potash at land preparation, Vital Potash through the water at grand growth. 2 jobs, 2 bags. Neither replaces the other.

The fact behind it

- Fusion Potash at land preparation and Vital Potash at grand growth sit on the same programmes (the crop programmes on van.com.pk).
- Potash builds standing, water relations and the cell wall first, then moves sugar to the grain (the 17 nutrients page on van.com.pk).
- Wheat at 40 maunds takes off about 40 kg K₂O with the bhusa; the 2 bags put back 10.65 kg (IPNI removal tables).

Never say: “2 bags of Fusion Potash and you can skip the fill line”, or the reverse.

“Can I put it through the drip?”

The dealer says, out loud

Where the programme says so, yes: maize, tomato and banana print fertigation for the Fusion Potash row, and the powder grade dissolves completely for that. For the other field crops the row says drill at sowing, broadcast if there is no drill, at land preparation. The granular grade is for the ground; the powder grade is for the water. Same analysis in both.

The fact behind it

- Product page methods: broadcast and fertigation; maize, tomato and banana rows print fertigation (van.com.pk).
- The other field-crop rows at land preparation: drill at sowing, broadcast if no drill (the crop programmes on van.com.pk).
- A crystalline powder grade and a granular (danaydar) grade, same analysis; 300 g/L at 25 °C (VAN product data).

Never say: A foliar rate. Foliar is not a method any Fusion Potash row names.

“Boron burns crops. Why is there boron in my potash?”

The dealer says, out loud

Boron is needed in grams an acre and the gap between enough and too much is narrow. That is exactly why VAN coats it onto the potash granule at 1% instead of selling it loose: at the programme's rate, ½ bag on wheat puts 125 g of boron on the acre, spread on every granule, in 2 forms, one fast and one slow. Use the programme's rate and no more. More bags than the programme is more boron than the crop asked for.

The fact behind it

- The window between enough boron and too much is narrow, which is why VAN coats it onto the potash granule rather than dosing it loose (the 17 nutrients page on van.com.pk).
- 250 g B per 25 kg bag = 25×0.01 ; 125 g in ½ bag.
- Sodium borate for fast action, calcium borate for slow release (the product page on van.com.pk).
- 51.7% of Punjab samples read low in boron (the Punjab soil record).

Never say: “Boron cannot harm a crop” or “double the bags if the soil is short of boron”.

“My soil is already alkaline. Will potash push it further?”

The dealer says, out loud

Fusion Potash is a neutral salt in solution, pH 6.5 to 7.5 from VAN's product data, so it does not push the soil's pH up. It does not bring it down either, and VAN does not say it will. A soil test measures the field; a bag of potash changes what the root meets, not the reading.

The fact behind it

- Neutral in solution, pH 6.5 to 7.5 (VAN product data).
- 69.1% of Punjab samples read above pH 8 (the Punjab soil record, 770,160 samples).
- No soil-test change is claimed for any VAN potash.

Never say: “It corrects your soil pH” or “it raises your soil potash reading”.

“Which stage, and how many bags?”

The dealer says, out loud

Land preparation, before the crop, once. Wheat, maize and basmati rice: ½ bag. Hybrid rice, cotton, sugarcane, tomato, chili, onion and citrus: 1 bag. Potato: 1 to 2 bags. Rice, tomato, chili and onion take it at transplanting. Drill it at sowing beside and below the seed row, broadcast if there is no drill; maize and tomato run it through the water at the same stage. Then the fill line goes through the water at grand growth, from the Vital Potash row on the same programme.

The fact behind it

- Rates per acre as published for 12 crops on the programme slides (the crop programmes on van.com.pk).
- Land-preparation rows: drill at sowing, broadcast if no drill (van.com.pk).
- Drill placement: about 5 cm beside and below the seed row, never touching the seed (the application slide).

Never say: “Put it on at grand growth instead of the fill bag” or “more bags, more yield”.

“Is it registered? What is the licence?”

The dealer says, out loud

Pakistan Standard PS 933-2026 for multinutrient fertilizer, manufacturing licence CM/L-2674/2026, VAN as the registered maker. Every batch is tested at VAN Lab, PNAC LAB 336, before it ships. Read the batch number off the bag and VAN sends you that batch's certificate, free.

The fact behind it

- Fusion Potash: PS 933-2026, CM/L-2674/2026 (the regulatory table on van.com.pk).
- Every batch is released through VAN Lab, PNAC LAB 336 (the corporate profile).
- The certificate of analysis for any batch is free on request, by batch number.

Never say: An expiry date, or the boron and magnesium as if they were certificate lines unless the certificate carries them.

“The crop already lodged. Will this save it?”

The dealer says, out loud

No, and VAN does not sell it as a rescue. Fusion Potash is a basal bag: it goes in before the crop, at land preparation, where the roots will grow, so the stems are built with potash from the start. For the crop standing now, follow the programme's next stage. Plan this bag for the next sowing.

The fact behind it

- Every Fusion Potash row is at land preparation or transplanting (the crop programmes on van.com.pk).
- A potash-short crop shows weak stems, lodging and light grain (the 17 nutrients page on van.com.pk).
- No trial of Fusion Potash is on VAN's record, so no rescue or standing claim is made.

Never say: “It stops lodging” or “it builds resistance to disease and cold”.

Fusion Potash in the published programmes, per acre.

Crop	Stage	Rate per acre	Method	Pack
Wheat	Land Preparation	½ bag	Drill at sowing; broadcast if no drill	25 kg
Maize (Corn)	Land Preparation	½ bag	Fertigation	25 kg
Basmati Rice	Land Preparation/Transplantation	½ bag	Broadcasting	25 kg
Hybrid Rice	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	25 kg
Cotton	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	25 kg
Sugarcane, February planting	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	25 kg

Rows as published in van.com.pk's crop programmes, 12 of the 24 programmes that name Fusion Potash. Land preparation on every row; drill at sowing (or broadcast) on most field crops, fertigation on maize and tomato, the printed method on the transplanted crops. A rate is per acre; the crop page scales it to the field.

Fusion Potash in the published programmes, continued.

Crop	Stage	Rate per acre	Method	Pack
Ratoon Sugarcane	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	25 kg
Potato	Land Preparation	1 to 2 bag	Drill at sowing; broadcast if no drill	25 kg
Tomato	Land Preparation/Transplantation	1 bag	Fertigation	25 kg
Chili	Land Preparation/Transplantation	1 bag	Broadcasting	25 kg
Onion	Land Preparation/Transplanting	1 bag	Broadcasting	25 kg
Citrus, 5 years and over	Land Preparation	1 bag	Broadcasting	25 kg

Rows as published in van.com.pk's crop programmes, 12 of the 24 programmes that name Fusion Potash. Land preparation on every row; drill at sowing (or broadcast) on most field crops, fertigation on maize and tomato, the printed method on the transplanted crops. A rate is per acre; the crop page scales it to the field.

WHAT VAN WILL NOT CLAIM FOR IT

A dealer who says any of these is speaking for himself, not for VAN.

1 A yield figure, or that early potash gives X% more than late potash. No Fusion Potash trial exists; the timing argument is mechanism only.

2 A disease, immunity, cold or lodging effect. Potash thickens the cell wall; the effect on a named disease is not measured for this product.

3 A national potash-deficiency percentage or “the lowest rate in the world”. The soil record’s 87.8% below threshold is the figure a dealer may say.

4 The sugarcane uptake measurement (265 kg K against 220 kg N) as a VAN trial, until it is named.

5 The IPI’s 20% and 30 to 100% benefit figures. They describe the nutrient and were measured by someone else.

6 That it is the fill line or the season’s whole potash. It is the basal bag; Vital Potash is the fill bag on the same programme.

Every batch is tested. The bag carries the proof.

1 · The batch number

It is printed on the bag. Read it to the grower and show him where it is. Every bag of every batch carries one.

2 · The certificate of analysis

For any batch, free on request. Send the batch number off the bag to kisan@van.com.pk or the helpline, and the certificate for that batch comes back. No sample to post.

3 · The laboratory

VAN Lab, PNAC LAB 336, accredited to ISO/IEC 17025:2017. Every batch is released through it before it ships. The certificate carries the laboratory's number.

What a certificate for Fusion Potash shows

The declared analysis tested for the batch: K₂O and nitrogen against 2-0-50, with sulfur, boron and magnesium where the certificate carries them, the batch number, the Pakistan Standard PS 933-2026 and licence CM/L-2674/2026 on the bag. No certificate for a Fusion Potash batch was on file for this deck, so no batch reading is printed here; the grower asks for his own batch's certificate.

The lines a dealer says in Urdu.

The first line is the promise word from the VAN brand master. The other 3 are the deck's key sentences in Urdu, reviewed on 27 September 2026. Say them, and send any correction to partner@van.com.pk.

GUARD. The promise word for potash.

Urdu · reviewed 27 Sep 2026

فصل کی ڈھال

Potash goes in at land preparation. The crop asks for it from the first day.

Urdu · reviewed 27 Sep 2026

پوٹاش زمین کی تیاری پر دیں، فصل پہلے دن سے مانگتی ہے

The boron is coated on the granule, in 2 forms. It cannot separate.

Urdu · reviewed 27 Sep 2026

بوران دانے پر چڑھا ہے، 2 صورتوں میں، الگ نہیں ہو سکتا

This is the basal potash. The fill bag is a different bag.

Urdu · reviewed 27 Sep 2026

یہ بنیادی پوٹاش ہے، بھرائی کی بوری الگ ہے

Write to the address for what you need.

If you grow

kisan@van.com.pk

A crop plan, product rates, a certificate for your batch, a dealer near you.

If you sell

partner@van.com.pk

Dealers, distributors and the trade. Stock, training, corrections to this deck.

Everything else

info@van.com.pk

Supply, the laboratory, a plant visit.

Helpline 0300 5003041 · www.van.com.pk

Vital Agri Nutrients (Pvt) Ltd, Lahore. 1 helpline, 3 addresses. No group broadcasts: a grower who writes gets 1 reply.

Fusion Potash: in the ground at land preparation, drilled beside and below the seed. The fill line is a different bag.

