





DEALER TRAINING · SEPTEMBER 2026

Green Phosphate

6-32-0. A phosphate granule made in an acidic mix and sealed with humic. 35 and 50 kg. Made in Lahore.

For VAN dealers and the field team, written so a dealer can repeat it to a grower. Lahore.



What a dealer says in 30 seconds.

Green Phosphate is 6-32-0, a phosphate granule made in an acidic mix and sealed with humic, in 35 and 50 kg bags. On calcareous soil above pH 8, the phosphate dissolving out of a granule meets calcium within a few centimetres and drops out of solution before the root arrives. The Green Phosphate granule carries its own acidic zone, which slows that reaction for the weeks a root needs to reach it, and the humic seal feeds the soil and the root. A 50 kg bag carries 16 kg of P_2O_5 against 23 in a bag of DAP. Do not compare kilograms; compare what reaches the crop. It is basal: broadcast or drill it at land preparation.

The 4 things it must contain

1

The bag: 6-32-0, 35 and 50 kg, PS 933-2026. 16 kg P_2O_5 and 3 kg N in a 50 kg bag.

2

The soil: above pH 8 with free lime, phosphate meets calcium within centimetres. 35 of 36 Punjab districts read Critical or Weak on phosphorus.

3

The mechanism: the granule's own acidic zone, a few centimetres, for the weeks a root needs. Humic is a soil and root benefit.

4

The stage: land preparation, broadcast or drilled. Do not compare kilograms; compare what reaches the crop.

Say it in the grower's own words. Every figure in these 30 seconds is on the bag, in the published crop programme, or in the named evidence on the slides that follow.

THE BAG

What the bag says, and what it is registered as.

50 kg


the bag. 16 kg of P₂O₅ and 3 kg of nitrogen, from the declared analysis. The 35 kg bag carries 11.2 kg and 2.1 kg.

P₂O₅ 32%

phosphate, declared on the front. The bag calls itself a powerful acidic phosphatic fertilizer, in Urdu.

N 6%

nitrogen, declared on the front.



Acidic

granulated in an acidic mix, so the zone around each granule starts acidic, the opposite of a DAP granule.

Humic

the seal on the granule, with a fraction of fulvic. A soil and root benefit. No content figure is on the pack.

Basal

broadcast or drilled at land preparation. 1 bag an acre on wheat; 2 on potato.

Registered as	Pakistan Standard	Manufacturing licence
Green Phosphate	PS 933-2026	CM/L-2719/2023

No expiry date is printed in this deck. The licence number is what a dealer quotes.

A GROWER'S QUESTION

“A bag of DAP every year and the soil test still says phosphorus is low. Where does it go?”


That is the question on the Green Phosphate page of van.com.pk, in the grower's own words. The answer is 3 ideas: what calcareous soil does to phosphate, what the granule's own acidic zone changes, and why the kilograms on the bag are not the comparison.

The 3 answers on the next 3 slides, 1 idea each.

Calcareous soil takes the phosphate back.

In soil above pH 8 with free lime, phosphate dissolving out of a granule meets calcium within a few centimetres and drops out of solution. The first calcium phosphates are still fairly available; the loss is their slow ageing into rock-like forms the root cannot use. 35 of 36 Punjab districts read Critical or Weak on phosphorus.


Say it like this: “The soil takes it back before the root gets there.
That is where your DAP went.”



The lime stones are the free calcium carbonate. The root arrives later than the calcium does.

The granule carries its own acidic zone.

Green Phosphate is granulated in an acidic mix and sealed with humic, with a fraction of fulvic. The zone around each granule starts acidic, the opposite of a DAP granule, which slows the calcium reaction for the weeks a root needs to reach it. A microsite effect, a few centimetres wide. It will not move a soil test.




The acidic microsite is the mechanism (D-194). Humic is drawn as the seal, and named as a soil benefit, not a calcium shield.

Say it like this: “Each granule makes its own small acidic zone. A few centimetres, for a few weeks. Not the field.”

Do not compare kilograms; compare what reaches the crop.

A 50 kg bag of DAP carries more phosphate than a 50 kg bag of Green Phosphate. What the crop eats is what stays available, and on calcareous ground that is the smaller number by far. The humic seal, with a fraction of fulvic, feeds the soil and the root: across 81 published studies humic raised shoot and root growth, and Pakistani calcareous-soil trials found the consistent gain came from organic matter applied with the phosphate.



No availability percentage is drawn or said. The right-hand panel is the idea, with no scale on it.

Say it like this: “23 kg on the DAP bag, 16 on ours. The question is how much of each the root ever meets.”

THE EVIDENCE

What is verified for Green Phosphate, and what is not.

No replicated independent field trial of Green Phosphate exists, and the site says so. What a dealer may state as fact is the bag, the licence, the soil chemistry and the published research below, each as what it is.

Item	What it says	How a dealer may use it
The bag	GREEN PHOSPHATE, multi nutrient fertilizer, P ₂ O ₅ 32%, N 6%, 50 kg; in Urdu, a powerful acidic phosphatic fertilizer. Humic is not named on the front.	As fact.
The licence	Pakistan Standard PS 933-2026, manufacturing licence CM/L-2719/2023.	As fact.
The soil chemistry (published)	Phosphate precipitates with calcium; the first calcium phosphates are still fairly available; the loss is ageing into apatite (Tunési 1999; Freeman and Rowell 1981). 35 of 36 Punjab districts Critical or Weak on phosphorus (Punjab survey).	As fact about the soil. Not as a percentage of phosphate fixed.
Humic (published)	81-study meta-analysis (Rose et al. 2014): humic raised shoot growth by about 22% and root growth by about 21%.	Spoken, as humic research. Never as a Green Phosphate result.
Pakistani calcareous-soil trials (published)	Ahmad et al. 2022; Mussarat et al. 2021; Mehdi et al. 2003: no phosphate source beat another consistently; the consistent gain came from organic matter applied with the phosphate.	As the reason “our source beats DAP” is never said.
Not on file	A replicated independent field trial of Green Phosphate; a humic content figure; a percentage of phosphate saved or fixed; a soil-test change.	Not said.

Sources: flagship audit section 3c (ON-PACK and VERIFIED items only); D-194; regulatory table and Flagship.tsx on van.com.pk. Pot studies of humic-coated phosphates and the site’s old “70 to 80% fixed” line are not used.

The kilograms on the bag are not the comparison. Availability on calcareous soil is.

Bag prices side by side from the VAN farmer price sheet, Aug 2026, delivered farmer price. P₂O₅ and nitrogen from the declared analysis on each bag. No availability percentage is printed, because none is measured.

Bag	Weight	P ₂ O ₅	Nitrogen	Rupees
Green Phosphate, 6-32-0	50 kg	16 kg	3 kg	16,800
Green Phosphate, 6-32-0	35 kg	11.2 kg	2.1 kg	12,000
DAP, 18-46-0	50 kg	23 kg	9 kg	your counter price; not on the VAN sheet

The DAP bag carries 23 kg of P₂O₅ and the Green Phosphate bag 16. The kilograms are not the comparison; what stays available on calcareous soil for the root to meet is, and that is the mechanism slide, not a number.

Green Phosphate 50 kg PKR 16,800 and 35 kg PKR 12,000: pricing.ts FARMER_PRICE. DAP analysis 18-46-0 from pricing.ts MASTER_PRODUCTS; DAP carries no price on the VAN farmer sheet, so the grower writes his own. 16 kg = 50 × 0.32; 23 kg = 50 × 0.46.

What the programme puts in at land preparation, per acre.

Bags per acre from the published crop programmes; P₂O₅ from the declared analysis; rupees at the VAN farmer price sheet, Aug 2026.


Crop	Green Phosphate per acre	P ₂ O ₅ put in	Nitrogen put in	Rupees per acre
Wheat	1 bag of 50 kg	16 kg	3 kg	16,800
Maize	1.5 bags of 50 kg	24 kg	4.5 kg	25,200
Cotton	1.5 bags of 50 kg	24 kg	4.5 kg	25,200
Potato	2 bags of 50 kg	32 kg	6 kg	33,600
Sugarcane	2 bags of 50 kg	32 kg	6 kg	33,600
Basmati rice	1 bag of 50 kg	16 kg	3 kg	16,800

That is the grower's whole phosphate line at land preparation for these crops, in his own arithmetic. The bag count in the plan does not change when the plan is switched to another source, on purpose.

CROP_PLANS rows for Green Phosphate; 50 kg bag at PKR 16,800. Bag count on a source switch: Flagship.tsx.

HOW IT GOES ON

Basal: broadcast or drill at land preparation.



Land preparation

Every field-crop row in the programme puts Green Phosphate on at land preparation, or at transplanting for rice, tomato, chili and onion.

Broadcast or drill

Whole granules in the soil, where the root will grow. Sugarcane is by placement. The programme's method column governs.

A basal product

It is not a rescue for a standing crop and not a foliar. Tomato and banana rows name fertigation as an alternative method, as printed; the rate is the plan's.

“16,800 for a 50 kg bag, and it has less phosphate than DAP?”

The dealer says, out loud

Yes, 16 kg of P_2O_5 against 23. Do not compare kilograms; compare what reaches the crop. On soil above pH 8 with free lime, the phosphate out of a DAP granule meets calcium within a few centimetres and drops out before the root arrives. The Green Phosphate granule starts acidic and slows that for the weeks the root needs. Write both bag prices on your paper; then ask how much of each the root ever met.

The fact behind it

- Green Phosphate 50 kg PKR 16,800, 35 kg PKR 12,000 (VAN farmer price sheet, Aug 2026). DAP: the counter price, not on the VAN sheet.
- 16 kg P_2O_5 and 3 kg N against 23 kg and 9 kg, from the declared analyses.

Never say: A percentage of phosphate saved or available. None is measured, so none is said.

“Less kilograms means less feed.”

The dealer says, out loud

The bag carries less phosphate and more of it is built to stay available where the root is. What the crop eats is what stays available, and on calcareous ground that is the smaller number by far. The plan's bag count does not change when you switch source, on purpose: 1 bag on wheat, 2 on potato.

The fact behind it

- Flagship answer 3: what the crop eats is what stays available.
- Pakistani calcareous-soil trials: no source beat another consistently; organic matter applied with the phosphate gave the consistent gain.

Never say: “It beats DAP.” The Pakistani field trials do not support that for any source, and no Green Phosphate field trial exists.

“I used it and my soil test did not change.”

The dealer says, out loud

It will not, and VAN says so on the page. The acidic zone is a few centimetres around each granule for a few weeks; a soil test measures the field. Green Phosphate changes what the root meets in those weeks, not the reading on the report. The soil test stays low because the field is calcareous, and that is why the granule is built this way.

The fact behind it

- Flagship won't Claim: a field-scale pH change, a soil-test change, or a percentage of phosphate saved.
- 35 of 36 Punjab districts read Critical or Weak on phosphorus.

Never say: “It raises your soil phosphorus” or “it changes the soil pH”.

“Can I put it through the drip?”

The dealer says, out loud

It is a basal granule: broadcast or drilled at land preparation, where the root will grow. That is the row for wheat, maize, cotton, potato, sugarcane and rice. The tomato and banana programmes print fertigation as a method, as published, at the plan's rate; for every other crop, put it in the ground before the crop.

The fact behind it

- CROP_PLANS methods: broadcasting, placement; “Broadcasting/ Fertigation” on tomato; fertigation on banana.
- Audit 3b: basal, broadcast or drilled at land preparation.

Never say: A foliar rate or use.

“Which stage?”

The dealer says, out loud

Land preparation, before the crop, for every field crop; at transplanting for rice, tomato, chili and onion. Phosphorus is for the root first: the young plant needs it in the first weeks, and the granule needs those weeks to keep its zone acidic while the root reaches it.

The fact behind it

- CROP_PLANS rows for Green Phosphate, 12 crops on the programme slides.
- Promise word for phosphorus: REACH, root first, then everything.

Never say: “Top-dress it later if you forgot.”

“How many bags an acre?”

The dealer says, out loud

What the programme says: 1 bag on wheat, rice, tomato and citrus; 1.5 on maize and cotton; 2 on potato, sugarcane, chili and garlic. The count is the same as the plan gives for any other source, on purpose, so the grower changes the bag and not the plan.

The fact behind it

- Rates per acre as published in the crop programmes (programme slides).
- Bag count unchanged on a source switch: Flagship.tsx.

Never say: “Half a bag will do because it is more available.”

“Is it registered? What is the licence?”

The dealer says, out loud

Pakistan Standard PS 933-2026, manufacturing licence CM/L-2719/2023, VAN as the registered maker. Every batch is tested at VAN Lab, PNAC LAB 336, before it ships. Read the batch number off the bag and VAN sends you that batch's certificate, free.

The fact behind it

- Regulatory table on van.com.pk: Green Phosphate, PS 933-2026, CM/L-2719/2023.

Never say: An expiry date, or a humic percentage as if it were on the certificate.

“My crop is already standing and looks short of phosphorus. Will this fix it?”

The dealer says, out loud

Green Phosphate is a basal product: it goes in the ground before the crop, where the root will grow. It is not a rescue for a standing crop, and VAN does not sell it as one. Plan it for the next sowing at land preparation. For the crop standing now, follow the programme's next stage.

The fact behind it

- Audit 3b: basal, broadcast or drilled at land preparation.
- No yield figure and no field trial exist for the product.

Never say: “It fixes a standing crop” or “you will see it in a week”.

Green Phosphate in the published programmes, per acre.

Crop	Stage	Rate per acre	Method	Pack
Wheat	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	50 kg
Maize (Corn)	Land Preparation	1.5 bag	Drill at sowing; broadcast if no drill	50 kg
Basmati Rice	Land Preparation/Transplantation	1 bag	Broadcasting	50 kg
Hybrid Rice	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	50 kg
Cotton	Land Preparation	1.5 bag	Drill at sowing; broadcast if no drill	50 kg
Sugarcane, February planting	Land Preparation	2 bag	Drill at sowing; broadcast if no drill	50 kg
Ratoon Sugarcane	Land Preparation	2 bag	Drill at sowing; broadcast if no drill	50 kg

Rows as published in van.com.pk's crop programmes, 12 of the 28 crops. Land preparation on every row; the 35 kg bag is the banana programme's pack. A rate is per acre; the crop page scales it to the field.

Green Phosphate in the published programmes, continued.

Crop	Stage	Rate per acre	Method	Pack
Potato	Land Preparation	2 bag	Drill at sowing; broadcast if no drill	50 kg
Tomato	Land Preparation/Transplantation	1 bag	Broadcasting/ Fertigation	50 kg
Tomato	Germination	1 bag	Broadcasting/ Fertigation	50 kg
Chili	Land Preparation/Transplantation	2 bag	Broadcasting	50 kg
Onion	Land Preparation/Transplanting	1 bag	Broadcasting	50 kg
Citrus, 5 years and over	Land Preparation	1 bag	Broadcasting	50 kg

Rows as published in van.com.pk's crop programmes, 12 of the 28 crops. Land preparation on every row; the 35 kg bag is the banana programme's pack. A rate is per acre; the crop page scales it to the field.

WHAT VAN WILL NOT CLAIM FOR IT

A dealer who says any of these is speaking for himself, not for VAN.

1

That 70 to 80% of applied phosphate is fixed. That was a recovery statistic misread as soil chemistry, and it is off the site.

2

That it beats DAP or TSP by source alone. The Pakistani field trials do not support that for any source.

3

A field-scale pH change, a soil-test change, or a percentage of phosphate saved.

4

A replicated independent field trial. None exists yet, and the page says so.

5

That humic keeps calcium away from the phosphate. Humic is a soil and root benefit; the acidic zone is the mechanism.

6

A humic content figure, or a mango flowering claim.

Every batch is tested. The bag carries the proof.

1 · The batch number

It is printed on the bag. Read it to the grower and show him where it is. Every bag of every batch carries one.

2 · The certificate of analysis

For any batch, free on request. Send the batch number off the bag to kisan@van.com.pk or the helpline, and the certificate for that batch comes back. No sample to post.

3 · The laboratory

VAN Lab, PNAC LAB 336, accredited to ISO/IEC 17025:2017. Every batch is released through it before it ships. The certificate carries the laboratory's number.

What a certificate for Green Phosphate shows

The declared analysis tested for the batch: P_2O_5 and nitrogen against 6-32-0, with the batch number, the Pakistan Standard PS 933-2026 and licence CM/L-2719/2023 on the bag. No humic content figure is on the bag or in this deck. No certificate for a Green Phosphate batch was on file for this deck, so no batch reading is printed here; the grower asks for his own batch's certificate.

The lines a dealer says in Urdu.

The first line is the promise word from the VAN brand master. The other 3 are the deck's key sentences in Urdu, reviewed on 27 September 2026. Say them, and send any correction to partner@van.com.pk.

REACH. The promise word for phosphorus.

Urdu · reviewed 27 Sep 2026

پہلے جر، پھر سب کچھ

Do not compare kilograms. Compare what reaches the crop.

Urdu · reviewed 27 Sep 2026

کلو کا موازنہ نہ کریں، وہ دیکھیں جو فصل تک پہنچے

Drill it at land preparation; broadcast if you cannot.

Urdu · reviewed 27 Sep 2026

زمین کی تیاری پر ڈرل کریں، ڈرل نہ ہو تو چھٹہ

The acidic zone is around the granule, not the whole field.

Urdu · reviewed 27 Sep 2026

تیزابی حلقہ دانے کے گرد ہے، پورے کھیت میں نہیں

Write to the address for what you need.

If you grow

kisan@van.com.pk

A crop plan, product rates, a certificate for your batch, a dealer near you.

If you sell

partner@van.com.pk

Dealers, distributors and the trade. Stock, training, corrections to this deck.

Everything else

info@van.com.pk

Supply, the laboratory, a plant visit.

Helpline 0300 5003041 · www.van.com.pk

Vital Agri Nutrients (Pvt) Ltd, Lahore. 1 helpline, 3 addresses. No group broadcasts: a grower who writes gets 1 reply.

Green Phosphate: in the ground at land preparation. Do not compare kilograms; compare what reaches the crop.

