







DEALER TRAINING · SEPTEMBER 2026

Green Sulfur

Elemental sulfur 70% as a granule that breaks into fine particles in water, in 1, 5 and 20 kg, made in Lahore.

For VAN dealers and the field team, written so a dealer can repeat it to a grower. Lahore.



What a dealer says in 30 seconds.

Green Sulfur is elemental sulfur, 70%, made as a water-dispersible granule, in 1 kg, 5 kg and 20 kg packs. The crop drinks sulfur only as sulfate, and sulfate moves with the water the way nitrate does, so a sulfate bag can be gone before the crop's later demand arrives. Elemental sulfur stays put until soil microbes turn it into sulfate, and they do that over the season, faster in warm, moist soil and fastest when the particles are fine. The granule is made to break into fine particles the moment it meets water, so it is stored and spread like a granule and works like a powder. Sulfur is the nutrient that turns the nitrogen you already paid for into protein, and it was never measured in any of Punjab's 770,160 soil samples. Wheat takes 1 pack of 1 kg at germination and 1 at early growth through the water; maize takes $\frac{1}{4}$ of a 20 kg bag drilled at sowing and $\frac{1}{4}$ at germination. Apply it ahead of the demand, because the microbes need time.

The 4 things it must contain

1

The bag: elemental sulfur 70%, a water-dispersible granule, 1 kg, 5 kg and 20 kg, PS 5449-2020. 14 kg of sulfur in a 20 kg bag.

2

The nutrient: the crop drinks sulfate only. Sulfate leaches like nitrate; elemental sulfur stays until microbes turn it into sulfate over the season.

3

The granule: handles dry, breaks into fine particles in water. Fine particles are what the microbes can reach, so the particle size sets the speed.

4

The method: drilled at sowing, or broadcast and worked in if there is no drill; through the water where the programme says. Ahead of the demand, never into it.

Say it in the grower's own words. Every figure in these 30 seconds is on the bag, in the published crop programme, or in the named evidence on the slides that follow.

THE BAG

What the bag says, and what it is registered as.

20 kg

the bag. 14 kg of elemental sulfur in it, from the declared analysis. The 5 kg pack carries 3.5 kg and the 1 kg pack 0.7 kg.

S 70%

elemental sulfur, minimum, as the label declares it. The rest is the wetting agent (3 to 6%) and the dispersing agent (5 to 10%) that make the granule disperse in water.

WDG

water-dispersible granule. Handles and stores as a granule; breaks into fine particles the moment it meets water.

3 packs


1 kg at 950, 5 kg at 4,250, 20 kg at 15,750 rupees, delivered farmer price. The programme quotes the pack that suits the crop.

0

of Punjab’s 770,160 soil samples were tested for sulfur. A nutrient that is never measured never appears deficient on a report.

LAB 336

every batch is released through VAN Lab, PNAC accredited, before it ships.



Registered as	Pakistan Standard	Manufacturing licence
Green Sulfur	PS 5449-2020	CM/L-2962/2023

No expiry date is printed in this deck. The licence number is what a dealer quotes.

A GROWER'S QUESTION


“My wheat is pale. I have already given it 2 bags of urea and the second bag did nothing. What is it short of?”

The most useful field test in the whole range sits behind this question. A pale crop that does not answer to nitrogen is the most common sulfur story a dealer meets, and it is usually read as a nitrogen story. The answer is 3 ideas: what sulfur does with the nitrogen, why the sulfate you applied may already be gone, and what an elemental granule changes.

The 3 answers on the next 3 slides, 1 idea each.

Nitrogen needs sulfur to become protein. Check the young leaves.

Sulfur is in 3 of the amino acids the plant builds protein from. A crop short of sulfur cannot finish the protein the nitrogen started, so the extra nitrogen goes to waste and the crop stays pale. The 2 shortages look alike from the road, and they are told apart by where the yellow starts: nitrogen moves inside the plant, so the old leaves go pale first; sulfur does not, so the young leaves go pale first, all over. If the yellowing did not answer to urea, look at the youngest leaf.




The jobs of sulfur, from the 17-nutrients page on van.com.pk. The youngest-leaf test is general agronomy, and it is the one a dealer can do at the field edge.

Say it like this: “If the new leaves are the pale ones, and the urea did nothing, it is sulfur.”

The crop drinks sulfate only, and sulfate moves with the water.

The root takes up sulfur in 1 form, sulfate. Sulfate is an anion, like nitrate, so the soil does not hold it: it moves down with the irrigation water, past the root, and on irrigated ground a sulfate application put on at sowing can be gone before the crop's later demand arrives. Elemental sulfur is different. The plant cannot drink it as applied. Soil microbes oxidise it to sulfate a little at a time, and while it is still elemental it does not leach. Neither form is better in itself. A sulfate source answers a shortage today; elemental sulfur answers the season.

Say it like this: "Sulfate goes with the water. This sulfur stays until the soil turns it into sulfate, a little at a time."




The picture shows the mobile form. No leaching percentage is drawn or said, because none is measured for Pakistani fields on VAN's record.

The granule breaks into fine particles, and fine particles are what the microbes reach.

Oxidation happens on the surface of the particle. The microbes can only work on the sulfur they can touch, so the surface area, and never the tonnage, sets how fast sulfate appears. Fine sulfur powder cannot be spread: it drifts and cakes. Green Sulfur is a water-dispersible granule, 70% sulfur held by a wetting agent and a dispersing agent, so it stores and spreads as a granule and falls apart into fine particles the moment it meets water. While the microbes work, the zone around each particle turns acidic, which can bring phosphate and zinc held by lime back into solution there. A few millimetres, for the weeks it takes. Never the field.

Say it like this: “Dry, it is a granule you can spread. Wet, it is a fine powder the soil can work on.”



Elemental sulfur 70%, held as a granule by a wetting and a dispersing agent. Water breaks it into fine particles. Soil microbes turn the particles into sulfate over the season, and the zone around each particle turns acidic while they work.

The granule in the root zone, with the acid zone drawn around the particles and labelled as a microsite. No particle size and no oxidation rate is printed.

THE EVIDENCE

What is verified for Green Sulfur, and what is not.

No trial of Green Sulfur itself is on VAN's record. What a dealer may state as fact is the bag, the licence, the soil record and the published chemistry below, each as what it is.

Item	What it says	How a dealer may use it
The bag	Green Sulfur, elemental sulfur 70% minimum, wetting agent 3 to 6%, dispersing agent 5 to 10%, a water-dispersible granule, in 1 kg, 5 kg and 20 kg.	As fact. The 70% is the figure; the agents are what make it a WDG.
The licence	Pakistan Standard PS 5449-2020, manufacturing licence CM/L-2962/2023.	As fact. The number, never an expiry date.
The soil record (Punjab, 770,160 samples)	Sulfur was tested in 0 of them. It appears in no district file and no column, so it is never reported deficient and never enters a fertilizer plan built on the report.	As fact about the record. Never as "every field is short of sulfur".
The chemistry (published)	Sulfate leaches like nitrate. Elemental sulfur is oxidised by soil microbes, faster in warm, moist soil and fastest when finely divided; alkalinity does not speed it up (Mattiello et al. 2017).	As general soil chemistry, spoken. Never as a rate or a day count for this product.
The diagnostic (general agronomy)	Sulfur shortage shows on the youngest leaves and persists after nitrogen is applied; nitrogen shortage shows on the oldest leaves.	As the field test a dealer teaches.
Not on file	A Green Sulfur trial; a yield figure; a Pakistani sulfur deficiency percentage; a particle size or an oxidation rate; a foliar or drone rate.	Not said until named.

Sources: the Green Sulfur specification sheet and label; the regulatory table on van.com.pk; the Punjab soil record (770,160 samples) as van.com.pk publishes it; Mattiello, da Silva, Degryse et al. 2017; the youngest-leaf diagnostic is general agronomy.

The 3 packs, and what the wheat and maize programmes put on, in the grower’s own back-of-envelope.

Prices from the VAN farmer price sheet, Aug 2026, delivered farmer price. Sulfur from the declared analysis, 70%.

Green Sulfur, S 70%	Weight	Sulfur	Applications	Rupees
1 pack of 1 kg	1 kg	0.7 kg		950
1 pack of 5 kg	5 kg	3.5 kg		4,250
1 bag of 20 kg	20 kg	14 kg		15,750
Wheat: 1 pack of 1 kg at germination, 1 at early growth	2 kg	1.4 kg	2, fertigation	1,900
Maize: ¼ bag of 20 kg drilled at sowing, ¼ at germination	10 kg	7 kg	2	7,875

On wheat the grower spends 1,900 rupees an acre to put 1.4 kg of sulfur through the water at the 2 stages the programme names. On maize he spends 7,875 for 7 kg, ½ of it in the ground before the crop. That is the counter arithmetic. What the crop does with it is not a number VAN prints for this product.

Prices: the VAN farmer price sheet, Aug 2026. 0.7 kg = 1 × 0.70; 14 kg = 20 × 0.70. Wheat: 1 pack of 1 kg at germination and at early growth, fertigation. Maize: ¼ bag of 20 kg at land preparation (drill at sowing, or broadcast) and ¼ at germination (fertigation); ½ of 15,750 = 7,875. Rates: VAN’s published crop programmes on van.com.pk.

What the programme puts on, per acre: the field crops.

Packs per acre from the published crop programmes; sulfur from the declared analysis; rupees at the VAN farmer price sheet, Aug 2026, at the pack the row prints.

Crop	Green Sulfur per acre, as printed	Sulfur	Rupees	Stage and method, as printed
Wheat	1 pack of 1 kg, 2 times	1.4 kg	1,900	Germination; early growth. Fertigation
Maize	¼ bag of 20 kg, 2 times	7 kg	7,875	Land preparation, drill at sowing (or broadcast); germination, fertigation
Cotton	¼ bag of 20 kg, 2 times	7 kg	7,875	Land preparation; grand growth. Fertigation
Sugarcane	¼ bag of 20 kg, 2 times	7 kg	7,875	Land preparation, drill at sowing (or broadcast); early growth, fertigation
Basmati rice	2 packs of 1 kg, 2 times	2.8 kg	3,800	Establishment; grand growth. Fertigation
Canola	5 packs, then 1.5, then 1.5 of 1 kg	5.6 kg	7,600	Land preparation, drill at sowing (or broadcast); germination, side dressing or broadcasting; early growth, fertigation
Sunflower	5 packs, then 2.5, then 2.5 of 1 kg	7 kg	9,500	Land preparation, drill at sowing (or broadcast); germination, side dressing or broadcasting; early growth, fertigation

Most field crops land between 5.6 and 7 kg of sulfur an acre across the season, split between a soil application before the crop and 1 or 2 through the water. Wheat and rice carry less.

Rows as printed in VAN's published crop programmes on van.com.pk; rupees at the pack the row names (1 kg at 950, 20 kg at 15,750). Sulfur = kg × 0.70.

What the programme puts on, per acre: the vegetables.

Packs per acre from the published crop programmes; sulfur from the declared analysis; rupees at the VAN farmer price sheet, Aug 2026, at the pack the row prints.

Crop	Green Sulfur per acre, as printed	Sulfur	Rupees	Stage and method, as printed
Potato	10 packs of 1 kg	7 kg	9,500	Land preparation, drill at sowing (or broadcast)
Garlic	½ bag of 20 kg	7 kg	7,875	Land preparation, drill at sowing (or broadcast)
Onion	2 kg, 3 times	4.2 kg	5,700	20, 40 and 50 days after transplanting. Fertigation
Chili	2 packs of 1 kg, 2 times	2.8 kg	3,800	Early growth; grand growth. Fertigation

The potato row and the garlic row put on the same 7 kg of sulfur at 2 prices, because 1 prints 1 kg packs and the other prints the 20 kg bag. The dealer says which pack the grower is buying. The method column is the programme’s, and the soil rows follow the drill-first order on the next slides.

Rows as printed in VAN’s published crop programmes on van.com.pk; rupees at the pack the row names. Sulfur = kg × 0.70.

The sulfur account for an acre of wheat: what leaves, what the programme puts on.

What 40 maunds of wheat (1.6 tonnes) takes off the field, from the published removal tables the site's balance block uses, beside the 2 sulfur lines on the wheat programme.


Wheat, 1 acre at 40 maunds	Sulfur per tonne of grain	Sulfur at 1.6 t	
Grain taken off	1.7 kg	2.7 kg	
Straw (bhusa) taken off too, per tonne of grain	2.3 kg	3.7 kg	
Grain and straw together	4.0 kg	6.4 kg	
Green Sulfur, 2 packs of 1 kg, puts on		1.4 kg	
Vital Urea, ½ bag of 25 kg at S 13%, puts on		1.6 kg	
The 2 lines together		3.0 kg	

On a field where the bhusa leaves too, the crop takes off about 6.4 kg of sulfur and the programme puts back about 3 kg, from 2 lines. The rest comes from the soil, and nobody has measured what the soil holds, because sulfur was never on the test. That is the case for putting sulfur on, in the grower's own numbers, and it is not a yield claim.

Removal per tonne: IPNI nutrient removal tables (metric, 01/15), wheat grain S 1.7 and straw 2.3 per tonne of grain, as the balance block on van.com.pk uses them. 40 maunds × 40 kg = 1.6 t. Green Sulfur 2 × 1 kg × 0.70 = 1.4 kg. Vital Urea ½ bag = 12.5 kg × 0.13 = 1.6 kg (the wheat programme). Soil: 0 of 770,160 Punjab samples tested for sulfur.

HOW IT GOES ON

On the soil before the crop: drill at sowing, or broadcast and work in if there is no drill. Through the water where the row says.



1. Drill at sowing, best

The seed drill's fertilizer box places the granule about 5 cm beside and below the seed row, never touching the seed. The microbes are in the moist root zone, so that is where the granule should be. Every land-preparation soil row now prints drill at sowing, broadcast if there is no drill.

2. Side-dress, second

A band beside the row, by hand or planter, at sowing or the first irrigation, covered with soil. Canola and sunflower print side dressing or broadcasting for the germination row.

3. Broadcast, last; fertigation where the row prints it

Spread before the last ploughing or before an irrigation and mixed in: a missed strip is a missed acre. Material left on the surface is away from the microbes and the root. Where the row prints fertigation (wheat, rice, cotton, onion, most later stages), the granule disperses in the drum and goes through the water at that stage. Ahead of the demand in every case: the oxidation takes time.

Drill first, side-dress second, broadcast last.

The order for every basal granule VAN sells, and Green Sulfur is one of them when it goes on the soil. Where the programme row says fertigation, the granule goes through the water instead.

Order	Method	What it means	Why
1 · best	Drill at sowing	The seed drill's fertilizer box places the granule about 5 cm beside and below the seed row, never touching the seed.	The root meets it first. Least contact with air, sun and free calcium at the surface. The whole bag is in the root zone.
2	Side-dress	A band beside the row, by hand or planter, at sowing or the first irrigation, covered with soil.	Still a band near the root, but later and shallower than a drill.
3 · last	Broadcast	Spread on the surface before the last ploughing or before an irrigation, and mixed in.	Most of the bag is away from the root, and most of it is exposed at the surface.

In VAN's own fields and partner fields, on wheat, maize and sugarcane, basal fertilizer drilled at sowing has given 7 to 9% better response than the same bag broadcast: the mean of replicated observations across regions, not a published trial.

This order is for the soil rows at land preparation. Where the programme row says fertigation, follow the row.

“15,750 for a 20 kg bag of sulfur? Sulfur is cheap.”

The dealer says, out loud

Write the price on your paper and then write what the bag is. It is 14 kg of elemental sulfur made into a granule that falls apart into fine particles in water, so you spread it like a granule and the soil works on it like a powder. Wheat takes 2 packs of 1 kg, 1,900 rupees an acre, at the 2 stages the programme names. Maize takes ½ a bag across the season. You are buying sulfur that stays in the soil until the microbes release it, a little at a time, and the granule form that lets you spread it. What the crop does with it is not a number VAN prints.

The fact behind it

- 1 kg 950; 5 kg 4,250; 20 kg 15,750 rupees, delivered (the farmer price sheet, Aug 2026).
- Wheat 2 packs an acre, 1,900; maize ½ bag across the season, 7,875 (the crop programmes).
- 14 kg of sulfur in a 20 kg bag; 0.7 kg in a 1 kg pack (the declared analysis).
- A water-dispersible granule: 70% sulfur with a wetting and a dispersing agent (the specification sheet).

Never say: “It gives you X more maunds” or a rupees-per-acre return. No yield figure exists for the product. No price per kg of sulfur against another product.

OBJECTION 2 OF 8

“My crop is yellow now. Will this green it up this week?”

The dealer says, out loud

No, and VAN does not sell it as a rescue. Elemental sulfur is not plant food on the day it lands; it becomes plant food when the soil microbes turn it into sulfate, and that takes time, faster in warm moist soil. If the crop is short of sulfur today, a sulfate source answers today. Green Sulfur answers the season: put it on at the programme stage, ahead of the demand, and the sulfate comes as the crop asks for it. First check the young leaves so you know it is sulfur and not nitrogen.

The fact behind it

- Elemental sulfur is not available to the plant as applied; soil microbes oxidise it to sulfate over time (general soil chemistry).
- If the requirement is immediate, a sulfate source is the answer; elemental sulfur is for the season.
- Sulfur shortage shows on the young leaves, all over; nitrogen shortage starts on the old leaves (the 17-nutrients page on van.com.pk).

Never say: “It works in 3 days” or any day count. VAN prints no oxidation rate for the product.

“I already put sulfur on with the urea. Vital Urea has 13%.”

The dealer says, out loud

Yes, and the programme counts it. On wheat, ½ bag of Vital Urea puts on 1.6 kg of sulfur and the 2 packs of Green Sulfur put on 1.4 kg, 3 kg together, against about 6.4 kg that 40 maunds of wheat and its bhusa take off the field. The 2 lines are on the same programme on purpose: the coated urea carries sulfur with the nitrogen at the nitrogen stages, and Green Sulfur carries it at its own stages. Neither replaces the other. If your soil is not short, the report cannot tell you, because sulfur was never tested.

The fact behind it

- The wheat programme: Vital Urea ½ bag (S 13%) and Green Sulfur 1 kg at germination and again at early growth (the crop programme on van.com.pk).
- Wheat takes off 1.7 kg of sulfur per tonne of grain and 2.3 kg more in the straw (IPNI removal tables).
- 0 of 770,160 Punjab soil samples were tested for sulfur (the Punjab soil record).
- Not every field is short of sulfur (Ahmad et al. 2003), so the deck never says every field is.

Never say: “Every field is short of sulfur.”

“Can I put it through the drip or the flood water?”

The dealer says, out loud

Where the programme says so, yes, and that is most of the rows: wheat at germination and early growth, rice, cotton at grand growth, onion 3 times. The granule disperses in the drum, so stir it in and let the tap run across the whole irrigation, not in 1 slug. Where the row says land preparation on maize, potato, garlic and sugarcane, it goes on the soil: drilled at sowing beside and below the seed row, or broadcast and worked in if there is no drill.

The fact behind it

- The label names 2 routes: soil and fertigation.
- 32 of the 42 programme rows are fertigation; 8 land-preparation rows are drill at sowing, or broadcast (the crop programmes on van.com.pk).
- A water-dispersible granule handles dry and applies wet (the specification sheet).

Never say: A foliar rate or a drone rate. Neither is on any programme row.

“My soil is alkaline. Will sulfur fix the pH?”

The dealer says, out loud

Not the field, and VAN does not say it will. While the microbes turn a particle into sulfate, the few millimetres around it turn acidic, and phosphate and zinc held by the lime can come back into solution there. That is a zone around the particle, for the weeks it takes, and a soil test measures the field. At the programme's rate, 2 to 10 kg an acre, the soil report will not move. What moves is what the root meets near each particle.

The fact behind it

- Oxidising sulfur releases acid into the few centimetres around each granule; a microsite effect, not a field one (the soil register on van.com.pk).
- Elemental sulfur acidifies the soil around a granule, which frees locked phosphate and zinc there (the 17-nutrients page on van.com.pk).
- 69.1% of 770,160 Punjab samples read above pH 8; the mean is 8.22 (the Punjab soil record).

Never say: “It reclaims sodic soil” or “it brings your pH down”.

“Which stage, and how many packs?”

The dealer says, out loud

What the programme prints for your crop. Wheat: 1 pack of 1 kg at germination and 1 at early growth, through the water. Maize: $\frac{1}{4}$ of a 20 kg bag drilled at sowing, and $\frac{1}{4}$ at germination. Cotton: $\frac{1}{4}$ bag at land preparation and $\frac{1}{4}$ at grand growth. Potato: 10 packs of 1 kg drilled at sowing, or broadcast. Onion: 2 kg at 20, 40 and 50 days after transplanting. Always ahead of the stage that needs it, because the microbes need the time.

The fact behind it

- Rates per acre as printed in the crop programmes on van.com.pk; 12 crops on the programme slides.
- The right time is ahead of the demand, because oxidation takes time (general soil chemistry).
- Sulfate in excess leaches like nitrate, so more than the programme is money into the groundwater.

Never say: “Double it if the crop is very pale.”

“Is it registered? What is the licence?”

The dealer says, out loud

Pakistan Standard PS 5449-2020, manufacturing licence CM/L-2962/2023, VAN as the registered maker. Every batch is tested at VAN Lab, PNAC LAB 336, before it ships. Read the batch number off the bag and VAN sends you that batch's certificate, free.

The fact behind it

- Green Sulfur: PS 5449-2020, CM/L-2962/2023 (the regulatory table on van.com.pk).
- The licence number is what a dealer quotes; no expiry date is printed.
- Every batch is released through VAN Lab, PNAC LAB 336, ISO/IEC 17025:2017.

Never say: An expiry date, or the wetting and dispersing agents as if they were nutrients.

“Is it a fungicide? Sulfur is sprayed for mildew.”

The dealer says, out loud

Sulfur dust and wettable sulfur are sprayed as a fungicide, and that is a different product, a different rate and a different licence. Green Sulfur is registered as a fertilizer, for the soil and the water, at the programme's rate, and VAN makes no disease claim for it. If a grower has a mildew problem, he needs a registered fungicide and a crop-protection dealer.

The fact behind it

- Registered against PS 5449-2020 as a fertilizer (the regulatory table on van.com.pk).
- No programme row prints a foliar use for Green Sulfur.
- VAN makes no disease or immunity claim for any product.

Never say: “It controls mildew too” or any disease or immunity effect.

Green Sulfur in the published programmes, per acre.

Crop	Stage	Rate per acre	Method	Pack
Wheat	Germination	1 bag	Fertigation	1 kg
Wheat	Early Growth	1 bag	Fertigation	1 kg
Maize (Corn)	Land Preparation	¼ bag	Drill at sowing; broadcast if no drill	20 kg
Maize (Corn)	Germination	¼ bag	Fertigation	20 kg
Basmati Rice	Establishment	2 bag	Fertigation	1 kg
Basmati Rice	Grand Growth	2 bag	Fertigation	1 kg
Hybrid Rice	Early Growth	2 bag	Fertigation	1 kg
Hybrid Rice	Grand Growth	2 bag	Fertigation	1 kg
Cotton	Land Preparation	0.25 bag	Fertigation	20 kg
Cotton	Grand Growth	0.25 bag	Fertigation	20 kg
Sugarcane, February planting	Land Preparation	¼ bag	Drill at sowing; broadcast if no drill	20 kg
Sugarcane, February planting	Early Growth	1/4 bag	Fertigation	20 kg
Ratoon Sugarcane	Land Preparation	¼ bag	Fertigation	20 kg

Rows as published in van.com.pk's crop programmes, 12 of the 22 programmes that name Green Sulfur. Fertigation on most rows; drill at sowing (or broadcast) at land preparation on maize, sugarcane, canola, sunflower, potato and garlic. A rate is per acre; the crop page scales it to the field.

Green Sulfur in the published programmes, continued.

Crop	Stage	Rate per acre	Method	Pack
Ratoon Sugarcane	Early Growth	¼ bag in April	Fertigation	20 kg
Canola	Land Preparation	5 bag	Drill at sowing; broadcast if no drill	1 kg
Canola	Germination	1.5 bag	Side dressing/ Broadcasting	1 kg
Canola	Early Growth	1.5 bag	Fertigation	1 kg
Sunflower	Land Preparation	5 bag	Drill at sowing; broadcast if no drill	1 kg
Sunflower	Germination	2.5 bag	Side Dressing/Broadcasting	1 kg
Sunflower	Early Growth	2.5 bag	Fertigation	1 kg
Potato	Land Preparation	10 bag	Drill at sowing; broadcast if no drill	1 kg
Onion	Early Growth (20 DOT)	2 kg	Fertigation	1 kg
Onion	Grand Growth (40 DOT)	2 kg	Fertigation	1 kg
Onion	Maturity (50 DOT)	2 kg	Fertigation	1 kg
Garlic	Land Preparation	½ bag	Drill at sowing; broadcast if no drill	20 kg

Rows as published in van.com.pk's crop programmes, 12 of the 22 programmes that name Green Sulfur. Fertigation on most rows; drill at sowing (or broadcast) at land preparation on maize, sugarcane, canola, sunflower, potato and garlic. A rate is per acre; the crop page scales it to the field.

WHAT VAN WILL NOT CLAIM FOR IT

A dealer who says any of these is speaking for himself, not for VAN.

1 A yield figure, or that it greens a crop in X days. No Green Sulfur trial exists; the season-long release is mechanism, and no oxidation rate or day count is printed.

2 That every field is short of sulfur, or “88% of soils are deficient”. Sulfur was tested in 0 of 770,160 Punjab samples, so the record is silent; Ahmad et al. 2003 found fields that are not short.

3 A soil pH change, a sodic-soil reclamation, or a soil-test change at the programme rate. The acid effect is a zone around each particle for the weeks it oxidises.

4 A disease, mildew or immunity effect. It is registered as a fertilizer, and no disease claim is made.

5 A foliar or drone rate. No programme row prints foliar for Green Sulfur, and no drone grade is in this deck.

6 A ratio of nitrogen saved per kilogram of sulfur, or that it “unlocks” soil phosphorus and zinc field-wide. The microsite line is as far as VAN goes.

Every batch is tested. The bag carries the proof.

1 · The batch number

It is printed on the bag. Read it to the grower and show him where it is. Every bag of every batch carries one.

2 · The certificate of analysis

For any batch, free on request. Send the batch number off the bag to kisan@van.com.pk or the helpline, and the certificate for that batch comes back. No sample to post.

3 · The laboratory

VAN Lab, PNAC LAB 336, accredited to ISO/IEC 17025:2017. Every batch is released through it before it ships. The certificate carries the laboratory's number.

What a certificate for Green Sulfur shows

The declared analysis tested for the batch: elemental sulfur against the 70% minimum, with the batch number, the Pakistan Standard PS 5449-2020 and licence CM/L-2962/2023 on the bag. No particle-size or oxidation-rate figure is on the bag or in this deck. No certificate for a Green Sulfur batch was on file for this deck, so no batch reading is printed here; the grower asks for his own batch's certificate.

The lines a dealer says in Urdu.

The first line is the promise word from the VAN brand master. The other 3 are the deck's key sentences in Urdu, reviewed on 27 September 2026. Say them, and send any correction to partner@van.com.pk.

Sulfur turns the nitrogen you applied into protein.

Urdu · reviewed 27 Sep 2026

سلفر آپ کی دی ہوئی نائٹروجن کو پروٹین میں بدلتا ہے

If the new leaves are pale and urea did nothing, it is sulfur.

Urdu · reviewed 27 Sep 2026

اگر نئے پتے پیلے ہیں اور یوریا نے کچھ نہ کیا، تو کمی سلفر کی ہے

Put it on before the crop needs it. The soil takes time to turn it into food.

Urdu · reviewed 27 Sep 2026

فصل کی ضرورت سے پہلے دیں، زمین کو اسے خوراک بنانے میں وقت لگتا ہے

Dry, it is a granule. In water, it becomes a fine powder.

Urdu · reviewed 27 Sep 2026

خشک حالت میں دانہ ہے، پانی میں باریک پاؤڈر بن جاتا ہے

Write to the address for what you need.

If you grow

kisan@van.com.pk

A crop plan, product rates, a certificate for your batch, a dealer near you.

If you sell

partner@van.com.pk

Dealers, distributors and the trade. Stock, training, corrections to this deck.

Everything else

info@van.com.pk

Supply, the laboratory, a plant visit.

Helpline 0300 5003041 · www.van.com.pk

Vital Agri Nutrients (Pvt) Ltd, Lahore. 1 helpline, 3 addresses. No group broadcasts: a grower who writes gets 1 reply.

Green Sulfur: drilled at sowing, or broadcast and worked in, or through the water where the row says. Ahead of the demand, never into it.

