







DEALER TRAINING · SEPTEMBER 2026

V-Transform

Granular zinc, 630 g in a 3 kg bag, into the soil beside the row, once, for the season.

For VAN dealers and the field team, written so a dealer can repeat it to a grower. Lahore.



What a dealer says in 30 seconds.

V-Transform is granular zinc, 21% by weight, so 630 g of zinc in a 3 kg bag, registered against the Pakistan Standard for zinc sulphate. It is the zinc that goes into the soil, once, for the season: side-dressed beside the row at germination on wheat, maize, potato and chili, broadcast and mixed in on cotton and basmati rice, placed in the furrow on ratoon cane, or drilled at sowing where the grower has a drill. Zinc makes the growth hormone and decides plant height, leaf size and grain set, and calcareous ground above pH 8 locks it: 59.0% of Punjab samples read low. A granule in a band puts the whole bag in the root zone, in a small volume of soil, where the root grows into it. Keep it clear of the phosphate band. 1 bag on wheat and maize, 2 on cotton and potato, 3 on basmati rice.

The 4 things it must contain

1

The bag: 3 kg, zinc 21%, PS 1539-1982. 630 g of zinc in every bag, from the declared analysis.

2

The nutrient: the growth hormone, leaf size, protein and grain set. 59.0% of Punjab samples read low in zinc.

3

The granule: into the soil in a band beside the row, once, at germination or drilled at sowing. Worked in, never left on the surface.

4

The method order: drill first, side-dress second, broadcast last. And never in the phosphate band.

Say it in the grower's own words. Every figure in these 30 seconds is on the bag, in the published crop programme, or in the named evidence on the slides that follow.

THE BAG

What the bag says, and what it is registered as.

3 kg


the bag, and 1 bag an acre on wheat, maize, chili and canola. 630 g of zinc in it, from the declared analysis.

Zn 21%

zinc, by weight: 210 g in every kilogram. The most concentrated zinc in VAN’s range, by the declared analyses.

Granular

sized for spreading and for the seed drill’s fertilizer box, as VAN’s product data says. A soil product, not a tank product.



PS 1539

the Pakistan Standard for zinc sulphate, 1982, the standard the bag is registered against.

59.0%

of 770,160 Punjab samples read below 1.0 ppm zinc; mean 1.25 ppm, and it falls as pH rises.

12

published programmes name V-Transform, 12 rows, all at germination or the first nitrogen.

Registered as	Pakistan Standard	Manufacturing licence
V-Transform	PS 1539-1982 (Zinc Sulphate)	CM/L-3132/2024

No expiry date is printed in this deck. The licence number is what a dealer quotes.

A GROWER'S QUESTION


“Last year I sprayed zinc when the wheat showed it, and the crop still came late and short. Can I put the zinc in before the crop instead of chasing it?”

The grower already knows his ground is short of zinc; the spray told him. What he is asking is whether zinc can be in the root zone before the plant makes its decisions, so he is not correcting a plant that has already stayed small. The answer is 3 ideas: what zinc does early, why a granule in a band survives calcareous soil, and why the method order matters more for zinc than for almost anything else.

The 3 answers on the next 3 slides, 1 idea each.

Zinc runs the growth, and the decisions are made early.

Zinc makes the growth hormone that lengthens the stem and the enzymes that build protein. It decides plant height, leaf size and, in rice and wheat, grain set. Those decisions are made in the first weeks, while the crop is building leaf and setting tillers. A crop short then comes out with small, narrow young leaves, short joints and a bunched look, and a spray at flowering corrects a shortage that has already fixed the size of the plant. A field can be full of nitrogen and still stop at the zinc.




The jobs of zinc, from the site's 17-nutrients page. A picture of the idea, not a measurement.

Say it like this: “Zinc decides how tall and how wide the plant will be, in the first weeks. Put it where the root will find it before those weeks, not after.”

A granule in a band puts the whole bag where the root grows.

Calcareous soil above pH 8 fixes zinc as zinc phosphate or holds it on the lime, and 69.1% of Punjab samples read above pH 8. A granule placed in a band beside the row meets only the small volume of soil around it: the lime in that band is finite, the zinc is concentrated, and the root grows into the band and finds it. Spread thin across the whole surface, the same 630 g meets the whole field's lime and most of it is taken back before a root arrives. That is why this product is a granule and why incorporation is not optional.

Say it like this: "In a band, the bag is 630 g of zinc in a little soil, right where the root goes. On the surface, it is 630 g against the whole field's lime."




A zinc granule in a band beside the row. The band is a small volume of soil; the lime in it is finite, and the root grows into it.

A granule in a band beside the root. General soil chemistry, stated as such; no fixation percentage is drawn or said.

Drill first, side-dress second, broadcast last.

The same bag gives a different result by where it lands. Drilled at sowing, about 5 cm beside and below the seed row, the root meets it first and the whole bag is in the root zone. Side-dressed in a band beside the row at germination or the first irrigation, covered with soil, it is still near the root, later and shallower. Broadcast on the surface and mixed in, most of it is away from the root. The programme rows print side dressing on most crops, broadcasting on cotton and basmati rice, placement on ratoon. Whatever the row says, it goes into the soil, and never into the phosphate band.



The 3 methods, in VAN's order for every basal granule. The observation line on the next slide is about basal fertilizer in general, not a V-Transform figure.

Say it like this: "Best is drilled with the seed, beside and below it. Next is a band at germination, covered. Last is broadcast. Never on top and left there."

THE EVIDENCE

What is verified for V-Transform, and what is not.

No trial of V-Transform is on VAN's record. What a dealer may state as fact is the bag, the standard, the programme rows, the soil record and VAN's method order, each as what it is.

Item	What it says	How a dealer may use it
The bag	V-Transform, zinc 21% w/w, 210 g per kg, granular, 3 kg. 630 g of zinc in a bag.	As fact. Grams from the declared analysis.
The standard and licence	Pakistan Standard PS 1539-1982, the standard for zinc sulphate; manufacturing licence CM/L-3132/2024, as the master record holds it.	As fact. The number, never an expiry date. The standard names the salt; the deck says no more about the form.
The programme rows	12 rows on 12 programmes, all at germination (basmati at establishment; onion with the first nitrogen): 1 bag on wheat, maize, chili, canola, onion; 2 on cotton, potato, sunflower, citrus, watermelon; 3 on basmati rice and ratoon cane.	As the published rate. Verbatim.
The soil record (Punjab, 770,160 samples)	59.0% of samples below 1.0 ppm zinc; mean 1.25 ppm; zinc falls as pH rises and drops where calcium carbonate is above 3%. 69.1% above pH 8.	As fact about the soil. Never as product performance.
The method observation (VAN fields)	Basal fertilizer drilled at sowing has given 7 to 9% better response than the same bag broadcast, on wheat, maize and sugarcane: the mean of replicated observations across regions, not a published trial.	Exactly as written, about basal fertilizer in general. Never as a V-Transform figure.
Not on file	A V-Transform trial; a yield or grain-zinc figure; the 64% and 57% soil figures and the National Nutrition Survey chain printed in earlier VAN material; a fixation percentage; a fertigation rate for a granule.	Not said until named.

Sources: the bag; VAN's published crop programmes on van.com.pk; the farmer price sheet, Aug 2026; the PSQCA master record; the Punjab soil record, 770,160 samples; VAN's 17-nutrients page; VAN's field observations on application method; VAN's own product data.

The bag in grams, and the wheat application, in the grower’s own back-of-envelope.

Price from the VAN farmer price sheet, Aug 2026, delivered farmer price. Zinc from the declared analysis, 21% by weight. The wheat programme puts 1 bag on at germination, side-dressed.

V-Transform, zinc 21% w/w	Weight	Zinc	Rupees	Which rows
1 bag	3 kg	630 g	1,975	wheat, maize, chili, canola, onion
2 bags	6 kg	1.26 kg	3,950	cotton, potato, sunflower, citrus, watermelon
3 bags	9 kg	1.89 kg	5,925	basmati rice, sugarcane ratoon
Wheat, 1 bag an acre at germination	3 kg	630 g	1,975	side-dressed, or drilled at sowing

On wheat the grower spends 1,975 rupees an acre to put 630 g of zinc into the soil beside the row, once, before the plant decides its size. 3 kg is a bag a man carries in 1 hand; the whole season’s zinc for the acre is in it. What the crop does with it is not a number VAN prints for this product.

V-Transform 3 kg PKR 1,975: the farmer price sheet, Aug 2026. 630 g = 3,000 g × 0.21; 210 g per kg from the declared analysis. Rates: the crop programmes on van.com.pk.

What the programme puts in at germination, per acre: the field crops.

Bags per acre from the published crop programmes; zinc from the declared analysis; rupees at the VAN farmer price sheet, Aug 2026.

Crop	V-Transform per acre	Zinc put in	Rupees per acre	Stage and method, as printed
Wheat	1 bag of 3 kg	630 g	1,975	Germination, side dressing
Maize	1 bag of 3 kg	630 g	1,975	Germination, side dressing / placement
Basmati rice	3 bags of 3 kg	1.89 kg	5,925	Establishment, broadcasting
Cotton	2 bags of 3 kg	1.26 kg	3,950	Germination, broadcasting
Sugarcane ratoon	3 bags of 3 kg	1.89 kg	5,925	Germination, placement
Canola	1 bag of 3 kg	630 g	1,975	Germination, side dressing / broadcasting
Sunflower	2 bags of 3 kg	1.26 kg	3,950	Germination, side dressing / broadcasting

That is the grower's whole soil-zinc line for these crops, in his own arithmetic: 1 to 3 small bags, once. Rice takes the most because flooded calcareous ground is the ground that locks zinc hardest. Where a row prints 2 methods, VAN's order applies: the band before the broadcast.

VAN's published crop programmes on van.com.pk; 3 kg bag at PKR 1,975, farmer price sheet, Aug 2026. Rupees = bags × 1,975. The method column is as the programme prints it.

What the programme puts in at germination, per acre: vegetables and orchards.

Bags per acre from the published crop programmes; zinc from the declared analysis; rupees at the VAN farmer price sheet, Aug 2026.


Crop	V-Transform per acre	Zinc put in	Rupees per acre	Stage and method, as printed
Potato	2 bags of 3 kg	1.26 kg	3,950	Germination, side dressing
Chili	1 bag of 3 kg	630 g	1,975	Germination, side dressing
Onion	1 bag of 3 kg	630 g	1,975	Early growth (20 days), with the first nitrogen
Citrus	2 bags of 3 kg	1.26 kg	3,950	Germination, side dressing
Watermelon	2 bags of 3 kg	1.26 kg	3,950	Germination, side dressing

Every vegetable and orchard row is a band beside the row, covered. The liquid zinc, V-Zinc, sits on other crops’ rows through the water; the plan never puts both on the same row.

VAN’s published crop programmes on van.com.pk; 3 kg bag at PKR 1,975, farmer price sheet, Aug 2026. Rupees = bags × 1,975.

HOW IT GOES ON

Into the soil, once, in a band: drill first, side-dress second, broadcast last. Never in the phosphate band.



1. Drill at sowing, best

Where the grower has a seed drill, the fertilizer box places the granule about 5 cm beside and below the seed row, never touching the seed. The root meets it first and the whole bag is in the root zone. The granule is sized for the drill box, as VAN's product data says.

2. Side-dress at germination, second, and the row most programmes print

A band beside the row at germination or the first irrigation, by hand or planter, covered with soil. Wheat, maize, potato, chili, citrus, canola and sunflower print it. Ratoon cane prints placement in the furrow, which is the same band. Onion goes on with the first nitrogen. Covered, always: material left on the surface is not where the roots are.

3. Broadcast, last, and only mixed in

Cotton and basmati rice print broadcasting: spread evenly before an irrigation or the last cultivation and worked in. A missed strip is a missed acre and it shows at harvest, not on the day. Never broadcast onto an untilld calcareous surface and leave it. And never in the same band as the phosphate: zinc phosphate does not dissolve, and both are lost.

Drill first, side-dress second, broadcast last.

The order for every basal granule VAN sells. The same bag gives a different result by where it lands, and for a granule of zinc on calcareous ground, where it lands is most of the product.

Order	Method	What it means	Why
1 · best	Drill at sowing	The seed drill's fertilizer box places the granule about 5 cm beside and below the seed row, never touching the seed.	The root meets it first. Least contact with air, sun and free calcium at the surface. The whole bag is in the root zone.
2	Side-dress	A band beside the row, by hand or planter, at sowing or the first irrigation, covered with soil.	Still a band near the root, but later and shallower than a drill.
3 · last	Broadcast	Spread on the surface before the last ploughing or before an irrigation, and mixed in.	Most of the bag is away from the root, and most of it is exposed at the surface.

In VAN's own fields and partner fields, on wheat, maize and sugarcane, basal fertilizer drilled at sowing has given 7 to 9% better response than the same bag broadcast: the mean of replicated observations across regions, not a published trial.

The programme rows put it at germination, side-dressed beside the row. Where a plan puts it on at sowing, drill it.

“1,975 for 3 kg? Zinc sulfate powder is cheaper by the kilo.”

The dealer says, out loud

Write both on your paper, and VAN prints no price for the powder. Then write what this bag is: 630 g of zinc in a granule sized for the drill box and the band, so the whole bag goes into a little soil beside the row where the root grows into it, once, at 1,975 rupees for an acre of wheat. A powder spread on the surface of calcareous ground meets the whole field's lime. You are paying for the zinc and for where it lands. What the crop does with it is not a number VAN prints.

The fact behind it

- V-Transform 3 kg is 1,975 rupees; 1 bag on wheat and maize (farmer price sheet, Aug 2026; the crop programmes on van.com.pk).
- 630 g of zinc per bag: $3,000 \text{ g} \times 0.21$ (the declared analysis on the bag).
- VAN's method order for every basal granule: drill first, side-dress second, broadcast last.
- 69.1% of Punjab samples read above pH 8; the ground is calcareous (the Punjab soil record).

Never say: “It gives you X more maunds” or a rupees-per-acre return. No yield figure exists for the product. No cost per gram of zinc against the powder.

“I already spray zinc. Why put it in the soil as well?”

The dealer says, out loud

The spray corrects; the granule is there before the plant asks. Zinc decides the plant's height and leaf size in the first weeks, and a spray goes on when the sign shows, which is after those weeks. The programme puts V-Transform in the soil at germination on wheat, maize, cotton, potato and rice for that reason, and puts the liquid, V-Zinc, on other crops through the water. Follow your crop's row. On a soil you know is short, the plan is written so the zinc is in the root zone first.

The fact behind it

- V-Transform goes on at germination on 12 programmes; V-Zinc, the liquid, on 12 others (the crop programmes on van.com.pk).
- Zinc decides plant height, leaf size and, in rice and wheat, grain set (VAN's 17-nutrients page).
- A zinc-short crop shows small young leaves and short joints; the size is set in the first weeks (VAN's 17-nutrients page).

Never say: “The granule replaces every spray for the season” or a percentage either way.

“Can I broadcast it with my urea at the first water?”

The dealer says, out loud

Cotton and basmati rice print broadcasting, and there it goes on before the water and is worked in. On every other crop the row says a band beside the row, covered, and the best of all is drilled at sowing beside and below the seed. What it must never do is sit on top of untilled calcareous ground: the lime takes it before the root arrives. And keep it out of the phosphate band, whatever else it goes on with.

The fact behind it

- Broadcasting on cotton and basmati rice; side dressing or placement on the other 10 rows (the crop programmes on van.com.pk).
- Broadcast is the last of VAN's 3 methods, and only mixed in (VAN's method order for basal granules).
- A granular zinc left on an untilled calcareous surface is largely captured before a root reaches it (general soil chemistry, as VAN's product guidance states it).
- Zinc phosphate does not dissolve: keep the zinc band clear of the phosphate band (textbook chemistry).

Never say: “Throw it on top; the water takes it down.”

“Can I put it in the drip or dissolve it in the drum?”

The dealer says, out loud

This is a granule made for the soil. The liquid zinc, V-Zinc 10%, is the product the programme runs through the water, and it is written in litres. Side-dress this one or drill it, as the rows say; if a row on your crop seems to say otherwise, ask VAN before you dissolve a bag.

The fact behind it

- V-Transform is granular, for soil placement, sized for the spreader and the seed drill (VAN's product data).
- V-Zinc 10% is the zinc VAN runs through the water, on 11 programme rows (the crop programmes on van.com.pk).
- Every V-Transform row prints a soil method: side dressing, placement or broadcasting (the crop programmes on van.com.pk).

Never say: A fertigation rate for V-Transform, until VAN prints one.

“Will it burn the seed if I drill it?”

The dealer says, out loud

Drilled the way VAN says, no: the fertilizer box puts it about 5 cm beside and below the seed row, never touching the seed. That gap is the method. A concentrated granule of any salt against a seed is the wrong place for it, so the drill setting matters more than the bag. And keep the zinc band clear of the phosphate band.

The fact behind it

- Drill at sowing: about 5 cm beside and below the seed row, never touching the seed (VAN's method order for basal granules).
- The granule is sized for placement with the seed drill (VAN's product data).
- A concentrated salt granule against a seed can harm it; the gap is the safeguard (general agronomy).

Never say: “Mix it with the seed in the box.”

“Which stage, and how many bags?”

The dealer says, out loud

Germination, once, side-dressed beside the row and covered, or drilled at sowing where you can. Wheat, maize, chili, canola and onion: 1 bag. Cotton, potato, sunflower, citrus and watermelon: 2 bags. Basmati rice at establishment and ratoon cane: 3 bags. Onion takes it with the first nitrogen at 20 days. Not later: zinc corrected at flowering corrects a plant that has already decided its size.

The fact behind it

- 12 programmes name V-Transform, 12 rows, all at germination or the first nitrogen (the crop programmes on van.com.pk).
- 1 bag on wheat, maize, chili, canola, onion; 2 on cotton, potato, sunflower, citrus, watermelon; 3 on basmati rice and ratoon (the same programmes).
- VAN names germination and early growth as the stages for V-Transform (the V-Transform page on van.com.pk).

Never say: “More bags, more yield”, or a rate for a crop with no row.

“Is it registered? What is the licence?”

The dealer says, out loud

Pakistan Standard PS 1539-1982, the standard for zinc sulphate, manufacturing licence CM/L-3132/2024, VAN as the registered maker. Every batch is tested at VAN Lab, PNAC LAB 336, before it ships. Read the batch number off the bag and VAN sends you that batch's certificate, free.

The fact behind it

- V-Transform: PS 1539-1982 (zinc sulphate), manufacturing licence CM/L-3132/2024 (the regulatory table on van.com.pk, from the PSQCA master record).
- The licence number is printed on the pack; the number is what a dealer quotes, never an expiry date.
- Every batch is released through VAN Lab, PNAC LAB 336, ISO/IEC 17025:2017 (VAN's quality page).

Never say: An expiry date, or a form of the salt beyond what the standard names.

“My crop is standing and short. Will a bag now fix it?”

The dealer says, out loud

V-Transform goes in at germination, into the soil, so the zinc is there while the plant is deciding its size. For a crop already standing and short, a spray reaches the leaf faster; where your crop has a V-Zinc spray row, use it. Plan the granule for the next sowing. VAN prints no recovery figure and no day count for either.

The fact behind it

- V-Transform: germination and early growth, into the soil (the V-Transform page on van.com.pk).
- V-Zinc spray rows exist on chickpea, lentil and mungbean at early growth (the crop programmes on van.com.pk).
- Plant height and leaf size are decided early; zinc runs that growth (VAN's 17-nutrients page).

Never say: “It greens up in a week” or “it recovers the yield”.

V-Transform in the published programmes, per acre.

Crop	Stage	Rate per acre	Method	Pack
Wheat	Germination	1 bag	Side Dressing/Fertigation	3 kg
Maize (Corn)	Germination	1 bag	Side Dressing/Placement	3 kg
Basmati Rice	Establishment	3 bag	Broadcasting	3 kg
Cotton	Germination	2 bag	Broadcasting	3 kg
Ratoon Sugarcane	Germination	3 bag	Placement	3 kg
Potato	Germination	2 bag	Side dressing	3 kg

Rows as published in van.com.pk's crop programmes, all 12 programmes that name V-Transform. Germination on every row (basmati at establishment, onion at 20 days); side dressing on most, broadcasting on cotton and basmati, placement on ratoon. A rate is per acre; the crop page scales it to the field.

V-Transform in the published programmes, continued.

Crop	Stage	Rate per acre	Method	Pack
Chili	Germination	1 bag	Side dressing	3 kg
Onion	Early Growth (20 DOT)	1 pack	With the first nitrogen application	3 kg
Citrus, 5 years and over	Germination	2 pack	Side dressing	3 kg
Canola	Germination	1 bag	Side dressing/ Broadcasting	3 kg
Sunflower	Germination	2 bag	Side Dressing/Broadcasting	3 kg
Watermelon	Germination	2 pack	Side dressing	3 kg

Rows as published in van.com.pk's crop programmes, all 12 programmes that name V-Transform. Germination on every row (basmati at establishment, onion at 20 days); side dressing on most, broadcasting on cotton and basmati, placement on ratoon. A rate is per acre; the crop page scales it to the field.

WHAT VAN WILL NOT CLAIM FOR IT

A dealer who says any of these is speaking for himself, not for VAN.

1

A yield figure, a grain-zinc figure or a human-nutrition claim. No V-Transform trial exists; the published wheat responses and the National Nutrition Survey describe zinc, and were measured by someone else.

2

That 64% of Pakistan's soils, or 57% of Punjab's, are zinc-deficient, until a source is on file. The survey's 59.0% below 1.0 ppm is the figure a dealer may say.

3

A percentage of zinc fixed or saved, or a soil-test change. The band argument is soil chemistry; nothing is measured for this product.

4

The 7 to 9% method observation as a V-Transform figure. It is about basal fertilizer in general, from VAN's own fields, not a published trial, and is printed exactly as VAN words it.

5

A fertigation rate. It is a granule for the soil; the liquid zinc is a different product.

6

That it greens a standing crop in X days, or that 1 bag is the season's whole zinc on every crop. The row gives the bags.

Every batch is tested. The bag carries the proof.

1 · The batch number

It is printed on the bag. Read it to the grower and show him where it is. Every bag of every batch carries one.

2 · The certificate of analysis

For any batch, free on request. Send the batch number off the bag to kisan@van.com.pk or the helpline, and the certificate for that batch comes back. No sample to post.

3 · The laboratory

VAN Lab, PNAC LAB 336, accredited to ISO/IEC 17025:2017. Every batch is released through it before it ships. The certificate carries the laboratory's number.

What a certificate for V-Transform shows

The declared analysis tested for the batch: zinc against 21% by weight, with the batch number, the Pakistan Standard PS 1539-1982 and licence CM/L-3132/2024 on the bag. No certificate for a V-Transform batch was on file for this deck, so no batch reading is printed here; the grower asks for his own batch's certificate.

The lines a dealer says in Urdu.

The first line is the promise word from the VAN brand master. The other 3 are the deck's key sentences in Urdu, reviewed on 27 September 2026. Say them, and send any correction to partner@van.com.pk.

Zinc. VAN has no promise word for it; a plain line.

Urdu · reviewed 27 Sep 2026

زنک فصل کو قد دیتا ہے

Put the zinc in the soil beside the row, before the plant decides its size.

Urdu · reviewed 27 Sep 2026

زنک قطار کے ساتھ زمین میں دیں، پودے کے قد طے کرنے سے پہلے

Drill first, band second, broadcast last. Never leave it on top.

Urdu · reviewed 27 Sep 2026

پہلے ڈرل، پھر قطار کے ساتھ پٹی، آخر میں چھٹہ۔ اوپر کبھی نہ چھوڑیں

Keep it away from the phosphate band.

Urdu · reviewed 27 Sep 2026

فاسفیٹ کی پٹی سے دور رکھیں

Write to the address for what you need.

If you grow

kisan@van.com.pk

A crop plan, product rates, a certificate for your batch, a dealer near you.

If you sell

partner@van.com.pk

Dealers, distributors and the trade. Stock, training, corrections to this deck.

Everything else

info@van.com.pk

Supply, the laboratory, a plant visit.

Helpline 0300 5003041 · www.van.com.pk

Vital Agri Nutrients (Pvt) Ltd, Lahore. 1 helpline, 3 addresses. No group broadcasts: a grower who writes gets 1 reply.

V-Transform: 630 g of zinc in a 3 kg bag, into the soil beside the row, once. Drill first, side-dress second, broadcast last.

