






DEALER TRAINING · SEPTEMBER 2026

VL-NPK

A liquid NPK for the leaf: N 8, P₂O₅ 8, K₂O 6 grams per 100 ml, with amino acids and fulvic acid.

For VAN dealers and the field team, written so a dealer can repeat it to a grower. Lahore.



What a dealer says in 30 seconds.

VL-NPK is a liquid for the leaf: nitrogen 8, phosphate 8 and potash 6, measured as grams in every 100 ml, with amino acids and fulvic acid in the formulation, in a 1 L bottle. It exists for the delivery gap: the weeks when the soil has the nutrient and the crop still cannot get it, on calcareous ground, in cold or waterlogged soil, in heat, or when the root has been knocked. A spray puts the 3 nutrients on the surface that will use them. The published programmes put 1 bottle an acre on at grand growth on chickpea, lentil, mungbean and mango, at germination on citrus, twice on onion, and month by month on guava. It is a correction of grams, not a programme of kilograms. Keep the soil programme intact.

The 4 things it must contain

- 1** The bottle: 1 L, 8-8-6 w/v, PS 5469-2020. 80 g of N, 80 g of P_2O_5 and 60 g of K_2O in every litre.
- 2** The reason: the delivery gap. The soil can hold the nutrient and the crop still not get it; the leaf route steps over the soil.
- 3** The stage: 1 bottle an acre, sprayed, at the stage the programme names. Grand growth on most crops.
- 4** The limit: grams, not kilograms. It supplements the soil programme; it never replaces it.

Say it in the grower's own words. Every figure in these 30 seconds is on the bag, in the published crop programme, or in the named evidence on the slides that follow.

THE BAG

What the bottle says, and what it is registered as.

1 L

the bottle. 80 g of N, 80 g of P₂O₅ and 60 g of K₂O in every litre, from the declared analysis. A 20 L pack exists too.

8-8-6

w/v: 8% w/v is 8 g in every 100 ml, 80 g in a litre. Not the w/w of a solid bag.

N 8

nitrogen, 80 g per litre.

P₂O₅ 8 · K₂O 6

phosphate 80 g and potash 60 g per litre.

Amino · fulvic

in the formulation, as VAN's product data names them. No figure is on the label, so none is printed.

Foliar

the 1 route VAN names for it. Every programme row says spray.



Registered as	Pakistan Standard	Manufacturing licence
VL-NPK	PS 5469-2020	CM/L-3131/2024

No expiry date is printed in this deck. The licence number is what a dealer quotes.

A GROWER'S QUESTION


“The fertilizer is in the ground. The crop stopped in the heat anyway and the leaves went pale. Why is it not eating what I gave it?”

The grower did his soil programme. What failed was delivery: the root stopped bringing the nutrient up, for a week or 2, at a stage that mattered. The answer is 3 ideas: what the delivery gap is, what is in the litre, and why a spray is a correction and never the programme.

The 3 answers on the next 3 slides, 1 idea each.

A soil that has the nutrient is not a crop that has it.

On calcareous ground above pH 8, phosphate is locked within centimetres of where it lands. In cold soil, in a waterlogged field, in a heat week, or after a transplant check or a chemical knock, the root slows or stops. The nutrient is there and the crop is not getting it. A spray steps over the soil and puts nitrogen, phosphate and potash on the leaf, where they are taken up directly while the droplet is wet. It answers the gap, and only the gap.




Sprayed onto the leaf. Small doses, taken up through the leaf surface, for a nutrient the crop needs quickly or that the soil locks up. Spray early morning or late afternoon; never on a wilted crop.

Say it like this: “Your soil has it. Your crop cannot reach it this week. The spray goes straight to the leaf.”

The leaf taking up the droplet. General plant nutrition, stated as such; no uptake percentage is drawn.

What is in the litre: 3 nutrients and 2 helpers.

80 g of nitrogen, 80 g of phosphate and 60 g of potash in every litre, close to even, so the spray feeds the whole plant rather than pushing leaf alone. Amino acids come ready-made, so the crop skips the energy cost of building them in the week it is under stress. Fulvic acid is the smallest, most mobile humic fraction; as general chemistry it holds metal ions in solution and helps carry nutrients across the leaf surface. Both are in the formulation without a label figure, so VAN names them and does not number them.



The 5 parts of the litre. Named from VAN's product data; the helpers carry no figure.

Say it like this: “3 nutrients, close to even, and 2 helpers that carry them in. It feeds the whole plant, not just the leaf.”

At the stage the programme names, and in the stress week.

The published programmes put 1 bottle an acre on at grand growth on chickpea, lentil, mungbean and mango; at germination on citrus; at 40 days after transplanting on onion and again 15 days later; and month by month from September to February on guava, with a repeat 15 days after flowering and after fruiting. VAN's guidance adds the stress event: heat, cold, waterlogging, salinity, a chemical knock, a transplant check. Spray into the stress, not a week after it.



Grand growth is the stage most programmes name. Citrus (germination) and guava (monthly) are on the programme slides.

Say it like this: “1 bottle an acre at the stage on your crop’s plan, and again when the crop takes a hit. Not by counting days.”

THE EVIDENCE

What is verified for VL-NPK, and what is not.

No trial of VL-NPK is on VAN's record. What a dealer may state as fact is the bottle, the licence, the programme rows and the soil record, each as what it is.

Item	What it says	How a dealer may use it
The bottle	VL-NPK, N 8% w/v (80 g/L), P ₂ O ₅ 8% w/v (80 g/L), K ₂ O 6% w/v (60 g/L); amino acids and fulvic acid in the formulation; 1 L. A 20 L pack is on the price sheet.	As fact. Amino and fulvic named, never numbered.
The licence	Pakistan Standard PS 5469-2020 for liquid nutrient supplements; manufacturing licence CM/L-3131/2024.	As fact. The number, never an expiry date.
The programme rows	12 rows on 7 programmes: 1 bottle an acre, spray, at the stage printed. Grand growth on chickpea, lentil, mungbean and mango; germination on citrus; onion at 40 days after transplanting plus 15 days; guava monthly, September to February.	As the published rate. The water volume is guidance, not a row.
VAN guidance, 20 Aug 2026	1 L an acre in 200 L of water, at mid-life, at fruiting, and at a stress event. It replaced an unconfirmed day-count rate the same day.	Spoken as VAN's guidance.
The soil record (Punjab, 770,160 samples)	69.1% of samples above pH 8; 59.1% low in phosphorus; 87.8% below the working potash threshold.	As fact about the soil: the reason a delivery gap exists. Never as product performance.
Not on file	A VL-NPK trial; a yield or response figure; a response time in days; an amino or fulvic percentage; a compatibility chart.	Not said until named.

Sources: the bottle; the Pakistan Standard and licence register; the crop programmes on van.com.pk; the VAN farmer price sheet, Aug 2026; the Punjab soil record (770,160 samples); VAN guidance, 20 Aug 2026.

The bottle, in grams, in the grower’s own back-of-envelope.

Price from the VAN farmer price sheet, Aug 2026, delivered farmer price. Nutrients from the declared analysis, w/v: 8% is 80 g in a litre.

VL-NPK, 8-8-6 w/v	Volume	N	P ₂ O ₅	K ₂ O	Rupees
1 bottle	1 L	80 g	80 g	60 g	1,250
1 pack	20 L	1.6 kg	1.6 kg	1.2 kg	17,500
1 acre at the programme rate	1 L	80 g	80 g	60 g	1,250

For 1,250 rupees the grower puts 80 g of nitrogen, 80 g of phosphate and 60 g of potash on the leaf of an acre. Grams. A tonne of wheat grain carries 19 kg of nitrogen off the field. The spray is the correction for the week the root stopped delivering; the kilograms are the soil programme’s job.

What the programme puts on, per acre, per season.

Bottles per acre from the published programmes; rupees at the VAN farmer price sheet, Aug 2026. Every row is 1 pack of 1 L, sprayed.


Crop	Stage and method, as printed	Bottles	Rupees	N · P ₂ O ₅ · K ₂ O on the leaf
Chickpea	Grand growth, spray	1	1,250	80 · 80 · 60 g
Lentil	Grand growth, spray	1	1,250	80 · 80 · 60 g
Mungbean and mash	Grand growth, spray	1	1,250	80 · 80 · 60 g
Mango	Grand growth, spray, 1 application	1	1,250	80 · 80 · 60 g
Citrus	Germination, spray	1	1,250	80 · 80 · 60 g
Onion	Grand growth (40 DOT), spray, repeat after 15 days	2	2,500	160 · 160 · 120 g
Guava	September to February, 6 monthly sprays; October and November repeat after 15 days	6 to 8	7,500 to 10,000	480 to 640 · 480 to 640 · 360 to 480 g

The 3 pulses are worth noticing: a legume fixes its own nitrogen and still runs short of phosphate and potash at pod fill, and the plan answers it with 1 bottle at grand growth. Guava is the only programme that sprays it through the season.

Rows from the crop programmes on van.com.pk, as printed; 1 L at PKR 1,250. Guava: 6 rows (September, October flowering, November fruiting, December, January, February harvest) with "repeat 15 days after flowering" and "after fruiting" on 2 of them, read as 6 to 8 bottles.

HOW IT GOES ON

On the leaf. Water first, then the bottle. Morning or evening.



Sprayed onto the leaf. Small doses, taken up through the leaf surface, for a nutrient the crop needs quickly or that the soil locks up. Spray early morning or late afternoon; never on a wilted crop.

Water first, product second

Fill the tank with clean water, then add the bottle, then keep it agitated. A tank that settles sprays the last acre at a different rate from the first. VAN's guidance is 1 L an acre in 200 L of water; the dilution is part of the rate, and halving the water doubles what lands on the leaf.

A fine, even fan, morning or evening

Cover the leaf without running off it. The leaf takes the nutrient up while the droplet is wet; a spray that dries in seconds at midday is wasted. Never midday.

At the stage the programme names

Grand growth on chickpea, lentil, mungbean and mango; germination on citrus; onion at 40 days after transplanting and again 15 days later; guava month by month. And at a stress event, into the stress, not after it. Never as a replacement for the soil programme.

“1,250 for 1 litre? That is nothing on an acre.”

The dealer says, out loud

It is 80 g of nitrogen, 80 g of phosphate and 60 g of potash, on the leaf, in the week the root is not delivering. It is not meant to be your season's fertilizer, and I will not sell it as that. On chickpea it is 1 bottle at grand growth, 1,250 rupees, at the stage the pods fill. If you want kilograms, that is the soil programme, and it stays.

The fact behind it

- VL-NPK 1 L 1,250 rupees; 20 L 17,500 (VAN farmer price sheet, Aug 2026).
- 80 g N, 80 g P₂O₅, 60 g K₂O per litre, from the declared analysis, w/v (the bottle).
- Every programme row: 1 pack an acre, spray (the crop programmes on van.com.pk).

Never say: “It gives you X more maunds” or a rupees-per-acre return. No yield figure exists for the product.

“Can I skip a bag of urea if I spray this?”

The dealer says, out loud

No. A bottle is 80 g of nitrogen. A bag of urea is 23 kg. They are not the same job. The spray answers the week the crop cannot reach what is in the soil; the bags are what is in the soil. A grower who replaces the soil programme with a few sprays will be disappointed and will blame the bottle. Keep the programme and add the spray at the stage the plan names.

The fact behind it

- A litre of VL-NPK carries 80 g of nitrogen (the declared analysis).
- A 50 kg bag of urea at N 46% carries 23 kg of nitrogen: 50×0.46 .
- VAN sells VL-NPK as a supplement to the soil programme, never a substitute for it.

Never say: “3 sprays and you can drop a bag.”

“Will it burn the leaf?”

The dealer says, out loud

Not at the rate and the water VAN gives: 1 bottle in 200 L of water, an acre, morning or evening. Burn happens when the water is cut to save a pass, because 1 L in 100 L is twice the concentration on the leaf, and when it is sprayed at midday. Water first, product second, keep it agitated, spray a fine fan, not to run-off.

The fact behind it

- 1 L an acre in 200 L of water, morning or evening, never midday (VAN guidance, 20 Aug 2026).
- The programme rows give the bottle count: 1 pack an acre.
- 1 L in 100 L of water is twice the concentration on the leaf of 1 L in 200 L.

Never say: A lower water volume to “save a pass”, or “it cannot burn”.

OBJECTION 4 OF 8

“Can I mix it with my pesticide?”

The dealer says, out loud

Jar-test first, every time: a little of each in a jar, in the same order and the same dilution, and look for a cloud or a settle after 10 minutes. VAN's product data says the formulation is mixable, but there is no compatibility chart on file, so I will not promise a mix I have not seen. If the jar stays clear, spray it; if not, 2 passes.

The fact behind it

- VAN's product data describes VL-NPK as mixable with agri-chemicals, with a jar test first.
- No compatibility chart for VL-NPK is published.
- A jar test: the same order and dilution as the tank, 10 minutes, look for a cloud or a settle (general practice).

Never say: “Mix it with anything.”

“Which stage?”

The dealer says, out loud

The one on your crop’s plan. Chickpea, lentil, mungbean and mango: grand growth. Citrus: germination. Onion: 40 days after transplanting and again 15 days later. Guava: month by month from September to February. Then the stress week: heat, cold, waterlogging, a chemical knock, a transplant check. Spray into it, not a week after the damage is done. Read the crop, not the calendar; a late-sown crop reaches grand growth later.

The fact behind it

- 12 VL-NPK rows on 7 programmes, on the programme slides (the crop programmes on van.com.pk).
- The stress-event trigger, and stage rather than days (VAN guidance, 20 Aug 2026).
- The earlier day-count rate was withdrawn by VAN on 20 Aug 2026.

Never say: A day-count schedule such as “20 to 25 days after sowing then every 15 days”. VAN withdrew that on 20 Aug 2026.

“Can I put it through the drip instead?”

The dealer says, out loud

VAN names 1 route for VL-NPK: the leaf. Every programme row says spray. The bottle exists to step over the soil for a week; put it in the drip and it is back in the soil chemistry it was built to avoid. For a fertigation NPK the plan names other products; follow the plan.

The fact behind it

- VAN names foliar as the route for VL-NPK; no programme row says fertigation.
- Every VL-NPK row: spray (the crop programmes on van.com.pk).
- A foliar spray is taken up by the leaf while the droplet is wet (general plant nutrition).

Never say: A fertigation rate for VL-NPK.

“Is it registered? What is the licence?”

The dealer says, out loud

Pakistan Standard PS 5469-2020 for liquid nutrient supplements, manufacturing licence CM/L-3131/2024, VAN as the registered maker. Every batch is tested at VAN Lab, PNAC LAB 336, before it ships. Read the batch number off the bottle and VAN sends you that batch's certificate, free.

The fact behind it

- VL-NPK: PS 5469-2020, CM/L-3131/2024 (the licence register on van.com.pk).
- Every batch is tested at VAN Lab, PNAC LAB 336, before it ships.
- The certificate for any batch is free on request against the batch number.

Never say: An expiry date, or an amino or fulvic percentage as if it were on the certificate.

“The leaves are already pale. Will this green them up this week?”

The dealer says, out loud

If the paleness is the delivery gap, a spray at grand growth is the fastest route VAN has, because it goes on the leaf and not through the soil. I will not give you a number of days, because VAN has not measured one. And if the paleness is a soil that is truly short, the fix is the soil programme, and a soil test tells you which case you are in.

The fact behind it

- VAN sells VL-NPK as a supplement, not a substitute; a soil test tells which case the field is in.
- No response time or yield figure is on VAN's record for VL-NPK.
- VAN Lab publishes its soil-test prices.

Never say: “Green in 3 days” or any response time.

VL-NPK in the published programmes, per acre.

Crop	Stage	Rate per acre	Method	Pack
Chickpea	Grand Growth	1 pack	Spray	1 L
Lentil	Grand Growth	1 Pack	Spray	1 L
Mungbean & Mash	Grand Growth	1 Pack	Spray	1 L
Mango	Grand Growth	1 pack	Spray. One application	1 L
Citrus, 5 years and over	Germination	1 pack	Spray	1 L
Onion	Grand Growth (40 DOT)	1 pack	Spray. Repeat after 15 days	1 L

Rows as published in van.com.pk's crop programmes, all 7 programmes that name VL-NPK; every row is 1 pack of 1 L, sprayed. Guava carries 6 monthly rows. A rate is per acre; the crop page scales it to the field.

VL-NPK in the published programmes, continued.

Crop	Stage	Rate per acre	Method	Pack
Guava	September	1 pack	Spray	1 L
Guava	October, flowering starts	1 pack	Spray. Repeat 15 days after flowering	1 L
Guava	November, fruiting	1 pack	Spray. Repeat 15 days after fruiting	1 L
Guava	December	1 pack	Spray	1 L
Guava	January	1 pack	Spray	1 L
Guava	February. Harvest	1 pack	Spray	1 L

Rows as published in van.com.pk's crop programmes, all 7 programmes that name VL-NPK; every row is 1 pack of 1 L, sprayed. Guava carries 6 monthly rows. A rate is per acre; the crop page scales it to the field.

WHAT VAN WILL NOT CLAIM FOR IT

A dealer who says any of these is speaking for himself, not for VAN.

1

A yield or response figure, or a response time in days. No VL-NPK trial exists.

2

That it replaces a bag of urea, DAP or potash, or any part of the soil programme. It is grams for the delivery gap.

3

A water volume or a foliar rate the plan does not name, printed as a programme figure. The programme says 1 pack an acre; 200 L is VAN guidance.

4

That it is mixable with every pesticide. Jar-test; no compatibility chart is on file.

5

An amino acid or fulvic acid percentage. Named, never numbered.

6

A fertigation route or rate. VAN names the leaf only.

Every batch is tested. The bag carries the proof.

1 · The batch number

It is printed on the bag. Read it to the grower and show him where it is. Every bag of every batch carries one.

2 · The certificate of analysis

For any batch, free on request. Send the batch number off the bag to kisan@van.com.pk or the helpline, and the certificate for that batch comes back. No sample to post.

3 · The laboratory

VAN Lab, PNAC LAB 336, accredited to ISO/IEC 17025:2017. Every batch is released through it before it ships. The certificate carries the laboratory's number.

What a certificate for VL-NPK shows

The declared analysis tested for the batch: nitrogen, P_2O_5 and K_2O against 8-8-6 w/v, with the batch number, the Pakistan Standard PS 5469-2020 and licence CM/L-3131/2024 on the bottle. Amino and fulvic carry no label figure and are not certificate lines. No certificate for a VL-NPK batch was on file for this deck, so no batch reading is printed here; the grower asks for his own batch's certificate.

The lines a dealer says in Urdu.

The first line is the promise word from the VAN brand master. The other 3 are the deck's key sentences in Urdu, reviewed on 27 September 2026. Say them, and send any correction to partner@van.com.pk.

A foliar for the gap. No promise word: VL-NPK carries all 3 nutrients.

Urdu · reviewed 27 Sep 2026

یہ پتے کی خوراک ہے، زمین کی کھاد کا بدل نہیں

1 bottle an acre, in 200 litres of water.

Urdu · reviewed 27 Sep 2026

1 بوتل (1 لیٹر) فی ایکڑ، 200 لیٹر پانی میں

Water first, then the bottle. Morning or evening, never midday.

Urdu · reviewed 27 Sep 2026

پہلے ٹینک میں پانی، پھر بوتل - صبح یا شام، دوپہر میں نہیں

Spray into the stress, not after it.

Urdu · reviewed 27 Sep 2026

جب فصل پر دباؤ ہو تب چھڑکیں، بعد میں نہیں

Write to the address for what you need.

If you grow

kisan@van.com.pk

A crop plan, product rates, a certificate for your batch, a dealer near you.

If you sell

partner@van.com.pk

Dealers, distributors and the trade. Stock, training, corrections to this deck.

Everything else

info@van.com.pk

Supply, the laboratory, a plant visit.

Helpline 0300 5003041 · www.van.com.pk

Vital Agri Nutrients (Pvt) Ltd, Lahore. 1 helpline, 3 addresses. No group broadcasts: a grower who writes gets 1 reply.

VL-NPK: 1 bottle an acre on the leaf, at the stage the plan names and in the stress week. The soil programme stays.

