
DEALER TRAINING · NOVEMBER 2026

Fusion Potash



Potash, K_2O 50%, with nitrogen, sulfur, magnesium and boron in 2 forms, in a 25 kg bag; the granules are drilled in at sowing.

VAN wrote this deck for its dealers and field team. A dealer can repeat its words to a grower.

THE 30-SECOND EXPLANATION

What a dealer says to a grower in 30 seconds.

Fusion Potash is K_2O 50% and N 2%, with sulfur and magnesium inside the granule and boron coated onto it, in a 25 kg bag. It is the potash for sowing: it goes into the ground at land preparation, drilled beside and below the seed row at sowing, or broadcast if there is no drill. The crop needs potash from its first weeks, to control water loss, build cell walls and keep the crop standing, and again later to move sugar into the grain. Because potash was only 1% of all the fertiliser nutrients applied in Pakistan in 2024-25, most crops get their potash only from potassium already in the soil. The boron is coated on in 2 forms, sodium borate for fast action and calcium borate for slow release, so it goes wherever the potash goes. Wheat gets ½ bag per acre; most crops get 1. The potash for the later stages comes from Vital Potash, through the water.


The 4 points it must cover

1. The bag: K_2O 50, N 2, S 1.5, B 1, Mg 1, 25 kg, PS 933-2026. 12.5 kg of K_2O in every bag.
2. The nutrient: potash controls the movement of water and sugar from the first weeks. In 2024-25, potash was only 1% of all the fertiliser nutrients applied in Pakistan.
3. The granule: boron in 2 forms, coated on, with sulfur and magnesium built in. The boron goes where the potash goes.
4. The stage and method: land preparation, drilled at sowing or broadcast if there is no drill. It is the potash for sowing; Vital Potash is the potash for the later stages.

Explain the product in simple words a grower uses, and keep to the figures on these slides. Every figure in this 30-second explanation is on the bag, in the published crop plan or in the named evidence on the slides that follow.

THE BAG

What the bag says, and what it is registered as.



25 kg

the bag. Every bag holds 12.5 kg of K_2O and 0.5 kg of nitrogen by the declared analysis.

K_2O 50%

potash, declared on the front as 2-0-50.

B 1%

boron, in 2 forms coated onto the granule: sodium borate for fast action, calcium borate for slow release. 250 g in a bag.

S 1.5 · Mg 1

sulfur and magnesium, as the declared composition and the crop plans on van.com.pk print them.

2014

the year VAN began coating boron onto its potash granules, on a production line VAN developed and built in Pakistan.

1%

of all the fertiliser nutrients applied in Pakistan in 2024-25 was potash, the figure VAN prints on its Crop Force bag.

Registered as	Pakistan Standard	Manufacturing licence
Fusion Potash	PS 933-2026	CM/L-2674/2026

If a grower asks about registration, give the licence number. Do not give an expiry date for the licence.

A GROWER'S QUESTION

“I put potash on late, when the crop was already standing, and it still lodged and the grain was light. When is potash supposed to go on?”


The grower did buy potash, but he applied it in mid-season, as most fields receive it, after the crop had already formed its stems and its control of water loss. The answer has 3 parts: what potash does from the first weeks, why Fusion Potash goes in at sowing, and what else is on the granule.

The next 3 slides give the 3 answers, 1 idea on each slide.

ANSWER 1 OF 3

Potash controls the movement of water and sugar in the plant from the first weeks.

Potash opens and closes the pores in the leaf, moves sugar from the leaf to the grain, tuber or fruit, and strengthens the cell wall. It helps the crop stay upright and increases grain or fruit weight. A crop short of potash is damaged more by heat, drought and disease. Such a crop shows scorched edges on the older leaves, weak stems, and light grain or small fruit. In 2024-25, potash was only 1% of all the fertiliser nutrients applied in Pakistan (National Fertilizer Development Centre, NFDC). In 2023, Pakistan applied about 1 kg of potash (K_2O) for every 83 kg of nitrogen (the Food and Agriculture Organization, FAO). So on most fields the crop's potash comes only from potassium already in the soil.



The 5 jobs of potash, from the 17-nutrients page on van.com.pk. The drawing illustrates the idea; it is not a measurement.


Say it like this: "Potash controls the movement of water and sugar in the plant and builds the stem that holds the crop up. The crop needs it from the start, not only at the end."

ANSWER 2 OF 3

Fusion Potash goes in at sowing; Vital Potash supplies potash at the later stages.

Every crop plan for a field crop puts Fusion Potash on once, at land preparation or transplanting, in the ground where the root will grow. Potash moves little in the soil, so a granule placed at sowing is where the first roots find it. That potash supports the tillers, the stems and the plant's water control, which are formed early. Potash for the later stages comes from Vital Potash, through the water, at the stages each crop plan gives, most often grand growth and maturity. Fusion Potash and Vital Potash do 2 different jobs at 2 different stages. If Fusion Potash is put on late, it arrives after the stems are formed.

The season, stage by stage. Lit bars are where this product goes on.




The 5 stage names are those used in the crop plans. The crop plan slides show the stage for each crop: land preparation on every field crop.

Say it like this: "Fusion Potash goes in at land preparation, before or at sowing. The potash you put through the water later in the season is Vital Potash, a different bag."

ANSWER 3 OF 3

Boron is coated on the granule in 2 forms, with sulfur and magnesium inside.

The crop needs boron in grams per acre, and the margin between enough and too much is narrow. So VAN coats it onto the potash granule, on VAN's own production line, in 2 forms: sodium borate, the more soluble, for fast action, and calcium borate, the less soluble, for slow release across the season. A coated granule cannot separate from its boron in the bag, in the spreader or on the ground; the parts of a loose blend can. Sulfur is also in the granule; the plant needs it to turn nitrogen into protein. Magnesium is also in the granule: it is the centre of the chlorophyll molecule, and a heavy potash dose can reduce its uptake, so the granule supplies some magnesium with the potash.



Potash inside, boron in 2 forms coated on, and sulfur and magnesium in the granule. The nutrients cannot separate in the bag.

Say it like this: "Every granule carries boron in 2 forms, so the boron goes exactly where the potash goes. Sulfur and magnesium are in the same bag."

The 2 kinds of fleck show the 2 forms of boron. No figure for how evenly the boron is spread is given, because none has been measured.

THE EVIDENCE

What is verified for Fusion Potash, and what is not.

No trial of Fusion Potash itself is on VAN's record. A dealer may state the following as facts, and should say where each comes from: what the bag declares, the licence, national potash use, the Punjab soil survey and the published research below.

Item	What it says	How a dealer may use it
The bag	Fusion Potash, 2-0-50, K_2O 50%, N 2%, S 1.5%, B 1%, Mg 1%, 25 kg. Powder and a granular (danaydar) grade, same analysis.	As fact.
The licence	Pakistan Standard PS 933-2026 (Multinutrient Fertilizer); manufacturing licence CM/L-2674/2026.	As fact. The number, never an expiry date.
National potash use	In 2024-25, potash was 1% of all the fertiliser nutrients applied in Pakistan (NFDC; also printed on the Crop Force bag). In 2023, Pakistan applied about 1 kg of potash (K_2O) for every 83 kg of nitrogen (FAO).	As fact.
The Punjab soil survey (770,160 samples, about 2016 to 2018)	87.8% of samples below 180 ppm available potassium, the level Punjab soil laboratories treat as adequate; mean 132 ppm. 51.7% below 0.5 ppm available boron; mean 0.59 ppm.	As fact about the soil. Never as product performance.
Published research, not VAN trials	Sindh banana (Memon et al. 2010): an improved practice, with far more potash than the farmers' own practice, raised yield. Multan cotton (Hussain, Ali and Gardezi 2021): higher soil potassium reduced boll shedding.	Spoken, as research on potash. Never as a Fusion Potash result.
Not on VAN's record	A Fusion Potash trial; a yield figure; a named trial for a sugarcane potash uptake figure that is quoted without a source; the International Potash Institute (IPI) figures for potassium in general; a distribution-uniformity figure for the coating.	Not said.

Sources: the bag and van.com.pk; the register of the Pakistan Standards and Quality Control Authority (PSQCA) as van.com.pk prints it; the Crop Force bag; the National Fertilizer Development Centre (NFDC) for the 2024-25 potash share; FAO (2023) for the potash to nitrogen ratio; the Punjab soil survey (36 district workbooks, 770,160 samples, tested in about 2016 to 2018); Memon et al. 2010; Hussain, Ali and Gardezi 2021.

On wheat, ½ bag of Fusion Potash costs Rs 5,750 per acre and supplies 6.25 kg of K_2O.

The price is the delivered farmer price from the VAN farmer price sheet, August 2026. Nutrients are from the declared analysis. The wheat crop plan puts ½ bag on at land preparation, drilled at sowing or broadcast if there is no drill.

Fusion Potash, 2-0-50 + S · B · Mg	Weight	K_2O	S	B	Mg	Rupees
1 bag	25 kg	12.5 kg	375 g	250 g	250 g	11,500
Wheat, ½ bag per acre at land preparation	**12.5 kg**	**6.25 kg**	**188 g**	**125 g**	**125 g**	**5,750**
Potato, 1 to 2 bags per acre	**25 to 50 kg**	**12.5 to 25 kg**	**375 to 750 g**	**250 to 500 g**	**250 to 500 g**	**11,500 to 23,000**

On wheat, the grower spends Rs 5,750 per acre to put 6.25 kg of K_2O in the ground at sowing, with 125 g of boron in 2 forms on the granules. VAN publishes no figure for how much of this the crop takes up, and no yield figure.

Fusion Potash 25 kg Rs 11,500: the VAN farmer price sheet, August 2026. 12.5 kg = 25 × 0.50; 375 g = 25 × 0.015; 250 g = 25 × 0.01; 0.5 kg N = 25 × 0.02. Rates: the crop plans on van.com.pk, wheat ½ bag and potato 1 to 2 bags at land preparation.

Fusion Potash per acre at land preparation: the field crops.

Bags per acre are from the published crop plans; K_2O is from the declared analysis; rupees are at the VAN farmer price sheet, August 2026.

Crop	Fusion Potash per acre	K_2O put in	Rupees per acre	Stage and method, as printed
Wheat	½ bag of 25 kg	6.25 kg	5,750	Land preparation, drill at sowing (or broadcast)
Maize	½ bag of 25 kg	6.25 kg	5,750	Land preparation, fertigation
Hybrid rice	1 bag of 25 kg	12.5 kg	11,500	Land preparation, drill at sowing (or broadcast)
Cotton	1 bag of 25 kg	12.5 kg	11,500	Land preparation, drill at sowing (or broadcast)
Sugarcane	1 bag of 25 kg	12.5 kg	11,500	Land preparation, drill at sowing (or broadcast)
Potato	1 to 2 bags of 25 kg	12.5 to 25 kg	11,500 to 23,000	Land preparation, drill at sowing (or broadcast)

These are the rates for potash at sowing on the field crops. The potash for the later stages is the Vital Potash row on the same crop plan; it is applied in addition to Fusion Potash, never instead of it.

The crop plans on van.com.pk, Fusion Potash rows; 25 kg bag at Rs 11,500. Rupees = bags × 11,500. Method as the crop plan prints it for a land-preparation row.

Fusion Potash per acre at land preparation: the transplanted crops and the orchard.

Bags per acre are from the published crop plans; K_2O is from the declared analysis; rupees are at the VAN farmer price sheet, August 2026. Transplanted crops take it at land preparation or transplanting.

Crop	Fusion Potash per acre	K_2O put in	Rupees per acre	Stage and method, as printed
Basmati rice	½ bag of 25 kg	6.25 kg	5,750	Land preparation / transplantation, broadcasting
Tomato	1 bag of 25 kg	12.5 kg	11,500	Land preparation / transplantation, fertigation
Chilli	1 bag of 25 kg	12.5 kg	11,500	Land preparation / transplantation, broadcasting
Onion	1 bag of 25 kg	12.5 kg	11,500	Land preparation / transplanting, broadcasting
Citrus	1 bag of 25 kg	12.5 kg	11,500	Land preparation, broadcasting

On a transplanted crop, the fertiliser goes into the bed before the seedlings are transplanted. On tomato, the crop plan puts it through the water at the same stage.

The crop plans on van.com.pk, Fusion Potash rows; 25 kg bag at Rs 11,500. Rupees = bags × 11,500.

An acre of wheat at 40 maunds, with its straw, takes out an estimated 40 kg of K_2O; the 2 potash bags supply 10.65 kg.

Estimated potash taken out in the harvested crop on 1 acre of wheat at 40 maunds (1.6 tonnes), from the removal tables of the International Plant Nutrition Institute (IPNI) used on van.com.pk, compared with the 2 potash bags in the wheat crop plan.


Wheat, 1 acre at 40 maunds	K_2O per tonne of grain	K_2O at 1.6 t	
Grain taken out	4.8 kg	7.7 kg	
Straw (bhusa) taken out too, per tonne of grain	20 kg	32 kg	
Grain and straw together	**24.8 kg**	**40 kg**	
Fusion Potash, ½ bag at land preparation, puts in		**6.25 kg**	
Vital Potash, ½ bag at grand growth, puts in		**4.4 kg**	
The 2 bags together		**10.65 kg**	

Where the bhusa is also removed, the crop takes out an estimated 40 kg of K_2O per acre. The 2 potash bags in the wheat crop plan supply 10.65 kg. The rest comes from potassium already in the soil; in the Punjab soil survey (about 2016 to 2018), 87.8% of samples had less than 180 ppm of available potassium, the level Punjab soil laboratories treat as adequate. These figures explain why potash is applied at sowing as well as at grand growth; they are not a yield claim.

IPNI nutrient removal tables (metric, 01/15): wheat grain K_2O 4.8, straw 20 per tonne of grain. 40 maunds × 40 kg = 1.6 t. Fusion Potash ½ bag = 6.25 kg K_2O; Vital Potash ½ bag of 20 kg at K_2O 44 = 4.4 kg (the wheat crop plan on van.com.pk). Soil: the Punjab soil survey (about 2016 to 2018), 87.8% of samples below 180 ppm available potassium, the level Punjab soil laboratories treat as adequate.

HOW IT IS APPLIED

Fusion Potash goes in at land preparation: drilling at sowing is best, side-dressing next, broadcasting last.



1. Drill at sowing, best

The seed drill's fertiliser box places the granule about 5 cm beside and below the seed row, never touching the seed. The young root reaches it first, and all of it is in the root zone. Most land-preparation rows say: drill at sowing, or broadcast if there is no drill. Follow the method column of the crop plan.

2. Side-dress, second

A band beside the row, by hand or planter, at sowing or the first irrigation, covered with soil. No Fusion Potash row in the published crop plans names side dressing.

3. Broadcast, last

Spread it before the last ploughing or before an irrigation and mix it in; this is the last option, where there is no drill. Transplanted crops take it into the bed before transplanting. Fusion Potash also comes as a soluble powder: where a row says fertigation (maize, tomato, most banana rows), dissolve the powder and apply it through the water.

Drilling is best, side-dressing next, broadcasting last.

VAN gives this order for every basal granule it sells. The crop's response to the same fertiliser depends on where it is placed.

Preference	Method	What it means	Why
1 · best	Drill at sowing	The seed drill's fertiliser box places the granule about 5 cm beside and below the seed row, never touching the seed.	The root reaches a drilled granule sooner than a side-dressed or broadcast one. The granule has the least contact with air, sun and free calcium at the surface, and all of the fertiliser is placed in the root zone.
2 · second best	Side-dress	The granules are placed in a band beside the row, by hand or with a planter, at sowing or at the first irrigation, and covered with soil.	The band is still near the root, but it goes on later and shallower than a drilled granule.
3 · last option	Broadcast	The granules are spread on the surface before the last ploughing or before an irrigation, and mixed in.	Most of the fertiliser lies away from the root, and most of it stays near the surface, in contact with air, sun and free calcium.

In VAN's own fields and partner fields, on wheat, maize and sugarcane, basal fertiliser drilled at sowing has given 7 to 9% more yield per acre than the same bag broadcast: the mean of replicated observations across regions, not a published trial.

OBJECTION 1 OF 8

“11,500 for 25 kg? Potash is potash. MOP is cheaper.”

What the dealer says

Write both prices down; VAN does not publish a price for muriate of potash (MOP). Then write what is in each bag. This bag holds 12.5 kg of K_2O, with boron in 2 forms coated onto every granule and sulfur and magnesium in the granule. On wheat it is ½ bag, Rs 5,750, once, at land preparation. You are buying the potash and the nitrogen, sulfur, magnesium and boron that go in with it at sowing. VAN publishes no yield figure for it.

The facts behind the answer

- Fusion Potash 25 kg Rs 11,500 (VAN farmer price sheet, August 2026); ½ bag on wheat Rs 5,750. MOP carries no price on the VAN sheet.
- 12.5 kg K_2O, 375 g S, 250 g B, 250 g Mg, 0.5 kg N per bag, from the declared analysis.
- Boron in 2 forms on the granule: sodium borate fast, calcium borate slow (the product page on van.com.pk).

Never say: “It gives you X more maunds” or a rupees-per-acre return. No yield figure exists for the product.

OBJECTION 2 OF 8

“I put potash on later in the season. Is that not enough?”

What the dealer says

Potash later in the season has its own job: moving sugar into the grain, tuber or fruit while the crop fills. The stems, the tillers and the plant’s water control are formed in the first weeks. A crop that is short of potash in those first weeks has already made too few tillers or weak stems before the later dose is applied. The crop plan has both: Fusion Potash at land preparation, and Vital Potash through the water at the later stages. They do 2 different jobs, and neither replaces the other.

The facts behind the answer

- Fusion Potash at land preparation and Vital Potash at the later stages sit on the same crop plans (the crop plans on van.com.pk).
- Potash first strengthens the stem, the plant’s water control and the cell wall, and later moves sugar into the grain (the 17-nutrients page on van.com.pk).
- A wheat crop of 40 maunds per acre takes out an estimated 40 kg of K_2O with the bhusa (IPNI removal tables). The 2 potash bags in the wheat crop plan supply 10.65 kg (the wheat crop plan).

Never say that extra Fusion Potash lets you skip Vital Potash later in the season, or that Vital Potash lets you skip Fusion Potash.

OBJECTION 3 OF 8

“Can I put it through the drip?”

What the dealer says

Yes, where the crop plan says so. On maize and tomato, and on most banana rows, the Fusion Potash rows say fertigation, and the powder grade dissolves completely in water. For most other crops, the land-preparation row says drill at sowing, or broadcast if there is no drill, and some rows say broadcasting. The granular grade is for the ground; the powder grade is for the water. Both grades have the same analysis.

The facts behind the answer

- Product page methods: broadcast and fertigation; the maize and tomato rows, and most banana rows, say fertigation (van.com.pk).
- Most other land-preparation rows: drill at sowing, broadcast if no drill; some say broadcasting (the crop plans on van.com.pk).
- A crystalline powder grade and a granular (danaydar) grade, same analysis; solubility 300 g per litre of water at 25 °C (VAN product data).

Never say or give: any foliar rate. Foliar is not a method any Fusion Potash row names.

OBJECTION 4 OF 8

“Boron burns crops. Why is there boron in my potash?”

What the dealer says

The crop needs boron in grams per acre, and the margin between enough and too much is narrow. That is why VAN coats it onto the potash granule at 1%, rather than relying only on a separate loose dose. At the crop plan rate, ½ bag on wheat puts 125 g of boron on the acre, spread across every granule, in a fast form and a slow form. Use the crop plan rate and no more, because more bags than the crop plan gives add more boron than the crop needs.

The facts behind the answer

- The margin between enough boron and too much is narrow, which is why VAN coats it onto the potash granule rather than relying only on a separate loose dose (the 17-nutrients page on van.com.pk).
- 250 g B per 25 kg bag = 25 × 0.01; 125 g in ½ bag.
- Sodium borate for fast action, calcium borate for slow release (the product page on van.com.pk).
- 51.7% of samples below 0.5 ppm available boron (the Punjab soil survey, about 2016 to 2018).

Never say: “Boron cannot harm a crop” or “double the bags if the soil is short of boron”.

OBJECTION 5 OF 8

“My soil is already alkaline. Will potash push it further?”

What the dealer says

Fusion Potash is a neutral salt in solution, pH 6.5 to 7.5 by VAN’s product data, so it does not push the soil’s pH up. It does not bring it down either, and VAN does not say it will. A soil test measures the whole field. A bag of potash feeds the roots near where it is placed; it does not change the soil test result.

The facts behind the answer

- Neutral in solution, pH 6.5 to 7.5 (VAN product data).
- 69.1% of samples tested above pH 8 (the Punjab soil survey, 770,160 samples, about 2016 to 2018).
- No soil-test change is claimed for any VAN potash.

Never say: “It corrects your soil pH” or “it raises your soil potash reading”.

OBJECTION 6 OF 8

“Which stage, and how many bags?”

What the dealer says

It goes on once, at land preparation, before or at sowing. Wheat, maize and basmati rice: ½ bag. Hybrid rice, cotton, sugarcane, tomato, chilli, onion and citrus: 1 bag. Potato: 1 to 2 bags. Basmati rice, tomato, chilli and onion take it at transplanting. On the field crops, drill it at sowing beside and below the seed row, or broadcast it if there is no drill. Basmati rice, chilli, onion and citrus take it broadcast, and maize and tomato take it through the water at the same stage. The later potash goes through the water, as the Vital Potash rows on the same crop plan give it.

The facts behind the answer

- Rates per acre as published for 12 crops on the crop plan slides (the crop plans on van.com.pk).
- Most land-preparation rows: drill at sowing, broadcast if no drill; read the method column (van.com.pk).
- Drill placement: about 5 cm beside and below the seed row, never touching the seed (the application slide).

Never say: “Put it on at grand growth instead of Vital Potash” or “more bags, more yield”.

OBJECTION 7 OF 8

“Is it registered? What is the licence?”

What the dealer says

It is registered under Pakistan Standard PS 933-2026 (Multinutrient Fertilizer), with manufacturing licence CM/L-2674/2026, and VAN is the registered maker. Every batch is tested before it ships at VAN Lab, which the Pakistan National Accreditation Council (PNAC) accredits as PNAC LAB 336. Enter the batch number from the bag on van.com.pk, and you can read the certificate for that batch.

The facts behind the answer

- Fusion Potash: PS 933-2026, CM/L-2674/2026 (the regulatory table on van.com.pk).
- Every batch is released through VAN Lab, PNAC LAB 336 (the corporate profile).
- A grower can read the certificate of analysis for any batch on van.com.pk by its batch number.

Never say or give: a licence expiry date, or that the certificate shows boron and magnesium results when it does not.

OBJECTION 8 OF 8

“The crop already lodged. Will this save it?”

What the dealer says

No, and VAN does not sell it to rescue a crop. Fusion Potash goes in at land preparation, where the roots will grow, so the stems are formed with potash from the start. For the crop standing now, apply what the crop plan gives at its next stage. Plan this bag for the next sowing.

The facts behind the answer

- Every Fusion Potash row on the crop plan slides is at land preparation or transplanting (the crop plans on van.com.pk).
- A potash-short crop shows weak stems, lodging and light grain (the 17-nutrients page on van.com.pk).
- No trial of Fusion Potash is on VAN’s record, so VAN makes no claim that it rescues a crop or prevents lodging.

Never say: “It stops lodging” or “it builds resistance to disease and cold”.

Fusion Potash in the published crop plans, per acre.

Crop	Stage	Rate per acre	Method	Pack
Wheat	Land Preparation	½ bag	Drill at sowing; broadcast if no drill	25 kg
Maize (Corn)	Land Preparation	½ bag	Fertigation	25 kg
Basmati Rice	Land Preparation/Transplantation	½ bag	Broadcasting	25 kg
Hybrid Rice	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	25 kg
Cotton	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	25 kg
Sugarcane, February planting	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	25 kg

The rows are printed as published in the crop plans on van.com.pk. Coverage: these 2 slides show 12 of the 24 crop plans that name Fusion Potash, and 12 of its 32 rows. Of these 12 rows, 6 say drilling at sowing (or broadcasting), 4 say broadcasting and 2 say fertigation. Every row uses the 25 kg bag. Each rate is per acre, and the crop page scales it to the size of the field.

Fusion Potash in the published crop plans, continued.

Crop	Stage	Rate per acre	Method	Pack
Ratoon Sugarcane	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	25 kg
Potato	Land Preparation	1 to 2 bags	Drill at sowing; broadcast if no drill	25 kg
Tomato	Land Preparation/Transplantation	1 bag	Fertigation	25 kg
Chili	Land Preparation/Transplantation	1 bag	Broadcasting	25 kg
Onion	Land Preparation/Transplanting	1 bag	Broadcasting	25 kg
Citrus, 5 years and over	Land Preparation	1 bag	Broadcasting	25 kg

The rows continue from the previous slide. Each rate is per acre, and the crop page scales it to the size of the field.

WHAT VAN DOES NOT CLAIM FOR THIS PRODUCT

A dealer who makes any of these claims is speaking for himself, not for VAN.

1. A yield figure, or that early potash gives X% more than late potash. No Fusion Potash trial exists; the case for early potash rests on how potash works in the plant.

2. A disease, immunity, cold or lodging effect for Fusion Potash. Potash in general thickens the cell wall, but no effect of this product on any disease or on lodging has been measured.

3. A national potash-deficiency percentage, or that Pakistan's potash use per hectare is the lowest in the world. The figure a dealer may quote is from the Punjab soil survey: 87.8% of samples below 180 ppm available potassium, the level Punjab soil laboratories treat as adequate.

4. A sugarcane potash uptake figure, quoted without a named source, as if it came from a VAN trial.

5. The International Potash Institute (IPI) figures for potassium in general: 20% higher yield and quality, 20% better nitrogen use efficiency, 30 to 100% higher tolerance to pests and diseases. Others measured them; they are not Fusion Potash results.

6. That it supplies the potash for the later stages, or all of the season's potash. It is the potash for sowing; Vital Potash supplies the later potash on the same crop plan.

HOW A GROWER VERIFIES A BAG

Every batch is tested, and the batch number on the bag identifies its certificate.

1 · The batch number

Every bag carries the batch number. Read it to the grower and show him where it is printed.

2 · The certificate of analysis

On van.com.pk, a grower can read the certificate of analysis for any bag by entering the batch number printed on it. The grower does not need to post a sample.

3 · The laboratory

VAN Lab is accredited by the Pakistan National Accreditation Council (PNAC) to ISO/IEC 17025:2017, the international standard for testing laboratories, as LAB 336. Every batch is released through the laboratory before it ships. The certificate carries the laboratory's number.

What a certificate for Fusion Potash shows

The certificate gives the tested values for the batch against the declared analysis: K_2O and nitrogen against 2-0-50, and sulfur, boron and magnesium. It also shows the batch number, and the Pakistan Standard PS 933-2026 and licence CM/L-2674/2026 printed on the bag. This training shows no batch result; a grower can read the certificate of his own batch on van.com.pk by its batch number.

THE URDU LINES · REVIEWED 27 SEPTEMBER 2026

The lines a dealer says in Urdu.

The first line is the product's main message. Where its nutrient has one, the line gives VAN's promise word: the 1-word brand message VAN uses for that nutrient. The other 3 lines are key sentences of this deck. Each English line gives the meaning of the Urdu beside it. Send any correction to partner@van.com.pk.

Promise word GUARD: "the crop's shield". *English meaning · Urdu reviewed 27 Sep 2026*	فصل کی ڈھال
Apply potash at land preparation; the crop needs it from the first day. *English meaning · Urdu reviewed 27 Sep 2026*	پوٹاش زمین کی تیاری پر دیں، فصل پہلے دن سے مانگتی ہے
The boron is coated on the granule in 2 forms and cannot separate. *English meaning · Urdu reviewed 27 Sep 2026*	بوران دانے پر چڑھا ہے، 2 صورتوں میں، الگ نہیں ہو سکتا
This is the basal potash. The fill bag is a different bag. *English meaning · Urdu reviewed 27 Sep 2026*	یہ بنیادی پوٹاش ہے، بھرائی کی بوری الگ ہے

TALK TO VAN

Use the address that matches your request.

For growers

kisan@van.com.pk

A crop plan, product rates, a certificate for your batch or a dealer near you.

For the trade

partner@van.com.pk

Dealers, distributors and the trade: stock, training and corrections to this deck.

For everything else

info@van.com.pk

Supply, the laboratory or a plant visit.

Helpline 0300 5003041 · www.van.com.pk

Vital Agri Nutrients (Pvt) Ltd, Lahore, has 1 helpline and 3 addresses. VAN sends no group messages; every grower who writes gets a direct reply.

Fusion Potash goes in at land preparation, drilled beside and below the seed where the crop plan says. The later potash is Vital Potash.

