DEALER TRAINING · NOVEMBER 2026

Humi Grow



Potassium humate pellets, humic acid 40% and K_2O 7%, 8 kg, for the ground at land preparation, made in Lahore.

VAN wrote this deck for its dealers and field team. A dealer can repeat its words to a grower.

THE 30-SECOND EXPLANATION

What a dealer says to a grower in 30 seconds.

Humi Grow is potassium humate in a pellet, humic acid 40% and K_2O 7%, in an 8 kg bag. Humic substances, the long-lived part of organic matter, add exchange sites to the soil that hold potash, calcium, magnesium and ammonium for the root instead of letting them leach. They also bind (chelate) zinc, iron, manganese and copper and keep them in solution. In 81 published studies, humic substances increased root and shoot growth. Punjab soil samples average 0.61% organic matter, so most fields have little humic material left. VAN's founder first made humic acid from Pakistani leonardite in 2007; by 2012 VAN was Pakistan's largest producer of humic acid. Of the 22 crop plans that name Humi Grow, most apply 1 bag an acre at land preparation. Humi Grow does not stop calcium from binding phosphate or change a soil test, and VAN gives no figure for phosphate saved.


The 4 points it must cover

1. The bag: humic acid 40%, K_2O 7%, 8 kg, PS 5610-2023. 3.2 kg of humic acid and 0.56 kg of K_2O in every bag.
2. The mechanism: exchange sites that hold nutrients for the root, chelation that keeps micronutrients in solution, and root growth. It benefits the soil and the root.
3. The record: VAN's founder first made humic acid from Pakistani leonardite in 2007; VAN was the largest producer of humic acid in Pakistan by 2012.
4. The method and the limits: land preparation, drilled at sowing or broadcast, 1 bag an acre. It does not stop calcium from binding phosphate, VAN gives no figure for phosphate saved, and it does not change a soil test.

Explain the product in simple words a grower uses, and keep to the figures on these slides. Every figure in this 30-second explanation is on the bag, in the published crop plan or in the named evidence on the slides that follow.

THE BAG

What the bag says, and what it is registered as.



8 kg

the bag. Every bag holds 3.2 kg of humic acid and 0.56 kg of K_2O by the declared analysis.

40%

humic acid, minimum, as the potassium salt. The technical data sheet says 40% or above; Humi Grow is VAN's grade with 7% K_2O and 40% humic acid.

K_2O 7%

the potash that comes with the humate. The crop plan counts it, but it is not the main source of potash.

Pellet

stores and spreads like a granule, from a drill or a spreader, and disperses in moist soil.

2007

the year VAN's founder first made humic acid from Pakistani leonardite. By 2012 VAN was Pakistan's largest producer of humic acid.

0.61%

mean organic matter in 770,160 Punjab samples; 97.6% of samples below 1%. Most fields have little humic material left.

Registered as	Pakistan Standard	Manufacturing licence
Humi Grow	PS 5610-2023	CM/L-3281/2024

If a grower asks about registration, give the licence number. Do not give an expiry date for the licence.

A GROWER'S QUESTION

“I put zinc and phosphate on every year and the report still says low. The agronomist says my soil cannot hold anything. Is there something for the soil itself?”


The grower has applied nutrients every year, his soil has not held them, and he has been told the soil is the problem without being told what to do about it. The answer has 3 parts: what a humate does in soil, why VAN makes it, and what it will not do.

The next 3 slides give the 3 answers, 1 idea on each slide.

ANSWER 1 OF 3

A humate adds sites in the soil that hold nutrients, and keeps micronutrients in solution.

Humic substances are the long-lived part of organic matter: large molecules covered in charged sites. Those sites hold potash, calcium, magnesium and ammonium where the root can reach them, so a soil with more of them holds more of what is applied. The same molecules also bind zinc, iron, manganese and copper, a process called chelation, which keeps them in solution in soil at pH 8, where they would otherwise come out of solution. In 81 published studies, humic substances increased root and shoot growth (Rose et al. 2014); this is research, not a result for this product. van.com.pk states the benefit in these terms: applied nutrients are held on the exchange sites instead of leaching or coming out of solution, and the root benefits.




The 5 jobs of a humate, from textbook chemistry and the 81 published studies. The drawing illustrates the idea; it is not a measurement of this product.

Say it like this: “A humate helps your soil hold the nutrients you apply, and it keeps zinc in a form the root can take up.”

ANSWER 2 OF 3

A concentrated humate, made in Pakistan since 2007.

Humi Grow carries 40% humic acid as the potassium salt, pressed into a pellet: 3.2 kg of humic acid in an 8 kg bag. It supplies humic substances, the long-lived part of organic matter, in concentrated form. VAN's founder first made humic acid in Pakistan from Pakistani leonardite in 2007. Leonardite is an oxidised lignite from which humic substances are extracted. Before 2007, the leonardite used in Pakistan was imported. By 2012, VAN was the largest producer of humic acid in Pakistan. VAN makes potassium humate in crystal, powder, pellet and liquid today. The pellet is the form for the ground at land preparation; the liquid, Humi Grow Plus, is the form for the water.



Potassium humate, 40% humic acid, pressed into a pellet. In moist soil it disperses into the root zone. It benefits the soil and the root; it does not shield phosphate from calcium.


The pellet in the root zone; no dispersal rate is shown. The 2007 and 2012 facts are from the company timeline on van.com.pk.

Say it like this: "This 8 kg bag holds 3.2 kg of humic acid. VAN's founder first made humic acid in Pakistan in 2007."

ANSWER 3 OF 3

What it will not do: stop calcium from binding phosphate, or change a soil test.

A humate is often sold as a product that stops calcium from binding phosphate. VAN tested that claim against its own soil data, and the claim does not hold: at the rates a grower would apply, humic acid binds far too little calcium to make a difference to the phosphate. So VAN does not make the claim. van.com.pk states that humic acid benefits the soil and the root, and it gives no figure for phosphate saved. 1 bag puts 3.2 kg of humic acid on an acre of soil, which is too little to change the organic-matter reading on the soil report. The effect is in the soil around the seedling's roots.



The soil profile, alkaline and calcareous, as the Punjab soil survey describes it. The limits are stated because a dealer who overclaims for a humate loses the grower's trust when the next soil test does not change.

Say it like this: "It helps the root and the soil around it. It does not stop the lime in your soil from binding the phosphate from your DAP, and it will not change your soil test."

THE EVIDENCE

What is verified for Humi Grow, and what is not.

No trial of Humi Grow itself is on VAN's record. A dealer may state the following as facts, and should say where each comes from: what the bag declares, the licence, VAN's history with humic acid, the Punjab soil survey and the published research below.

Item	What it says	How a dealer may use it
The bag	Humi Grow, potassium humate pellets, humic acid 40% or above, K_2O 7% or above, 8 kg. The grade with 7% K_2O and 40% humic acid.	As fact.
The licence	Pakistan Standard PS 5610-2023, manufacturing licence CM/L-3281/2024.	As fact. The number, never an expiry date.
VAN's record	Humic acid made in Pakistan from Pakistani leonardite by VAN's founder in 2007; VAN the largest producer of humic acid in Pakistan by 2012; potassium humate made today in crystal, powder, pellet and liquid.	As fact, from the company timeline on van.com.pk.
The Punjab soil survey (770,160 samples, about 2016 to 2018)	Mean organic matter 0.61%; 97.6% of samples below 1%. 59.0% low in zinc; mean pH 8.22.	As fact about the soil. Never as product performance.
Published research, not VAN trials	A review of 81 published studies (Rose et al. 2014): humic substances raised shoot growth by about 22% and root growth by about 21%.	Spoken, as humic research. Never as a Humi Grow result.
VAN's own check	VAN's 2026 calculation of how much calcium humic acid can bind: at field rates, humic acid binds too little calcium to stop calcium from binding phosphate. VAN does not make that claim.	As the reason the claim is never made.
Not on VAN's record	A Humi Grow trial; a yield figure; a nutrient use efficiency percentage; a soil-test change; a percentage of phosphate or nitrogen saved.	Not said.

Sources: the Humi Grow technical data sheet and label; the regulatory table, the soil register and the company timeline on van.com.pk; the Punjab soil survey (770,160 samples, tested in about 2016 to 2018); Rose et al. 2014, Advances in Agronomy 124; VAN's 2026 calculation of calcium binding.

On wheat, 1 bag of Humi Grow at Rs 2,750 per acre puts 3.2 kg of humic acid into the soil.

The price is the delivered farmer price from the VAN farmer price sheet, August 2026. Humic acid and K_2O are from the declared analysis. Most crop plan rows are 1 bag an acre; citrus is 2; sugarcane is ½.

Humi Grow, humic acid 40% · K_2O 7%	Weight	Humic acid	K_2O	Rupees
1 bag of 8 kg	8 kg	3.2 kg	0.56 kg	2,750
Wheat, maize, cotton, potato, rice: 1 bag an acre	**8 kg**	**3.2 kg**	**0.56 kg**	**2,750**
Citrus: 2 bags an acre	**16 kg**	**6.4 kg**	**1.12 kg**	**5,500**
Sugarcane: ½ bag in June	**4 kg**	**1.6 kg**	**0.28 kg**	**1,375**

On wheat, the grower spends Rs 2,750 per acre to put 3.2 kg of humic acid into the root zone at land preparation. The 0.56 kg of K_2O is counted, but it is not the main source of potash. VAN publishes no measured figure for the effect of Humi Grow on the soil or the root.

Price: the VAN farmer price sheet, August 2026. 3.2 kg = 8 × 0.40; 0.56 kg = 8 × 0.07. Rates: VAN's published crop plans on van.com.pk.

Humi Grow per acre in the crop plans: the field crops.

Bags per acre are from the published crop plans. Humic acid is calculated from the declared analysis, and rupees per acre from the delivered farmer price in the VAN farmer price sheet, August 2026.

Crop	Humi Grow per acre	Humic acid put in	Rupees per acre	Stage and method, as printed
Wheat	1 bag of 8 kg	3.2 kg	2,750	Land preparation, drill at sowing (or broadcast)
Maize	1 bag of 8 kg	3.2 kg	2,750	Land preparation, drill at sowing (or broadcast)
Basmati rice	1 bag of 8 kg	3.2 kg	2,750	Land preparation / transplantation, broadcasting
Cotton	1 bag of 8 kg	3.2 kg	2,750	Land preparation, drill at sowing (or broadcast)
Sugarcane	½ bag in June	1.6 kg	1,375	Early growth, broadcasting
Sugarcane ratoon	1 bag of 8 kg	3.2 kg	2,750	Land preparation, broadcasting
Canola, sunflower	1 bag of 8 kg	3.2 kg	2,750	Land preparation, drill at sowing (or broadcast)

Of the 22 crop plans that name Humi Grow, 19 apply it at land preparation, and 20 use only 1 bag an acre at each application. On those 19 crop plans, it goes in at or before sowing so that it is in the soil while the root forms in the first weeks; a review of 81 published studies (Rose et al. 2014) found that humic substances increased root growth.

Rows as printed in VAN's published crop plans on van.com.pk; 8 kg bag at Rs 2,750. Rupees = bags × 2,750.

Humi Grow per acre in the crop plans: vegetables and orchards.

Bags per acre are from the published crop plans. Humic acid is calculated from the declared analysis, and rupees per acre from the delivered farmer price in the VAN farmer price sheet, August 2026.


Crop	Humi Grow per acre	Humic acid put in	Rupees per acre	Stage and method, as printed
Potato	1 bag of 8 kg	3.2 kg	2,750	Land preparation, drill at sowing (or broadcast)
Tomato, chilli	1 bag of 8 kg	3.2 kg	2,750	Land preparation / transplantation, broadcasting
Onion	1 bag of 8 kg	3.2 kg	2,750	Germination, broadcasting
Garlic, turmeric, watermelon	1 bag of 8 kg	3.2 kg	2,750	Land preparation, drill at sowing (or broadcast)
Citrus	2 bags of 8 kg	6.4 kg	5,500	Land preparation, broadcasting
Banana, year 1	1 bag, 2 times	6.4 kg	5,500	Land preparation, drill at sowing (or broadcast); germination, broadcasting
Mango, strawberry	1 bag of 8 kg	3.2 kg	2,750	Land preparation, broadcasting

On the transplanted crops the pellet is broadcast and worked in before the seedlings go in; citrus, mango and strawberry are broadcast too. Citrus takes 2 bags; banana takes 1 at land preparation and 1 more at germination.

Rows as printed in VAN's published crop plans on van.com.pk; 8 kg bag at Rs 2,750. Rupees = bags × 2,750.

HOW IT IS APPLIED

Humi Grow goes into the soil at land preparation: drill it at sowing, or broadcast it and work it in if there is no drill.



1. Drill at sowing, best

The seed drill's fertiliser box places the pellet about 5 cm beside and below the seed row, never touching the seed. Drilled beside the seed row, it sits where the first roots grow. Most land-preparation rows in the crop plans say: drill at sowing, or broadcast if there is no drill.

2. Side-dress, second

A band beside the row, by hand or planter, at sowing or the first irrigation, covered with soil. Use this where there is no drill but a band can be made.

3. Broadcast, last

Spread it before the last ploughing and work it in where there is no drill; on basmati rice, tomato and chilli, broadcast it before the seedlings go in, and on citrus, mango and strawberry the crop plan says broadcast. A pellet left on the surface is away from the root zone it is bought for. A strip the spreader misses gets none.

Drilling is best, side-dressing next, broadcasting last.

VAN gives this placement order for every granule it sells for the soil at sowing, including a humate pellet. Where the pellet is placed decides how close it sits to the young roots.

Preference	Method	What it means	Why
1 · best	Drill at sowing	The seed drill's fertiliser box places the granule about 5 cm beside and below the seed row, never touching the seed.	The root reaches a drilled granule sooner than a side-dressed or broadcast one. The granule has the least contact with air, sun and free calcium at the surface, and all of the fertiliser is placed in the root zone.
2 · second best	Side-dress	The granules are placed in a band beside the row, by hand or with a planter, at sowing or at the first irrigation, and covered with soil.	The band is still near the root, but it goes on later and shallower than a drilled granule.
3 · last option	Broadcast	The granules are spread on the surface before the last ploughing or before an irrigation, and mixed in.	Most of the fertiliser lies away from the root, and most of it stays near the surface, in contact with air, sun and free calcium.

In VAN's own fields and partner fields, on wheat, maize and sugarcane, basal fertiliser drilled at sowing has given 7 to 9% more yield per acre than the same bag broadcast: the mean of replicated observations across regions, not a published trial.

Humi Grow is made as pellets, so it can go through a seed drill's fertiliser box. Where it is broadcast, mix it into the soil before the irrigation.

OBJECTION 1 OF 8

“2,750 for 8 kg of black pellets?”

What the dealer says

Write down the price, and then what is in the bag: 3.2 kg of humic acid in concentrated form, and 0.56 kg of K_2O. It is 1 bag an acre, once, at land preparation, in the ground where the first roots grow. VAN’s founder first made humic acid in Pakistan from Pakistani leonardite in 2007, and VAN was the largest producer of humic acid in the country by 2012.

The facts behind the answer

- 8 kg, Rs 2,750, delivered (the farmer price sheet, August 2026).
- 1 bag an acre at each application on 20 of the 22 crop plans that name it (the crop plans on van.com.pk).
- 3.2 kg of humic acid and 0.56 kg of K_2O per bag (the declared analysis).
- Humic acid made by VAN’s founder from Pakistani leonardite in 2007; the largest producer of humic acid in Pakistan by 2012 (the company timeline on van.com.pk).

Never say: “It pays for itself in saved DAP” or any rupees-per-acre return. No percentage saved and no yield figure exists for the product.

OBJECTION 2 OF 8

“If it unlocks my phosphate, can I cut a bag of DAP?”

What the dealer says

No, and do not tell a grower that it makes more of his phosphate available. VAN checked whether humic acid at field rates can stop calcium from binding phosphate. It cannot: the calcium it binds is far too little. VAN therefore makes no such claim and gives no figure for phosphate saved. A humate holds nutrients on exchange sites, keeps micronutrients in solution and helps the root. Keep the phosphate rate as the crop plan prints it, and use Humi Grow for the soil and the root.

The facts behind the answer

- Humic acid benefits the soil and the root. van.com.pk does not claim that it stops calcium from binding phosphate.
- VAN’s 2026 calculation of how much calcium humic acid can bind: at any field rate, it binds too little calcium to stop calcium from binding phosphate.
- No percentage of phosphate saved is printed anywhere by VAN.

Never say: “It saves X% of your phosphate” or “cut the DAP by a bag”.

OBJECTION 3 OF 8

“I used it and my soil test did not change.”

What the dealer says

It will not, and VAN says so. 1 bag is 3.2 kg of humic acid on an acre of soil, and a soil test measures the whole acre to plough depth. The organic-matter reading on the soil report will not change. The effect is in the soil around the young roots: it holds more of the nutrients you apply, keeps micronutrients in solution, and helps the root grow. A soil test will not show that effect, because it measures the whole acre.

The facts behind the answer

- 3.2 kg of humic acid per bag (the declared analysis).
- Mean organic matter 0.61%; 97.6% of samples below 1% (the Punjab soil survey, 770,160 samples, about 2016 to 2018).
- If a soil test shows more phosphorus after humic acid is added, that alone does not prove the crop can use more phosphorus: added organic matter can upset the laboratory test (general soil chemistry).

Never say: “Your organic matter will rise by X” or “the phosphorus reading on the soil report will rise”.

OBJECTION 4 OF 8

“Can I dissolve it and put it through the drip?”

What the dealer says

Every crop plan row for Humi Grow is a soil application, drilled or broadcast, and the label names broadcast as the method, so no water rate is given here. For a grower with a drip system who wants humate through the water, the crop plan puts the liquid form, Humi Grow Plus, through the line at germination and early growth. Ask VAN before you recommend the pellet in a tank.

The facts behind the answer

- The method on the label and the product page is broadcast; no crop plan row prints fertigation for the pellet (van.com.pk).
- Humi Grow Plus is the liquid; the crop plans apply it by fertigation at germination and early growth on wheat, maize, potato, garlic, citrus and strawberry (the crop plans).
- The same active ingredient in 2 forms: the pellet for the ground, the liquid for the water.

Never say or give: any fertigation rate for the pellet. None is on any crop plan row.

OBJECTION 5 OF 8

“Which stage, and how many bags?”

What the dealer says

On wheat, maize, hybrid rice, cotton, potato, garlic, turmeric, watermelon and the oilseeds, it goes on once, at land preparation: 1 bag an acre, drilled at sowing, or broadcast before the last ploughing if there is no drill. It is broadcast before transplanting on basmati rice, tomato and chilli, and broadcast on citrus, mango and strawberry. Citrus takes 2 bags. Sugarcane takes ½ bag in June at early growth; the ratoon takes 1 bag at land preparation, broadcast. Onion takes it at germination; banana year 1 at land preparation and germination, and year 2 at early growth. It goes in early because it helps the root while the root forms in the first weeks.

The facts behind the answer

- Rates per acre as printed in the crop plans on van.com.pk; 12 crops on the crop plan slides.
- Drill at sowing: about 5 cm beside and below the seed row, never touching the seed.
- The product page gives the stage as sowing.

Never say: “2 bags for a bad soil.” Use the crop plan rate; VAN has no figure for a higher dose.

OBJECTION 6 OF 8

“It has potash in it. Do I count it?”

What the dealer says

Count it, but do not rely on it. K_2O 7% of 8 kg is 0.56 kg an acre, a little over ½ a kilogram. The potash in the crop plan comes from its potash rows: Fusion Potash at land preparation, Vital Potash through the water, and on some plans VL-Potash Liquid sprays (wheat) or Crop Force. The 0.56 kg in this bag does not change any of them. Record it with the other potash applied.

The facts behind the answer

- 0.56 kg of K_2O per bag: 8 kg × 7% (the declared analysis).
- The potash rows on the same crop plans are Fusion Potash at land preparation, Vital Potash through the water, and on some plans VL-Potash Liquid sprays (wheat) or Crop Force (the crop plans on van.com.pk).
- Too much potash reduces the uptake of magnesium and calcium; at 0.56 kg this bag is too small to have that effect.

Never say: “It is a potash fertiliser too” or that it replaces any part of the potash on the crop plan.

OBJECTION 7 OF 8

“Is it registered? What is the licence?”

What the dealer says

It is registered under Pakistan Standard PS 5610-2023, with manufacturing licence CM/L-3281/2024, and VAN is the registered maker. Every batch is tested at VAN Lab, PNAC LAB 336, before it ships. Enter the batch number from the bag on van.com.pk, and you can read the certificate for that batch.

The facts behind the answer

- Humi Grow: PS 5610-2023, CM/L-3281/2024 (the regulatory table on van.com.pk).
- Humi Grow Plus carries the same standard under CM/L-3274/2024.
- Every batch is released through VAN Lab, PNAC LAB 336, ISO/IEC 17025:2017.

Never say or give: a licence expiry date, or the licence as a claim about performance.

OBJECTION 8 OF 8

“Humi Grow or Humi Grow Plus? Which is better?”

What the dealer says

They are the same active ingredient in 2 forms, used at 2 stages. Humi Grow is the pellet, 40% humic acid, for the ground at land preparation, for every grower with a drill or a spreader. Humi Grow Plus is the liquid, 10% humic acid with 3.5% K_2O, for the water at germination and early growth, for the grower who already uses fertigation. The wheat crop plan carries both: the pellet at land preparation and 1 pack of the liquid at germination. Do not compare them on the percentage alone: the pellet is a bulk soil application at or before sowing, and the liquid is placed in the wetted zone after the crop is in.

The facts behind the answer

- Humi Grow: drill at sowing or broadcast at land preparation. Humi Grow Plus: fertigation at germination or early growth (the crop plans on van.com.pk).
- Humi Grow 8 kg Rs 2,750; Humi Grow Plus 4 L Rs 1,240 (the farmer price sheet, August 2026).
- Wheat carries both: 1 bag of the pellet, then 1 pack of the liquid.

Never say: “The pellet is 4 times stronger.” They differ in form, rate and stage.

Humi Grow in the published crop plans, per acre.

Crop	Stage	Rate per acre	Method	Pack
Wheat	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	8 kg
Maize (Corn)	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	8 kg
Basmati Rice	Land Preparation/Transplantation	1 bag	Broadcasting	8 kg
Hybrid Rice	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	8 kg
Cotton	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	8 kg
Sugarcane, February planting	Early Growth	½ bag in June	Broadcasting	8 kg

The rows are printed as published in the crop plans on van.com.pk. Coverage: these 2 slides show 12 of the 22 crop plans that name Humi Grow, and 12 of its 23 rows. Of these 12 rows, 7 say broadcasting and 5 say drilling at sowing (or broadcasting). Every row uses the 8 kg bag. Each rate is per acre, and the crop page scales it to the size of the field.

Humi Grow in the published crop plans, continued.

Crop	Stage	Rate per acre	Method	Pack
Ratoon Sugarcane	Land Preparation	1 bag	Broadcasting	8 kg
Potato	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	8 kg
Tomato	Land Preparation/Transplantation	1 bag	Broadcasting	8 kg
Chili	Land Preparation/Transplantation	1 bag	Broadcasting	8 kg
Onion	Germination	8 kg	Broadcasting	8 kg
Citrus, 5 years and over	Land Preparation	2 bags	Broadcasting	8 kg

The rows continue from the previous slide. Each rate is per acre, and the crop page scales it to the size of the field.

WHAT VAN DOES NOT CLAIM FOR THIS PRODUCT

A dealer who makes any of these claims is speaking for himself, not for VAN.

1. A yield figure, or a nutrient use efficiency percentage. No Humi Grow trial exists. Describe the 81 published studies as research on humic substances in general, never as a result for this product.

2. That it stops calcium from binding phosphate, or saves any percentage of phosphate or nitrogen. VAN's own check rules out the mechanism, and van.com.pk gives no figure for phosphate saved.

3. A soil organic-matter or soil-test change. 3.2 kg of humic acid on an acre acts in the root zone; it does not change the soil test.

4. That 8 kg does the work of a lorry-load of compost, or replaces manure or V-Compost. VAN has no figure that shows such an equivalence.

5. A fertigation or foliar rate for the pellet. Every crop plan row is drilled or broadcast; the liquid form is Humi Grow Plus.

6. That it is the main potash source, or that it adds more than 0.56 kg of K_2O per bag.

HOW A GROWER VERIFIES A BAG

Every batch is tested, and the batch number on the bag identifies its certificate.

1 · The batch number

Every bag carries the batch number. Read it to the grower and show him where it is printed.

2 · The certificate of analysis

On van.com.pk, a grower can read the certificate of analysis for any bag by entering the batch number printed on it. The grower does not need to post a sample.

3 · The laboratory

VAN Lab is accredited by the Pakistan National Accreditation Council (PNAC) to ISO/IEC 17025:2017, the international standard for testing laboratories, as LAB 336. Every batch is released through the laboratory before it ships. The certificate carries the laboratory's number.

What a certificate for Humi Grow shows

The certificate shows the tested humic acid and K_2O content of the batch against the declared 40% and 7%. It also shows the batch number, and the Pakistan Standard PS 5610-2023 and licence CM/L-3281/2024 printed on the bag. This training shows no batch result; a grower can read the certificate of his own batch on van.com.pk by its batch number. Commercial humic products elsewhere can differ widely from their labels, which is why the grower should read the certificate for his batch.

THE URDU LINES · REVIEW STATUS UNDER EACH LINE

The lines a dealer says in Urdu.

The first line is the product's main message. Where its nutrient has one, the line gives VAN's promise word: the 1-word brand message VAN uses for that nutrient. The other 3 lines are key sentences of this deck. Each English line gives the meaning of the Urdu beside it. Send any correction to partner@van.com.pk.

A humate helps the soil hold the fertiliser you apply. *English meaning · Urdu reviewed 27 Sep 2026*	ہیومک زمین کو وہ گرفت دیتا ہے جس سے وہ آپ کی دی ہوئی کھاد کو تھامے رکھے
1 bag an acre at land preparation, drilled at sowing or worked into the soil. *English meaning · Urdu reviewed 27 Sep 2026*	زمین کی تیاری پر فی ایکڑ 1 بوری، بوائی پر ڈرل کریں یا زمین میں ملائیں
It helps the root and the soil. It does not change your soil test, and VAN says so. *English meaning · Urdu reviewed 27 Sep 2026*	یہ جڑ اور زمین کی مدد کرتا ہے۔ یہ آپ کی مٹی کی رپورٹ نہیں بدلتا، اور VAN یہ کھل کر کہتا ہے
VAN's founder first made humic acid in Pakistan in 2007. *English meaning · Urdu line pending review*	VAN 2007 سے پاکستان میں ہیومک ایسڈ بنا رہا ہے

TALK TO VAN

Use the address that matches your request.

For growers

kisan@van.com.pk

A crop plan, product rates, a certificate for your batch or a dealer near you.

For the trade

partner@van.com.pk

Dealers, distributors and the trade: stock, training and corrections to this deck.

For everything else

info@van.com.pk

Supply, the laboratory or a plant visit.

Helpline 0300 5003041 · www.van.com.pk

Vital Agri Nutrients (Pvt) Ltd, Lahore, has 1 helpline and 3 addresses. VAN sends no group messages; every grower who writes gets a direct reply.

Humi Grow is concentrated humate for land preparation. It benefits the soil and the root; it does not stop calcium from binding phosphate.

