
DEALER TRAINING · NOVEMBER 2026

V-Mag Essential



Magnesium 8.5% with boron 1%: a powder dissolved in the irrigation water, mostly at early growth and grand growth, while the crop is building its leaves.

VAN wrote this deck for its dealers and field team. A dealer can repeat its words to a grower.

THE 30-SECOND EXPLANATION

What a dealer says to a grower in 30 seconds.

V-Mag Essential is magnesium 8.5% with boron 1%, a powder that dissolves in irrigation water: 425 g of magnesium and 50 g of boron in a 5 kg bag. Magnesium is at the centre of chlorophyll, and without chlorophyll the leaf cannot make sugar. High potash or calcium at the root reduces magnesium uptake. On calcareous soil, which is rich in calcium, a crop given more potash without magnesium often shows magnesium shortage in the same season: the older leaves turn yellow between the veins while the veins stay green. The Punjab soil survey (770,160 samples, tested in about 2016 to 2018) did not test magnesium, so the grower reads the leaf. The crop plans put it in the irrigation water, mostly at early growth and grand growth: ½ bag at early growth and ½ bag at grand growth on wheat; 1 bag at grand growth on maize. Dissolve it in the drum and release it slowly.

The 4 points it must cover

1. The bag: 5 kg, Mg 8.5% · B 1%: 425 g of magnesium, 50 g of boron. A conformance report, not a Pakistan Standards and Quality Control Authority (PSQCA) licence.
2. The nutrient: the centre of chlorophyll. High potash or calcium at the root reduces magnesium uptake; calcareous soil is rich in calcium.
3. The sign: older leaves yellow between green veins, striped, from the bottom up. If the whole old leaf is yellow, the shortage is nitrogen.
4. The method: dissolved in the drum and applied in the irrigation water, mostly at early growth and grand growth, at the rate in the crop plan. Never guess the dose.

Explain the product in simple words a grower uses, and keep to the figures on these slides. Every figure in this 30-second explanation is on the bag, in the published crop plan or in the named evidence on the slides that follow.

THE BAG

What the bag says, and what it is registered as.



5 kg

the bag: 425 g of magnesium and 50 g of boron. ½ bag per application on wheat and sunflower; 1 bag on most other crops, such as maize and basmati rice.

Mg 8.5%

magnesium, by weight: 85 g in every kilogram, 425 g in the bag. VAN confirmed the analysis on 23 July 2026.

B 1%

boron, 10 g in every kilogram, 50 g in the bag. The amount is small and exact, because the range between enough boron and too much is narrow.

Powder

a powder that dissolves for fertigation, as VAN's product data says. On citrus, the crop plan also gives a 500 g spray in 200 L of water.

Not tested

magnesium was not among the 13 tests in the Punjab soil survey of 770,160 samples (about 2016 to 2018), so no district figure exists. The leaf symptom is the only guide.

18

published crop plans name V-Mag Essential, in 32 rows; 30 of the rows are fertigation.

Registered as	Pakistan Standard	Manufacturing licence
V-Mag Essential	No Pakistan Standard applies (n/a)	Conformance report; registration: ask VAN

This product has no VAN licence number to quote. If a grower asks about registration, refer him to VAN.

A GROWER'S QUESTION

“I gave the crop its potash properly this year, and now the old leaves have gone yellow in stripes between the veins, from the bottom up. Urea did not fix it. What is it?”


The grower did the right thing and got a new problem. Potash and magnesium compete for uptake at the root, so when the crop gets more potash, magnesium is more likely to run short. The answer has 3 parts: what magnesium does, why the sign shows on the old leaves and not the new, and why most crop plans put it in the irrigation water while the crop is building its leaves.

The next 3 slides give the 3 answers, 1 idea on each slide.

ANSWER 1 OF 3

Magnesium is at the centre of chlorophyll, the green in the leaf.

Magnesium sits at the centre of every chlorophyll molecule: without it the leaf cannot make chlorophyll, and without chlorophyll the leaf cannot make sugar. It also helps the plant move phosphorus around, and the plant needs magnesium to use the energy that phosphorus carries. A crop short of magnesium cannot use all the light that falls on it. The boron in the bag has a separate role: the plant needs it, with calcium, to build cell walls and to move sugar to the flower.




The jobs of magnesium and boron, from the 17-nutrients page on van.com.pk. The drawing shows the idea; it is not a measurement.

Say it like this: “Magnesium is the atom at the centre of chlorophyll, the green in the leaf. A crop short of it cannot use all the sunlight it gets.”

ANSWER 2 OF 3

It moves inside the plant, so the old leaves show it first.

Magnesium is mobile in the plant. When the supply runs short, the plant strips it out of the old leaves to feed the new growth, so the sign appears on the lower leaves first and moves up. On each leaf, the area between the veins turns yellow, starting at the edge, while the veins stay green, giving a striped or marbled look. This pattern tells magnesium shortage apart from nitrogen shortage, which yellows the whole old leaf from the tip back, and from iron shortage, which yellows the youngest leaves. By the time the stripes show, the crop has been short of magnesium for a while.




Say it like this: “Stripes on the old leaves, veins still green, from the bottom up: that is magnesium. Whole leaf yellow from the tip: that is nitrogen.”

Magnesium is a mobile nutrient: the plant moves it from the old leaf to the new one. This is general plant physiology.

ANSWER 3 OF 3

High potash and calcium reduce magnesium uptake, so the crop plans add magnesium, dissolved in the irrigation water.

Too much potash or too much calcium reduces the magnesium the root takes up. Pakistani soils contain a lot of calcium as lime, and a sound crop plan adds potash. A crop can therefore run short of magnesium in the same season that it has enough potash. No soil test warns the grower, because the Punjab soil survey did not measure magnesium. So the crop plans add magnesium, dissolved in the irrigation water, mostly at early growth and grand growth, while the crop is building its leaves. On onion, the crop plan applies V-Mag Essential in the same irrigation as Vital Potash, to balance the potash with magnesium.



The fertigation line shows a solution released over the whole irrigation. No soil figure for magnesium exists on the record, and none is drawn.

Say it like this: “When you give more potash, the crop takes up less magnesium, so give magnesium as well. Put it in the irrigation water while the leaves are growing.”

THE EVIDENCE

What is verified for V-Mag Essential, and what is not.

No trial of V-Mag Essential is on VAN's record, and it carries no PSQCA manufacturing licence. A dealer may quote the analysis on the bag, the conformance report, the crop plan rows and the fact that the soil survey did not measure magnesium, each only as the right-hand column allows.

Item	What it says	How a dealer may use it
The bag	V-Mag Essential, Mg 8.5% · B 1%, powder, 5 kg. The analysis confirmed by VAN on 23 July 2026.	As fact. Grams from the declared analysis.
Registration	No Pakistan Standard applies; VAN's records hold a conformance report, and the site says so: 1 of 3 VAN brands without a PSQCA manufacturing licence, each for a stated reason.	As van.com.pk gives it. For registration questions, "ask VAN". Never "licensed" and never a licence number.
The crop plan rows	32 rows in 18 crop plans: ½ bag twice on wheat, sunflower and chili; 1 bag once on maize, basmati rice, hybrid rice, sugarcane, ratoon sugarcane and guava; 1 bag twice on potato, tomato, watermelon, banana (1st year) and banana (2nd year); 1 bag 3 times on turmeric; 2.5 kg twice on onion; 1 bag fertigated once and 500 g sprayed twice on citrus; ¾ bag twice on strawberry. The citrus spray is per 200 L of water.	As the published rate, word for word.
The Punjab soil survey (770,160 samples, about 2016 to 2018)	Magnesium was not among the 13 tests. No district figure exists for it. 69.1% of samples were above pH 8; the soil is calcareous. 51.7% were below 0.5 ppm boron.	As fact: nobody has measured magnesium, so the leaf symptom is the only guide. Never as product performance.
The chemistry (textbook)	Magnesium is the centre of chlorophyll; it is mobile in the plant; too much potash and too much calcium reduce its uptake at the root.	As general plant nutrition, from the 17-nutrients page on van.com.pk, not a VAN measurement.
Not on file	A V-Mag Essential trial; a yield or quality figure; a Pakistani magnesium deficiency figure; the salt the magnesium comes as; a soil-application rate; a leaf-test threshold.	Not said until VAN names a source.

Sources: the bag; VAN's published crop plans on van.com.pk; the farmer price sheet, Aug 2026; the regulatory table on van.com.pk; the Punjab soil survey, 770,160 samples tested in about 2016 to 2018, and its list of tests; VAN's 17-nutrients page; VAN's own product data.

What 1 bag holds and costs, and its cost on an acre of wheat for the season.

The price is the delivered farmer price from the VAN farmer price sheet, Aug 2026; magnesium and boron are from the declared analysis. The wheat crop plan gives ½ bag at early growth and ½ at grand growth, in the irrigation water.

V-Mag Essential, Mg 8.5 · B 1	Weight	Magnesium	Boron	Rupees	Which rows
1 bag	5 kg	425 g	50 g	1,350	maize, basmati rice, hybrid rice, sugarcane, ratoon sugarcane, potato, tomato and others on van.com.pk
½ bag	2.5 kg	212.5 g	25 g	675	wheat, sunflower and chili; the onion row gives 2.5 kg
500 g, sprayed	500 g	42.5 g	5 g	135	citrus, at germination and grand growth, in 200 L of water
Wheat, ½ bag at early growth and ½ at grand growth	**5 kg**	**425 g**	**50 g**	**1,350**	**1 bag for the season**

On wheat the grower spends Rs 1,350 an acre across the season to put 425 g of magnesium and 50 g of boron in the irrigation water at early growth and grand growth. VAN has no measured figure for the crop's response to this product.

V-Mag Essential 5 kg Rs 1,350: the farmer price sheet, Aug 2026. 425 g = 5,000 × 0.085; 50 g = 5,000 × 0.01; 42.5 g = 500 × 0.085. Rates: the crop plans on van.com.pk.

What the crop plans apply per acre, per season: the field crops.

Bags per acre are from the published crop plans, magnesium from the declared analysis and rupees from the VAN farmer price sheet, Aug 2026.

Crop	Stage and method, from the crop plan	Bags	Magnesium	Rupees per acre
Wheat	early growth ½ bag, grand growth ½ bag, fertigation	1	425 g	1,350
Maize (Corn)	grand growth 1 bag, fertigation	1	425 g	1,350
Sunflower	early growth ½ bag, grand growth ½ bag, fertigation	1	425 g	1,350
Sugarcane, February planting	grand growth 1 bag, fertigation	1	425 g	1,350
Ratoon Sugarcane	grand growth 1 bag, fertigation	1	425 g	1,350
Basmati Rice	grain formation and maturity 1 bag, fertigation	1	425 g	1,350
Hybrid Rice	maturity 1 bag, fertigation	1	425 g	1,350

½ bag twice on wheat and sunflower; 1 bag once on maize, sugarcane, ratoon sugarcane, basmati rice and hybrid rice. Every row is in the irrigation water. VAN has no measured figure for the crop’s response.

VAN’s published crop plans on van.com.pk. Rupees = bags × 1,350, farmer price sheet, Aug 2026.

What the crop plans apply per acre, per season: vegetables and orchards.


Bags per acre are from the published crop plans, magnesium from the declared analysis and rupees from the VAN farmer price sheet, Aug 2026.

Crop	Stage and method, from the crop plan	Bags	Magnesium	Rupees per acre
Potato	early growth 1 bag, grand growth 1 bag, fertigation	2	850 g	2,700
Tomato	germination 1 bag, grand growth 1 bag, fertigation	2	850 g	2,700
Chili	early growth ½ bag, after picking ½ bag, fertigation	1	425 g	1,350
Onion	grand growth (40 DAT, days after transplanting) 2.5 kg, bulb filling (50 DAT) 2.5 kg, fertigation with Vital Potash	1	425 g	1,350
Citrus, 5 years and over	germination 1 bag by fertigation; 500 g sprayed at germination and at grand growth	1 bag + 1 kg sprayed	510 g	1,620

Potato and tomato take 2 bags; chili and onion take 1 bag. Onion is the only row that names another product for the same irrigation: V-Mag Essential goes in with Vital Potash, to balance the potash with magnesium. Citrus is the only crop on which it is also sprayed: 500 g in 200 L of water at each of 2 stages.

VAN's published crop plans on van.com.pk. Rupees = bags × 1,350, farmer price sheet, Aug 2026. The citrus spray is published per 200 L of water. Like the shopping list on van.com.pk, the citrus row assumes 1 tank of 200 L an acre: 2 × 500 g = 1 kg = Rs 270, with 85 g of magnesium. Larger trees need more spray, and so more product.

Weigh the amount the crop plan gives, dissolve it in the drum and release it slowly over the whole irrigation.



Weigh the plan's amount

½ bag is 2.5 kg; the onion row gives 2.5 kg; the citrus spray is 500 g in 200 L of water. Weigh it. A guessed dose is the commonest error with a powder. Do not use more than the row gives, because of the boron: each bag contains exactly 50 g of boron.

Dissolve, and keep stirring until it is clear

Put it into a drum of water at the head of the watercourse, or into the drip tank, and stir until it is fully in solution. Undissolved powder settles and blocks the tap or the emitter. VAN's product data shows a 200 L drum, the size commonly used at the head of Punjabi watercourses. With a different drum, change the water, never the amount of product.

Meter it in, with the water already flowing

Open the tap so the drum empties slowly over the whole irrigation, never all at once, so the whole acre gets it in the wetted root zone. Most crop plans apply it at early growth and grand growth; on onion it goes in with the Vital Potash. Only on citrus is it also sprayed, 500 g in 200 L of water at each of 2 stages. No soil-spreading rate is given, because no crop plan row gives one.

OBJECTION 1 OF 8

“1,350 for 5 kg of magnesium salt? The chemist sells Epsom salt by the kilo.”

What the dealer says

Write down the price of this bag and the price the chemist asks for Epsom salt. VAN does not publish a price for Epsom salt. Then write down what the bag is: 425 g of magnesium with 50 g of boron already measured into it, made to dissolve clear for the drum, at the rate in the crop plan, ½ bag on wheat per application. You are buying the magnesium, the boron in an exact small amount, and a powder that goes through the tap. VAN has no measured figure for the crop’s response to it.

The facts behind the answer

- V-Mag Essential 5 kg is Rs 1,350; ½ bag on wheat is Rs 675 (farmer price sheet, Aug 2026; the wheat crop plan on van.com.pk).
- 425 g of magnesium and 50 g of boron per bag (the declared analysis on the bag).
- A powder that dissolves for fertigation (VAN’s product data).
- Wheat: ½ bag at early growth and ½ at grand growth, in the irrigation water (the wheat crop plan on van.com.pk).

Never say: “It gives you X more maunds”, a rupees-per-acre return, or a cost per gram against Epsom salt. No yield figure exists for this product.

OBJECTION 2 OF 8

“My soil report says nothing about magnesium. So my soil is fine?”

What the dealer says

It says nothing because nobody measured it. Magnesium was not one of the 13 things the Punjab soil survey tested, so no district in the province has a figure, and a report that does not mention magnesium does not mean the soil has enough. The leaf shows it: old leaves yellow between the veins, in stripes, from the bottom up, in a season when the crop got enough potash. If you want the number, ask for a soil or leaf test that includes magnesium.

The facts behind the answer

- The Punjab soil survey (770,160 samples, about 2016 to 2018) ran 13 tests; magnesium was not among them.
- A magnesium-short crop shows older leaves yellow between the veins, veins green, starting low and moving up (VAN’s 17-nutrients page).
- Nitrogen shortage yellows the whole old leaf from the tip; iron shortage yellows the youngest leaves (VAN’s 17-nutrients page).

Never say: “X% of Pakistani soils are short of magnesium.” No such figure is on VAN’s record.

OBJECTION 3 OF 8

“I already put potash on. Will this fight it?”

What the dealer says

No. The potash is the reason the crop needs magnesium. High potash at the root reduces magnesium uptake, and so does high calcium, which Pakistani soils contain as lime. So potash, magnesium and calcium are planned together, not each applied on its own. The onion crop plan even puts the magnesium in the same irrigation as the Vital Potash. Keep the potash; add the magnesium at the stages the crop plan gives.

The facts behind the answer

- Too much potash reduces the uptake of magnesium and calcium, so potash, magnesium and calcium are planned together, not each applied on its own (VAN’s 17-nutrients page).
- Pakistani soils contain a lot of calcium as lime; 69.1% of Punjab samples were above pH 8 (VAN’s 17-nutrients page; the Punjab soil survey, about 2016 to 2018).
- Onion: 2.5 kg of V-Mag Essential in the same fertigation as Vital Potash, at 40 and 50 days (the onion crop plan on van.com.pk).

Never say: “Skip the potash and the magnesium will be fine”, or the reverse.

OBJECTION 4 OF 8

“The old leaves are already striped. Will this green them again?”

What the dealer says

No. Old leaves that have yellowed between the veins do not usually turn green again. V-Mag Essential feeds the new growth. Magnesium is mobile, so the plant has already moved it out of those old leaves into the top. Put the plan’s amount in the irrigation water now, so the leaves still growing get their magnesium, and plan the early-growth application next season, before the stripes. VAN gives no recovery figure and no number of days.

The facts behind the answer

- Magnesium moves inside the plant: the old leaves are stripped to feed new growth, so the sign starts low and moves up (VAN’s 17-nutrients page).
- Wheat, sunflower, potato, watermelon and turmeric take it at early growth and again at grand growth; turmeric also at germination (the crop plans on van.com.pk).
- No recovery or yield figure exists for V-Mag Essential.

Never say: “It greens the old leaves in a week” or “it recovers the yield”.

OBJECTION 5 OF 8

“Why is there boron in a magnesium bag?”

What the dealer says

Because the crop needs both at the same stages, and the crop plan gives them together. The plant needs boron, with calcium, to build cell walls and to move sugar to the flower; it needs magnesium for the chlorophyll that makes the sugar. In the Punjab soil survey, 51.7% of samples tested below 0.5 ppm boron. Boron has to be given in a small, exact dose, and 50 g in a 5 kg bag, dissolved in the irrigation water, is a safe way to apply it. Keep to the row: boron adds up across products, and too much of it harms the crop.

The facts behind the answer

- The plant needs boron, with calcium, for the cell wall and to move sugar to the flower; the range between enough and too much is narrow (VAN’s 17-nutrients page).
- 51.7% of Punjab samples tested below 0.5 ppm boron (the Punjab soil survey, about 2016 to 2018).
- 50 g of boron per bag: 5,000 g × 0.01; a wheat season is 1 bag, 50 g (the declared analysis; the wheat crop plan on van.com.pk).
- Boron adds up across products; the plan’s rows are the whole dose (textbook agronomy).

Never say: “Boron cannot harm the crop.” Never recommend an extra bottle of boron for a crop already getting boron from this bag and from the boron-coated potash.

OBJECTION 6 OF 8

“Can I spread it on the soil instead of dissolving it?”

What the dealer says

No crop plan row spreads it on the soil, so I have no soil rate to give you. 30 of the 32 rows put it in the irrigation water, and the other 2, on citrus, are sprays. It is a powder made to dissolve. Put it in the drum, stir it until it is clear, and release it slowly over the whole irrigation. If you cannot fertigate that field, ask VAN before you spread it.

The facts behind the answer

- Fertigation on 30 of the 32 rows; the other 2 are citrus sprays; no row spreads it on the soil (the crop plans on van.com.pk).
- Fertigation is the route VAN names for the product (the V-Mag Essential page on van.com.pk).
- A powder that dissolves for fertigation (VAN’s product data).

Never say or give: any soil-spreading rate. No crop plan gives one.

OBJECTION 7 OF 8

“Which stage, and how much?”

What the dealer says

These are the crop plan rates. ½ bag at early growth and ½ bag at grand growth on wheat. 1 bag at grand growth on maize. 1 bag at early growth and 1 bag at grand growth on potato. 2.5 kg at grand growth (40 DAT) and 2.5 kg at bulb filling (50 DAT) on onion, with the Vital Potash. On citrus, 1 bag in the irrigation water at germination, and 500 g sprayed in 200 L of water at germination and grand growth. The other crop plans are on the crop plan slides. No row applies it at land preparation.

The facts behind the answer

- 18 crop plans name V-Mag Essential, in 32 rows (the crop plans on van.com.pk).
- ½ bag twice on wheat and sunflower; 1 bag once on maize, basmati rice, hybrid rice, sugarcane and ratoon sugarcane; 1 bag twice on potato and tomato (the same plans).
- The product page gives the stage as “Grand growth”; no row is at land preparation (the V-Mag Essential page and the crop plans on van.com.pk).

Never say: “More bags, more green”, or a rate for a crop with no row.

OBJECTION 8 OF 8

“Is it registered? What is the licence?”

What the dealer says

It has no PSQCA manufacturing licence, because no Pakistan Standard applies to this product; instead it carries a conformance report. The website van.com.pk lists it as 1 of 3 VAN brands without a PSQCA licence and gives the reason for each. I will not quote you a licence number, because there is none to quote. Every batch is still tested at VAN Lab, accredited by the Pakistan National Accreditation Council (PNAC) as LAB 336, before it ships, and its certificate can be read on van.com.pk by the batch number. For any further question about its registration, ask VAN.

The facts behind the answer

- V-Mag Essential: no Pakistan Standard applies; it carries a conformance report (the regulatory table on van.com.pk).
- 20 of VAN’s 23 brands hold a live PSQCA manufacturing licence; the other 3 each have a stated reason (the regulatory page on van.com.pk). Figures as of July 2026.
- Every batch is released through VAN Lab, PNAC LAB 336, ISO/IEC 17025:2017 (VAN’s quality page).

Never say: “It is licensed”, a licence number, or “it does not need registration”.

V-Mag Essential in the published crop plans, per acre.

Crop	Stage	Rate	Method	Pack
Wheat	Early Growth	½ bag	Fertigation	5 kg
Wheat	Grand Growth	½ bag	Fertigation	5 kg
Maize (Corn)	Grand Growth	1 bag	Fertigation	5 kg
Basmati Rice	Grain Formation & Maturity	1 bag	Fertigation	5 kg
Hybrid Rice	Maturity	1 bag	Fertigation	5 kg
Sugarcane, February planting	Grand Growth	1 bag	Fertigation	5 kg
Ratoon Sugarcane	Grand Growth	1 bag	Fertigation	5 kg

The rows are printed as published in the crop plans on van.com.pk. Coverage: these 3 slides show 12 of the 18 crop plans that name V-Mag Essential, and 20 of its 32 rows. Of these 20 rows, 18 say fertigation and 2 say spray. Every row uses the 5 kg bag. DAT is days after transplanting. Each rate is per acre unless the row says per 200 L of water, and the crop page scales it to the size of the field.

V-Mag Essential in the published crop plans, continued.

Crop	Stage	Rate	Method	Pack
Potato	Early Growth	1 bag	Fertigation	5 kg
Potato	Grand Growth	1 bag	Fertigation	5 kg
Tomato	Germination	1 bag	Fertigation	5 kg
Tomato	Grand Growth	1 bag	Fertigation	5 kg
Chili	Early Growth	½ bag	Fertigation	5 kg
Chili	After Picking	½ bag	Fertigation	5 kg
Onion	Grand Growth (40 DAT)	2.5 kg	Fertigation with Vital Potash	5 kg

The rows continue from the previous slide. Each rate is per acre unless the row says per 200 L of water, and the crop page scales it to the size of the field.

V-Mag Essential in the published crop plans, continued.

Crop	Stage	Rate	Method	Pack
Onion	Bulb filling (50 DAT)	2.5 kg	Fertigation with Vital Potash	5 kg
Citrus, 5 years and over	Germination	1 bag	Fertigation	5 kg
Citrus, 5 years and over	Germination	500 g per 200 L of water	Spray	5 kg
Citrus, 5 years and over	Grand Growth	500 g per 200 L of water	Spray	5 kg
Sunflower	Early Growth	½ bag	Fertigation	5 kg
Sunflower	Grand Growth	½ bag	Fertigation	5 kg

The rows continue from the previous slide. Each rate is per acre unless the row says per 200 L of water, and the crop page scales it to the size of the field.

WHAT VAN DOES NOT CLAIM FOR THIS PRODUCT

A dealer who makes any of these claims is speaking for himself, not for VAN.

1. A yield, quality or greening figure. No V-Mag Essential trial exists; the link between potash and magnesium is explained from plant science, not shown in a trial of this product.
2. A Pakistani magnesium deficiency percentage. The Punjab soil survey did not measure magnesium, and VAN does not invent the missing figure.
3. That it is licensed, or a licence number. It carries a conformance report; for any further question about its registration, ask VAN.
4. A soil-spreading rate or a leaf-test threshold that no crop plan gives, or a spray volume for a grower's own trees: VAN adjusts the quantity to the tree size.
5. What salt the magnesium comes as, or that it is "organic" or "mineral" in any sense beyond a powder that dissolves, until VAN states it.
6. That the boron in this bag meets the crop's whole boron need, or that a grower may add more boron without checking the crop plan.

HOW A GROWER VERIFIES A BAG

Every batch is tested, and the batch number on the bag identifies its certificate.

1 · The batch number

Every bag carries the batch number. Read it to the grower and show him where it is printed.

2 · The certificate of analysis

On van.com.pk, a grower can read the certificate of analysis for any bag by entering the batch number printed on it. The grower does not need to post a sample.

3 · The laboratory

VAN Lab is accredited by the Pakistan National Accreditation Council (PNAC) to ISO/IEC 17025:2017, the international standard for testing laboratories, as LAB 336. Every batch is released through the laboratory before it ships. The certificate carries the laboratory's number.

What a certificate for V-Mag Essential shows

The certificate gives the declared analysis tested for the batch: magnesium and boron against Mg 8.5% · B 1%. The batch number is on the bag. No Pakistan Standard or licence number applies; VAN's records hold a conformance report. The grower reads the certificate for his own batch on van.com.pk by its batch number.

THE URDU LINES · REVIEW STATUS UNDER EACH LINE

The lines a dealer says in Urdu.

The first line is the product's main message. Where its nutrient has one, the line gives VAN's promise word: the 1-word brand message VAN uses for that nutrient. The other 3 lines are key sentences of this deck. Each English line gives the meaning of the Urdu beside it. Send any correction to partner@van.com.pk.

Magnesium is at the centre of chlorophyll, the green in the leaf. *English meaning · Urdu reviewed 27 Sep 2026*	میگنیشیم ہریالی کا مرکز ہے
Stripes on the old leaves, veins still green, from the bottom up: that is magnesium. *English meaning · Urdu reviewed 27 Sep 2026*	پرانے پتوں پر دھاریاں، رگیں ہری، نیچے سے اوپر: یہ میگنیشیم ہے
When you give potash, give magnesium too, at the stages in the crop plan. *English meaning · Urdu approved 9 Nov 2026*	پوٹاش دیں تو میگنیشیم بھی دیں، فصل کے پلان کے مراحل پر
Dissolve it in the drum and release it slowly with the whole irrigation. *English meaning · Urdu reviewed 27 Sep 2026*	ڈرم میں گھولیں اور پورے پانی کے ساتھ آہستہ چھوڑیں

TALK TO VAN

Use the address that matches your request.

For growers

kisan@van.com.pk

A crop plan, product rates, a certificate for your batch or a dealer near you.

For the trade

partner@van.com.pk

Dealers, distributors and the trade: stock, training and corrections to this deck.

For everything else

info@van.com.pk

Supply, the laboratory or a plant visit.

Helpline 0300 5003041 · www.van.com.pk

Vital Agri Nutrients (Pvt) Ltd, Lahore, has 1 helpline and 3 addresses. VAN sends no group messages; every grower who writes gets a direct reply.

V-Mag Essential: magnesium and boron, dissolved in the irrigation water, mostly at early growth and grand growth.

