
DEALER TRAINING · NOVEMBER 2026

V-Phosphate



A fully soluble 11-44-0 with iron, in a 10 kg bag: a second phosphate dose in the irrigation water, mostly at early growth or grand growth.

VAN wrote this deck for its dealers and field team. A dealer can repeat its words to a grower.

THE 30-SECOND EXPLANATION

What a dealer says to a grower in 30 seconds.

V-Phosphate is a fully soluble 11-44-0 in a 10 kg bag, with iron carried with the phosphate. The basal bag goes in at land preparation, months before the crop needs the most phosphorus. On calcareous soil above pH 8, the phosphate that dissolves from it is locked by calcium within a few centimetres. This bag puts a second, soluble dose in the irrigation water when the crop is building tillers, bolls or tubers, mostly at early growth or grand growth. The nitrogen is ammonium, a form the root takes up directly. Dissolve it fully, 1 part to 10 parts water, and release it where the water enters the field so it travels the whole acre. 1 bag an acre on most crops; potato, garlic and others take it more than once. It is registered as V-Phosphate 11-44-0. The bag on sale reads V. Ammonium Phosphate, and older bags read V-Ammonium Phosphate 12-44-0.

The 4 points it must cover

1. The bag: 11-44-0, 10 kg, fully soluble, PS 933-2026. 4.4 kg of P_2O_5 and 1.1 kg of nitrogen in every bag.
2. The job: a second phosphate dose in the irrigation water, mostly at early growth or grand growth. The basal bag is a different bag at a different stage.
3. The method: dissolve fully, 1 to 10 in water, release where the water enters the field. Every crop plan row says fertigation.
4. The name: registered as V-Phosphate 11-44-0. The bag on sale reads V. Ammonium Phosphate; older bags read V-Ammonium Phosphate 12-44-0. It is the same product.

Explain the product in simple words a grower uses, and keep to the figures on these slides. Every figure in this 30-second explanation is on the bag, in the published crop plan or in the named evidence on the slides that follow.

THE BAG

What the bag says, and what it is registered as.



10 kg

the bag. 4.4 kg of P_2O_5 and 1.1 kg of nitrogen in every bag, from the declared analysis.

P_2O_5 44%

phosphate, declared as NPK 11-44-0, fully soluble.

N 11%

nitrogen, as ammonium: a form the root takes up directly, with no conversion step.

Fe

iron. Iron is carried with the phosphate; van.com.pk names it but gives no figure.

Grand growth

the stage on the product page. V-Phosphate is in 24 of 28 published crop plans, always by fertigation.

LAB 336

every batch is released through VAN Lab, accredited by the Pakistan National Accreditation Council (PNAC), before it ships.

Registered as	Pakistan Standard	Manufacturing licence
V-Phosphate	PS 933-2026	CM/L-4297/2026

If a grower asks about registration, give the licence number. Do not give an expiry date for the licence.

A GROWER'S QUESTION

“I put my phosphate in at sowing. Why does the crop plan ask me to buy more in the middle of the season?”


The grower put the basal bag in, and the crop plan calls for a second phosphate bag at early or grand growth. He wants to know why the first bag was not enough, why this one goes in the irrigation water, and what the iron is doing in it. The answer has 3 parts: the crop needs phosphorus at 2 stages, soluble phosphate in the irrigation water reaches the whole acre, and the iron is carried with it.

The next 3 slides give the 3 answers, 1 idea on each slide.

ANSWER 1 OF 3

The crop needs phosphorus at 2 stages; the basal bag covers only the first.

Phosphorus builds the root in the first weeks, and the basal bag is placed for that. Then the crop needs it again, in larger amounts, when it builds tillers, bolls, tubers or fruit. By then the basal granule has been in the soil for months, and on calcareous soil above pH 8 the phosphate that dissolved out of it was locked by calcium within a few centimetres. The second demand is met by a second dose, applied at that stage. Every crop plan that names V-Phosphate applies it at germination, early growth, grand growth or maturity, mostly at early growth or grand growth, and never at land preparation.




The stage names on the drawing are the ones VAN's crop plans use. The crop plan slides show at which stages each crop gets this bag.

Say it like this: "Your sowing bag built the root. This bag feeds the crop in the middle of the season, when it needs phosphorus again. The 2 bags are for 2 different stages."

ANSWER 2 OF 3

Dissolved in the irrigation water, 1 bag reaches the whole acre.

The bag dissolves completely. Mix it at 1 part product to 10 parts water (10 kg in 100 litres), and release it where the irrigation water enters the field. The water carries it across the whole acre into the wet root zone. The solution is slightly acidic, pH 5 to 6.5 from VAN's product data, so it does not raise the pH of irrigation water that is already alkaline. The nitrogen is in ammonium form, which the root takes up directly. As the root takes up ammonium, it makes the soil around it slightly more acidic, and this helps nearby phosphate stay in solution.




The drawing shows the drum at the head of the watercourse. VAN gives no figure for how much of the dose reaches the root, because none has been measured.

Say it like this: "Dissolve the whole bag, 1 to 10 in water, and let it in where the water enters the field. The water carries it to every root."

ANSWER 3 OF 3

Iron is carried in the same bag as the phosphate; the bag gives no iron figure.

Phosphorus and the micronutrients interfere with each other. A heavy dose of phosphate on a soil already low in zinc or iron makes the zinc or iron shortage worse. Calcareous soil also locks iron and manganese, as it locks phosphate. So the bag carries iron with the phosphate. van.com.pk names the iron but gives no figure. The iron reaches the root zone at the same place and time as the phosphate. The crop still gets its zinc from the zinc product the crop plan names; this bag does not replace it.



The drawing shows 5 roles of phosphorus from the 17-nutrients page on van.com.pk, and the iron carried with it. It shows the idea; it is not a measurement.

Say it like this: “The bag carries iron with the phosphate, because a heavy phosphate dose can reduce the iron available to the crop. VAN gives no iron percentage.”

THE EVIDENCE

What is verified for V-Phosphate, and what is not.

No trial of the product is on VAN's record. A dealer may quote the registration, the analysis on the bag, the soil survey and the published soil chemistry, each only as the right-hand column allows.

Item	What it says	How a dealer may use it
The registration	Registered as V-Phosphate 11-44-0 against Pakistan Standard PS 933-2026, manufacturing licence CM/L-4297/2026.	As fact. The registration governs the analysis.
The bag	NPK 11-44-0, 10 kg, fully soluble powder. Iron is named on van.com.pk, with no figure. The bag on sale reads V. Ammonium Phosphate; bags printed before the re-registration read V-Ammonium Phosphate 12-44-0.	As fact. On either bag: the same product; the certificate governs.
The Punjab soil survey (770,160 samples, about 2016 to 2018)	69.1% of samples above pH 8; 59.1% of samples below 7 ppm available phosphorus, the low level; 97.9% below 15 ppm, the adequate level; 59.0% below 1.0 ppm zinc. Iron and manganese are on the soil report and the Soil Atlas.	As fact about the soil. Never as product performance.
The soil chemistry (published)	Above pH 8 with free lime, dissolved phosphate is locked by calcium within centimetres; the first calcium phosphates are still fairly available, and the phosphate becomes unavailable as they age into rock-like forms.	As general soil chemistry. Not as a percentage fixed.
The crop plans	24 of 28 published crop plans name it, at germination, early growth, grand growth or maturity, every row by fertigation, 10 kg bag.	As fact. The stage and rate are the crop plan's.
Not on file	A trial; a yield figure; a micronutrient percentage; a tank-mix compatibility chart; a sourced national phosphorus-deficiency percentage beyond the Punjab soil survey.	Not said.

Sources: the register of the Pakistan Standards and Quality Control Authority (PSQCA) as van.com.pk prints it; the bag and the product page on van.com.pk; the Punjab soil survey (36 district workbooks, 770,160 samples, about 2016 to 2018); Tunesi 1999 and Freeman and Rowell 1981 for the calcium chemistry; the crop plans on van.com.pk.

The bag in kilograms of nutrient, and its price.

The price is the delivered farmer price from the VAN farmer price sheet, Aug 2026; P_2O_5 and nitrogen are from the declared analysis. No figure is given for the iron.

V-Phosphate, 11-44-0	Weight	P_2O_5	Nitrogen	Rupees
1 bag	10 kg	4.4 kg	1.1 kg	7,100
½ bag	5 kg	2.2 kg	550 g	3,550
Potato, 1 bag at early growth + ½ bag at grand growth	**15 kg**	**6.6 kg**	**1.65 kg**	**10,650**

On wheat the grower spends Rs 7,100 an acre to put 4.4 kg of soluble P_2O_5 in the irrigation water at early growth. On potato the cost is Rs 10,650 an acre across 2 stages. VAN has no measured figure for the crop's response to it.

V-Phosphate 10 kg Rs 7,100: the VAN farmer price sheet, Aug 2026. 4.4 kg = 10 × 0.44; 1.1 kg = 10 × 0.11. Potato: the crop plans on van.com.pk, 1 bag at early growth and ½ bag at grand growth, fertigation.

What the crop plans put in the irrigation water, per acre: the field crops.

Bags per acre are from the published crop plans, P_2O_5 from the declared analysis and rupees from the VAN farmer price sheet, Aug 2026. Every row is by fertigation.

Crop	Bags per acre	P_2O_5 put in	Rupees per acre	Stage, from the crop plan
Wheat	1 bag of 10 kg	4.4 kg	7,100	early growth
Maize (Corn)	1 bag of 10 kg	4.4 kg	7,100	grand growth
Basmati Rice	1 bag of 10 kg	4.4 kg	7,100	early growth
Hybrid Rice	1 bag of 10 kg	4.4 kg	7,100	early growth
Cotton	1 bag of 10 kg	4.4 kg	7,100	grand growth
Sugarcane, February planting	1 bag of 10 kg	4.4 kg	7,100	early growth
Ratoon Sugarcane	1 bag of 10 kg	4.4 kg	7,100	grand growth

These rows give the mid-season phosphate dose for the field crops. This dose is in addition to the basal bag applied at land preparation, never a replacement for it.

The crop plans on van.com.pk, V-Phosphate rows; 10 kg bag at Rs 7,100. Rupees = bags × 7,100.

What the crop plans put in the irrigation water, per acre: the vegetables and the orchard.

Bags per acre are from the published crop plans, P_2O_5 from the declared analysis and rupees from the VAN farmer price sheet, Aug 2026. Potato and onion take it more than once. DAT is days after transplanting.

Crop	Bags per acre	P_2O_5 put in	Rupees per acre	Stage, from the crop plan
Potato	1 + ½ bag	6.6 kg	10,650	early growth, then grand growth
Onion	1 + 1 bag	8.8 kg	14,200	early growth (20 DAT), then grand growth (40 DAT)
Tomato	1 bag of 10 kg	4.4 kg	7,100	grand growth
Chili	1 bag of 10 kg	4.4 kg	7,100	early growth
Citrus, 5 years and over	1 bag of 10 kg	4.4 kg	7,100	grand growth

The other 12 crop plans that name the product, among them garlic, are on van.com.pk, every row by fertigation.

The crop plans on van.com.pk, V-Phosphate rows; 10 kg bag at Rs 7,100. Rupees = bags × 7,100.

Phosphate on an acre of wheat: what 2 bags put in and what the harvest removes.


The table assumes a wheat yield of 40 maunds an acre (1.6 tonnes) and shows the phosphate that this harvest removes, from the removal tables of the International Plant Nutrition Institute (IPNI) used on van.com.pk, beside the basal and mid-season bags the crop plan applies.

Wheat, 1 acre at 40 maunds	P_2O_5 per tonne of grain	P_2O_5 at 1.6 t	Nitrogen at 1.6 t
Grain taken off	8.0 kg	12.8 kg	30 kg
Straw (bhusa) taken off too, per tonne of grain	2.7 kg	4.3 kg	19 kg
Grain and straw together	**10.7 kg**	**17.1 kg**	**50 kg**
Green Phosphate, 1 bag at land preparation, puts in		**16 kg**	**3 kg**
V-Phosphate, 1 bag at early growth, puts in		**4.4 kg**	**1.1 kg**

The 2 bags together put in 20.4 kg of P_2O_5, against an estimated 17.1 kg removed in the grain and the bhusa. On paper, the phosphate applied is more than the phosphate removed. On calcareous soil, however, the root cannot reach all of the 16 kg of P_2O_5 from the basal Green Phosphate bag (see slide 5). The 4.4 kg of soluble P_2O_5 in this bag is applied at early growth, when the crop needs it.

IPNI nutrient removal tables (metric edition dated 01/15): wheat grain P_2O_5 8.0 and N 19; straw P_2O_5 2.7 and N 12 per tonne of grain. 40 maunds × 40 kg = 1.6 t. Bags: the wheat crop plan on van.com.pk. 16 kg = 50 × 0.32; 3 kg = 50 × 0.06; 4.4 kg = 10 × 0.44; 1.1 kg = 10 × 0.11.

Dissolve it fully, then put it in the irrigation water at the crop plan’s stage, mostly early growth or grand growth.



Weigh it, then dissolve it

1 bag an acre on most crops; weigh it, because a guessed dose is the commonest error in the field. Put it into the drum or tank at 1 part product to 10 parts water: 10 kg in 100 litres. Stir until nothing is left on the bottom. It dissolves completely; if anything is left, stir it longer.

Release where the water enters the field

Open the tap so the drum empties slowly over the whole irrigation, not all at once, with the water already flowing. On drip, put it into the tank the same way. The water carries it to every root on the acre.

At the crop plan’s stage, never in place of the basal bag

Early growth for wheat, rice, February-planted sugarcane and chilli; grand growth for maize, cotton, ratoon sugarcane, tomato and citrus; potato and onion 2 times. Every row says fertigation. It is never applied as a basal granule or sprayed on the leaf; no foliar rate is printed.

OBJECTION 1 OF 8

“7,100 for 10 kg? A bag of DAP is 50 kg.”

What the dealer says

Write down both prices, and next to each, write what the product does. DAP is a basal granule; it goes in the ground at sowing. This bag is 4.4 kg of soluble phosphate that goes in the irrigation water in the middle of the season, when the crop needs phosphorus again and the sowing bag has been in a calcareous soil for months. The 2 products are used at 2 different stages, and the crop plan uses both. Do not compare only the kilograms in each bag; compare when and how each reaches the crop.

The facts behind the answer

- V-Phosphate 10 kg Rs 7,100 (VAN farmer price sheet, Aug 2026). DAP is sold at the counter price; it is not on the VAN sheet.
- 4.4 kg P_2O_5 and 1.1 kg N per bag (the declared analysis). Wheat: 1 bag at early growth (the crop plans on van.com.pk).
- In VAN’s phosphate range on van.com.pk, this is the solid fertigation product; V-Germinator Pro is the liquid fertigation product; Green Phosphate and Fusion Phosphate are the basal soil products.

Never say: “It replaces your DAP” or a percentage of phosphate saved.

OBJECTION 2 OF 8

“I already gave phosphate at sowing. Why again?”

What the dealer says

Because the crop needs phosphorus at 2 stages. In the first weeks the crop builds its root, and the sowing bag is placed to feed that. Then the crop builds tillers, bolls or tubers and needs more, and by then the basal granule has sat in a soil above pH 8 for months, where the phosphate that dissolved met calcium within centimetres. The crop plan meets the second demand with a soluble dose in the irrigation water at early growth or grand growth. It is added to the basal bag, not swapped for it.

The facts behind the answer

- Phosphorus first builds the root, then affects tillering, grain or fruit set, and filling (the 17 nutrients page on van.com.pk).
- Every V-Phosphate row is at germination, early growth, grand growth or maturity; a basal phosphate is the land-preparation row in the same crop plans: Green Phosphate, or Fusion Phosphate on sunflower (van.com.pk).
- Above pH 8 with free lime, dissolved phosphate meets calcium within centimetres (Tunesi 1999; Freeman and Rowell 1981).

Never say: “80% of your sowing bag was lost.” No percentage is printed.

OBJECTION 3 OF 8

“Can I just broadcast it dry, or spray it on the leaf?”

What the dealer says

Every crop plan row says fertigation, and the product is made for it: fully soluble, mixed 1 to 10, released with the water. Spread dry, 10 kg is a small amount on a whole field, and calcium in the soil locks the phosphate before the root reaches it. No crop plan names foliar use for it, and I will not give you a foliar rate. If you cannot fertigate, this product is not for your field. Your phosphate comes from the basal bag at land preparation.

The facts behind the answer

- The product page lists 1 method, fertigation; all 33 crop plan rows say fertigation (van.com.pk).
- It is dissolved in the drum, not spread from the bag: dissolve, stir, and meter it in with the water flowing.
- No foliar rate is published for it anywhere on van.com.pk.

Never say or give: a foliar rate, or “broadcast it if you have no water”.

OBJECTION 4 OF 8

“Can I mix it in the tank with urea, or with my zinc?”

What the dealer says

VAN publishes no tank-mix chart for this product, so I will not guess one for you. Dissolve it on its own, 1 to 10 in water, and release it with the irrigation. If you want to put 2 products through the same water, ask VAN before you do it, with both bags in hand.

The facts behind the answer

- No compatibility chart for this product is published on van.com.pk.
- The published method: dissolve, agitate, meter it in, on its own.
- VAN shares tank-mix and compatibility charts only under a non-disclosure agreement (NDA), as van.com.pk states.

Never say: “It mixes with anything.”

OBJECTION 5 OF 8

“My bag says V-Ammonium Phosphate 12-44-0. Is this the same thing?”

What the dealer says

Yes. The product was re-registered as V-Phosphate 11-44-0 under licence CM/L-4297/2026. The bag on sale reads V. Ammonium Phosphate, and bags printed before the re-registration read V-Ammonium Phosphate 12-44-0. The old bag held the same 11-44-0 product; only the artwork and the registration differed. It does the same job in the crop plan. The registration and the batch certificate govern the analysis: enter the batch number printed on your bag on van.com.pk, and you can read the certificate for that batch.

The facts behind the answer

- Registered as V-Phosphate 11-44-0; PS 933-2026, CM/L-4297/2026 (the regulatory table on van.com.pk).
- The bag on sale reads V. Ammonium Phosphate; artwork printed before the re-registration reads V-Ammonium Phosphate 12-44-0. The old bag held the same 11-44-0 product; only the artwork and the registration differed.
- A grower can read the certificate of analysis for any batch on van.com.pk by its batch number.

Never say: “The old bag has more nitrogen, buy that one.”

OBJECTION 6 OF 8

“My leaves are yellow between the veins. Will the iron in this fix it?”

What the dealer says

No. VAN does not sell this bag as a treatment for yellow leaves, and it gives no iron figure for it. The iron is there because a heavy phosphate dose can reduce the iron available to the crop. Yellowing between the veins on the new leaf on calcareous soil is often iron shortage; VAN’s micronutrient product with iron is VL-Micromix. Apply this bag at the crop plan’s stage, as a phosphate dose; ask VAN about the yellowing with a photo of the leaf.

The facts behind the answer

- Iron shortage shows as young leaves yellow between the veins with the veins sharply green; high pH locks iron (the 17 nutrients page on van.com.pk).
- Iron is named on the product page, with no figure (van.com.pk).
- VAN’s 17-nutrients page names VL-Micromix as VAN’s micronutrient product with iron.

Never say: “It greens up the crop in a week” or a micronutrient percentage.

OBJECTION 7 OF 8

“How many bags an acre, and when?”

What the dealer says

These are the crop plan rates: 1 bag on most crops, at early growth for wheat, rice, February-planted sugarcane and chilli, at grand growth for maize, cotton, ratoon sugarcane, tomato and citrus. Potato takes 1 bag at early growth and ½ at grand growth. Onion takes 1 bag 20 days after transplanting and 1 bag at 40 days. It always goes in the irrigation water. Using more bags than the crop plan gives puts on more phosphate than the crop needs at that stage.

The facts behind the answer

- Rates per acre as published for 12 crops on the crop plan slides (the crop plans on van.com.pk).
- All rows by fertigation, 10 kg bag.
- Potato, garlic, watermelon, turmeric, onion, banana and strawberry take it at more than 1 stage; every other crop takes 1 bag at 1 stage.

Never say: “Double it if the crop looks weak.”

OBJECTION 8 OF 8

“Is it registered? What is the licence?”

What the dealer says

Yes. It is registered as V-Phosphate 11-44-0 under Pakistan Standard PS 933-2026 (Multinutrient Fertilizer), and VAN makes it under manufacturing licence CM/L-4297/2026. Every batch is tested at VAN Lab, PNAC LAB 336, before it ships. Enter the batch number printed on the bag on van.com.pk, and you can read the certificate for that batch.

The facts behind the answer

- V-Phosphate: PS 933-2026, CM/L-4297/2026 (the regulatory table on van.com.pk).
- Every batch is released through VAN Lab, PNAC LAB 336 (the corporate profile).
- A grower can read the certificate of analysis for any batch on van.com.pk by its batch number.

Never say: “The certificate shows the iron” unless it does, or any expiry date for the licence.

V-Phosphate in the published crop plans, per acre.

Crop	Stage	Rate per acre	Method	Pack
Wheat	Early Growth	1 bag	Fertigation	10 kg
Maize (Corn)	Grand Growth	1 bag	Fertigation	10 kg
Basmati Rice	Early Growth	1 bag	Fertigation	10 kg
Hybrid Rice	Early Growth	1 bag	Fertigation	10 kg
Cotton	Grand Growth	1 bag	Fertigation	10 kg
Sugarcane, February planting	Early Growth	1 bag	Fertigation	10 kg
Ratoon Sugarcane	Grand Growth	1 bag	Fertigation	10 kg

The rows are printed as published in the crop plans on van.com.pk. Coverage: these 2 slides show 12 of the 24 crop plans that name V-Phosphate, and 14 of its 33 rows. Every row says fertigation and uses the 10 kg bag. DAT is days after transplanting. Each rate is per acre, and the crop page scales it to the size of the field.

V-Phosphate in the published crop plans, continued.

Crop	Stage	Rate per acre	Method	Pack
Potato	Early Growth	1 bag	Fertigation	10 kg
Potato	Grand Growth	½ bag	Fertigation	10 kg
Tomato	Grand Growth	1 bag	Fertigation	10 kg
Chili	Early Growth	1 bag	Fertigation	10 kg
Onion	Early Growth (20 DAT)	1 bag	Fertigation	10 kg
Onion	Grand Growth (40 DAT)	1 bag	Fertigation	10 kg
Citrus, 5 years and over	Grand Growth	1 bag	Fertigation	10 kg

The rows continue from the previous slide. Each rate is per acre, and the crop page scales it to the size of the field.

WHAT VAN DOES NOT CLAIM FOR THIS PRODUCT

A dealer who makes any of these claims is speaking for himself, not for VAN.

1. A yield figure, or that it works better than urea phosphate, DAP or any other phosphate. No trial of the product exists.
2. That 80% of the sowing phosphate is fixed, or a national phosphorus-deficiency percentage beyond the Punjab soil survey's 97.9% of samples below the adequate level of 15 ppm.
3. A percentage for iron. Iron is named with no figure.
4. A foliar rate or a dry broadcast use. Every crop plan row is fertigation.
5. A tank-mix compatibility claim. No chart is published.
6. That it replaces the basal phosphate, or cures iron chlorosis. It is a mid-season phosphate dose, added to the basal bag.

HOW A GROWER VERIFIES A BAG

Every batch is tested, and the batch number on the bag identifies its certificate.

1 · The batch number

Every bag carries the batch number. Read it to the grower and show him where it is printed.

2 · The certificate of analysis

On van.com.pk, a grower can read the certificate of analysis for any bag by entering the batch number printed on it. The grower does not need to post a sample.

3 · The laboratory

VAN Lab is accredited by the Pakistan National Accreditation Council (PNAC) to ISO/IEC 17025:2017, the international standard for testing laboratories, as LAB 336. Every batch is released through the laboratory before it ships. The certificate carries the laboratory's number.

What a certificate for V-Phosphate shows

The certificate gives the tested P_2O_5 and nitrogen for the batch, against the declared 11-44-0, with the batch number, the Pakistan Standard PS 933-2026 and licence CM/L-4297/2026. The registered name on the certificate is V-Phosphate 11-44-0. The bag on sale still reads V. Ammonium Phosphate; older artwork reads V-Ammonium Phosphate 12-44-0. The certificate governs. The grower reads the certificate for his own batch on van.com.pk by its batch number.

The lines a dealer says in Urdu.

The first line is the product's main message. Where its nutrient has one, the line gives VAN's promise word: the 1-word brand message VAN uses for that nutrient. The other 3 lines are key sentences of this deck. Each English line gives the meaning of the Urdu beside it. Send any correction to partner@van.com.pk.

Promise word REACH: "first the root, then everything".

پہلے جڑ، پھر سب کچھ

English meaning · Urdu reviewed 27 Sep 2026

The crop needs phosphorus again in the middle of the season.

فصل درمیانی موسم میں دوبارہ فاسفورس مانگتی ہے

English meaning · Urdu reviewed 27 Sep 2026

Dissolve it fully, 1 to 10 in water, and let it in while the water is flowing.

پورا گھول لیں، 1 حصہ کھاد 10 حصے پانی، اور چلتے پانی کے ساتھ دیں

English meaning · Urdu reviewed 27 Sep 2026

Iron travels to the root with the phosphorus.

آئرن فاسفورس کے ساتھ جڑ تک جاتا ہے

English meaning · Urdu reviewed 27 Sep 2026

TALK TO VAN

Use the address that matches your request.

For growers

kisan@van.com.pk

A crop plan, product rates, a certificate for your batch or a dealer near you.

For the trade

partner@van.com.pk

Dealers, distributors and the trade: stock, training and corrections to this deck.

For everything else

info@van.com.pk

Supply, the laboratory or a plant visit.

Helpline 0300 5003041 · www.van.com.pk

Vital Agri Nutrients (Pvt) Ltd, Lahore, has 1 helpline and 3 addresses. VAN sends no group messages; every grower who writes gets a direct reply.

V-Phosphate: a second phosphate dose in the irrigation water, mostly at early or grand growth, added to the basal bag.

