
DEALER TRAINING · NOVEMBER 2026

V-Potash Plus



A 10 kg bag of water-soluble N 10, K_2O 40 with magnesium, boron and chelated iron, applied in the irrigation water when the crop starts to fill.

VAN wrote this deck for its dealers and field team. A dealer can repeat its words to a grower.

THE 30-SECOND EXPLANATION

What a dealer says to a grower in 30 seconds.

V-Potash Plus is N 10, K_2O 40, fully water soluble, in a 10 kg bag, with magnesium, boron and chelated iron carried with the potash. It is applied in drip or flood irrigation water at the filling stage, when the crop moves sugar into the fruit, the tuber or the grain. Heavy potash at this stage reduces the magnesium and boron the roots take up. Separately, calcareous soil holds iron in a form the roots cannot take up, at any stage. This bag therefore carries magnesium, boron and iron with the potash, and the iron is chelated so that it stays in solution above pH 8. VAN's guava crop plan includes it: 10 kg an acre in September. VAN's dose guidance of 23 July 2026 gives 10 kg an acre on field crops and 5 kg twice on chili, tomato, banana and citrus. V-Potash Plus adds potash at the filling stage; it does not replace the main potash dose, a different product applied at land preparation.


The 4 points it must cover

1. The bag: N 10, K_2O 40, water soluble, 10 kg, PS 933-2026. 4 kg of K_2O and 1 kg of nitrogen in every bag.
2. The mechanism: heavy potash at the filling stage reduces the uptake of magnesium and boron, so this bag carries both, with chelated iron for calcareous soil.
3. The stage and method: the filling stage, by fertigation. Guava takes it in September, at the start of the guava season; other crops follow VAN's dose guidance.
4. The limits: VAN has no yield figure for this product, does not claim that it cures chlorosis, and gives no figure for its magnesium, boron or iron.

Explain the product in simple words a grower uses, and keep to the figures on these slides. Every figure in this 30-second explanation is on the bag, in the published crop plan or in the named evidence on the slides that follow.

THE BAG

What the bag says, and what it is registered as.



10 kg

the bag, the only pack. 4.0 kg of K_2O and 1.0 kg of nitrogen in every bag, from the declared analysis.

K_2O 40%

potash, declared as 10-0-40, water soluble.

N 10%

a small nitrogen share that supports the plant through filling without pushing new leaf growth.

Mg · B

magnesium and boron, listed on van.com.pk as part of the product. The bag gives no figure for either.

Chelated Fe

iron held in a chelate that stays in solution on calcareous soil, as van.com.pk names it.

Fertigation

the only route van.com.pk names: in drip or flood irrigation water at the filling stage. It is not a basal granule or a foliar spray.

Registered as	Pakistan Standard	Manufacturing licence
V-Potash Plus	PS 933-2026	CM/L-2944/2023

If a grower asks about registration, give the licence number. Do not give an expiry date for the licence.

A GROWER'S QUESTION

“When I push potash at fill, the new leaves go yellow and the fruit still sets badly. What is going on?”

The grower fed potash at the right stage. What he sees has 2 causes. The heavy potash reduced the magnesium and boron that the roots took up, and the calcareous soil holds iron in a form the roots cannot take up. The answer has 3 parts: potash at the filling stage, what heavy potash reduces at the root, and why the iron has to be chelated on this soil.

The next 3 slides give the 3 answers, 1 idea on each slide.

ANSWER 1 OF 3

V-Potash Plus is applied in the irrigation water when the crop starts to fill.

The crop uses potash to fill its grain, fruit or tubers: potash moves the sugar the leaf makes into them and thickens the cell wall against heat, drought and disease. V-Potash Plus is K_2O 40 with a small nitrogen share, N 10, fully water soluble, so it is applied in drip or flood irrigation water when the crop has stopped building leaves and started to fill: at the stage each crop plan gives. V-Potash Plus adds potash at the filling stage; it does not replace the main potash dose applied at land preparation.




The drawing shows the guava season as VAN's guava crop plan gives it. Guava takes it in September, at the start of the guava season; the other crops follow VAN's dose guidance of 23 July 2026.

Say it like this: "Put it in the irrigation water when the crop starts to fill. The main potash dose is a different bag, applied at land preparation."

ANSWER 2 OF 3

Heavy potash reduces magnesium and boron uptake, so the bag carries both.

Too much potash at the root reduces the uptake of magnesium and calcium, and also of boron. Magnesium sits at the centre of every chlorophyll molecule: without it the leaf makes no chlorophyll and no sugar. Boron is needed to move sugar to the flower and to set seed and fruit. When bolls, heads or panicles set badly, the crop is often short of boron. When a crop plan raises the potash dose without adding magnesium and boron, the crop often shows magnesium or boron shortage in the same season. V-Potash Plus carries magnesium and boron in the same bag as the potash, so they are applied at the same time as the potash that causes the shortage. The bag gives no figure for them.




The drawing shows 5 functions of potash, magnesium, boron and iron, from VAN's 17-nutrients page. It shows the idea; it is not a measurement.

Say it like this: "Heavy potash at the filling stage can leave the crop short of magnesium and boron. This bag carries both with the potash."

ANSWER 3 OF 3

On calcareous soil the iron has to be chelated, or the soil locks it.

Iron is needed to make chlorophyll and to run the enzymes that move electrons in the leaf. Without iron, the leaf cannot turn light into sugar. Once iron is in a leaf, it does not move to newer leaves, so the youngest leaves go yellow between the veins first while the old leaves stay green. Most Pakistani soils contain plenty of iron, but the roots cannot take it up: above pH 8, lime in the soil and bicarbonate in the irrigation water hold the iron in a form the roots cannot use. In the Punjab soil survey (770,160 samples, tested in about 2016 to 2018), 69.1% of samples had a pH above 8. Plain iron salts drop out of solution on that soil. A chelate holds the iron in solution at high pH long enough for the root to take it up. This is why the iron in this bag is chelated. The chelate is also the main reason for the bag's price.



Say it like this: "Your soil has plenty of iron, but the root cannot take it up. The chelate keeps the iron available long enough to reach the root, and it is the main reason for the price."

Iron does not move within the plant, so the newest leaf shows the shortage first. This is general plant science; VAN has not measured it.

THE EVIDENCE

What is verified for V-Potash Plus, and what is not.

No trial of V-Potash Plus is on VAN's record. A dealer may quote the analysis on the bag, the licence, the soil survey and the published potash research, each only as the right-hand column allows.

Item	What it says	How a dealer may use it
The bag	V-Potash Plus, N 10%, K_2O 40%, water soluble, 10 kg, with magnesium, boron and chelated iron as van.com.pk names them.	As fact. Magnesium, boron and iron are named, with no figure.
The licence	Pakistan Standard PS 933-2026 (Multinutrient Fertilizer); manufacturing licence CM/L-2944/2023.	As fact: quote the number. VAN keeps the licence current.
The Punjab soil survey (770,160 samples, about 2016 to 2018)	69.1% of samples above pH 8; 87.8% below 180 ppm available potassium, the level Punjab soil laboratories treat as adequate; 51.7% below 0.5 ppm available boron. Iron is on VAN's soil report and the Soil Atlas.	As fact about the soil. Never as product performance.
National potash use	In 2024-25, potash was 1% of all the fertiliser nutrients applied in Pakistan (NFDC; also printed on the Crop Force bag). In 2023, Pakistan applied about 1 kg of potash (K_2O) for every 83 kg of nitrogen (FAO).	As fact.
Published research, not VAN trials	Sindh banana (Memon et al. 2010): an improved practice, with far more potash than the farmers' own practice, raised yield. Multan cotton (Hussain, Ali and Gardezi 2021): soil potassium reduced boll shedding.	Spoken, as research on potash. Never as a V-Potash Plus result.
Not on file	A trial; a yield figure; a magnesium, boron or iron figure on the pack; a crop plan row beyond guava; a chlorosis result.	Not said.

Sources: the bag and the product page on van.com.pk; the PSQCA register as van.com.pk prints it; the Crop Force bag; the National Fertilizer Development Centre (NFDC) for the 2024-25 potash share; FAO (2023) for the potash to nitrogen ratio; the Punjab soil survey (36 district workbooks, 770,160 samples, about 2016 to 2018); Memon et al. 2010; Hussain, Ali and Gardezi 2021.

The bag and the guava application, in kilograms and rupees.

The price is the delivered farmer price from the VAN farmer price sheet, Aug 2026; K_2O and nitrogen are from the declared analysis. No figure is given for magnesium, boron or iron.

V-Potash Plus, N 10 · K_2O 40	Weight	K_2O	Nitrogen	Rupees
1 bag	10 kg	4.0 kg	1.0 kg	5,000
Guava, 10 kg an acre in September (the crop plan)	**10 kg**	**4.0 kg**	**1.0 kg**	**5,000**
Chili, tomato, banana, citrus: 5 kg twice (VAN guidance)	**10 kg**	**4.0 kg**	**1.0 kg**	**5,000**

On guava the grower spends Rs 5,000 an acre to put 4 kg of K_2O in the irrigation water in September, with magnesium, boron and chelated iron in the same bag. VAN has no measured figure for the effect on the fruit.

V-Potash Plus 10 kg Rs 5,000: the VAN farmer price sheet, Aug 2026. 4.0 kg = 10 × 0.40; 1.0 kg = 10 × 0.10. Guava: the guava crop plan on van.com.pk, September, 10 kg, fertigation. Other crops: VAN's dose guidance of 23 July 2026.

The 3 potash bags do 3 different jobs.

Bag prices are from the VAN farmer price sheet, Aug 2026. The dealer recommends each bag for the stage and the purpose it is made for, not by the kilograms of potash it contains.


Product	Bag	K_2O in the bag	Stage and method	Rupees
V-Potash Plus, N 10 · K_2O 40 + Mg, B, chelated Fe	10 kg	4.0 kg	At the stages the crop plan gives, by fertigation; guava in September	5,000
Vital Potash, N 11 · K_2O 44 + B in 2 forms	20 kg	8.8 kg	At the stages each crop plan gives, most often grand growth and maturity, by fertigation	10,500
Fusion Potash, K_2O 50 with S, B, Mg	25 kg	12.5 kg	Land preparation, drilled or broadcast	11,500

V-Potash Plus and Vital Potash are both applied in the irrigation water at the filling stage. V-Potash Plus is for calcareous soil where magnesium or iron shortage is the concern. Vital Potash is the product named in 27 of VAN's crop plans. Fusion Potash is the basal bag. Compared on potash alone, V-Potash Plus looks expensive, because the chelated iron is the main reason for its price.

Prices: the VAN farmer price sheet, Aug 2026, V-Potash Plus 10 kg Rs 5,000; Vital Potash 20 kg Rs 10,500; Fusion Potash 25 kg Rs 11,500. K_2O per bag from the declared analyses.

HOW IT IS APPLIED

Dissolve it fully, then put it in the irrigation water at the filling stage.



Weigh it, then dissolve it

Use 10 kg an acre, or 5 kg per application where the guidance splits the dose into 2. Weigh it; a guessed dose is the commonest error in the field. Put it into the drum at the head of the watercourse or the drip tank; stir until it is fully in solution. Undissolved product settles and blocks the tap.

Release with the water flowing

Set the tap so that the drum empties slowly over the whole irrigation, not all at once. The water carries it into the wet root zone across the whole acre.

At the stage the crop plan gives, split where the guidance says

Guava: 10 kg in September, at the start of the guava season, as the guava crop plan gives. VAN's guidance of 23 July 2026: 10 kg once on field crops such as cotton; 5 kg twice on chili, tomato, banana and citrus, because iron chlorosis comes back. Do not apply it at sowing; the main potash dose at sowing is a different bag. VAN publishes no foliar rate for this product.

OBJECTION 1 OF 7

“5,000 for 10 kg? That is 4 kg of potash.”

What the dealer says

Yes, and if you compare it on potash alone it will look expensive. You are also buying 3 other nutrients with the potash. Heavy potash at the filling stage can leave the crop short of magnesium and boron, so the bag carries both. It also carries iron in a chelate that stays available on calcareous soil. Compare it with buying a potash product for filling and a separate chelated iron product, and write next to each what it does. VAN has no measured figure for what it does for your fruit.

The facts behind the answer

- V-Potash Plus 10 kg Rs 5,000 (VAN farmer price sheet, Aug 2026).
- 4.0 kg K_2O and 1.0 kg N per bag, from the declared analysis; Mg, B and Fe are named, with no figure.
- Chelated iron is the costly part of the formulation and the main reason for the price (VAN’s product data).

Never say: “It gives you X more fruit” or a rupees-per-acre return. No yield figure exists for the product.

OBJECTION 2 OF 7

“Vital Potash or V-Potash Plus? Both go on at fill.”

What the dealer says

Both are applied in the irrigation water at the filling stage. Vital Potash is N 11, K_2O 44, with boron in 2 forms. 27 of VAN’s crop plans use it, so it is the filling-stage potash for most crops. V-Potash Plus has a lower potash analysis (K_2O 40 against 44) and comes in a smaller bag (10 kg against 20 kg). It adds magnesium and chelated iron, for crops and soils where the new leaves turn yellow at the filling stage. The guava crop plan names it. For your crop, the crop plan decides; if it names Vital Potash, that is the bag.

The facts behind the answer

- Vital Potash: N 11 · K_2O 44, 20 kg, boron in 2 forms; V-Potash Plus: 10-0-40 + Mg · B · chelated Fe, 10 kg (the product pages on van.com.pk).
- Guava is the only crop plan that names V-Potash Plus; Vital Potash is in 27 crop plans (the crop plans on van.com.pk).
- Both are fertigated at the filling stage; neither is the basal bag.

Never say: “V-Potash Plus is the better potash.” It is a different bag for a different concern.

OBJECTION 3 OF 7

“My new leaves are yellow between the veins. Will this green them?”

What the dealer says

Yellowing between the veins on the youngest leaf on calcareous soil is often iron shortage, and this bag carries chelated iron with the potash for that soil. Put it on at the filling stage as the guidance says, split in 2 on chili, tomato, banana and citrus because the yellowing comes back. I will not promise it greens the leaf by a date: VAN does not claim that it cures chlorosis and gives no number of days, because no trial of this product has measured one. Send VAN a photo of the leaf with your question.

The facts behind the answer

- Iron shortage shows as young leaves yellow between the veins with the veins sharply green; lime and bicarbonate lock iron (VAN’s 17-nutrients page).
- VAN’s guidance splits the dose into 5 kg twice on chili, tomato, banana and citrus, which respond to iron, because iron chlorosis comes back (VAN guidance, 23 July 2026).
- No trial and no figure exist for the product.

Never say: “It cures chlorosis” or “green in 7 days”.

OBJECTION 4 OF 7

“Can I put it on at sowing with my basal potash?”

What the dealer says

No. It is made for the filling stage, when the crop moves sugar into the fruit and needs magnesium and boron most. Put on at sowing, it arrives months before the stage it is made for, and the chelated iron is applied before the roots are there to take it up. The main potash dose at land preparation is Fusion Potash or SOP. This bag goes in the irrigation water at the filling stage.

The facts behind the answer

- The product page gives 1 stage, “Grand growth”, and 1 method, fertigation (van.com.pk).
- Applied at sowing, a product made for the filling stage arrives months too early (VAN guidance, 23 July 2026).
- The basal potash bags are Fusion Potash, at land preparation (the crop plans on van.com.pk), and SOP, a basal bag by VAN’s guidance.

Never say: “Put it on whenever you have water.”

OBJECTION 5 OF 7

“Can I spray it on the leaf, or fly it?”

What the dealer says

The only route van.com.pk names is fertigation: dissolved and put through drip or flood irrigation water. No crop plan names a foliar rate for it, and I will not give you one. V-Potash Plus is not in VAN’s One Tank family, and it is not one of the 6 VAN brands approved for drone spraying in their standard form.

The facts behind the answer

- The product page lists 1 method: fertigation (van.com.pk).
- V-Potash Plus is not in VAN’s One Tank family, and it is not one of the 6 VAN brands approved for drone spraying in their standard form (the application systems page on van.com.pk).
- No foliar rate for it is published anywhere on van.com.pk.

Never say: “Spray it at this rate” or “fly it at this rate”. No foliar or drone rate exists for it.

OBJECTION 6 OF 7

“How many bags, and which crops?”

What the dealer says

Guava: 10 kg an acre in September, at the start of the guava season, in the irrigation water, as the guava crop plan gives. No other crop plan names it yet; VAN’s dose guidance of 23 July 2026 is 10 kg once on field crops such as cotton, and 5 kg twice on chili, tomato, banana and citrus. The bag is always 10 kg. Applying more than the guidance gives the crop more boron than it needs, and boron becomes harmful at a level only a little above what the crop needs.

The facts behind the answer

- Guava: September, 10 kg, fertigation, 10 kg bag (the crop plans on van.com.pk).
- The other crops in the answer: VAN’s dose guidance of 23 July 2026.
- The bag comes in 1 size, 10 kg (the farmer price sheet, Aug 2026).

Never say: “Double it”, or any rate or crop that the guidance does not name.

OBJECTION 7 OF 7

“Is it registered? What is the licence?”

What the dealer says

Yes. V-Potash Plus is registered under Pakistan Standard PS 933-2026 (Multinutrient Fertilizer), and VAN makes it under manufacturing licence CM/L-2944/2023. Every batch is tested at VAN Lab, PNAC LAB 336, before it ships. On van.com.pk, enter the batch number printed on the bag to read the certificate for that batch.

The facts behind the answer

- V-Potash Plus: PS 933-2026, CM/L-2944/2023 (the regulatory table on van.com.pk).
- Every batch is released through VAN Lab, PNAC LAB 336 (the corporate profile).
- A grower can read the certificate of analysis for any batch on van.com.pk by its batch number.

Never say: “This licence is valid until …” The dealer quotes the licence number, CM/L-2944/2023, and VAN keeps the licence current.

ITS PLACE IN THE CROP PLANS

V-Potash Plus in the published crop plans, per acre.

Crop	Stage	Rate per acre	Method	Pack
Guava	September	10 kg	Fertigation	10 kg

The rows are printed as published in the crop plans on van.com.pk. Coverage: Guava is the only published crop plan that names V-Potash Plus. Its 1 row says fertigation and uses the 10 kg bag. Each rate is per acre, and the crop page scales it to the size of the field.

WHAT VAN DOES NOT CLAIM FOR THIS PRODUCT

A dealer who makes any of these claims is speaking for himself, not for VAN.

1. A yield figure, a fruit-set figure or a chlorosis cure. No trial of the product exists.
2. A percentage or ppm for magnesium, boron or iron. They are named, with no figure.
3. That it is the season's potash or a basal fertiliser. It is applied at the filling stage; the main potash dose at land preparation is Fusion Potash or SOP.
4. A foliar or drone rate. Fertigation is the only route van.com.pk names.
5. That the chelate makes iron "work on any soil", or a number of days for greening. That a chelate keeps iron in solution at high pH is general chemistry; VAN has measured nothing for this product.
6. A licence expiry date. The dealer quotes CM/L-2944/2023; VAN keeps the licence current.

HOW A GROWER VERIFIES A BAG

Every batch is tested, and the batch number on the bag identifies its certificate.

1 · The batch number

Every bag carries the batch number. Read it to the grower and show him where it is printed.

2 · The certificate of analysis

On van.com.pk, a grower can read the certificate of analysis for any bag by entering the batch number printed on it. The grower does not need to post a sample.

3 · The laboratory

VAN Lab is accredited by the Pakistan National Accreditation Council (PNAC) to ISO/IEC 17025:2017, the international standard for testing laboratories, as LAB 336. Every batch is released through the laboratory before it ships. The certificate carries the laboratory's number.

What a certificate for V-Potash Plus shows.

The certificate reports the batch's test result for nitrogen and K_2O against the declared 10-0-40. The batch number, Pakistan Standard PS 933-2026 and licence CM/L-2944/2023 are printed on the bag. Magnesium, boron and iron appear on the certificate only if the registered analysis includes them. The grower reads the certificate for his own batch on van.com.pk by its batch number.

THE URDU LINES · REVIEWED 27 SEPTEMBER 2026

The lines a dealer says in Urdu.

The first line is the product's main message. Where its nutrient has one, the line gives VAN's promise word: the 1-word brand message VAN uses for that nutrient. The other 3 lines are key sentences of this deck. Each English line gives the meaning of the Urdu beside it. Send any correction to partner@van.com.pk.

Promise word GUARD: "the crop's shield". *English meaning · Urdu reviewed 27 Sep 2026*	فصل کی ڈھال
If you give heavy potash, the crop takes up less magnesium and boron. *English meaning · Urdu reviewed 27 Sep 2026*	پوٹاش زور سے دیں تو میگنیشیم اور بوران پیچھے رہ جاتے ہیں
This bag carries magnesium, boron and chelated iron with the potash. *English meaning · Urdu reviewed 27 Sep 2026*	اس بوری میں پوٹاش کے ساتھ میگنیشیم، بوران اور چیلیٹڈ آئرن ہے
Give it with the water when the fruit fills. *English meaning · Urdu reviewed 27 Sep 2026*	جب پھل بھرنے لگے تو پانی کے ساتھ دیں

TALK TO VAN

Use the address that matches your request.

For growers

kisan@van.com.pk

A crop plan, product rates, a certificate for your batch or a dealer near you.

For the trade

partner@van.com.pk

Dealers, distributors and the trade: stock, training and corrections to this deck.

For everything else

info@van.com.pk

Supply, the laboratory or a plant visit.

Helpline 0300 5003041 · www.van.com.pk

Vital Agri Nutrients (Pvt) Ltd, Lahore, has 1 helpline and 3 addresses. VAN sends no group messages; every grower who writes gets a direct reply.

V-Potash Plus: potash with magnesium, boron and chelated iron, applied in the irrigation water at the filling stage. The main potash dose at land preparation is a different bag.

