

DEALER TRAINING · NOVEMBER 2026

V-Transform



Granular zinc: a 3 kg bag holding 630 g of zinc, placed once in the soil beside the crop row for the whole season.

VAN wrote this deck for its dealers and field team. A dealer can repeat its words to a grower.



THE 30-SECOND EXPLANATION

What a dealer says to a grower in 30 seconds.

V-Transform is granular zinc, 21% by weight: 630 g of zinc in a 3 kg bag, registered against the Pakistan Standard for zinc sulfate. It goes into the soil, mostly once, at germination. The crop plans side-dress it beside the row on most crops, such as wheat and maize, broadcast it on basmati rice and cotton and place it in the furrow on ratoon sugarcane. Rates run from ¼ bag to 4 bags an acre. Where the grower has a seed drill, it can be drilled at sowing. Zinc is needed to make the plant's growth hormone, and it controls plant height, leaf size and grain set. On calcareous soil above pH 8, zinc is held in forms the roots cannot take up. In the Punjab soil survey (about 2016 to 2018), 59.0% of samples tested below 1.0 ppm zinc. A granule in a band puts the whole bag in the root zone. Keep it clear of the band where phosphate fertiliser is placed.


The 4 points it must cover

1. The bag: 3 kg, zinc 21%, PS 1539-1982. 630 g of zinc in every bag, from the declared analysis.
2. The nutrient: the growth hormone, leaf size, protein and grain set. 59.0% of Punjab soil samples (about 2016 to 2018) tested below 1.0 ppm zinc.
3. The granule: applied once, into the soil, preferably in a band beside the row at germination or drilled at sowing. It is always worked in, never left on the surface.
4. The method order: drill first, side-dress second, broadcast last. Never put it in the phosphate band.

Explain the product in simple words a grower uses, and keep to the figures on these slides. Every figure in this 30-second explanation is on the bag, in the published crop plan or in the named evidence on the slides that follow.

THE BAG

What the bag says, and what it is registered as.



3 kg

the bag, and 1 bag an acre on wheat, maize, canola and chilli. 630 g of zinc in it, from the declared analysis.

Zn 21%

zinc, by weight: 210 g in every kilogram. It is the most concentrated zinc in VAN's range, by the declared analyses.

Granular

sized for spreading and for the seed drill's fertiliser box, as VAN's product data says. It is a soil product; do not dissolve it in a spray or drip tank.

PS 1539

the Pakistan Standard for zinc sulfate, 1982, the standard the bag is registered against.

59.0%

of 770,160 Punjab soil samples (about 2016 to 2018) tested below 1.0 ppm zinc. The mean was 1.25 ppm; samples with a higher pH had less zinc.

20

published crop plans name V-Transform, in 22 rows, 18 of them at germination or establishment.

Registered as	Pakistan Standard	Manufacturing licence
V-Transform	PS 1539-1982 (Zinc Sulfate)	CM/L-3132/2024

If a grower asks about registration, give the licence number. Do not give an expiry date for the licence.

A GROWER'S QUESTION

“Last year I sprayed zinc when the wheat showed it, and the crop still came late and short. Can I put the zinc in before the crop instead of chasing it?”


The grower already knows his soil is short of zinc, because the wheat showed zinc shortage last year. He is asking whether zinc can be in the root zone before the plant’s size is set. The answer has 3 parts: what zinc does early, why a granule in a band works on calcareous soil, and why placement matters so much for zinc on this soil.

The next 3 slides give the 3 answers, 1 idea on each slide.

ANSWER 1 OF 3

Zinc controls growth, and the crop’s size is set early.

The plant needs zinc to make the growth hormone that lengthens the stem and the enzymes that build protein. Zinc controls plant height, leaf size and, in rice and wheat, grain set. These are set in the first weeks, while the crop is building leaf and setting tillers. A crop short of zinc in these weeks produces small, narrow young leaves and short joints, and looks bunched. A spray at flowering comes too late to change the plant’s size, which was set in the first weeks. A crop can stop growing for lack of zinc even in a field with plenty of nitrogen.




The jobs of zinc, from VAN’s 17-nutrients page. The drawing shows the idea; it is not a measurement.

Say it like this: “Zinc sets how tall and how wide the plant will be, in the first weeks. Put it in the soil where the root will find it at the start of those weeks, not after them.”

ANSWER 2 OF 3

A granule in a band puts the whole bag where the root grows.

Calcareous soil above pH 8 fixes zinc as zinc phosphate or holds it on the lime. In the Punjab soil survey (770,160 samples, tested in about 2016 to 2018), 69.1% of samples had a pH above 8. A granule placed in a band beside the row is in contact with only a small amount of soil, and so with only a small amount of lime. The zinc stays concentrated, and the roots grow into the band and take it up. When the same 630 g is spread thinly over the whole surface, it is in contact with the lime of the whole field, and most of it is held in forms the roots cannot use before a root reaches it. That is why this product is a granule and why it must be worked into the soil.



A zinc granule in a band beside the row. The band is a small volume of soil; the lime in it is finite, and the root grows into it.


Say it like this: “In a band, the 630 g of zinc sits in a little soil, right where the root goes. Spread on the surface, the same 630 g meets the lime of the whole field.”

The drawing shows a granule in a band beside the root. This is general soil chemistry; no fixation percentage is shown or claimed.

ANSWER 3 OF 3

Drill first, side-dress second, broadcast last.

The same bag gives a different result depending on where it is placed. When the granule is drilled at sowing, about 5 cm beside and below the seed row, the root meets it first and the whole bag is in the root zone. When it is side-dressed in a band beside the row at germination or at the first irrigation and covered with soil, it is still near the root, but it arrives later and sits shallower than a drilled granule. When it is broadcast on the surface and mixed in, most of it is away from the root. VAN's crop plans specify side dressing for most crops, broadcasting for basmati rice and cotton, and placement in the furrow for ratoon sugarcane. Whatever the plan says, it goes into the soil, and never into the phosphate band.



The 3 methods, in VAN's order for every basal granule. The 7 to 9% observation under the method table (slide 14) is about basal fertiliser in general; it is not a figure for V-Transform.

Say it like this: "The best method is to drill it at sowing, beside and below the seed. The next best is a covered band beside the row at germination. The last choice is to broadcast it and mix it in. Never leave it on top."

THE EVIDENCE

What is verified for V-Transform, and what is not.

No trial of V-Transform is on VAN's record. A dealer may quote the analysis on the bag, the standard, the crop plan rows, the soil survey and VAN's method order, each only as the right-hand column allows.

Item	What it says	How a dealer may use it
The bag	V-Transform, zinc 21% w/w, 210 g per kg, granular, 3 kg. 630 g of zinc in a bag.	As fact. Grams from the declared analysis.
The standard and licence	Pakistan Standard PS 1539-1982, the standard for zinc sulfate; manufacturing licence CM/L-3132/2024, as the master record holds it.	As fact: quote the number. The standard names the salt, zinc sulfate; say nothing more about its form.
The crop plan rows	22 rows in 20 crop plans. 18 rows are at germination or establishment; the others are soybean at early growth; onion at early growth, with the first nitrogen; and banana at grand growth. Per acre: ¼ bag on soybean; 1 bag on wheat, maize, canola, chilli, onion and strawberry; 2 bags on cotton, sunflower, potato, tomato, watermelon, turmeric and citrus; 3 bags on basmati rice, hybrid rice, sugarcane and ratoon sugarcane; 2 + 1 bags on banana (1st year); 2 + 2 bags on banana (2nd year).	As the published rate, word for word.
The Punjab soil survey (770,160 samples, about 2016 to 2018)	59.0% of samples below 1.0 ppm zinc; mean 1.25 ppm; less zinc at higher pH and above 3% calcium carbonate. 69.1% above pH 8.	As fact about the soil. Never as product performance.
The method observation (VAN fields)	Basal fertiliser drilled at sowing has given 7 to 9% more yield per acre than the same bag broadcast, on wheat, maize and sugarcane: the mean of replicated observations across regions, not a published trial.	Exactly as written, about basal fertiliser in general. Never as a V-Transform figure.
Not on file	A V-Transform trial; a yield or grain-zinc figure; the 64% and 57% soil figures and the zinc findings of the National Nutrition Survey printed in earlier VAN material; a fixation percentage; a fertigation rate for a granule.	Not said until VAN names a source.

Sources: the bag; VAN's published crop plans on van.com.pk; the farmer price sheet, Aug 2026; the master record of the Pakistan Standards and Quality Control Authority (PSQCA); the Punjab soil survey, 770,160 samples tested in about 2016 to 2018; VAN's 17-nutrients page; VAN's field observations on application method; VAN's own product data.

The bag in grams and rupees, and the wheat application.

The price is the delivered farmer price from the VAN farmer price sheet, Aug 2026; zinc is from the declared analysis, 21% by weight. The wheat crop plan gives 1 bag at germination, side-dressed.

V-Transform, zinc 21% w/w	Weight	Zinc	Rupees	Which rows
1 bag	3 kg	630 g	1,975	wheat, maize, canola, chilli, onion and strawberry
2 bags	6 kg	1.26 kg	3,950	cotton, sunflower, potato, tomato, watermelon, turmeric and citrus
3 bags	9 kg	1.89 kg	5,925	basmati rice, hybrid rice, sugarcane and ratoon sugarcane
Wheat, 1 bag an acre at germination	**3 kg**	**630 g**	**1,975**	**side-dressed, or drilled at sowing**

On wheat the grower spends Rs 1,975 an acre to put 630 g of zinc into the soil beside the row, once, before the plant's size is set. The 3 kg bag holds all the soil zinc that the wheat crop plan gives an acre for the season. VAN has no measured figure for the crop's response to this product.

V-Transform 3 kg Rs 1,975: the farmer price sheet, Aug 2026. 630 g = 3,000 g × 0.21; 210 g per kg from the declared analysis. Rates: the crop plans on van.com.pk.

What the crop plans put in the soil, per acre: cereals and cane.

Bags per acre are from the published crop plans, zinc from the declared analysis and rupees from the VAN farmer price sheet, Aug 2026.

Crop	V-Transform per acre	Zinc put in	Rupees per acre	Stage and method, as printed
Wheat	1 bag of 3 kg	630 g	1,975	Germination, side dressing
Maize (Corn)	1 bag of 3 kg	630 g	1,975	Germination, side dressing/placement
Basmati Rice	3 bags of 3 kg	1.89 kg	5,925	Establishment, broadcasting
Hybrid Rice	3 bags of 3 kg	1.89 kg	5,925	Germination, side dressing
Cotton	2 bags of 3 kg	1.26 kg	3,950	Germination, broadcasting
Sugarcane, February planting	3 bags of 3 kg	1.89 kg	5,925	Germination, side dressing
Ratoon Sugarcane	3 bags of 3 kg	1.89 kg	5,925	Germination, placement

For these crops, the rows in this table give all the zinc the crop plan puts in the soil: 1, 2 or 3 bags of 3 kg an acre, applied once. Basmati rice, hybrid rice, sugarcane and ratoon sugarcane take the most, 3 bags an acre; on rice, flooded calcareous soil locks zinc most strongly.

VAN's published crop plans on van.com.pk; 3 kg bag at Rs 1,975, farmer price sheet, Aug 2026. Rupees = bags × 1,975. The method column is as the crop plan gives it.

What the crop plans put in the soil, per acre: oilseeds and vegetables.

Bags per acre are from the published crop plans, zinc from the declared analysis and rupees from the VAN farmer price sheet, Aug 2026.

Crop	V-Transform per acre	Zinc put in	Rupees per acre	Stage and method, as printed
Canola	1 bag of 3 kg	630 g	1,975	Germination, side dressing/broadcasting
Soybean	¼ bag of 3 kg	158 g	494	Early Growth, side dressing
Sunflower	2 bags of 3 kg	1.26 kg	3,950	Germination, side dressing/broadcasting
Potato	2 bags of 3 kg	1.26 kg	3,950	Germination, side dressing
Tomato	2 bags of 3 kg	1.26 kg	3,950	Germination, side dressing
Chili	1 bag of 3 kg	630 g	1,975	Germination, side dressing
Onion	1 bag of 3 kg	630 g	1,975	Early Growth (20 DAT), with the first nitrogen application

On onion it goes on with the first nitrogen. On the others the crop plan side-dresses it beside the row; where a row also gives broadcasting (canola and sunflower), use a band rather than broadcasting. DAT means days after transplanting.

VAN's published crop plans on van.com.pk; 3 kg bag at Rs 1,975, farmer price sheet, Aug 2026. Rupees = bags × 1,975.

What the crop plans put in the soil, per acre: spices, fruit and orchards.

Bags per acre are from the published crop plans, zinc from the declared analysis and rupees from the VAN farmer price sheet, Aug 2026.


Crop	V-Transform per acre	Zinc put in	Rupees per acre	Stage and method, as printed
Watermelon	2 bags of 3 kg	1.26 kg	3,950	Germination, side dressing
Turmeric	2 bags of 3 kg	1.26 kg	3,950	Germination, side dressing
Banana, 1st year	2 + 1 bags of 3 kg	1.89 kg	5,925	Germination, then Grand Growth, side dressing
Banana, 2nd year	2 + 2 bags of 3 kg	2.52 kg	7,900	Germination, then Grand Growth, side dressing
Citrus, 5 years and over	2 bags of 3 kg	1.26 kg	3,950	Germination, side dressing
Strawberry	1 bag of 3 kg	630 g	1,975	Germination, side dressing

The crop plan places the granule in a covered band beside the crop row; banana (1st year) and banana (2nd year) take a second application at grand growth. VAN's liquid zinc, V-Zinc, is used on other crops, in the irrigation water or as a spray; no crop plan uses both products.

VAN's published crop plans on van.com.pk; 3 kg bag at Rs 1,975, farmer price sheet, Aug 2026. Rupees = bags × 1,975.

HOW IT IS APPLIED

Put it into the soil once: drill first, side-dress second, broadcast last. Never put it in the phosphate band.



1. Drill at sowing, best

Where the grower has a seed drill, the fertiliser box places the granule about 5 cm beside and below the seed row, never touching the seed. The root meets it first and the whole bag is in the root zone. The granule is sized for the drill box, as VAN's product data says.

2. Side-dress at germination, second

A band beside the row at germination or the first irrigation, covered with soil. 16 crop plans use it, among them wheat, maize, hybrid rice and sugarcane; the ratoon sugarcane plan places it in the furrow, the same kind of band. On onion it goes on with the first nitrogen dose. Always cover it: material left on the surface is not where the roots are.

3. Broadcast, last, and only mixed in

The basmati rice and cotton crop plans use broadcasting. Spread it evenly before an irrigation or the last cultivation, and work it into the soil. A strip that is missed gets no zinc, and the loss shows at harvest, not on the day. Never broadcast onto an untilled calcareous surface and leave it. Never put it in the same band as the phosphate: zinc phosphate does not dissolve, and both are lost.

Drill first, side-dress second, broadcast last.

VAN gives this order (drill, then side-dress, then broadcast) for every basal granule it sells. For a zinc granule on calcareous soil, where the granule is placed has a large effect on how much zinc the crop gets.

Preference	Method	What it means	Why
1 · best	Drill at sowing	The seed drill's fertiliser box places the granule about 5 cm beside and below the seed row, never touching the seed.	The root reaches a drilled granule sooner than a side-dressed or broadcast one. The granule has the least contact with air, sun and free calcium at the surface, and all of the fertiliser is placed in the root zone.
2 · second best	Side-dress	The granules are placed in a band beside the row, by hand or with a planter, at sowing or at the first irrigation, and covered with soil.	The band is still near the root, but it goes on later and shallower than a drilled granule.
3 · last option	Broadcast	The granules are spread on the surface before the last ploughing or before an irrigation, and mixed in.	Most of the fertiliser lies away from the root, and most of it stays near the surface, in contact with air, sun and free calcium.

In VAN's own fields and partner fields, on wheat, maize and sugarcane, basal fertiliser drilled at sowing has given 7 to 9% more yield per acre than the same bag broadcast: the mean of replicated observations across regions, not a published trial.

In the crop plans, V-Transform is side-dressed at germination on most crops, and broadcast or placed where the row says so. Where the grower has a seed drill, VAN prefers drilling at sowing.

OBJECTION 1 OF 8

“1,975 for 3 kg? Zinc sulfate powder is cheaper by the kilo.”

What the dealer says

Write down the price you pay for the powder and the price of this bag; VAN gives no powder price. Then write down what this bag gives you: 630 g of zinc in a granule sized for the seed drill and for banding. The whole bag goes into a small amount of soil beside the row, where the roots grow into it. On wheat it is 1 bag an acre, once, for Rs 1,975. A powder spread on the surface of calcareous soil meets the lime of the whole field. You are paying for the zinc and for a granule made to be placed beside the root. VAN has no measured figure for the crop’s response to it.

The facts behind the answer

- V-Transform 3 kg is Rs 1,975; 1 bag on wheat and maize (farmer price sheet, Aug 2026; the crop plans on van.com.pk).
- 630 g of zinc per bag: 3,000 g × 0.21 (the declared analysis on the bag).
- VAN’s method order for every basal granule: drill first, side-dress second, broadcast last.
- 69.1% of Punjab samples were above pH 8; the soil is calcareous (the Punjab soil survey, about 2016 to 2018).

Never say: “It gives you X more maunds”, a rupees-per-acre return, or a cost per gram of zinc against the powder. No yield figure exists for this product.

OBJECTION 2 OF 8

“I already spray zinc. Why put it in the soil as well?”

What the dealer says

A spray corrects a shortage after it shows; the granule is in the soil before the plant needs it. Zinc sets the plant’s height and leaf size in the first weeks, and a spray goes on when the sign shows, which is after those weeks. For this reason, 20 of VAN’s crop plans put V-Transform in the soil, mostly at germination. On other crops they use the liquid zinc, V-Zinc, in the irrigation water or as a spray. Follow the plan for your crop. If you know your soil is short of zinc, follow the crop plan: it puts zinc in the root zone before the crop needs it.

The facts behind the answer

- V-Transform is in 20 crop plans; V-Zinc, the liquid, in 4 others (the crop plans on van.com.pk).
- Zinc controls plant height, leaf size and, in rice and wheat, grain set (VAN’s 17-nutrients page).
- A zinc-short crop shows small young leaves and short joints; the size is set in the first weeks (VAN’s 17-nutrients page).

Never say: “The granule replaces every spray for the season” or a percentage either way.

OBJECTION 3 OF 8

“Can I broadcast it with my urea at the first water?”

What the dealer says

Only where your crop plan says broadcast: the basmati rice and cotton plans broadcast it, spread before an irrigation and worked into the soil. On every other crop the crop plan places it in a covered band beside the crop row, and the best method of all is to drill it at sowing, beside and below the seed. It must never be left on top of untilled calcareous soil: the lime locks it before the root arrives. Whatever it is applied with, keep it out of the phosphate band.

The facts behind the answer

- Broadcasting on basmati rice and cotton; side dressing or placement on most other rows (the crop plans on van.com.pk).
- Broadcast is the last of VAN’s 3 methods, and only mixed in (VAN’s method order for basal granules).
- Granular zinc left on the surface of untilled calcareous soil is mostly held in forms the roots cannot use before a root reaches it (general soil chemistry, as stated in VAN’s product guidance).
- Zinc phosphate does not dissolve: keep the zinc band clear of the phosphate band (textbook chemistry).

Never say: “Throw it on top; the water takes it down.”

OBJECTION 4 OF 8

“Can I put it in the drip or dissolve it in the drum?”

What the dealer says

No. This is a granule made for the soil. The liquid zinc, V-Zinc 10%, is the product the crop plans put in the irrigation water, and its rate is written in litres. Side-dress this one or drill it, as the crop plan says; if the plan for your crop seems to say otherwise, ask VAN before you dissolve a bag.

The facts behind the answer

- V-Transform is granular, for soil placement, sized for the spreader and the seed drill (VAN’s product data).
- V-Zinc 10% is VAN’s liquid zinc: spray on 3 rows and fertigation on 1, in 4 crop plans (the crop plans on van.com.pk).
- Every V-Transform row gives a soil method: side dressing, placement or broadcasting (the crop plans on van.com.pk).

Never say: “Dissolve it in the drip.” VAN publishes no fertigation rate for V-Transform.

OBJECTION 5 OF 8

“Will it burn the seed if I drill it?”

What the dealer says

Drilled the way VAN says, no: the fertiliser box puts it about 5 cm beside and below the seed row, never touching the seed. That distance from the seed is part of the method. A concentrated granule of any salt should not touch the seed, so setting the drill correctly matters more than which product is in the box.

The facts behind the answer

- Drill at sowing: about 5 cm beside and below the seed row, never touching the seed (VAN’s method order for basal granules).
- The granule is sized for placement with the seed drill (VAN’s product data).
- A concentrated salt granule against a seed can harm it; the distance from the seed is the safeguard (general agronomy).

Never say: “Mix it with the seed in the box.”

OBJECTION 6 OF 8

“Which stage, and how many bags?”

What the dealer says

Mostly at germination, once, side-dressed beside the row and covered, or drilled at sowing where you can. Per acre: ¼ bag on soybean; 1 bag on wheat, maize, canola, chilli, onion and strawberry; 2 bags on cotton, sunflower, potato, tomato, watermelon, turmeric and citrus; 3 bags on basmati rice, hybrid rice, sugarcane and ratoon sugarcane; 2 + 1 bags on banana (1st year); 2 + 2 bags on banana (2nd year). The rows at other stages: soybean at early growth; onion at early growth, with the first nitrogen; banana at grand growth. Do not apply it later than the crop plan says: zinc given at flowering reaches a plant whose size is already set.

The facts behind the answer

- 20 crop plans name V-Transform, in 22 rows, 18 of them at germination or establishment (the crop plans on van.com.pk).
- The rates per acre in the answer are the rows of the same plans.
- VAN names germination and early growth as the stages for V-Transform (the V-Transform page on van.com.pk).

Never say: “More bags, more yield”, or a rate for a crop with no row.

OBJECTION 7 OF 8

“Is it registered? What is the licence?”

What the dealer says

Yes. V-Transform is registered under Pakistan Standard PS 1539-1982, the standard for zinc sulfate, and VAN makes it under manufacturing licence CM/L-3132/2024. Every batch is tested at VAN Lab, PNAC LAB 336, before it ships. On van.com.pk, enter the batch number printed on the bag to read the certificate for that batch.

The facts behind the answer

- V-Transform: PS 1539-1982 (zinc sulfate), manufacturing licence CM/L-3132/2024 (the regulatory table on van.com.pk, from the PSQCA master record).
- The licence number is printed on the bag, and a dealer quotes that number.
- Every batch is released through VAN Lab, PNAC LAB 336, ISO/IEC 17025:2017 (VAN’s quality page).

Never say: “This licence is valid until …”, or any name for the zinc salt other than the zinc sulfate that the standard names.

OBJECTION 8 OF 8

“My crop is standing and short. Will a bag now fix it?”

What the dealer says

No, not for this crop. V-Transform goes into the soil at germination, so that the zinc is there while the plant’s size is being set. For a crop already standing and short, a spray reaches the leaf faster; where your crop has a V-Zinc spray row, use it. Plan the granule for the next sowing. VAN gives no recovery figure and no number of days for either.

The facts behind the answer

- V-Transform: germination and early growth, into the soil (the V-Transform page on van.com.pk).
- V-Zinc spray rows exist on chickpea, lentil and mungbean at early growth (the crop plans on van.com.pk).
- Plant height and leaf size are set early, and zinc is needed for that growth (VAN’s 17-nutrients page).

Never say: “It greens up in a week” or “it recovers the yield”.

V-Transform in the published crop plans, per acre.

Crop	Stage	Rate per acre	Method	Pack
Wheat	Germination	1 bag	Side dressing	3 kg
Maize (Corn)	Germination	1 bag	Side dressing/Placement	3 kg
Basmati Rice	Establishment	3 bags	Broadcasting	3 kg
Hybrid Rice	Germination	3 bags	Side dressing	3 kg
Cotton	Germination	2 bags	Broadcasting	3 kg
Sugarcane, February planting	Germination	3 bags	Side dressing	3 kg
Ratoon Sugarcane	Germination	3 bags	Placement	3 kg
Canola	Germination	1 bag	Side dressing/Broadcasting	3 kg

The rows are printed as published in the crop plans on van.com.pk. Coverage: these are all 22 rows in the 20 crop plans that name V-Transform. Of these 22 rows, 15 say side-dressing, 2 say broadcasting, 2 say side-dressing or broadcasting and 3 give other methods. Every row uses the 3 kg bag. DAT is days after transplanting. Each rate is per acre, and the crop page scales it to the size of the field.

V-Transform in the published crop plans, continued.

Crop	Stage	Rate per acre	Method	Pack
Soybean	Early Growth	¼ bag	Side dressing	3 kg
Sunflower	Germination	2 bags	Side dressing/Broadcasting	3 kg
Potato	Germination	2 bags	Side dressing	3 kg
Tomato	Germination	2 bags	Side dressing	3 kg
Chili	Germination	1 bag	Side dressing	3 kg
Watermelon	Germination	2 bags	Side dressing	3 kg
Turmeric	Germination	2 bags	Side dressing	3 kg
Onion	Early Growth (20 DAT)	1 bag	With the first nitrogen application	3 kg

The rows continue from the previous slide. Each rate is per acre, and the crop page scales it to the size of the field.

V-Transform in the published crop plans, continued.

Crop	Stage	Rate per acre	Method	Pack
Banana, 1st year	Germination	2 bags	Side dressing	3 kg
Banana, 1st year	Grand Growth	1 bag	Side dressing	3 kg
Banana, 2nd year	Germination	2 bags	Side dressing	3 kg
Banana, 2nd year	Grand Growth	2 bags	Side dressing	3 kg
Citrus, 5 years and over	Germination	2 bags	Side dressing	3 kg
Strawberry	Germination	1 bag	Side dressing	3 kg

The rows continue from the previous slide. Each rate is per acre, and the crop page scales it to the size of the field.

WHAT VAN DOES NOT CLAIM FOR THIS PRODUCT

A dealer who makes any of these claims is speaking for himself, not for VAN.

1. A yield figure, a grain-zinc figure or a human-nutrition claim. No trial of V-Transform exists. The published wheat responses to zinc and the zinc findings of the National Nutrition Survey were measured by others, not by VAN, and are not about this product.

2. That 64% of Pakistan's soils, or 57% of Punjab's, are zinc-deficient: VAN has not named a source for either. The figure a dealer may give is from the Punjab soil survey: 59.0% of samples below 1.0 ppm zinc.

3. A percentage of zinc fixed or saved, or a soil-test change. The band argument is soil chemistry; nothing is measured for this product.

4. The 7 to 9% method observation as a V-Transform figure. It is about basal fertiliser in general, from VAN's own fields, not a published trial, and is printed exactly as VAN words it.

5. A fertigation rate. It is a granule for the soil; the liquid zinc is a different product.

6. That it greens a standing crop in X days, or that 1 bag is the season's whole zinc on every crop. The crop plan row gives the number of bags for each crop.

HOW A GROWER VERIFIES A BAG

Every batch is tested, and the batch number on the bag identifies its certificate.

1 · The batch number

Every bag carries the batch number. Read it to the grower and show him where it is printed.

2 · The certificate of analysis

On van.com.pk, a grower can read the certificate of analysis for any bag by entering the batch number printed on it. The grower does not need to post a sample.

3 · The laboratory

VAN Lab is accredited by the Pakistan National Accreditation Council (PNAC) to ISO/IEC 17025:2017, the international standard for testing laboratories, as LAB 336. Every batch is released through the laboratory before it ships. The certificate carries the laboratory's number.

What a certificate for V-Transform shows.

The certificate gives the declared analysis tested for the batch: zinc against 21% by weight. The batch number, the Pakistan Standard PS 1539-1982 and licence CM/L-3132/2024 are on the bag. The grower reads the certificate for his own batch on van.com.pk by its batch number.

THE URDU LINES · REVIEW STATUS UNDER EACH LINE

The lines a dealer says in Urdu.

The first line is the product's main message. Where its nutrient has one, the line gives VAN's promise word: the 1-word brand message VAN uses for that nutrient. The other 3 lines are key sentences of this deck. Each English line gives the meaning of the Urdu beside it. Send any correction to partner@van.com.pk.

Zinc is needed for the crop's height and leaf size. *English meaning · Urdu line pending review*	زنک فصل کے قد اور پتے کے پھیلاؤ کے لیے ضروری ہے
Put the zinc in the soil beside the row, before the plant's size is set. *English meaning · Urdu reviewed 27 Sep 2026*	زنک قطار کے ساتھ زمین میں دیں، پودے کے قد طے کرنے سے پہلے
Drill first, side-dress in a band second, broadcast last. Never leave it on top. *English meaning · Urdu reviewed 27 Sep 2026*	پہلے ڈرل، پھر قطار کے ساتھ پٹی، آخر میں چھٹہ۔ اوپر کبھی نہ چھوڑیں
Keep it away from the phosphate band. *English meaning · Urdu reviewed 27 Sep 2026*	فاسفیٹ کی پٹی سے دور رکھیں

TALK TO VAN

Use the address that matches your request.

For growers

kisan@van.com.pk

A crop plan, product rates, a certificate for your batch or a dealer near you.

For the trade

partner@van.com.pk

Dealers, distributors and the trade: stock, training and corrections to this deck.

For everything else

info@van.com.pk

Supply, the laboratory or a plant visit.

Helpline 0300 5003041 · www.van.com.pk

Vital Agri Nutrients (Pvt) Ltd, Lahore, has 1 helpline and 3 addresses. VAN sends no group messages; every grower who writes gets a direct reply.

V-Transform: 630 g of zinc in a 3 kg bag, into the soil beside the row, once. Drill first, side-dress second, broadcast last.

