
DEALER TRAINING · NOVEMBER 2026

VL-Boron



Boron 5% w/v, 50 g in a litre, sprayed on the leaf or put in the irrigation water before flowering, at the plan’s rate.

VAN wrote this deck for its dealers and field team. A dealer can repeat its words to a grower.

THE 30-SECOND EXPLANATION

What a dealer says to a grower in 30 seconds.

VL-Boron is boron in a bottle: 5% weight per volume, 50 g in every litre, fully soluble, for spraying on the leaf or running in the irrigation water. Boron builds the cell wall with calcium and moves sugar to the flower. Without enough boron, the pollen fails, and the boll, head, panicle or fruit does not set. In most crops, boron cannot move from older leaves to new growth, so the flower must get it while it forms. 51.7% of Punjab soil survey samples (about 2016 to 2018) were below 0.5 ppm boron. The crop plans put 1 litre an acre on at early growth on wheat, sugarcane and canola, and at grand growth on cotton, maize and potato. A spray in the weeks before flowering reaches the flower buds as they form. Boron has the narrowest margin of any nutrient between enough and too much, so use exactly the plan's rate. Measure it; never round it up.


The 4 points it must cover

1. The bottle: 1 L, B 5% w/v, PS 5469-2020. 50 g of boron in every litre. A 20 L pack is also sold.
2. The nutrient: boron builds the cell wall with calcium, moves sugar to the flower and is needed for pollen and fruit set. 51.7% of Punjab samples were below 0.5 ppm.
3. The stage: before flowering, as the plan's row says. Boron does not move from old leaves to the flower, so a late application does not reach the flower.
4. The rate: exactly the plan's. With boron, the margin between enough and too much is narrow.

Explain the product in simple words a grower uses, and keep to the figures on these slides. Every figure in this 30-second explanation is on the bottle or pack, in the published crop plan or in the named evidence on the slides that follow.

THE BOTTLE OR PACK

What the bottle says, and what it is registered as.



1 L

the bottle. It holds 50 g of boron by the declared analysis. Most crop plan rows use 1 litre an acre; 4 use less. A 20 L pack is on the price sheet.

B 5%

boron, w/v: 5 g in every 100 ml. The crop plan rows print it as "Boron 5%".

Grams

A crop needs boron in grams per acre, and the difference between too little and too much is also a few grams.

2 routes

foliar spray and fertigation, as VAN's product data names them. The crop plan row for each crop gives the method.

51.7%

of 770,160 Punjab soil survey samples (about 2016 to 2018) were below 0.5 ppm boron; mean 0.59 ppm.

24

of the 28 published crop plans name VL-Boron, in 27 rows.

Registered as	Pakistan Standard	Manufacturing licence
VL-Boron	PS 5469-2020	CM/L-3159/2024

If a grower asks about registration, give the licence number. Do not give an expiry date for the licence.

A GROWER'S QUESTION

“The cotton grew tall and green and then the squares dropped. The sunflower heads came half empty. The plant looked perfect. What went wrong at flowering?”


The grower did nothing wrong that he could see. The crop grew well with nitrogen, phosphorus and potash, but the flowers then failed to set fruit, and those 3 nutrients do not do that work. The answer has 3 parts: what boron does at the flower, why it has to be in the plant before the flower opens, and why the plan’s rate must not be exceeded.

The next 3 slides give the 3 answers, 1 idea on each slide.

ANSWER 1 OF 3

Without enough boron, the flower does not set.

Boron links the cell wall together with calcium, and moves sugar to the flower. Pollen grains, and the tubes they grow, fail without it. So a crop short of boron can look healthy in leaf and still drop its squares, or set a half-empty head, a sterile panicle or a cracked fruit. Growing points die back first, because they are the newest tissue and boron reaches them last. When a cotton boll, a sunflower head or a rice panicle sets badly, a shortage of boron is often the cause.




The 5 jobs of boron, from VAN's 17-nutrients page. The drawing illustrates the idea; it is not a measurement.

Say it like this: "Nitrogen grew the plant, but the flower needs boron to set. Your crop was probably short of boron at flowering, the stage that sets the yield."

ANSWER 2 OF 3

Boron does not move from old leaves to the flower, so it must be applied before flowering.

In most crops the plant cannot move boron from an old leaf to a flower. Boron moves up with the water the plant takes up and stays where it arrives. So the flower has to receive its boron while it is forming, from the soil water or from a spray. A spray in the weeks before flowering reaches the flower buds as they form. The crop plans put VL-Boron at early growth on wheat, sugarcane, canola and the pulses, and at grand growth on cotton, maize, potato and sunflower: before the crop sets, as each crop's row in the plan says. A spray after fruit set arrives too late to help.




Say it like this: "Put it on before flowering, not after. Once the flower has opened without boron, no spray can correct it."

An immobile nutrient: boron held in the old leaves never reaches the flower. This is general plant physiology.

ANSWER 3 OF 3

A crop needs only grams of boron an acre, so apply exactly the plan’s rate.

A crop needs boron in grams per acre, and too much is only a few grams more than enough. Too little harms the flower; too much scorches the leaf edges and harms the plant. For this reason, VAN sells boron as a liquid, 50 g in a litre, that can be measured to the gram, and the crop plan rows give exact amounts, some below a litre: ¼ litre on chickpea and 200 ml in 200 L of water on citrus, against 1 litre on cotton. It is also why VAN coats boron onto its potash granules rather than relying only on a separate loose dose. Do not round the plan’s figure up.



Sprayed onto the leaf. Small doses, taken up through the leaf surface, for a nutrient the crop needs quickly or that the soil locks up. Spray early morning or late afternoon; never on a wilted crop.

The leaf taking up the droplet. The rate comes from the plan; no general rate is given.

Say it like this: “There is 50 g of boron in the litre. Measure the plan’s amount and stop: more than that harms the crop.”

THE EVIDENCE

What is verified for VL-Boron, and what is not.

No trial of VL-Boron is on VAN's record. A dealer may state the following as facts, and should say where each comes from: what the bottle declares, the licence, the crop plan rows and the Punjab soil survey.

Item	What it says	How a dealer may use it
The bottle	VL-Boron, boron 5% w/v, 50 g per litre, liquid, fully soluble, 1 L. A 20 L pack on the price sheet.	As fact. Grams per litre from the declared analysis.
The licence	Pakistan Standard PS 5469-2020 for liquid nutrient supplements; manufacturing licence CM/L-3159/2024, as the master record holds it.	As fact. The number, never an expiry date.
The crop plan rows	27 rows on 24 crop plans: 1 litre on most; ¼ litre on chickpea, 300 ml on sesame, 200 ml on soybean, 200 ml per 200 L of water on citrus; on banana, 2 litres at each of 2 stages in year 1 (4 litres in all) and 2 + 1 litres in year 2; guava 1 litre, at 500 ml per 100 L of water. Fertigation on 15 rows, spray on 10, and either method on the cotton and maize rows.	As the published rate, exactly as printed, including the fractions.
The Punjab soil survey (770,160 samples, about 2016 to 2018)	51.7% of samples below 0.5 ppm boron; mean 0.59 ppm. 69.1% above pH 8.	As fact about the soil. Never as product performance.
Boron on the potash granule	VAN coats boron onto Vital Potash in 2 forms: sodium borate, which acts fast, and calcium borate, which releases slowly. Boron-coated potash has been a VAN product line since 2014. The boron on Vital Potash is named without a figure. Fusion Potash declares boron 1%, 250 g in a 25 kg bag.	As the reason VL-Boron and the coated potash do 2 different jobs: the granule supplies boron over the season, and the bottle supplies it at a stage.
Not on VAN's record	A VL-Boron trial; a yield or value-to-cost figure; the claims that 40 to 78% of field-crop area, or 50% of Punjab soils, is boron-deficient, and that Pakistan uses 92 t against a need of 2,245 t; the crop-response percentages in earlier VAN material (published research, not VAN's); tissue ppm thresholds; a drone rate; the 19.5% solid boron product.	Not said.

Sources: the bottle; VAN's published crop plans on van.com.pk; the farmer price sheet, Aug 2026; the master record of the Pakistan Standards and Quality Control Authority (PSQCA); the Punjab soil survey, 770,160 samples, tested in about 2016 to 2018; VAN's 17-nutrients page and its Vital Potash page; VAN's own product data.

1 bottle of VL-Boron holds 50 g of boron for Rs 1,490; ¼ bottle on chickpea holds 12.5 g.

Prices are the delivered farmer price from the VAN farmer price sheet, Aug 2026. Grams are from the declared analysis, w/v: 5% is 50 g in a litre.

VL-Boron, B 5% w/v	Volume	Boron	Rupees	Which rows
1 bottle	1 L	50 g	1,490	wheat, cotton, maize, potato, sugarcane, guava and most rows
¼ bottle	250 ml	12.5 g	373	chickpea, spray at early growth
200 ml dose	200 ml	10 g	298	citrus (per 200 L of water) and soybean (1/5 pack)
1 pack	20 L	1.0 kg	22,000	1,100 a litre; 20 acres at the 1 L rows

A bottle holds 50 g of boron for Rs 1,490, enough for 1 acre on most rows. The fractions are the correct rate for those crops, not a way to save money. A grower who rounds ¼ bottle up to a whole bottle on chickpea puts on 4 times the crop plan rate of 12.5 g of boron an acre.

VL-Boron 1 L Rs 1,490 and 20 L Rs 22,000: the farmer price sheet, Aug 2026. 50 g = 1,000 ml × 0.05; 12.5 g = 250 × 0.05; 10 g = 200 × 0.05. Fractions as the crop plans on van.com.pk print them.

VL-Boron per acre in the crop plans: the field crops.

Litres per acre are from the published crop plans; rupees per acre are calculated from the delivered price of the 1 L bottle in the VAN farmer price sheet, Aug 2026.

Crop	Stage and method, as printed	Litres	Boron	Rupees per acre
Wheat	Early growth, fertigation	1	50 g	1,490
Cotton	Grand growth, spray or fertigation	1	50 g	1,490
Maize	Grand growth, foliar or fertigation	1	50 g	1,490
Sugarcane	Early growth, fertigation	1	50 g	1,490
Sugarcane ratoon	Grand growth, fertigation	1	50 g	1,490
Hybrid rice	Maturity, fertigation	1	50 g	1,490
Canola	Early growth, fertigation	1	50 g	1,490

On wheat, the grower spends Rs 1,490 per acre to put 50 g of boron in the irrigation water at early growth, in the weeks before the head forms. On cotton the same litre goes on at grand growth, before the squares form. Each crop gets 1 application. VAN publishes no yield or crop-response figure for VL-Boron.

VAN's published crop plans on van.com.pk, rows as printed. Rupees = litres × 1,490, farmer price sheet, Aug 2026.

VL-Boron per acre in the crop plans: vegetables, pulses, oilseeds and orchards.

Litres per acre are from the published crop plans; rupees per acre are calculated from the delivered price of the 1 L bottle in the VAN farmer price sheet, Aug 2026. In all the crop plans, 4 rows give less than a bottle; 2 are on this slide.


Crop	Stage and method, as printed	Litres	Boron	Rupees per acre
Potato	Grand growth, fertigation	1	50 g	1,490
Tomato	Early growth, spray	1	50 g	1,490
Sunflower	Grand growth, spray	1	50 g	1,490
Chickpea	Early growth, spray	¼	12.5 g	373
Soybean	Early growth, spray	1/5	10 g	298
Garlic	Germination and early growth, fertigation	2	100 g	2,980
Banana, year 1	Germination and grand growth, fertigation, 2 L each	4	200 g	5,960

The pulses take a fraction of a bottle, and the fraction is the rate: on chickpea, the crop plan rate is ¼ litre, 12.5 g of boron an acre. Garlic and banana are the rows with more than 1 application. Potato, tomato and sunflower take 1 litre once; chickpea and soybean take a fraction of a litre once.

VAN's published crop plans on van.com.pk, rows as printed. Rupees = litres × 1,490, farmer price sheet, Aug 2026.

HOW IT IS APPLIED

On the leaf or in the irrigation water, before flowering. Measure it, and put the water in first.



Sprayed onto the leaf. Small doses, taken up through the leaf surface, for a nutrient the crop needs quickly or that the soil locks up. Spray early morning or late afternoon; never on a wilted crop.

Measure the plan's amount, and stop

The row for your crop gives litres or millilitres. Measure it with a jug, never by eye, and never round up. ¼ bottle on chickpea means 250 ml; on citrus, measure 200 ml for each 200 L of water. A guessed boron dose is the commonest error in the field, and with boron that error harms the plant.

Spray: water first, then the bottle

Put 100 to 200 litres of clean water an acre in the tank, then the measured boron, and keep it agitated. Spray a fine, even fan to cover the leaf without run-off, in the morning or evening, never at midday. The guava row prints its own water volume: 500 ml per 100 L. Cotton and maize may take either route; the pulses, sunflower, tomato and citrus are sprayed.

Fertigation: dissolve, then release with the water flowing

Wheat, sugarcane, potato, canola, chili, garlic and banana take it in the irrigation water. Stir it into the drum or the drip tank and release it across the whole irrigation, not all at once. It dissolves fully and leaves no residue in the tank or the emitter, as VAN's product data says. Give no drone rate from this training.

OBJECTION 1 OF 8

“1,490 for a litre? Borax is a fraction of that at the chemist.”

What the dealer says

Write both prices down. Measuring 12.5 g of boron out of a bag of borax for an acre of chickpea, and spreading it evenly across the acre, is very difficult. This bottle holds 50 g of boron in a litre, dissolves fully, and is made so the plan’s fraction can be measured with a jug and applied evenly. On wheat it is 1 litre, Rs 1,490, once, at early growth. You are paying for boron that is measured and soluble, and with boron a wrong measure harms the plant.

The facts behind the answer

- VL-Boron 1 L is Rs 1,490; the 20 L pack is Rs 22,000 (farmer price sheet, Aug 2026).
- 50 g of boron in every litre (the declared analysis on the bottle).
- 4 rows give less than a litre: chickpea 250 ml (¼ litre), sesame 300 ml, soybean 200 ml and citrus 200 ml in 200 L of water (the crop plans on van.com.pk).
- Fully soluble, no undissolved residue in the tank (VAN’s product data).

Never say: “It gives you X more maunds” or a value-to-cost ratio. No yield figure exists for the product. No cost per gram of boron against borax.

OBJECTION 2 OF 8

“My potash already has boron on it. Why buy a bottle too?”

What the dealer says

Because they do 2 different jobs. The boron coated on Vital Potash and Fusion Potash granules goes into the soil with the potash, in a fast-acting form and a slow-release form. The bottle puts a measured dose on the leaf or in the water in the weeks before flowering, as the plan’s row says. The crop plan has both on the same crop, often at the same stage: on cotton, both go on at grand growth. Follow the plan, and do not add a bottle the plan does not print, because the boron from each product adds up.

The facts behind the answer

- Vital Potash carries boron coated on the granule in 2 forms, sodium borate for fast action and calcium borate for slow release, named without a figure (the Vital Potash page on van.com.pk). Fusion Potash declares boron 1%, 250 g in a 25 kg bag.
- VL-Boron and the coated potash are on the same crop plans, often at the same stage; on cotton both are at grand growth (the crop plans on van.com.pk).
- The margin between enough boron and too much is narrow, which is why VAN coats it on the potash rather than relying only on a separate loose dose (VAN’s 17-nutrients page).
- Boron from different products adds up (textbook agronomy). The plan’s rows together are the whole boron dose.

Never say: “The boron on Vital Potash is X grams”, or “add a bottle anyway to be safe”.

OBJECTION 3 OF 8

“Will it burn my crop?”

What the dealer says

Not at the plan’s rate and water volume. Above the plan’s rate, it can. That is true of boron in any product: the margin between enough and too much is a few grams an acre. Burn shows as scorched leaf edges and tips. So measure the row’s amount with a jug, put it in 100 to 200 litres of water, and never spray at midday. If your soil test already reads high in boron, do not apply it at all.

The facts behind the answer

- Too much boron scorches leaf margins and tips; the safe range is narrow (textbook agronomy, as VAN’s product guidance states it).
- The margin between enough boron and too much boron is narrow (VAN’s 17-nutrients page).
- The plan’s rate is measured, never rounded up (VAN’s product guidance).
- VAN’s general spray guidance: 100 to 200 L of clean water an acre, morning or evening, never midday.

Never say: “It cannot harm the crop”, or any rate above the plan’s.

OBJECTION 4 OF 8

“The squares are already dropping. Will a spray now stop it?”

What the dealer says

Boron does not move from old leaves to the flowers, so the squares that formed without it are lost, and I will not promise that a spray brings them back. For this reason, the cotton crop plan applies 1 litre at grand growth, before the squares form. Put it on now for the flowers still to form, at the row’s rate, and plan it at grand growth next season. VAN gives no figure for how much this product reduces square or boll drop.

The facts behind the answer

- Cotton: 1 litre at grand growth, spray or fertigation (the cotton crop plan on van.com.pk).
- Boron is needed for pollination, seed set and fruit set (VAN’s 17-nutrients page).
- In most crops boron does not move from old tissue to the flower (general plant physiology).
- No shedding or yield figure exists for VL-Boron.

Never say: “It stops boll drop” or “it sets X% more fruit”.

OBJECTION 5 OF 8

“Which stage, and how much?”

What the dealer says

Use exactly what the plan gives. Wheat: 1 litre at early growth, in the irrigation water. Cotton and maize: 1 litre at grand growth, sprayed or in the irrigation water. Sugarcane: 1 litre at early growth; ratoon at grand growth. Potato: 1 litre at grand growth. Canola: 1 litre at early growth. Sunflower: 1 litre at grand growth, sprayed. Chickpea: ¼ litre. Citrus: 200 ml in 200 L of water, sprayed, at germination. Garlic: 1 litre at each of 2 stages. Do not apply it at maturity, except on hybrid rice, where the plan applies it at maturity.

The facts behind the answer

- 24 crop plans name VL-Boron, 27 rows (the crop plans on van.com.pk).
- Early growth on wheat, sugarcane, canola, chili, the pulses, sesame, soybean, tomato, watermelon; grand growth on cotton, maize, potato, sunflower, strawberry, ratoon, turmeric (the same crop plans).
- 4 rows give less than a litre: chickpea 250 ml (¼ litre), sesame 300 ml, soybean 200 ml and citrus 200 ml in 200 L of water (the same crop plans).

Never say: “1 litre an acre on everything” (4 rows print less), or a rate for a crop with no row.

OBJECTION 6 OF 8

“Can I put it through the drip on a crop whose row says spray?”

What the dealer says

The product can be sprayed or put in the irrigation water, and it dissolves fully, so it will pass through a drip line. But the row’s figure is a spray figure for that crop, and with boron the figure matters. Ask VAN for the fertigation rate for that crop instead of using the spray figure in the tank. Where the row prints fertigation, or either route, use it as printed.

The facts behind the answer

- Fertigation on 15 rows, spray on 10, and either method on the cotton and maize rows (the crop plans on van.com.pk).
- Foliar spray and fertigation are the 2 routes VAN names for the bottle; fully soluble (VAN’s product data).
- A spray row’s figure is written for the leaf; a fertigation figure for that crop comes from VAN.

Never say or give: any fertigation rate the plan does not give.

OBJECTION 7 OF 8

“Can I put it in my drone?”

What the dealer says

Yes, but not at this rate. VL-Boron is 1 of 6 VAN brands approved for drone and ultra-low-volume spraying in its standard form (van.com.pk). A drone tank holds about 20 litres, so the rate per tank is not the knapsack rate. Do not guess a boron concentration. Ask VAN for the drone rate.

The facts behind the answer

- VL-Boron is 1 of 6 VAN brands approved for drone and ultra-low-volume spraying in their standard form (the application-systems page on van.com.pk).
- A drone tank carries about 20 litres; everything the crop gets that day is dissolved or suspended in it (the same page).
- The knapsack rate is a litre or a fraction in 100 to 200 litres of water; ask VAN for the drone rate per tank (VAN’s spray guidance).

Never say: “Use the knapsack rate in the drone.” Give no drone rate from this training.

OBJECTION 8 OF 8

“Is it registered? What is the licence?”

What the dealer says

It is registered under Pakistan Standard PS 5469-2020 for liquid nutrient supplements, with manufacturing licence CM/L-3159/2024, and VAN is the registered maker. Every batch is tested at VAN Lab, PNAC LAB 336, before it ships. On van.com.pk, enter the batch number printed on the bottle to read the certificate for that batch.

The facts behind the answer

- VL-Boron: PS 5469-2020, manufacturing licence CM/L-3159/2024 (the regulatory table on van.com.pk, from the PSQCA master record).
- The licence number is printed on the pack; the number is what a dealer quotes, never an expiry date.
- Every batch is released through VAN Lab, PNAC LAB 336, ISO/IEC 17025:2017 (VAN’s quality page).

Never say or give: a licence expiry date, or “registered” for a 19.5% solid boron product, which is not covered by this training.

VL-Boron in the published crop plans, per acre.

Crop	Stage	Rate	Method	Pack
Wheat	Early Growth	1 pack	Fertigation	1 L
Maize (Corn)	Grand Growth	1 pack	Foliar or Fertigation	1 L
Cotton	Grand Growth	1 pack	Spray/Fertigation	1 L
Sugarcane, February planting	Early Growth	1 pack	Fertigation	1 L
Ratoon Sugarcane	Grand Growth	1 pack	Fertigation	1 L
Hybrid Rice	Maturity	1 pack	Fertigation	1 L

The rows are printed as published in the crop plans on van.com.pk. Coverage: these 2 slides show 12 of the 24 crop plans that name VL-Boron, and 12 of its 27 rows. Of these 12 rows, 7 say fertigation, 3 say spray, 1 says foliar or fertigation and 1 says spray or fertigation. Every row uses the 1 L pack. Each rate is per acre unless the row says per 200 L of water, and the crop page scales it to the size of the field.

VL-Boron in the published crop plans, continued.

Crop	Stage	Rate	Method	Pack
Potato	Grand Growth	1 pack	Fertigation	1 L
Tomato	Early Growth	1 pack	Spray	1 L
Chili	Early Growth	1 pack	Fertigation	1 L
Canola	Early Growth	1 pack	Fertigation	1 L
Sunflower	Grand Growth	1 pack	Spray	1 L
Citrus, 5 years and over	Germination	200 ml dose per 200 L of water	Spray	1 L

The rows continue from the previous slide. Each rate is per acre unless the row says per 200 L of water, and the crop page scales it to the size of the field.

WHAT VAN DOES NOT CLAIM FOR THIS PRODUCT

A dealer who makes any of these claims is speaking for himself, not for VAN.

1. A yield, shedding, sterility or value-to-cost figure. No VL-Boron trial exists. The Pakistani crop-response percentages in earlier VAN material are published research on boron, not on this bottle.

2. That 40 to 78% of field-crop area, or 50% of Punjab soils, is boron-deficient, or that Pakistan uses 92 t against a need of 2,245 t. No source is on VAN's record. Quote the Punjab soil survey: 51.7% of samples below 0.5 ppm.

3. A universal rate, a rounded-up rate, or a rate for a crop with no crop plan row. The plan's fraction is the rate to use.

4. That the boron on Vital Potash is X grams, or that the bottle replaces the boron on the coated potash. Vital Potash names its boron without a figure; Fusion Potash declares boron 1%. The products do different jobs.

5. A drone rate, a fertigation rate the plan does not print, or tissue ppm thresholds as if VAN had measured them.

6. That the 19.5% solid boron product is registered or for sale. It is still being registered and is not part of this training.

HOW A GROWER VERIFIES A BOTTLE OR PACK

Every batch is tested, and the batch number on the bottle or pack identifies its certificate.

1 · The batch number

Every bottle or pack carries the batch number. Read it to the grower and show him where it is printed.

2 · The certificate of analysis

On van.com.pk, a grower can read the certificate of analysis for any bottle or pack by entering the batch number printed on it. The grower does not need to post a sample.

3 · The laboratory

VAN Lab is accredited by the Pakistan National Accreditation Council (PNAC) to ISO/IEC 17025:2017, the international standard for testing laboratories, as LAB 336. Every batch is released through the laboratory before it ships. The certificate carries the laboratory's number.

What a certificate for VL-Boron shows.

The certificate shows the tested boron content of the batch against the declared 5% w/v. It also shows the batch number, and the Pakistan Standard PS 5469-2020 and licence CM/L-3159/2024 printed on the bottle. This training shows no batch result; a grower can read the certificate of his own batch on van.com.pk by its batch number.

THE URDU LINES · REVIEW STATUS UNDER EACH LINE

The lines a dealer says in Urdu.

The first line is the product's main message. Where its nutrient has one, the line gives VAN's promise word: the 1-word brand message VAN uses for that nutrient. The other 3 lines are key sentences of this deck. Each English line gives the meaning of the Urdu beside it. Send any correction to partner@van.com.pk.

Boron is needed for the flower to set. *English meaning · Urdu line pending review*	پھول باندھنے کے لیے بوران ضروری ہے
Put it on before the flower. After the flower it is too late. *English meaning · Urdu reviewed 27 Sep 2026*	پھول سے پہلے دیں، پھول کے بعد دیر ہو جاتی ہے
Measure the plan's amount and stop. With boron, more than the plan's rate harms the crop. *English meaning · Urdu line pending review*	پلان کی مقدار ناپیں اور بس۔ پلان سے زیادہ بوران فصل کو نقصان دیتا ہے
Water first, then the bottle. Morning or evening. *English meaning · Urdu reviewed 27 Sep 2026*	پہلے پانی، پھر بوتل۔ صبح یا شام

TALK TO VAN

Use the address that matches your request.

For growers

kisan@van.com.pk

A crop plan, product rates, a certificate for your batch or a dealer near you.

For the trade

partner@van.com.pk

Dealers, distributors and the trade: stock, training and corrections to this deck.

For everything else

info@van.com.pk

Supply, the laboratory or a plant visit.

Helpline 0300 5003041 · www.van.com.pk

Vital Agri Nutrients (Pvt) Ltd, Lahore, has 1 helpline and 3 addresses. VAN sends no group messages; every grower who writes gets a direct reply.

VL-Boron holds 50 g of boron in a litre and goes on the leaf or in the irrigation water before flowering, at the plan's rate and no more.

