
DEALER TRAINING · NOVEMBER 2026

VL-Micromix



VL-Micromix carries 4 micronutrients in 1 litre, sprayed on the leaf at 1 litre per acre at the stage the crop plan gives.

VAN wrote this deck for its dealers and field team. A dealer can repeat its words to a grower.

THE 30-SECOND EXPLANATION

What a dealer says to a grower in 30 seconds.

VL-Micromix is a fully soluble liquid with 4 micronutrients (weight in volume): zinc 5%, iron 2%, manganese 2% and copper 1%. So 1 litre holds 50 g of zinc, 20 g of iron, 20 g of manganese and 10 g of copper. A crop needs these only in grams per acre, but it cannot complete its growth without them. Zinc is needed to make the growth hormone; iron and manganese are needed for chlorophyll and photosynthesis; copper is needed to build the stem and the pollen. On calcareous soil above pH 8, zinc, iron and manganese are held in forms the roots cannot take up. In the Punjab soil survey (about 2016 to 2018), 59.0% of samples tested below 1.0 ppm zinc. So the bottle is sprayed on the leaf, 1 litre per acre, at early growth on wheat and rice and at the stages the crop plans give for potato, chilli, pulses and guava. It corrects micronutrient shortages; nitrogen, phosphate and potash come from the fertiliser bags.

The 4 points it must cover

1. The bottle: 1 L, Zn 5 · Fe 2 · Mn 2 · Cu 1 (% w/v), PS 5469-2020. 50 g of zinc in every litre. A 20 L pack is also sold.
2. The nutrients: 4 micronutrients, all metals, that the crop needs only in small amounts, mainly for the enzymes that build the plant.
3. The soil: above pH 8 the soil locks zinc, iron and manganese. 59.0% of Punjab soil samples (about 2016 to 2018) tested below 1.0 ppm zinc. So the crop plans apply them on the leaf.
4. The method: 1 litre per acre, sprayed on the leaf at the stage the crop plan gives; water in the tank first. Never mix it in a tank with phosphate.

Explain the product in simple words a grower uses, and keep to the figures on these slides. Every figure in this 30-second explanation is on the bottle or pack, in the published crop plan or in the named evidence on the slides that follow.

THE BOTTLE OR PACK

What the bottle says, and what it is registered as.

1 L


the bottle, 1 litre per acre in every crop plan row. 50 g Zn, 20 g Fe, 20 g Mn, 10 g Cu in it, from the declared analysis. A 20 L pack is on the price sheet.

Zn 5%

zinc, w/v: 50 g in a litre, the largest share. 59.0% of Punjab samples tested below 1.0 ppm zinc.

Fe 2% · Mn 2%

iron and manganese, 20 g of each in a litre. Both are needed in the leaf, and high pH and lime lock both of them.



Cu 1%

copper, 10 g in a litre. Copper is rated “Healthy” in all 32 of the 36 Punjab districts where the figures can be compared; it is in the bottle for the crop’s own need, not for a shortage.

100%

soluble, a liquid formulation, as VAN’s product data gives it. It leaves no residue in the tank.

16

published crop plans name VL-Micromix, in 40 rows, at 1 litre per application on every row.

Registered as	Pakistan Standard	Manufacturing licence
VL-Micromix	PS 5469-2020	CM/L-3129/2024

If a grower asks about registration, give the licence number. Do not give an expiry date for the licence.

A GROWER'S QUESTION

“I gave the wheat its urea and it is green, but the new leaves come out small and pale between the veins, and the plant looks bunched. What is it short of?”


The grower fed nitrogen and the crop took it; nitrogen shortage would yellow the old leaves first. Small new leaves that are yellow between green veins, with short joints, are signs of a shortage of the micronutrients that calcareous soil holds back from the roots. The answer has 3 parts: what the 4 metals do, why calcareous soil leaves the crop short of them, and why they go on the leaf.

The next 3 slides give the 3 answers, 1 idea on each slide.

ANSWER 1 OF 3

The crop needs the 4 metals only in grams per acre, but it cannot complete its growth without them.

The plant needs zinc to make the growth hormone that lengthens the stem and the enzymes that build protein; zinc controls plant height, leaf size and, in rice and wheat, grain set. Iron is needed to make chlorophyll and to run the enzymes that move electrons. Manganese splits water inside the leaf so photosynthesis can run. Copper is needed for the enzymes that build lignin, the woody part of the stem, and for pollen to form. A crop can stop growing for lack of zinc even in a field with plenty of nitrogen.




The jobs of the 4 metals, from the 17-nutrients page on van.com.pk. The drawing shows the idea; it is not a measurement.

Say it like this: “The plant needs these 4 metals to grow, but only in grams: the bottle holds 100 grams of them for an acre. Without them the crop can stop growing.”

ANSWER 2 OF 3

Calcareous soil holds back zinc, iron and manganese, so VL-Micromix is sprayed on the leaf.

On calcareous soil above pH 8, zinc is fixed as zinc phosphate or held on the lime. Iron is held back by the high pH and by bicarbonate in the irrigation water, and manganese by the high pH. The soil can therefore contain a metal that the roots cannot take up. In the Punjab soil survey (770,160 samples, tested in about 2016 to 2018), 69.1% of samples had a pH above 8, and 59.0% tested below 1.0 ppm zinc. A spray puts the 4 metals on the leaf, where they are taken up directly while the droplet is wet. That is why this product is a liquid for spraying and not a bag.



Sprayed onto the leaf. Small doses, taken up through the leaf surface, for a nutrient the crop needs quickly or that the soil locks up. Spray early morning or late afternoon; never on a wilted crop.


The drawing shows the leaf taking up the droplet. The slide uses general soil chemistry and the Punjab soil survey figures, not a product measurement.

Say it like this: “Your soil has these metals, but it holds them where the root cannot take them up. The leaf takes them up directly. That is why this product is sprayed.”

ANSWER 3 OF 3

On wheat, rice and sesame, spray VL-Micromix early, while the plant’s size is still being set.

The enzymes of growth need the 4 metals, so the crop needs them most while it is building leaves and setting how many tillers, joints and heads it will carry. The published crop plans put VL-Micromix at early growth on wheat, rice and sesame, 1 litre per acre. On these crops, a spray at flowering arrives after the plant has already set its leaves, tillers and joints. On potato, chilli and guava the crop plans spray it at several stages through the season, and on garlic it goes in at maturity. Iron also does not move from old leaves to new ones, so the new leaves need a fresh supply. The sign of shortage shows in the new leaves; the loss happened before the sign showed.



The 5 stage names on the drawing are the ones VAN’s crop plans use. The crop plan slides show where VL-Micromix goes for each crop.

Say it like this: “On wheat and rice, spray it early, at the stage the crop plan gives. By the time the new leaves show the shortage, the plant’s size is already set.”

THE EVIDENCE

What is verified for VL-Micromix, and what is not.

No trial of VL-Micromix is on VAN's record. A dealer may quote the analysis on the bottle, the licence, the crop plan rows and the Punjab soil survey, each only as the right-hand column allows.

Item	What it says	How a dealer may use it
The bottle	VL-Micromix, Zn 5% · Fe 2% · Mn 2% · Cu 1%, w/v, liquid, 100% soluble, 1 L. A 20 L pack on the price sheet.	As fact. Grams per litre from the declared analysis.
The licence	Pakistan Standard PS 5469-2020 for liquid nutrient supplements; manufacturing licence CM/L-3129/2024, as the master record holds it.	As fact: quote the number.
The crop plan rows	40 rows in 16 crop plans, 1 litre per application: spray in 14 crop plans; fertigation on garlic and banana; the guava plan gives the water volume, 1 L per 100 L.	As the published rate, word for word.
The Punjab soil survey (770,160 samples, about 2016 to 2018)	59.0% of samples below 1.0 ppm zinc; mean 1.25 ppm; less zinc at higher pH. 69.1% above pH 8. Copper rated "Healthy" in every comparable district (32 of 36).	As fact about the soil. Never as product performance. Copper is never sold as a shortage.
The chemistry (textbook)	Above pH 8 zinc is fixed as zinc phosphate or on lime; iron is locked by pH and bicarbonate, and manganese by pH; zinc and a soluble phosphate in 1 tank make zinc phosphate, which does not dissolve.	As general soil chemistry, not a VAN measurement.
Not on file	A VL-Micromix trial; a yield figure; the 64 / 19 / 4 / 2% national deficiency figures printed in earlier VAN material (no source named); a drone rate; a chelation claim.	Not said until VAN names a source.

Sources: the bottle; VAN's published crop plans on van.com.pk; the farmer price sheet, Aug 2026; the PSQCA master record; the Punjab soil survey, 770,160 samples tested in about 2016 to 2018; VAN's 17-nutrients page; VAN's own product data.

The 2 packs, 1 L and 20 L, in grams and rupees.

Prices are the delivered farmer prices from the VAN farmer price sheet, Aug 2026. Grams are from the declared analysis, weight in volume: 5% is 50 g in a litre.

VL-Micromix, % w/v	Zn	Fe	Mn	Cu	Rupees	Rupees per litre
1 bottle, 1 L, 1 acre	50 g	20 g	20 g	10 g	1,250	1,250
1 pack, 20 L, 20 acres	1.0 kg	400 g	400 g	200 g	17,500	875

A bottle puts 100 g of the 4 metals together on 1 acre for Rs 1,250. Bought in the 20 L pack, the same litre costs Rs 875. This pack suits a dealer, a large farm, or a crop that the crop plan sprays 5 times. The grower buys the pack that matches the litres he needs.

VL-Micromix 1 L Rs 1,250 and 20 L Rs 17,500: the farmer price sheet, Aug 2026. 50 g = 1,000 ml × 5 g per 100 ml; 20 g = 1,000 ml × 2 g per 100 ml; 10 g = 1,000 ml × 1 g per 100 ml. Rupees per litre = price ÷ litres.

What the crop plans apply per acre: the crops that take 1 application.

Litres per acre are from the published crop plans and rupees from the VAN farmer price sheet, Aug 2026, in 1 L bottles. Every row is 1 litre per application.

Crop	Stage and method, as printed	Litres	Zinc	Rupees per acre
Wheat	Early growth, spray	1	50 g	1,250
Basmati and hybrid rice	Early growth, spray	1	50 g	1,250
Chickpea, lentil, mungbean	Grand growth, spray	1	50 g	1,250
Sunflower	Grand growth, spray	1	50 g	1,250
Sesame	Early growth, spray	1	50 g	1,250
Garlic	Maturity, fertigation	1	50 g	1,250

On wheat the grower spends Rs 1,250 per acre to put 50 g of zinc, plus 50 g of iron, manganese and copper combined, on the leaf at early growth, in 1 spray. VAN has no measured figure for the crop’s response to this product.

VAN’s published crop plans on van.com.pk, rows as printed. Rupees = litres × 1,250 at the 1 L price, farmer price sheet, Aug 2026.

What the crop plans apply per acre: the crops sprayed 5 times, and banana.

Litres per acre are from the published crop plans and rupees from the VAN farmer price sheet, Aug 2026. A crop sprayed 5 times uses 5 litres per acre; from the 20 L pack, each litre costs Rs 875 instead of Rs 1,250.


Crop	Stage and method, as printed	Litres	Zinc	Rupees per acre
Potato	Land preparation to maturity, spray, 5 rows	5	250 g	6,250
Chilli	Transplanting to after picking, spray, 5 rows	5	250 g	6,250
Guava	October to February, foliar, 1 L per 100 L water, 5 rows	5	250 g	6,250
Banana, 1st year	Early Growth, fertigation, 1 L	1	50 g	1,250

The potato, chilli and guava crop plans spray 1 litre at each of 5 stages across the season. That puts 250 g of zinc on an acre. In 1 L bottles it costs Rs 6,250 per acre; taken from a 20 L pack, the 5 litres cost Rs 875 a litre. Guava is the only crop plan that gives the water volume.

VAN's published crop plans on van.com.pk, rows as printed. Rupees = litres × 1,250 at the 1 L price, farmer price sheet, Aug 2026; the 20 L pack is Rs 17,500.

HOW IT IS APPLIED

Spray it on the leaf: water first, then the bottle, morning or evening. Never mix it with phosphate.



Sprayed onto the leaf. Small doses, taken up through the leaf surface, for a nutrient the crop needs quickly or that the soil locks up. Spray early morning or late afternoon; never on a wilted crop.

Water first, product second

Fill the tank with 100 to 200 litres of clean water per acre, then add the bottle, and keep it agitated. If the mixture settles in the tank, the last acre is sprayed at a different rate from the first. Halving the water to cover more acres with each tank doubles the concentration on the leaf. The guava crop plan gives its own water: 1 L of product in 100 L.

A fine, even fan, at the stage the crop plan gives

Cover the leaf without run-off. Spray morning or evening, never midday. Apply 1 litre per acre at early growth on wheat and rice, and at the stages the crop plans give for potato, chilli, pulses and guava. On banana and garlic the crop plans apply it in the irrigation water, at the crop plan rate.

Never in the same tank as a soluble phosphate

Zinc and a soluble phosphate make zinc phosphate, which does not dissolve: both nutrients are lost and the nozzle can block. Spray the micronutrients in a separate spray. Do not use these rates in a drone: ask VAN for the drone rate per tank.

OBJECTION 1 OF 8

“1,250 for a litre? My zinc sulfate bag costs less than that.”

What the dealer says

Write down both prices. Then write down what each is for. A bag of zinc sulfate supplies 1 metal to the soil, and above pH 8, zinc spread on the surface is mostly held by the lime and the phosphate before the root reaches it. This litre puts 4 metals, 100 g in total, on the leaf, where the soil cannot hold them back, in 1 spray instead of 4 separate ones. On wheat it is 1,250 rupees per acre, once, at early growth. VAN has no measured figure for the crop’s response to this product.

The facts behind the answer

- VL-Micromix 1 L is Rs 1,250; the 20 L pack is Rs 17,500 (farmer price sheet, Aug 2026).
- 50 g zinc, 20 g iron, 20 g manganese, 10 g copper in every litre (the declared analysis on the bottle).
- Wheat: 1 litre at early growth, sprayed (the wheat crop plan on van.com.pk).
- 69.1% of Punjab samples were above pH 8 (the Punjab soil survey, about 2016 to 2018).

Never say: “It gives you X more maunds”, a rupees-per-acre return, or a cost per gram of zinc against the bag. No yield figure exists for this product.

OBJECTION 2 OF 8

“My crop shows no shortage. Why would I spray metals it does not ask for?”

What the dealer says

Spray it because the shortage shows late. The enzymes of growth need the 4 metals, and a crop short of them stays small before the leaf shows any sign. In the Punjab soil survey, 59.0% of samples tested below 1.0 ppm zinc, and above pH 8 the soil locks iron and manganese with it. On wheat and rice, the crop plan puts 1 litre on at early growth for that reason. A soil test tells you what your own field needs. The crop plan is written for soils like those in the Punjab soil survey.

The facts behind the answer

- 59.0% of 770,160 Punjab samples tested below 1.0 ppm zinc; 69.1% were above pH 8 (the Punjab soil survey, about 2016 to 2018).
- A zinc-short crop shows small, narrow young leaves, yellow between the veins, and short joints (VAN’s 17-nutrients page).
- Wheat and rice take VL-Micromix at early growth (the crop plans on van.com.pk).
- Copper is rated “Healthy” in all 32 of the 36 Punjab districts where the figures can be compared (the Punjab soil survey).

Never say: “Every field is short of all 4.” Copper is rated “Healthy” in every comparable Punjab district; VAN does not sell copper as a shortage.

OBJECTION 3 OF 8

“Can I put it in the tank with my DAP water, or with the phosphate spray?”

What the dealer says

No. Zinc and a soluble phosphate in 1 tank make zinc phosphate, which does not dissolve. You lose the zinc, you lose the phosphate, and the nozzle can block. Spray the micronutrients in a separate spray, and put the phosphate in the ground at land preparation where it belongs. The same chemistry is why heavy phosphate on a zinc-short soil makes the zinc shortage worse.

The facts behind the answer

- Zinc phosphate is poorly soluble: zinc and a soluble phosphate in 1 tank drop out together (textbook chemistry).
- Zinc and phosphorus interfere with each other in the soil; heavy phosphate on a zinc-short soil makes the shortage worse (VAN’s 17-nutrients page).
- Every VL-Micromix crop plan row is a separate application, by spray or fertigation; no row names another product to mix it with (the crop plans on van.com.pk).

Never say: “Stir it well and it is fine.”

OBJECTION 4 OF 8

“Will it burn the leaf?”

What the dealer says

Not at the crop plan rate and VAN’s water guidance: 1 litre per acre in 100 to 200 litres of clean water. Burn comes from cutting the water to cover more acres with each tank, and from spraying at midday. Water first, then the bottle, keep it agitated, a fine even fan, morning or evening. The guava crop plan gives 1 L per 100 L of water; keep to it.

The facts behind the answer

- Guava: 1 L per 100 L of water, 5 sprays from October (the guava crop plan on van.com.pk).
- VAN’s general spray guidance: 100 to 200 L of clean water per acre, water first, product second.
- Morning or evening, never midday (VAN’s spray guidance).
- Cutting the water doubles the concentration on the leaf; the rate includes the water volume (VAN’s spray guidance).

Never say: “Use less water”, or “it cannot burn”.

OBJECTION 5 OF 8

“Can I put it in my drone?”

What the dealer says

Yes, but not at this rate. VL-Micromix is 1 of 6 VAN brands approved for drone and ultra-low-volume spraying in its standard form, and van.com.pk says so. A drone tank holds about 20 litres, so the rate per tank is not the knapsack rate. Ask VAN for the drone rate; I will not work one out from the knapsack rate.

The facts behind the answer

- VL-Micromix is 1 of 6 VAN brands approved for drone and ultra-low-volume spraying in their standard form (the application-systems page on van.com.pk).
- A drone tank carries about 20 litres; everything the crop gets that day is dissolved or suspended in it (the same page).
- The knapsack rate is 1 litre per acre (the crop plans) in 100 to 200 litres of water (VAN’s spray guidance); ask VAN for the drone rate per tank.

Never say: “Use the knapsack rate in the drone,” or any drone rate worked out from the knapsack rate.

OBJECTION 6 OF 8

“Which stage, and how many bottles?”

What the dealer says

These are the crop plan rates. Wheat, basmati and hybrid rice: 1 litre at early growth, sprayed. Chickpea, lentil, mungbean and sunflower: 1 litre at grand growth. Potato and chilli: 1 litre at each of 5 stages across the season. Guava: 1 litre in each of the 5 months from October, at 1 L per 100 L of water. Banana and garlic: in the irrigation water. Never use more than the crop plan row gives: extra litres give the crop more metal than the plan sets; iron and manganese compete for uptake.

The facts behind the answer

- 16 crop plans name VL-Micromix, in 40 rows, 1 litre per application on every row (the crop plans on van.com.pk).
- Wheat, basmati, hybrid rice and sesame: early growth; chickpea, lentil, mungbean, sunflower: grand growth (the same plans).
- Potato, chilli, guava, soybean, strawberry and turmeric: 5 rows each across the season (the same plans).
- Iron and manganese compete for uptake (VAN’s 17-nutrients page).

Never say: “Double the bottles if the soil is very short”, or a rate for a crop with no row.

OBJECTION 7 OF 8

“My soil test says only zinc is low. Why pay for 4 metals?”

What the dealer says

Then buy the zinc alone. VAN makes V-Zinc 10% for that case, and VL-Boron for a boron shortage. VL-Micromix is for the field that has not been tested, or tests low in more than 1 metal, because on calcareous soil zinc, iron and manganese are locked by the same pH and usually go short together. 1 spray carries all 4 metals in fixed ratios. Your soil test decides, and I will follow it.

The facts behind the answer

- V-Zinc 10% (zinc sulfate, 10% w/v) and VL-Boron (boron 5% w/v) are separate VAN products with their own rows (the products page on van.com.pk).
- Where a soil test shows 1 dominant shortage, the single-nutrient product is the better answer (VAN’s own product guidance).
- Iron and manganese are locked by high pH and lime, the same condition that locks zinc (VAN’s 17-nutrients page).

Never say: “Micromix does everything the single products do.” Each has its own rate and its own row.

OBJECTION 8 OF 8

“Is it registered? What is the licence?”

What the dealer says

Yes. VL-Micromix is registered under Pakistan Standard PS 5469-2020 for liquid nutrient supplements, and VAN makes it under manufacturing licence CM/L-3129/2024. Every batch is tested at VAN Lab, PNAC LAB 336, before it ships. The zinc, iron, manganese and copper tests are run at VAN Lab but are outside its PNAC accreditation scope. On van.com.pk, enter the batch number printed on the bottle, and you can read the certificate for that batch.

The facts behind the answer

- VL-Micromix: PS 5469-2020, manufacturing licence CM/L-3129/2024 (the regulatory table on van.com.pk, from the PSQCA master record).
- The licence number is printed on the bottle, and a dealer quotes that number.
- Every batch is released through VAN Lab, PNAC LAB 336, ISO/IEC 17025:2017 (VAN’s quality page). The zinc, iron, manganese and copper tests are run at VAN Lab but are outside its PNAC accreditation scope (the lab price list on van.com.pk).

Never say: “This licence is valid until …” Quote the licence number only; never state an expiry date for the licence.

VL-Micromix in the published crop plans, per acre.

Crop	Stage	Rate per acre	Method	Pack
Wheat	Early Growth	1 pack	Spray	1 L
Basmati Rice	Early Growth	1 pack	Spray	1 L
Hybrid Rice	Early Growth	1 pack	Spray	1 L
Potato	Land Preparation	1 pack	Spray	1 L
Potato	Germination	1 pack	Spray	1 L
Potato	Early Growth	1 pack	Spray	1 L
Potato	Grand Growth	1 pack	Spray	1 L
Potato	Maturity	1 pack	Spray	1 L

The rows are printed as published in the crop plans on van.com.pk. Coverage: these 3 slides show 12 of the 16 crop plans that name VL-Micromix, and 24 of its 40 rows. Of these 24 rows, 18 say spray, 5 say foliar and 1 says fertigation. Every row uses the 1 L pack. Each rate is per acre, and the crop page scales it to the size of the field.

VL-Micromix in the published crop plans, continued.

Crop	Stage	Rate per acre	Method	Pack
Chili	Land Preparation/Transplantation	1 pack	Spray	1 L
Chili	Germination	1 pack	Spray	1 L
Chili	Early Growth	1 pack	Spray	1 L
Chili	Grand Growth	1 pack	Spray	1 L
Chili	After Picking	1 pack	Spray	1 L
Garlic	Maturity	1 pack	Fertigation	1 L
Chickpea	Grand Growth	1 pack	Spray	1 L
Lentil	Grand Growth	1 pack	Spray	1 L

The rows continue from the previous slide. Each rate is per acre, and the crop page scales it to the size of the field.

VL-Micromix in the published crop plans, continued.

Crop	Stage	Rate per acre	Method	Pack
Mungbean & Mash	Grand Growth	1 pack	Spray	1 L
Sesame	Early Growth	1 pack	Spray	1 L
Sunflower	Grand Growth	1 pack	Spray	1 L
Guava	October, flowering starts	1 pack	Foliar, 1 L per 100 L water	1 L
Guava	November, fruiting	1 pack	Foliar, 1 L per 100 L water	1 L
Guava	December	1 pack	Foliar, 1 L per 100 L water	1 L
Guava	January	1 pack	Foliar, 1 L per 100 L water	1 L
Guava	February, picking	1 pack	Foliar, 1 L per 100 L water	1 L

The rows continue from the previous slide. Each rate is per acre, and the crop page scales it to the size of the field.

WHAT VAN DOES NOT CLAIM FOR THIS PRODUCT

A dealer who makes any of these claims is speaking for himself, not for VAN.

1. A yield figure, a “% more”, or a figure for yield lost to unseen micronutrient shortage. No trial of VL-Micromix exists; the case for spraying early is based on how the nutrients work, not on a measurement.
2. That 64% of Pakistan’s soils are zinc-deficient, or 19% iron, 4% manganese, 2% copper: VAN has not named a source. A dealer may give the Punjab soil survey’s 59.0% of samples below 1.0 ppm zinc.
3. That copper is a general shortage in Pakistan. It is rated “Healthy” in every comparable Punjab district. It is in the bottle for the crop’s own need.
4. That the 4 metals are chelated. VAN’s product data says “held in solution”, and the dealer says no more than that.
5. A drone rate, a fertigation rate that is not in a crop plan, or a water volume other than the crop plan’s, as if it were a crop plan figure.
6. That it replaces a soil test, or that a spray at flowering on wheat or rice can undo a shortage that has already set the plant’s size.

HOW A GROWER VERIFIES A BOTTLE OR PACK

Every batch is tested, and the batch number on the bottle or pack identifies its certificate.

1 · The batch number

Every bottle or pack carries the batch number. Read it to the grower and show him where it is printed.

2 · The certificate of analysis

On van.com.pk, a grower can read the certificate of analysis for any bottle or pack by entering the batch number printed on it. The grower does not need to post a sample.

3 · The laboratory

VAN Lab is accredited by the Pakistan National Accreditation Council (PNAC) to ISO/IEC 17025:2017, the international standard for testing laboratories, as LAB 336. Every batch is released through the laboratory before it ships. The certificate carries the laboratory's number.

What a certificate for VL-Micromix shows

The certificate reports the zinc, iron, manganese and copper measured in the batch, against the declared analysis Zn 5 · Fe 2 · Mn 2 · Cu 1, % w/v. These 4 tests are run at VAN Lab but are outside its PNAC accreditation scope. The batch number, the Pakistan Standard PS 5469-2020 and licence CM/L-3129/2024 are on the bottle. The grower reads the certificate for his own batch on van.com.pk by its batch number.

THE URDU LINES · REVIEWED 27 SEPTEMBER 2026

The lines a dealer says in Urdu.

The first line is the product's main message. Where its nutrient has one, the line gives VAN's promise word: the 1-word brand message VAN uses for that nutrient. The other 3 lines are key sentences of this deck. Each English line gives the meaning of the Urdu beside it. Send any correction to partner@van.com.pk.

A pinch of nutrient, and the crop is not complete without it. *English meaning · Urdu reviewed 27 Sep 2026*	چٹکی بھر غذا، فصل اس کے بغیر پوری نہیں ہوتی
Your soil has the metal, but it is locked. The leaf takes it up directly. *English meaning · Urdu reviewed 27 Sep 2026*	زمین میں دھات ہے مگر جکڑی ہوئی ہے، پتا اسے سیدھا لے لیتا ہے
1 litre per acre, water first, then the bottle. Morning or evening. *English meaning · Urdu reviewed 27 Sep 2026*	ایک لیٹر فی ایکڑ، پہلے پانی پھر بوتل۔ صبح یا شام
Never in the same tank as phosphate. *English meaning · Urdu reviewed 27 Sep 2026*	فاسفیٹ کے ساتھ ایک ٹینک میں کبھی نہیں

TALK TO VAN

Use the address that matches your request.

For growers

kisan@van.com.pk

A crop plan, product rates, a certificate for your batch or a dealer near you.

For the trade

partner@van.com.pk

Dealers, distributors and the trade: stock, training and corrections to this deck.

For everything else

info@van.com.pk

Supply, the laboratory or a plant visit.

Helpline 0300 5003041 · www.van.com.pk

Vital Agri Nutrients (Pvt) Ltd, Lahore, has 1 helpline and 3 addresses. VAN sends no group messages; every grower who writes gets a direct reply.

VL-Micromix: 4 metals on the leaf, 1 litre per acre, at the stage the crop plan gives. Never mix it with phosphate.

