DEALER TRAINING · NOVEMBER 2026

VL-NPK



VL-NPK is a liquid NPK for the leaf: N 8, P_2O_5 8 and K_2O 6 grams per 100 ml, with amino acids and fulvic acid.

VAN wrote this deck for its dealers and field team. A dealer can repeat its words to a grower.

THE 30-SECOND EXPLANATION

What a dealer says to a grower in 30 seconds.

VL-NPK is a liquid for the leaf in a 1 L bottle: nitrogen (N) 8, phosphate (P_2O_5) 8 and potash (K_2O) 6, in grams per 100 ml, with amino acids and fulvic acid in the formulation. It is made for periods when the soil holds the nutrient but the crop cannot take it up: on calcareous soil, in cold or waterlogged soil, in heat, or when the roots have been damaged. A spray puts the 3 nutrients on the leaf, which takes them up directly. The published crop plans apply 1 bottle per acre at grand growth on chickpea, lentil, mungbean and mango, at germination on citrus, at grand growth (40 DAT, days after transplanting) on onion, and month by month on guava. It supplies nutrients in grams, to correct a short-term shortage. The crop's main supply, in kilograms, comes from the fertiliser applied to the soil. Keep the soil fertiliser in place.

The 4 points it must cover

1. The bottle: 1 L, 8-8-6 w/v, PS 5469-2020. 80 g of N, 80 g of P_2O_5 and 60 g of K_2O in every litre.
2. The reason: times when the soil holds the nutrient but the crop cannot take it up. A spray reaches the leaf without passing through the soil.
3. The stage: 1 bottle per acre, sprayed, at the stage the crop plan gives. Most crops take it at grand growth.
4. The limit: it supplies grams, not kilograms. It adds to the soil fertiliser and never replaces it.

Explain the product in simple words a grower uses, and keep to the figures on these slides. Every figure in this 30-second explanation is on the bottle or pack, in the published crop plan or in the named evidence on the slides that follow.

THE BOTTLE OR PACK

What the bottle says, and what it is registered as.

1 L

the bottle: 80 g N, 80 g P_2O_5 and 60 g K_2O a litre, from the declared analysis.

8-8-6

weight per volume: 8 g in every 100 ml, 80 g in a litre.

N 8

nitrogen, 80 g per litre.

P_2O_5 8 · K_2O 6


phosphate (P_2O_5) 80 g and potash (K_2O) 60 g per litre.

Amino · fulvic

in the formulation, as VAN's product data names them. The label gives no figure for them.

Foliar

the only route VAN names for it. Every crop plan row says spray.



Registered as	Pakistan Standard	Manufacturing licence
VL-NPK	PS 5469-2020	CM/L-3131/2024

If a grower asks about registration, give the licence number. Do not give an expiry date for the licence.

A GROWER'S QUESTION

“The fertiliser is in the ground. The crop stopped in the heat anyway and the leaves went pale. Why is it not eating what I gave it?”


The grower applied his soil fertiliser. The problem was uptake: for 1 or 2 weeks, at an important stage, the roots stopped taking up the nutrient. The answer has 3 parts: why the crop could not take up the nutrient, what is in the litre, and why a spray corrects a short-term problem but never replaces the soil fertiliser.

The next 3 slides give the 3 answers, 1 idea on each slide.

ANSWER 1 OF 3

The soil can hold the nutrient while the crop cannot take it up.

On calcareous soil above pH 8, phosphate is locked within centimetres of where it lands. In cold soil, in a waterlogged field, in a week of high heat, or after a setback at transplanting or damage from a chemical, the roots slow down or stop taking up nutrients. The nutrient is there and the crop is not getting it. A spray bypasses the soil and puts nitrogen, phosphate and potash on the leaf, where they are taken up directly while the droplet is wet. Beyond the crop plan stage, use it when the roots cannot take up the nutrient from the soil.



Sprayed onto the leaf. Small doses, taken up through the leaf surface, for a nutrient the crop needs quickly or that the soil locks up. Spray early morning or late afternoon; never on a wilted crop.


The drawing shows the leaf taking up the droplet. This is general plant nutrition; no uptake percentage is shown.

Say it like this: “Your soil has the nutrient, but this week your crop cannot take it up. The spray puts it straight on the leaf.”

ANSWER 2 OF 3

What is in the litre: 3 nutrients, amino acids and fulvic acid.

Every litre holds 80 g of nitrogen, 80 g of phosphate and 60 g of potash, in nearly equal amounts, so the spray supplies all 3 main nutrients, where a nitrogen-only spray would mainly push leaf growth. The amino acids are ready-made, so the crop does not spend energy building them in the week it is under stress. Fulvic acid is the smallest and most mobile part of humic matter. In general chemistry terms, it keeps metal ions in solution and helps carry nutrients across the leaf surface. Both are in the formulation without a label figure, so VAN names them and gives no figure.




The 5 parts of the litre shown in the drawing, from VAN's product data. The amino acids and fulvic acid have no label figure.

Say it like this: "It has the 3 main nutrients in nearly equal amounts, with amino acids, and fulvic acid to help carry them into the leaf."

ANSWER 3 OF 3

Spray VL-NPK at the stage the crop plan gives, and during a period of crop stress.

The published crop plans give 1 bottle per acre. Chickpea, lentil, mungbean and mango: at grand growth. Citrus: at germination. Onion: grand growth (40 DAT). Guava: every month from September to February, with a repeat 15 days after flowering and after fruiting. VAN's guidance adds a spray during stress from heat, cold, waterlogging, salinity, chemical damage or a setback at transplanting. Spray during the stress, not a week after it.



Grand growth is the stage most crop plans give. Citrus (germination) and guava (monthly) are on the crop plan slides.

Say it like this: "1 bottle per acre at the stage on your crop's plan, and again when the crop is under stress. Go by the crop's stage, not by counting days; only the onion and guava plans give days or months."

THE EVIDENCE

What is verified for VL-NPK, and what is not.

No trial of VL-NPK is on VAN's record. A dealer may quote the analysis on the bottle, the licence, the crop plan rows and the soil survey, each only as the right-hand column allows.

Item	What it says	How a dealer may use it
The bottle	VL-NPK, N 8% w/v (80 g/L), P_2O_5 8% w/v (80 g/L), K_2O 6% w/v (60 g/L); amino acids and fulvic acid in the formulation; 1 L. A 20 L pack is on the price sheet.	As fact. Amino acids and fulvic acid are named, with no figure.
The licence	Pakistan Standard PS 5469-2020 for liquid nutrient supplements; manufacturing licence CM/L-3131/2024.	As fact: quote the number.
The crop plan rows	12 rows in 7 crop plans: 1 bottle per acre, spray, at the stage printed. Grand growth on chickpea, lentil, mungbean and mango; germination on citrus; onion at grand growth (40 DAT); guava monthly, September to February.	As the published rate. The water volume is guidance, not a row.
VAN guidance, 20 Aug 2026	1 L per acre in 200 L of water, at grand growth, at fruiting, and at a stress event. It replaced an unconfirmed day-count rate the same day.	Spoken as VAN's guidance.
The Punjab soil survey (770,160 samples, about 2016 to 2018)	69.1% of samples above pH 8; 59.1% of samples below 7 ppm available phosphorus, the low level; 97.9% below 15 ppm, the adequate level; 87.8% below 180 ppm available potassium.	As fact about the soil. The pH figure explains why roots cannot take up phosphate; the low phosphorus and potash figures show shortages in the soil, which the soil fertiliser is there to correct. Never as product performance.
Not on file	A VL-NPK trial; a yield or response figure; a response time in days; an amino or fulvic percentage; a compatibility chart.	Not said until VAN names a source.

Sources: the bottle; the Pakistan Standard and licence register; the crop plans on van.com.pk; the VAN farmer price sheet, Aug 2026; the Punjab soil survey (770,160 samples, about 2016 to 2018); VAN guidance, 20 Aug 2026.

The bottle in grams of nutrient, and its price.

The price is the delivered farmer price from the VAN farmer price sheet, Aug 2026. Nutrients are from the declared analysis, weight per volume: 8% is 80 g in a litre.

VL-NPK, 8-8-6 w/v	Volume	N	P_2O_5	K_2O	Rupees
1 bottle	1 L	80 g	80 g	60 g	1,250
1 pack	20 L	1.6 kg	1.6 kg	1.2 kg	17,500
1 acre at the crop plan rate	**1 L**	**80 g**	**80 g**	**60 g**	**1,250**

For Rs 1,250 the grower puts 80 g of nitrogen, 80 g of phosphate and 60 g of potash on the leaf of an acre. These amounts are in grams. For comparison, each tonne of harvested wheat grain takes out 19 kg of nitrogen on average (IPNI removal tables). The spray covers the week when the roots stopped taking up nutrients; the kilograms come from the soil fertiliser.

VL-NPK 1 L Rs 1,250, 20 L Rs 17,500: the VAN farmer price sheet, Aug 2026. 80 g = 1,000 ml × 8 g per 100 ml; 1.6 kg = 20 L × 80 g. Wheat grain 19 kg N per tonne: the IPNI removal tables. Rate 1 bottle per acre: every crop plan row.

What the crop plans apply, per acre, per season.

Bottles per acre are from the published crop plans and rupees from the VAN farmer price sheet, Aug 2026. Every row is 1 bottle of 1 L, sprayed.


Crop	Stage and method, as printed	Bottles	Rupees	N · P_2O_5 · K_2O on the leaf
Chickpea	Grand growth, spray	1	1,250	80 · 80 · 60 g
Lentil	Grand growth, spray	1	1,250	80 · 80 · 60 g
Mungbean and mash	Grand growth, spray	1	1,250	80 · 80 · 60 g
Mango	Grand growth, spray, 1 application	1	1,250	80 · 80 · 60 g
Citrus	Germination, spray	1	1,250	80 · 80 · 60 g
Onion	Grand growth (40 DAT), spray	1	1,250	80 · 80 · 60 g
Guava	September to February, 6 monthly sprays; October and November repeat after 15 days	6 to 8	7,500 to 10,000	480 to 640 · 480 to 640 · 360 to 480 g

Chickpea, lentil and mungbean fix their own nitrogen, but they can still run short of phosphate and potash when the pods fill, so the crop plan gives 1 bottle at grand growth. The guava crop plan is the only one that sprays it through the season.

Rows from the crop plans on van.com.pk, as printed; 1 L at Rs 1,250. Guava: 6 rows (September, October flowering, November fruiting, December, January, February picking) with "repeat 15 days after flowering" and "after fruiting" on 2 of them, estimated here at 6 to 8 bottles a season.

HOW IT IS APPLIED

Spray it on the leaf: water first, then the bottle, morning or evening.



Sprayed onto the leaf. Small doses, taken up through the leaf surface, for a nutrient the crop needs quickly or that the soil locks up. Spray early morning or late afternoon; never on a wilted crop.

Water first, product second

Fill the tank with clean water, then add the bottle, then keep it agitated. If the mixture settles in the tank, the last acre is sprayed at a different rate from the first. VAN's guidance is 1 L per acre in 200 L of water; the rate is set for that volume of water, and halving the water doubles the concentration on the leaf.

A fine, even fan, morning or evening

Cover the leaf without run-off. The leaf takes the nutrient up while the droplet is wet; at midday the spray dries too quickly for the leaf to take it up. Never spray at midday.

At the stage the crop plan gives

Grand growth on chickpea, lentil, mungbean and mango; germination on citrus; onion at grand growth (40 DAT); guava month by month. Also spray during crop stress, while it lasts, not after it. Never use it as a replacement for the soil fertiliser.

OBJECTION 1 OF 8

“Rs 1,250 for 1 litre? 1 litre is nothing on an acre.”

What the dealer says

It is 80 g of nitrogen, 80 g of phosphate and 60 g of potash, on the leaf, in the week the roots are not taking up nutrients. It is not meant to be your season’s fertiliser, and I will not sell it as that. On chickpea it is 1 bottle, 1,250 rupees, at grand growth, when the pods fill. If you want kilograms, that is the soil fertiliser, and it stays.

The facts behind the answer

- VL-NPK 1 L Rs 1,250; 20 L Rs 17,500 (VAN farmer price sheet, Aug 2026).
- 80 g N, 80 g P_2O_5, 60 g K_2O per litre, from the declared analysis, w/v (the bottle).
- Every crop plan row: 1 bottle per acre, spray (the crop plans on van.com.pk).

Never say: “It gives you X more maunds” or a rupees-per-acre return. No yield figure exists for the product.

OBJECTION 2 OF 8

“Can I skip a bag of urea if I spray this?”

What the dealer says

No. A bottle is 80 g of nitrogen. A 50 kg bag of urea carries 23 kg of nitrogen. They do different jobs. The spray is for the week the crop cannot take up what is in the soil; the bags put the nutrient in the soil. A grower who replaces the soil fertiliser with a few sprays will be disappointed and will blame the bottle. Keep the soil fertiliser in the crop plan and add the spray at the stage the plan gives.

The facts behind the answer

- A litre of VL-NPK carries 80 g of nitrogen (the declared analysis).
- A 50 kg bag of urea at N 46% carries 23 kg of nitrogen: 50 × 0.46.
- VAN sells VL-NPK as an addition to the soil fertiliser, never a substitute for it.

Never say: “3 sprays and you can drop a bag.”

OBJECTION 3 OF 8

“Will it burn the leaf?”

What the dealer says

Not at the rate and the water VAN gives: 1 bottle in 200 L of water for an acre, morning or evening. Burn happens in 2 cases: when the water is cut to cover more acres with each tank, because 1 L in 100 L gives 2 times the concentration on the leaf of 1 L in 200 L; and when the spray goes on at midday. Water first, product second, keep it agitated, spray a fine fan, not to run-off.

The facts behind the answer

- 1 L per acre in 200 L of water, morning or evening, never midday (VAN guidance, 20 Aug 2026).
- The crop plan rows give the bottle count: 1 bottle per acre.
- 1 L in 100 L of water is 2 times the concentration on the leaf of 1 L in 200 L.

Never say: “Use less water and cover more acres”, or “it cannot burn”.

OBJECTION 4 OF 8

“Can I mix it with my pesticide?”

What the dealer says

Test it in a jar first, every time: a little of each in a jar, in the same order and the same dilution, and after 10 minutes look for cloudiness or sediment. VAN’s product data says the formulation can be mixed, but there is no compatibility chart on file, so I will not promise a mix I have not seen. If the jar stays clear, spray it; if not, spray them separately.

The facts behind the answer

- VAN’s product data describes VL-NPK as mixable with agri-chemicals, with a jar test first.
- No compatibility chart for VL-NPK is published.
- A jar test: the same order and dilution as the tank, 10 minutes, look for cloudiness or sediment (general practice).

Never say: “Mix it with anything.”

OBJECTION 5 OF 8

“Which stage?”

What the dealer says

Use the stage on your crop’s plan. Chickpea, lentil, mungbean and mango: grand growth. Citrus: germination. Onion: grand growth (40 DAT). Guava: month by month from September to February. Spray it also during crop stress: heat, cold, waterlogging, salinity, chemical damage or a setback at transplanting. Spray during the stress, not a week after the damage is done. Go by the crop’s stage, not the calendar; a late-sown crop reaches grand growth later. Only the onion and guava plans give days or months.

The facts behind the answer

- 12 VL-NPK rows in 7 crop plans, on the crop plan slides (the crop plans on van.com.pk).
- The stress-event trigger, and stage rather than days (VAN guidance, 20 Aug 2026).
- VAN withdrew the earlier day-count schedule on 20 Aug 2026.

Never say: “20 to 25 days after sowing, then every 15 days”, or any day-count schedule. VAN withdrew that on 20 Aug 2026.

OBJECTION 6 OF 8

“Can I put it through the drip instead?”

What the dealer says

VAN names 1 route for VL-NPK: the leaf. Every crop plan row says spray. The product is made to reach the crop without passing through the soil. Put through the drip, it goes into the soil, where the soil can lock the nutrients the spray is meant to deliver. For a fertigation NPK the crop plan names other products; follow the plan.

The facts behind the answer

- VAN names foliar as the route for VL-NPK; no crop plan row says fertigation.
- Every VL-NPK row: spray (the crop plans on van.com.pk).
- A foliar spray is taken up by the leaf while the droplet is wet (general plant nutrition).

Never say: “Put it in the drip.” VAN gives no fertigation rate for VL-NPK.

OBJECTION 7 OF 8

“Is it registered? What is the licence?”

What the dealer says

Yes. VL-NPK is registered under Pakistan Standard PS 5469-2020 for liquid nutrient supplements, and VAN makes it under manufacturing licence CM/L-3131/2024. Every batch is tested at VAN Lab, PNAC LAB 336, before it ships. On van.com.pk, enter the batch number printed on the bottle, and you can read the certificate for that batch.

The facts behind the answer

- VL-NPK: PS 5469-2020, CM/L-3131/2024 (the licence register on van.com.pk).
- Every batch is tested at VAN Lab, PNAC LAB 336, before it ships.
- A grower can read the certificate for any batch on van.com.pk by its batch number.

Never say: “This licence is valid until …”, or an amino acid or fulvic acid percentage as if it were on the certificate.

OBJECTION 8 OF 8

“The leaves are already pale. Will this green them up this week?”

What the dealer says

If the paleness is because the roots cannot take up nutrients, a spray is the quickest way VAN offers to get nutrients into the crop, because it goes on the leaf, not through the soil. I will not give you a number of days, because VAN has not measured one. If the paleness is because the soil is truly short of the nutrient, the answer is the soil fertiliser, and a soil test shows which of the 2 cases you have.

The facts behind the answer

- VAN sells VL-NPK as a supplement, not a substitute; a soil test tells which case the field is in.
- No response time or yield figure is on VAN’s record for VL-NPK.
- VAN Lab tests soil and quotes the price of a soil test when the grower books it.

Never say: “Green in 3 days” or any response time.

VL-NPK in the published crop plans, per acre.

Crop	Stage	Rate per acre	Method	Pack
Chickpea	Grand Growth	1 pack	Spray	1 L
Lentil	Grand Growth	1 pack	Spray	1 L
Mungbean & Mash	Grand Growth	1 pack	Spray	1 L
Onion	Grand Growth (40 DAT)	1 pack	Spray	1 L
Citrus, 5 years and over	Germination	1 pack	Spray	1 L
Mango	Grand Growth	1 pack	Spray. 1 application	1 L

The rows are printed as published in the crop plans on van.com.pk. Coverage: these are all 12 rows in the 7 crop plans that name VL-NPK. Every row says spray and uses the 1 L pack. Each rate is per acre, and the crop page scales it to the size of the field.

VL-NPK in the published crop plans, continued.

Crop	Stage	Rate per acre	Method	Pack
Guava	September	1 pack	Spray	1 L
Guava	October, flowering starts	1 pack	Spray. Repeat 15 days after flowering	1 L
Guava	November, fruiting	1 pack	Spray. Repeat 15 days after fruiting	1 L
Guava	December	1 pack	Spray	1 L
Guava	January	1 pack	Spray	1 L
Guava	February, picking	1 pack	Spray	1 L

The rows continue from the previous slide. Each rate is per acre, and the crop page scales it to the size of the field.

WHAT VAN DOES NOT CLAIM FOR THIS PRODUCT

A dealer who makes any of these claims is speaking for himself, not for VAN.

1. A yield or response figure, or a response time in days. No VL-NPK trial exists.
2. That it replaces a bag of urea, DAP or potash, or any part of the soil fertiliser. It supplies grams, for periods when the roots cannot take up nutrients.
3. A water volume or a foliar rate that no crop plan gives, presented as a crop plan figure. The crop plan says 1 bottle per acre; 200 L is VAN guidance.
4. That it is mixable with every pesticide. Test in a jar first; no compatibility chart is on file.
5. An amino acid or fulvic acid percentage. They are named, with no figure.
6. A fertigation route or rate. VAN names the leaf only.

HOW A GROWER VERIFIES A BOTTLE OR PACK

Every batch is tested, and the batch number on the bottle or pack identifies its certificate.

1 · The batch number

Every bottle or pack carries the batch number. Read it to the grower and show him where it is printed.

2 · The certificate of analysis

On van.com.pk, a grower can read the certificate of analysis for any bottle or pack by entering the batch number printed on it. The grower does not need to post a sample.

3 · The laboratory

VAN Lab is accredited by the Pakistan National Accreditation Council (PNAC) to ISO/IEC 17025:2017, the international standard for testing laboratories, as LAB 336. Every batch is released through the laboratory before it ships. The certificate carries the laboratory's number.

What a certificate for VL-NPK shows

The certificate reports the nitrogen, P_2O_5 and K_2O measured in the batch, against the declared analysis 8-8-6 w/v. The batch number, the Pakistan Standard PS 5469-2020 and licence CM/L-3131/2024 are on the bottle. The amino acids and fulvic acid have no declared figure, so the certificate does not report them. The grower reads the certificate for his own batch on van.com.pk by its batch number.

THE URDU LINES · REVIEWED 27 SEPTEMBER 2026

The lines a dealer says in Urdu.

The first line is the product's main message. Where its nutrient has one, the line gives VAN's promise word: the 1-word brand message VAN uses for that nutrient. The other 3 lines are key sentences of this deck. Each English line gives the meaning of the Urdu beside it. Send any correction to partner@van.com.pk.

A leaf feed, not a substitute for soil fertiliser. *English meaning · Urdu reviewed 27 Sep 2026*	یہ پتے کی خوراک ہے، زمین کی کھاد کا بدل نہیں
1 bottle per acre, in 200 litres of water. *English meaning · Urdu reviewed 27 Sep 2026*	1 بوتل (1 لیٹر) فی ایکڑ، 200 لیٹر پانی میں
Water first, then the bottle. Morning or evening, never midday. *English meaning · Urdu reviewed 27 Sep 2026*	پہلے ٹینک میں پانی، پھر بوتل۔ صبح یا شام، دوپہر میں نہیں
Spray while the crop is under stress, not after it. *English meaning · Urdu reviewed 27 Sep 2026*	جب فصل پر دباؤ ہو تب چھڑکیں، بعد میں نہیں

TALK TO VAN

Use the address that matches your request.

For growers

kisan@van.com.pk

A crop plan, product rates, a certificate for your batch or a dealer near you.

For the trade

partner@van.com.pk

Dealers, distributors and the trade: stock, training and corrections to this deck.

For everything else

info@van.com.pk

Supply, the laboratory or a plant visit.

Helpline 0300 5003041 · www.van.com.pk

Vital Agri Nutrients (Pvt) Ltd, Lahore, has 1 helpline and 3 addresses. VAN sends no group messages; every grower who writes gets a direct reply.

VL-NPK: 1 bottle per acre on the leaf, at the stage the crop plan gives and during crop stress. Keep the soil fertiliser in place.

