





DEALER TRAINING · SEPTEMBER 2026

Humi Grow

Potassium humate pellets, humic acid 40% and K_2O 7%, 8 kg, for the ground at land preparation, made in Lahore.

For VAN dealers and the field team, written so a dealer can repeat it to a grower. Lahore.



What a dealer says in 30 seconds.

Humi Grow is potassium humate in a pellet, humic acid 40% and K₂O 7%, in an 8 kg bag. Humic substances are the long-lived fraction of organic matter: charged molecules that add exchange sites to a soil, so potash, calcium, magnesium and ammonium are held for the root instead of leaching, and that chelate zinc, iron, manganese and copper, so they stay in solution on soil that would lock them. Across 81 published studies, humic raised root and shoot growth. Punjab's soil sits at 0.61% organic matter on average, so most fields have almost none of this fraction left. VAN has made humic acid from Pakistani leonardite since 2007 and was the largest producer in Pakistan by 2012. 1 bag an acre at land preparation, drilled at sowing or broadcast and worked in, on 22 programmes. It is a soil and root benefit. It does not shield phosphate from calcium, it will not move a soil test, and VAN prints no percentage saved.

The 4 things it must contain

1

The bag: humic acid 40%, K₂O 7%, 8 kg, PS 5610-2023. 3.2 kg of humic acid and 0.56 kg of K₂O in every bag.

2

The mechanism: exchange sites that hold nutrient for the root, chelation that keeps micronutrients in solution, and root growth. A soil and root benefit.

3

The record: VAN's founder made humic acid from Pakistani leonardite in 2007; VAN was the largest producer in Pakistan by 2012.

4

The method and the limit: land preparation, drilled at sowing or broadcast, 1 bag an acre. Not a calcium shield, no percentage saved, no soil-test change.

Say it in the grower's own words. Every figure in these 30 seconds is on the bag, in the published crop programme, or in the named evidence on the slides that follow.

THE BAG

What the bag says, and what it is registered as.

8 kg


the bag. 3.2 kg of humic acid and 0.56 kg of K₂O in every bag, from the declared analysis.

40%

humic acid, minimum, as the potassium salt. The technical data sheet says 40% or above; the 7-40 grade is the one made.

K₂O 7%

the potash that comes with the humate. Counted on the programme; never the potash line.



Pellet

stores and spreads like a granule from the same equipment, drill or spreader. Disperses in moist soil.

2007

the year VAN's founder made humic acid from Pakistani leonardite, until then imported. By 2012 VAN was the largest producer in Pakistan.

0.61%

mean organic matter across 770,160 Punjab samples; 97.6% under 1%. The fraction this bag carries is the one most fields have lost.

Registered as	Pakistan Standard	Manufacturing licence
Humi Grow	PS 5610-2023	CM/L-3281/2024

No expiry date is printed in this deck. The licence number is what a dealer quotes.

A GROWER'S QUESTION


“I put zinc and phosphate on every year and the report still says low. The agronomist says my soil cannot hold anything. Is there something for the soil itself?”

He has been feeding the crop and the soil has been letting it go, and he has been told the soil is the problem without being told what to do about it. The answer is 3 ideas: what a humate does in a soil, why VAN makes it, and what it will not do.

The 3 answers on the next 3 slides, 1 idea each.

A humate gives the soil somewhere to hold nutrient, and keeps micronutrients in solution.

Humic substances are the long-lived fraction of organic matter: large molecules covered in charged sites. Those sites hold potash, calcium, magnesium and ammonium where the root can reach them, so a soil with more of them holds more of what is applied. The same molecules wrap around zinc, iron, manganese and copper, which chemists call chelation, and hold them in solution on ground that would otherwise precipitate them at pH 8. And across 81 published studies, humic raised root growth as well as shoot growth. That is what the site prints: applied nutrients held on the exchange sites instead of leaching or precipitating, and a root benefit.




The 5 jobs of a humate, textbook chemistry and the 81-study finding. A picture of the idea, not a measurement of this product.

Say it like this: “Your soil has no hands to hold what you give it. A humate is hands: it holds the nutrient, and it keeps the zinc where the root can drink it.”

Concentrated, and made here since 2007.

Humi Grow carries 40% humic acid as the potassium salt, pressed into a pellet, 3.2 kg of humic acid in an 8 kg bag. That is the active fraction without the tonnes of bulk that carry it in manure. VAN's founder made humic acid in Pakistan from Pakistani leonardite in 2007, an oxidised lignite that humic substances are drawn from and a material imported until then; within 2 years of incorporation VAN was the largest producer of humic acid in Pakistan. VAN makes potassium humate in crystal, powder, pellet and liquid today. The pellet is the form for the ground at land preparation; the liquid, Humi Grow Plus, is the form for the water.

Say it like this: “3.2 kg of humic acid in a bag you can carry. VAN has made it here since 2007.”



Potassium humate, 40% humic acid, pressed into a pellet. In moist soil it disperses into the root zone. It is a soil and root benefit; it does not shield phosphate from calcium.


The pellet in the root zone. No dispersal rate is drawn. The 2007 and 2012 lines are from the company timeline on van.com.pk.

What it will not do: shield phosphate from calcium, or move a soil test.

A humate is often sold as the thing that keeps calcium away from phosphate. VAN checked that against its own soil numbers and it fails by orders of magnitude: at any rate a grower would apply, humic acid binds too little calcium to matter to the phosphate. So VAN does not say it. The site is plain about it: humic is a soil and root benefit, and no percentage of phosphate saved is printed. 1 bag is 3.2 kg on an acre of soil, so the organic-matter reading on the report will not move either. What changes is the root zone the seedling grows into.

Say it like this: “It helps the root and the soil around it. It does not stop your DAP being fixed, and it will not change your soil test. VAN says both out loud.”

The Punjab profile: alkaline, calcareous, low in organic matter



The soil profile, alkaline and calcareous, as the record describes it. The limits are printed because a dealer who overclaims a humate loses the grower at the next soil test.

THE EVIDENCE

What is verified for Humi Grow, and what is not.

No trial of Humi Grow itself is on VAN’s record. What a dealer may state as fact is the bag, the licence, VAN’s own history with humic acid, the soil record and the published research below, each as what it is.

Item	What it says	How a dealer may use it
The bag	Humi Grow, potassium humate pellets, humic acid 40% or above, K ₂ O 7% or above, 8 kg. The 7-40 grade.	As fact.
The licence	Pakistan Standard PS 5610-2023, manufacturing licence CM/L-3281/2024.	As fact. The number, never an expiry date.
VAN’s record	Humic acid made in Pakistan from Pakistani leonardite by VAN’s founder in 2007; VAN the largest producer of humic acid in Pakistan by 2012; potassium humate made today in crystal, powder, pellet and liquid.	As fact, from the company timeline on van.com.pk.
The soil record (Punjab, 770,160 samples)	Mean organic matter 0.61%; 97.6% under 1%. 59.0% low in zinc; mean pH 8.22.	As fact about the soil. Never as product performance.
Published research, not VAN trials	Rose et al. 2014, a meta-analysis of 81 studies: humic raised shoot growth by about 22% and root growth by about 21%.	Spoken, as humic research. Never as a Humi Grow result.
VAN’s own check	VAN’s 2026 stoichiometry check: at field rates humic acid binds too little calcium to shield phosphate. VAN does not make the calcium-chelation claim.	As the reason the shield claim is never made.
Not on file	A Humi Grow trial; a yield figure; a nutrient-use-efficiency percentage; a soil-test change; a percentage of phosphate or nitrogen saved.	Not said until named.

Sources: the Humi Grow technical data sheet and label; the regulatory table, the soil register and the company timeline on van.com.pk; the Punjab soil record (770,160 samples); Rose et al. 2014, Advances in Agronomy 124; VAN’s 2026 stoichiometry check.

The bag, and the acre, in the grower’s own back-of-envelope.

Price from the VAN farmer price sheet, Aug 2026, delivered farmer price. Humic acid and K₂O from the declared analysis. Most programme rows are 1 bag an acre; citrus is 2; sugarcane is ½.

Humi Grow, humic acid 40% · K ₂ O 7%	Weight	Humic acid	K ₂ O	Rupees
1 bag of 8 kg	8 kg	3.2 kg	0.56 kg	2,750
Wheat, maize, cotton, potato, rice: 1 bag an acre	8 kg	3.2 kg	0.56 kg	2,750
Citrus: 2 bags an acre	16 kg	6.4 kg	1.12 kg	5,500
Sugarcane: ½ bag in June	4 kg	1.6 kg	0.28 kg	1,375

On wheat the grower spends 2,750 rupees an acre to put 3.2 kg of humic acid into the root zone at land preparation. The 0.56 kg of K₂O is counted and is never the potash line. That is the counter arithmetic. What the soil and the root do with it is not a number VAN prints for this product.

Price: the VAN farmer price sheet, Aug 2026. 3.2 kg = 8 × 0.40; 0.56 kg = 8 × 0.07. Rates: VAN’s published crop programmes on van.com.pk.

What the programme puts in, per acre: the field crops.

Bags per acre from the published crop programmes; humic acid from the declared analysis; rupees at the VAN farmer price sheet, Aug 2026.

Crop	Humi Grow per acre	Humic acid put in	Rupees per acre	Stage and method, as printed
Wheat	1 bag of 8 kg	3.2 kg	2,750	Land preparation, drill at sowing (or broadcast)
Maize	1 bag of 8 kg	3.2 kg	2,750	Land preparation, drill at sowing (or broadcast)
Basmati rice	1 bag of 8 kg	3.2 kg	2,750	Land preparation / transplantation, broadcasting
Cotton	1 bag of 8 kg	3.2 kg	2,750	Land preparation, drill at sowing (or broadcast)
Sugarcane	½ bag in June	1.6 kg	1,375	Early growth, broadcasting
Sugarcane ratoon	1 bag of 8 kg	3.2 kg	2,750	Land preparation, drill at sowing (or broadcast)
Canola, sunflower	1 bag of 8 kg	3.2 kg	2,750	Land preparation, drill at sowing (or broadcast)

Land preparation is the stage on 19 of the 22 programmes, and 1 bag the rate on 20 of them. It goes in before the crop because the root that meets it is the one being built in the first weeks, and the 81-study finding is a root finding.

Rows as printed in VAN's published crop programmes on van.com.pk; 8 kg bag at PKR 2,750. Rupees = bags × 2,750.

What the programme puts in, per acre: vegetables and orchards.

Bags per acre from the published crop programmes; humic acid from the declared analysis; rupees at the VAN farmer price sheet, Aug 2026.


Crop	Humi Grow per acre	Humic acid put in	Rupees per acre	Stage and method, as printed
Potato	1 bag of 8 kg	3.2 kg	2,750	Land preparation, drill at sowing (or broadcast)
Tomato, chili	1 bag of 8 kg	3.2 kg	2,750	Land preparation / transplantation, broadcasting
Onion	8 kg	3.2 kg	2,750	Germination, broadcasting
Garlic, turmeric, watermelon, strawberry	1 bag of 8 kg	3.2 kg	2,750	Land preparation, drill at sowing (or broadcast)
Citrus	2 bags of 8 kg	6.4 kg	5,500	Land preparation, drill at sowing (or broadcast)
Banana, year 1	1 bag, 2 times	6.4 kg	5,500	Land preparation, drill at sowing (or broadcast); germination, broadcasting
Mango	1 bag of 8 kg	3.2 kg	2,750	Land preparation, drill at sowing (or broadcast)

On the transplanted crops the pellet is broadcast and worked in before the seedlings go in. Citrus takes 2 bags; banana takes 1 at land preparation and 1 more at germination.

Rows as printed in VAN's published crop programmes on van.com.pk; 8 kg bag at PKR 2,750. Rupees = bags × 2,750.

HOW IT GOES ON

Basal. In the ground at land preparation: drill at sowing, or broadcast and work in if there is no drill.



1. Drill at sowing, best

The seed drill's fertilizer box places the pellet about 5 cm beside and below the seed row, never touching the seed. The root meets it first, and the root is what the 81-study finding is about. Every land-preparation row now prints drill at sowing, broadcast if there is no drill.

2. Side-dress, second

A band beside the row, by hand or planter, at sowing or the first irrigation, covered with soil. The second choice where a drill is not available and a band can be made.

3. Broadcast, last

Spread before the last ploughing and worked in, where there is no drill, and before the seedlings go in on rice, tomato, chili and onion. A pellet left on the surface is away from the root zone it is bought for. A missed strip is a missed acre.

Drill first, side-dress second, broadcast last.

The order for every basal granule VAN sells, and a humate pellet is one of them. The same bag gives a different result by where it lands.

Order	Method	What it means	Why
1 · best	Drill at sowing	The seed drill's fertilizer box places the granule about 5 cm beside and below the seed row, never touching the seed.	The root meets it first. Least contact with air, sun and free calcium at the surface. The whole bag is in the root zone.
2	Side-dress	A band beside the row, by hand or planter, at sowing or the first irrigation, covered with soil.	Still a band near the root, but later and shallower than a drill.
3 · last	Broadcast	Spread on the surface before the last ploughing or before an irrigation, and mixed in.	Most of the bag is away from the root, and most of it is exposed at the surface.

In VAN's own fields and partner fields, on wheat, maize and sugarcane, basal fertilizer drilled at sowing has given 7 to 9% better response than the same bag broadcast: the mean of replicated observations across regions, not a published trial.

Pellets. They go through a drill's fertilizer box; where they are broadcast, mix them in before the irrigation.

“2,750 for 8 kg of black pellets?”

The dealer says, out loud

Write the price and then write what is in the bag: 3.2 kg of humic acid, the active fraction of organic matter, concentrated, with 0.56 kg of K₂O. 1 bag an acre, once, at land preparation, in the ground where the first roots grow. VAN has made humic acid in Pakistan since 2007, from Pakistani leonardite, and was the largest producer in the country by 2012, so this is a product VAN knows. What the soil and the root do with it is not a number VAN prints.

The fact behind it

- 8 kg, 2,750 rupees, delivered (the farmer price sheet, Aug 2026).
- 1 bag an acre on 20 of the 22 programmes that name it (the crop programmes on van.com.pk).
- 3.2 kg of humic acid and 0.56 kg of K₂O per bag (the declared analysis).
- Humic acid made by VAN's founder from Pakistani leonardite in 2007; the largest producer in Pakistan by 2012 (the company timeline on van.com.pk).

Never say: “It pays for itself in saved DAP” or any rupees-per-acre return. No percentage saved and no yield figure exists for the product.

OBJECTION 2 OF 8

“If it unlocks my phosphate, can I cut a bag of DAP?”

The dealer says, out loud

No, and please do not tell a grower it unlocks his phosphate. VAN checked whether humic acid at field rates can keep calcium away from phosphate, and the answer was no by a wide margin, so VAN does not claim it and prints no percentage saved. What a humate does is hold nutrient on exchange sites, keep micronutrients in solution, and help the root. Keep the phosphate line as the programme prints it, and put Humi Grow in for the soil and the root.

The fact behind it

- Humic is a soil and root benefit; the calcium-shield mechanism is not on van.com.pk.
- VAN's 2026 stoichiometry check: humic acid binds too little calcium at any field rate to shield phosphate.
- No percentage of phosphate saved is printed anywhere by VAN.

Never say: “It saves X% of your phosphate” or “cut the DAP by a bag”.

“I used it and my soil test did not change.”

The dealer says, out loud

It will not, and VAN says so. 1 bag is 3.2 kg of humic acid on an acre of soil, and a soil test measures the whole acre to plough depth. The organic-matter reading stays where the decades left it. What changes is the root zone the seedling grows into: exchange sites that hold what you apply, micronutrients kept in solution, and the root. Judge it there, and keep the soil test for its own sake.

The fact behind it

- 3.2 kg of humic acid per bag (the declared analysis).
- Mean organic matter 0.61%; 97.6% of samples under 1% (the Punjab soil record, 770,160 samples).
- A rise in extractable phosphorus after adding humic acid is not by itself proof of availability; extraction methods are perturbed by added organic matter (general soil chemistry).

Never say: “Your organic matter will rise by X” or “the Olsen-P will read higher”.

“Can I dissolve it and put it through the drip?”

The dealer says, out loud

Every programme row for Humi Grow says drill at sowing or broadcast at land preparation, and the label names broadcast as the method. That is what this deck prints. If a grower runs a drip system and wants the humate through the water, the liquid form, Humi Grow Plus, is the product the programme puts through the line, at germination and early growth. Ask VAN before you recommend the pellet in a tank.

The fact behind it

- The method on the label and the product page is broadcast; no programme row prints fertigation for the pellet (van.com.pk).
- Humi Grow Plus is the liquid, printed by fertigation at germination and early growth on wheat, maize, potato, garlic, citrus and strawberry (the crop programmes).
- Same active in 2 forms: the pellet for the ground, the liquid for the water.

Never say: A fertigation rate for the pellet. None is on any programme row.

“Which stage, and how many bags?”

The dealer says, out loud

Land preparation, before the crop, 1 bag an acre, drilled at sowing or broadcast if there is no drill, on wheat, maize, cotton, potato, garlic, turmeric, watermelon, strawberry and the oilseeds; broadcast before transplanting on rice, tomato and chili. Citrus is 2 bags. Sugarcane takes ½ bag in June at early growth; the ratoon takes 1 bag at land preparation. Onion and banana take it at germination. It goes in early because the root that meets it is the one being built in the first weeks.

The fact behind it

- Rates per acre as printed in the crop programmes on van.com.pk; 12 crops on the programme slides.
- Drill at sowing: about 5 cm beside and below the seed row, never touching the seed.
- The product page gives the stage as sowing.

Never say: “2 bags for a bad soil.” The programme’s rate is the rate; no dose response is on file.

“It has potash in it. Do I count it?”

The dealer says, out loud

Count it, and do not lean on it. K_2O 7% of 8 kg is 0.56 kg an acre, a little over $\frac{1}{2}$ a kilogram. The potash line on the programme is a separate bag at land preparation and another through the water at fill; this one adds a little to the account and changes neither. Write 0.56 in the potash column and move on.

The fact behind it

- 0.56 kg of K_2O per bag: $8 \text{ kg} \times 7\%$ (the declared analysis).
- The potash line on the same programmes is Fusion Potash or SOP at land preparation and Vital Potash through the water at grand growth (the crop programmes on van.com.pk).
- Too much potash pushes out magnesium and calcium; at 0.56 kg this bag does not move that account.

Never say: “It is a potash fertilizer too” or that it replaces any part of the potash line.

“Is it registered? What is the licence?”

The dealer says, out loud

Pakistan Standard PS 5610-2023, manufacturing licence CM/L-3281/2024, VAN as the registered maker. Every batch is tested at VAN Lab, PNAC LAB 336, before it ships. Read the batch number off the bag and VAN sends you that batch's certificate, free.

The fact behind it

- Humi Grow: PS 5610-2023, CM/L-3281/2024 (the regulatory table on van.com.pk).
- Humi Grow Plus carries the same standard under CM/L-3274/2024.
- Every batch is released through VAN Lab, PNAC LAB 336, ISO/IEC 17025:2017.

Never say: An expiry date, or the licence as a claim about performance.

“Humi Grow or Humi Grow Plus? Which is better?”

The dealer says, out loud

Same active, 2 forms, 2 stages. Humi Grow is the pellet, 40% humic acid, for the ground at land preparation, for every grower with a drill or a spreader. Humi Grow Plus is the liquid, 10% humic acid with 3.5% K₂O, for the water at germination and early growth, for the grower already running fertigation. The wheat programme carries both: the pellet at land preparation and 1 pack of the liquid at germination. Do not compare them on the percentage alone; one is a bulk soil application before sowing and the other is placed in the wetted zone with the crop already in.

The fact behind it

- Humi Grow: drill at sowing or broadcast at land preparation. Humi Grow Plus: fertigation at germination or early growth (the crop programmes on van.com.pk).
- Humi Grow 8 kg 2,750; Humi Grow Plus 4 L 1,240 (the farmer price sheet, Aug 2026).
- Wheat carries both: 1 bag of the pellet, then 1 pack of the liquid.

Never say: “The pellet is 4 times stronger.” Different form, different rate, different stage.

Humi Grow in the published programmes, per acre.

Crop	Stage	Rate per acre	Method	Pack
Wheat	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	8 kg
Maize (Corn)	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	8 kg
Basmati Rice	Land Preparation/Transplantation	1 bag	Broadcasting	8 kg
Hybrid Rice	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	8 kg
Cotton	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	8 kg
Sugarcane, February planting	Land Preparation	1–2 bag + 1 bag (two applications)	Drill at sowing; broadcast if no drill	8 kg
Sugarcane, February planting	Early Growth	½ pack in June	Broadcasting	8 kg

Rows as published in van.com.pk's crop programmes, 12 of the 22 programmes that name Humi Grow. Land preparation on most rows, drill at sowing (or broadcast); broadcasting on the transplanted crops and at germination on onion and banana; early growth on sugarcane. A rate is per acre; the crop page scales it to the field.

Humi Grow in the published programmes, continued.

Crop	Stage	Rate per acre	Method	Pack
Ratoon Sugarcane	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	8 kg
Potato	Land Preparation	1 bag	Drill at sowing; broadcast if no drill	8 kg
Tomato	Land Preparation/Transplantation	1 bag	Broadcasting	8 kg
Chili	Land Preparation/Transplantation	1 bag	Broadcasting	8 kg
Onion	Germination	8 kg	Broadcasting	8 kg
Citrus, 5 years and over	Land Preparation	2 bag	Drill at sowing; broadcast if no drill	8 kg

Rows as published in van.com.pk's crop programmes, 12 of the 22 programmes that name Humi Grow. Land preparation on most rows, drill at sowing (or broadcast); broadcasting on the transplanted crops and at germination on onion and banana; early growth on sugarcane. A rate is per acre; the crop page scales it to the field.

WHAT VAN WILL NOT CLAIM FOR IT

A dealer who says any of these is speaking for himself, not for VAN.

1 A yield figure, or a nutrient-use-efficiency percentage. No Humi Grow trial exists; the 81-study finding is humic research, spoken, never a product result.

2 That it keeps calcium away from phosphate, or saves any percentage of phosphate or nitrogen. VAN's own check bars the mechanism and the site prints no percentage saved.

3 A soil organic-matter or soil-test change. 3.2 kg of humic acid on an acre is a root-zone input.

4 That 8 kg does the work of a lorry-load of compost, or replaces manure or V-Compost. No equivalence is on file.

5 A fertigation or foliar rate for the pellet. Every programme row is drill, broadcast or side dressing; the liquid form is Humi Grow Plus.

6 That it is the potash line, or that it changes the potash account by more than 0.56 kg a bag.

Every batch is tested. The bag carries the proof.

1 · The batch number

It is printed on the bag. Read it to the grower and show him where it is. Every bag of every batch carries one.

2 · The certificate of analysis

For any batch, free on request. Send the batch number off the bag to kisan@van.com.pk or the helpline, and the certificate for that batch comes back. No sample to post.

3 · The laboratory

VAN Lab, PNAC LAB 336, accredited to ISO/IEC 17025:2017. Every batch is released through it before it ships. The certificate carries the laboratory's number.

What a certificate for Humi Grow shows

The declared analysis tested for the batch: humic acid and K₂O against 40% and 7%, with the batch number, the Pakistan Standard PS 5610-2023 and licence CM/L-3281/2024 on the bag. No certificate for a Humi Grow batch was on file for this deck, so no batch reading is printed here; the grower asks for his own batch's certificate. Commercial humic products elsewhere can deviate widely from label, which is the reason to ask for the certificate.

The lines a dealer says in Urdu.

The first line is the promise word from the VAN brand master. The other 3 are the deck's key sentences, translated in a first pass and not yet reviewed by VAN. Say them, and send corrections to partner@van.com.pk.

A humate gives the soil hands to hold what you apply.

Urdu first pass, unreviewed

ہیومک زمین کو ہاتھ دیتا ہے کہ وہ آپ کی دی ہوئی کھاد کو تھامے رکھے

1 bag an acre at land preparation, drilled at sowing or worked into the soil.

Urdu first pass, unreviewed

زمین کی تیاری پر فی ایکڑ 1 تھیلا، بوائی پر ڈرل کریں یا زمین میں ملائیں

It helps the root and the soil. It does not change your soil test, and VAN says so.

Urdu first pass, unreviewed

یہ جڑ اور زمین کی مدد کرتا ہے۔ یہ آپ کی مٹی کی رپورٹ نہیں بدلتا، اور VAN یہ جھگڑ کر کہتا ہے

VAN has made humic acid in Pakistan since 2007.

Urdu first pass, unreviewed

VAN 2007 سے پاکستان میں ہیومک ایسڈ بنا رہا ہے

Write to the address for what you need.

If you grow

kisan@van.com.pk

A crop plan, product rates, a certificate for your batch, a dealer near you.

If you sell

partner@van.com.pk

Dealers, distributors and the trade. Stock, training, corrections to this deck.

Everything else

info@van.com.pk

Supply, the laboratory, a plant visit.

Helpline 0300 5003041 · www.van.com.pk

Vital Agri Nutrients (Pvt) Ltd, Lahore. 1 helpline, 3 addresses. No group broadcasts: a grower who writes gets 1 reply.

Humi Grow: the humate fraction, concentrated, drilled at sowing or worked in at land preparation. A soil and root benefit. Not a calcium shield, no percentage saved.

