






DEALER TRAINING · SEPTEMBER 2026

Tornado

A foliar biostimulant, amino acids 10% w/v with fulvic, humic and seaweed extract, 0.5 L, made in Lahore.

For VAN dealers and the field team, written so a dealer can repeat it to a grower. Lahore.



What a dealer says in 30 seconds.

Tornado is a foliar biostimulant in a 0.5 L bottle: amino acids at 10% w/v, 100 g in a litre, with fulvic, humic and seaweed extract in the same bottle, named and never numbered. It feeds no nutrient line. A plant normally builds its amino acids from nitrate, and that step costs energy; a crop under load in a hot week has closed its leaf pores, stopped making sugar, and has less energy to spend. Ready-made amino acids on the leaf enter after that step. The fulvic fraction chelates and carries across the leaf, the humic fraction helps the droplet stay on it, and the seaweed extract acts on the plant's own signalling. Wheat takes 2 bottles at grand growth; basmati 2 at early growth; citrus, watermelon and strawberry 1. Water first, 100 to 200 L an acre, then the bottle, sprayed as a fine fan in the morning or evening, never at midday. If a nutrient is short, fix the nutrient first. VAN prints no recovery figure and no yield figure for it.

The 4 things it must contain

- 1** The bottle: amino acids 10% w/v, 100 g a litre, with fulvic, humic and seaweed extract, named and never numbered. 0.5 L, PS 5606-2023. 50 g of amino acids in a bottle.
- 2** The mechanism: ready-made amino acids enter after the plant's costly nitrate-reduction step; fulvic carries, humic holds the droplet, seaweed signals. 4 fractions, 4 jobs.
- 3** The stage and method: grand growth on wheat, citrus and watermelon, early growth on basmati and strawberry. Foliar, water first, morning or evening.
- 4** The limit: it feeds no nutrient. If the crop is short of nitrogen, potash or a micronutrient, fix that. No recovery figure, no yield figure, no disease claim.

Say it in the grower's own words. Every figure in these 30 seconds is on the bag, in the published crop programme, or in the named evidence on the slides that follow.

THE BAG

What the bottle says, and what it is registered as.

0.5 L

the bottle. 50 g of amino acids in it, from the declared 10% w/v. Wheat and basmati take 2 bottles an acre; the horticulture rows take 1.

Foliar

sprayed on the leaf, in 100 to 200 L of water an acre. Never to the soil, never through the drip from this deck.

10% w/v

amino acids, 100 g in a litre, declared on the label. VAN declares them as free amino acids, in the L form the plant’s enzymes use, extracted from plant sources.

795


rupees a bottle, delivered farmer price. 1,590 for the 2 bottles the wheat and basmati rows print.

Named

fulvic acid, humic acid and seaweed extract are declared as included in a proprietary blend. Named, never numbered: VAN policy, not an omission.

LAB 336

every batch is released through VAN Lab, PNAC accredited, before it ships.



Registered as	Pakistan Standard	Manufacturing licence
Tornado	PS 5606-2023	CM/L-4125/2025

No expiry date is printed in this deck. The licence number is what a dealer quotes.

A GROWER'S QUESTION


“It touched 45 degrees in June and my crop just stood still for 2 weeks. The soil had everything. What happened to it, and is there anything for that week?”

Nothing in his soil was short; the shortage was in what the plant could do while the heat was on. The answer is 3 ideas: what a plant does under load, what the 4 fractions in the bottle do about it, and what VAN will not promise.

The 3 answers on the next 3 slides, 1 idea each.

Under load, the plant stops earning and starts spending.

In a hot week the leaf closes its pores to save water. With the pores shut it takes in little carbon dioxide and makes little sugar, so its income falls. At the same time it spends: it builds its own protective compounds and amino acids from scratch, and building an amino acid from nitrate costs energy, because the nitrate has to be reduced inside the plant first. Nothing is short in the soil. What is short is the plant's capacity to keep working through the window, and that is what a biostimulant is for. A biostimulant does not replace a nutrient: if a nutrient is the short stave, fix that first.




The stage bar shows where the programme puts Tornado: grand growth on wheat, citrus and watermelon; early growth on basmati and strawberry. A picture of the idea, not a measurement.

Say it like this: “The heat did not starve it. It stopped it earning and made it spend. That is a different problem from a bag.”

4 fractions, 4 jobs, 1 bottle.

Amino acids, declared at 10% w/v, are the building blocks ready-made: sprayed on the leaf they enter the plant's cycle after the costly reduction step, so the crop spends less to use the nitrogen already in it. Fulvic acid is the smallest humic fraction and the one that moves; it chelates cations and carries them across the leaf surface, which is why it belongs in a foliar product. Humic acid is the larger fraction; it helps the droplet wet the leaf and stay on it. Seaweed extracts are used in agronomy for their effect on the plant's own hormone and stress signalling, not for nutrient content. Read it as 4 mechanisms in 1 pass, and never as a fertilizer with extras.




The 4 fractions, textbook biostimulant chemistry. Fulvic, humic and seaweed carry no figure anywhere, by VAN policy.

Say it like this: “Amino acids the plant does not have to make, a carrier, a sticker, and a signal. 4 jobs in 1 spray.”

On the leaf, at the row the programme prints, and what VAN will not promise.

Tornado goes on the leaf, in 100 to 200 L of water an acre, as a fine even fan, in the morning or the evening. A droplet that dries in seconds at midday has not been absorbed. Wheat takes 2 bottles at grand growth; basmati 2 at early growth; citrus and watermelon 1 at grand growth; strawberry 1 at early growth. What VAN will not promise is a number: no days recovered, no yield gained, no degree of heat it protects against. No trial of Tornado is on VAN's record, so the deck carries the mechanism and the programme row, and stops there.



Sprayed onto the leaf. Small doses, taken up through the leaf surface, for a nutrient the crop needs quickly or that the soil locks up. Spray early morning or late afternoon; never on a wilted crop.

The leaf with the spray on it. No absorption percentage and no timing figure is drawn.

Say it like this: “Water first, then the bottle, morning or evening, at the stage your plan prints. I will not tell you it saves X days, because nobody measured that.”

THE EVIDENCE

What is verified for Tornado, and what is not.

No trial of Tornado itself is on VAN’s record. What a dealer may state as fact is the label, the licence, VAN’s declaration on the amino acids and the published chemistry below, each as what it is.

Item	What it says	How a dealer may use it
The label	Tornado, amino acids 10% w/v (100 g/L); fulvic acid, humic acid and seaweed extract declared as included in a proprietary blend. 0.5 L.	As fact. 1 figure; 3 names.
The licence	Pakistan Standard PS 5606-2023 (the biostimulant class), manufacturing licence CM/L-4125/2025.	As fact. The number, never an expiry date.
VAN’s declaration	The amino acids are free, in the L form, extracted from plant sources, as the certificate of analysis supports (VAN, 21 Aug 2026).	As VAN’s statement about its own product. Never as a comparison with a named brand.
The chemistry (published)	Nitrate reduction inside the plant costs energy; amino acids supplied to the leaf enter after that step. Only free L-form amino acids are directly usable; harsh acid hydrolysis turns L into a mixture of L and D and destroys some amino acids. Fulvic and humic fractions chelate and carry cations.	As general plant physiology and humic chemistry, spoken. Never as a rate or a result for this product.
The soil, for context	Mean pH 8.22 across 770,160 Punjab samples; 69.1% above 8. A foliar route places a chelated micronutrient where calcareous soil cannot intercept it.	As the reason a foliar route exists. Never as a Tornado result.
Not on file	A Tornado trial; a yield, recovery or stress-tolerance figure; a figure for fulvic, humic or seaweed; a disease effect; a tank-mix compatibility list; a 1 L pack or a drone rate.	Not said until named.

Sources: the Tornado label and VAN’s certificate of analysis (21 Aug 2026); the regulatory table on van.com.pk; the Punjab soil record (770,160 samples); standard plant physiology and humic-substance chemistry.

The bottle, and the acre, in the grower’s own back-of-envelope.

Price from the VAN farmer price sheet, Aug 2026, delivered farmer price. Amino acids from the declared 10% w/v. Wheat and basmati take 2 bottles; citrus, watermelon and strawberry take 1.

Tornado, amino acids 10% w/v	Volume	Amino acids	Water on the acre	Rupees
1 bottle of 0.5 L	0.5 L	50 g		795
Citrus, watermelon, strawberry: 1 bottle an acre	0.5 L	50 g	100 to 200 L	795
Wheat, basmati rice: 2 bottles an acre	1 L	100 g	100 to 200 L	1,590

On wheat the grower spends 1,590 rupees an acre to put 100 g of amino acids, with the 3 named fractions, on the leaf at grand growth, in 100 to 200 L of water. That is the counter arithmetic. The dilution is part of the rate: cutting the water to save a pass doubles what lands on each leaf. What the crop does with it is not a number VAN prints.

Price: the VAN farmer price sheet, Aug 2026. 50 g = 0.5 L × 100 g/L. Rates: VAN’s published crop programmes on van.com.pk (wheat 2 packs at grand growth; basmati 2 at early growth; citrus and watermelon 1 at grand growth; strawberry 1 at early growth). Water: VAN’s spray guidance.

Where the programme puts it, per acre.

Bottles per acre from the published crop programmes; rupees at the VAN farmer price sheet, Aug 2026. 5 programmes name Tornado.


Crop	Tornado per acre	Amino acids	Rupees per acre	Stage and method, as printed
Wheat	2 packs of 0.5 L	100 g	1,590	Grand growth, spray
Basmati rice	2 packs of 0.5 L	100 g	1,590	Early growth, spray
Citrus	1 pack of 0.5 L	50 g	795	Grand growth, spray
Watermelon	1 pack of 0.5 L	50 g	795	Grand growth, spray
Strawberry	1 pack of 0.5 L	50 g	795	Early growth, spray

Grand growth is the anchor: the stage the crop is under most load and the fill is being decided. Basmati and strawberry take it at early growth, the window where those 2 crops are most exposed. For a crop outside these 5, there is no printed rate, and a dealer says so.

Rows as printed in VAN's published crop programmes on van.com.pk; 0.5 L pack at PKR 795. Rupees = packs × 795.

HOW IT GOES ON

On the leaf. Water first, then the bottle. Morning or evening, never midday.



Sprayed onto the leaf. Small doses, taken up through the leaf surface, for a nutrient the crop needs quickly or that the soil locks up. Spray early morning or late afternoon; never on a wilted crop.

Water first, product second

Fill the tank with 100 to 200 L of clean water for the acre, then add the bottle and keep it agitated. A tank that settles sprays the last acre at a different rate from the first. Never the other way round.

A fine, even fan, when the leaf can take it in

Cover the leaf without running off it. Absorption happens while the droplet is still wet; a droplet that dries in seconds at midday in June has been wasted. Spray in the morning or the evening.

At the row your plan prints; jar-test any mix

Wheat, citrus and watermelon at grand growth; basmati and strawberry at early growth. 1 bottle an acre on horticulture, 2 on wheat and basmati. Tornado mixes readily, but a biostimulant plus a micronutrient plus a pesticide is 3 chemistries in 1 tank: test a jar before you commit an acre. Never to the soil, never through the drip, never at a drone rate from this deck.

“795 for half a litre? What is actually in it?”

The dealer says, out loud

Write the price and then write what is declared: 50 g of amino acids in the bottle, free, in the L form the plant uses, from plant sources, with fulvic, humic and seaweed extract in the same bottle. 1 bottle an acre on citrus, watermelon and strawberry; 2 on wheat and basmati, 1,590. It is sprayed once, at the stage the programme prints, in the week the crop is under most load. What the crop does with it is not a number VAN prints.

The fact behind it

- 0.5 L, 795 rupees, delivered; wheat and basmati 2 bottles, 1,590 (the farmer price sheet, Aug 2026; the crop programmes).
- 50 g of amino acids per bottle: $0.5 \text{ L} \times 100 \text{ g/L}$ (the declared 10% w/v).
- Fulvic, humic and seaweed extract: named on the label, never numbered.
- Free, L-form, plant-sourced amino acids (VAN's certificate of analysis, 21 Aug 2026).

Never say: “It gives you X more maunds” or “it saves the crop”. No yield or recovery figure exists for the product.

“It has amino acids. Is that nitrogen? Can I cut some urea?”

The dealer says, out loud

No. 100 g of amino acids on an acre of wheat is not a nitrogen line, and VAN does not sell it as one. A bag of urea is measured in kilograms of nitrogen; this is measured in grams of building blocks the plant does not have to make itself. It changes what the crop spends to use the nitrogen already in it. Keep the nitrogen programme as printed.

The fact behind it

- 50 g of amino acids per bottle; 100 g in the 2 bottles on wheat (the declared 10% w/v).
- The nitrogen line on the wheat programme is a separate set of rows (the crop programme on van.com.pk).
- A biostimulant does not add nitrogen; it changes what the crop has to spend to use the nitrogen already there (standard plant physiology).

Never say: “It replaces a top dressing” or any nitrogen equivalent for the amino acids.

“My crop is already scorched from the heat. Will this bring it back?”

The dealer says, out loud

I will not promise that, and VAN does not. Nobody has measured what Tornado does to a scorched crop, so there is no figure and no rescue claim. What the programme does is put it on at grand growth or early growth, at the stage the crop is under most load, as a spray the leaf can take in while the droplet is wet. If the crop is short of a nutrient, that comes first. Use it at the row your plan prints, and judge it in your own field.

The fact behind it

- No trial of Tornado is on VAN's record, so no recovery or yield figure is printed.
- Grand growth on wheat, citrus and watermelon; early growth on basmati and strawberry (the crop programmes on van.com.pk).
- If a nutrient is the short stave, the nutrient comes first; a biostimulant does not replace it.

Never say: “It recovers the crop in X days”, “it protects against 45 degrees” or “it undoes heat damage”.

“Can I mix it with my zinc spray and my pesticide?”

The dealer says, out loud

Tornado mixes readily, and the fulvic fraction is a carrier, so it sits well with a micronutrient in the tank. But a biostimulant, a micronutrient and a pesticide are 3 chemistries in 1 tank, and VAN publishes no compatibility list. Test a jar first: mix the 3 in the same proportions in a jar, wait, and look for settling or curdling. If the jar is clean, spray. If not, spray them apart.

The fact behind it

- Jar-test any new tank mix before spraying an acre (VAN's spray guidance).
- Fulvic acid chelates cations and carries them across the leaf surface (established humic-substance chemistry).
- VAN publishes no tank-mix compatibility list for Tornado.

Never say: “It is compatible with everything” or that it “improves” a named pesticide.

“How much water, and what time of day?”

The dealer says, out loud

100 to 200 L of clean water for the acre, water first, then the bottle, kept agitated. A fine, even fan that covers the leaf without running off. Morning or evening, never midday: the leaf takes it in while the droplet is wet, and a droplet that dries in seconds in a June afternoon is wasted. The dilution is part of the rate; cutting the water to save a pass doubles what lands on each leaf.

The fact behind it

- 100 to 200 L of water an acre, water first, morning or evening, a fine fan (VAN's spray guidance).
- 1 bottle on horticulture, 2 on wheat and basmati (the crop programmes on van.com.pk).
- Absorption happens while the droplet is wet; midday in a Punjab summer is the wrong half of the day.

Never say: A drone or ultra-low-volume rate. None is printed for Tornado.

“Which stage, and for which crops?”

The dealer says, out loud

Wheat: 2 bottles at grand growth. Basmati rice: 2 bottles at early growth. Citrus and watermelon: 1 bottle at grand growth. Strawberry: 1 bottle at early growth. Those are the 5 programmes that print it. For any other crop there is no printed rate, and a dealer says so instead of guessing; ask VAN.

The fact behind it

- 5 rows across 5 programmes, all spray, 0.5 L pack (the crop programmes on van.com.pk).
- The product page gives the stages as mid-life and maturity.
- No rate is published for any crop outside the 5.

Never say: A rate for cotton, maize, potato or any crop outside the 5, from this deck.

“Is it registered? What is the licence?”

The dealer says, out loud

Pakistan Standard PS 5606-2023, the biostimulant class, manufacturing licence CM/L-4125/2025, VAN as the registered maker. Every batch is tested at VAN Lab, PNAC LAB 336, before it ships. Read the batch number off the bottle and VAN sends you that batch's certificate, free.

The fact behind it

- Tornado: PS 5606-2023, CM/L-4125/2025 (the regulatory table on van.com.pk).
- PS 5606-2023 is the biostimulant product class; the VL liquids sit under PS 5469-2020, a different class.
- Every batch is released through VAN Lab, PNAC LAB 336, ISO/IEC 17025:2017.

Never say: An expiry date, or the licence as a claim about performance.

“Another bottle says 20% amino acids. Yours says 10%.”

The dealer says, out loud

Do not compare on the total. A total figure can include bound protein the plant cannot take up; only free amino acids are taken up directly. Harsh acid processing turns the L form the plant's enzymes use into a mixture of L and D and destroys some amino acids. And the source matters. VAN declares Tornado's amino acids as free, L-form and plant-sourced, and the certificate supports it. Ask any bottle 3 questions: free or total, L-form or mixed, and what was the source. Then compare like with like.

The fact behind it

- Only free amino acids are taken up directly; a total figure can include bound protein (standard biostimulant chemistry).
- Harsh acid hydrolysis turns L-amino acids into an L and D mixture and destroys some of them (standard biostimulant chemistry).
- Tornado's amino acids are declared free, L-form and plant-sourced, supported by the certificate of analysis (VAN, 21 Aug 2026).
- Declared at 10% w/v on the label.

Never say: A competitor's brand name, or “theirs is D-form” about any named product. The 3 questions are asked generally.

WHERE IT SITS IN THE CROP PROGRAMME

Tornado in the published programmes, per acre.

Crop	Stage	Rate per acre	Method	Pack
Basmati Rice	Early Growth	2 pack	Spray	0.5 L
Citrus, 5 years and over	Grand Growth	1 pack	Spray	0.5 L
Watermelon	Grand Growth	1 pack	Spray	0.5 L
Strawberry	Early Growth	1 pack	Spray	0.5 L

Rows as published in van.com.pk's crop programmes, all 5 programmes that name Tornado. Spray on every row; 0.5 L pack; grand growth on wheat, citrus and watermelon, early growth on basmati rice and strawberry. A rate is per acre; the crop page scales it to the field.

WHAT VAN WILL NOT CLAIM FOR IT

A dealer who says any of these is speaking for himself, not for VAN.

1 A yield figure, a days-recovered figure or a degree of heat it protects against. No Tornado trial exists; the stress-week story is mechanism only.

2 A figure for the fulvic, humic or seaweed content. They are named on the label and never numbered, by VAN policy.

3 That it adds nitrogen, replaces any nutrient line, or fixes a crop that is short of a nutrient. If a nutrient is the short stave, fix that first.

4 A disease, immunity or frost effect. None is measured, and the class rule bars it.

5 A tank-mix compatibility guarantee. Jar-test every new mix; VAN publishes no list.

6 A 1 L bottle, a drone rate, or a rate for any crop outside the 5 programmes that print it.

Every batch is tested. The bag carries the proof.

1 · The batch number

It is printed on the bag. Read it to the grower and show him where it is. Every bag of every batch carries one.

2 · The certificate of analysis

For any batch, free on request. Send the batch number off the bag to kisan@van.com.pk or the helpline, and the certificate for that batch comes back. No sample to post.

3 · The laboratory

VAN Lab, PNAC LAB 336, accredited to ISO/IEC 17025:2017. Every batch is released through it before it ships. The certificate carries the laboratory's number.

What a certificate for Tornado shows

The declared analysis tested for the batch: amino acids against 10% w/v, with the batch number, the Pakistan Standard PS 5606-2023 and licence CM/L-4125/2025 on the bottle. VAN states that the certificate supports the amino acids as free, L-form and plant-sourced. No certificate for a Tornado batch was on file for this deck, so no batch reading is printed here; the grower asks for his own batch's certificate.

The lines a dealer says in Urdu.

The first line is the promise word from the VAN brand master. The other 3 are the deck's key sentences, translated in a first pass and not yet reviewed by VAN. Say them, and send corrections to partner@van.com.pk.

It does not feed the crop. It lowers what the crop has to spend in a hard week.

Urdu first pass, unreviewed

یہ فصل کو خوراک نہیں دیتا، مشکل ہفتے میں فصل کا خرچ کم کرتا ہے

Water first, then the bottle. Morning or evening, never midday.

Urdu first pass, unreviewed

پہلے پانی، پھر بوتل۔ صبح یا شام، دوپہر میں کبھی نہیں

If a nutrient is short, fix that first. This is not a substitute for a bag.

Urdu first pass, unreviewed

اگر کسی غذائی جز کی کمی ہے تو پہلے وہ پوری کریں، یہ تھیلے کا بدل نہیں

Sprayed at the stage the plan prints. No promise of days or maunds.

Urdu first pass, unreviewed

اسی مرحلے پر چھڑکیں جو پلان میں لکھا ہے۔ نہ دنوں کا وعدہ، نہ من کا

Write to the address for what you need.

If you grow

kisan@van.com.pk

A crop plan, product rates, a certificate for your batch, a dealer near you.

If you sell

partner@van.com.pk

Dealers, distributors and the trade. Stock, training, corrections to this deck.

Everything else

info@van.com.pk

Supply, the laboratory, a plant visit.

Helpline 0300 5003041 · www.van.com.pk

Vital Agri Nutrients (Pvt) Ltd, Lahore. 1 helpline, 3 addresses. No group broadcasts: a grower who writes gets 1 reply.

Tornado: on the leaf, water first, morning or evening, at the row the programme prints. Mechanism, yes; a number, no.

