



MAKE THE FIRST ACQUAINTANCE EASY.

Wingman

A real-time protocol that turns proximity into permission to say hello — then gets out of the way.

- SOCIAL INTERACTION FACILITATION
- NOT A DATING APP
- MASTER PRESENTATION

Product Owner: Igor Chernikov · Spec V4.1 · Prepared for investors, partners & users
Confidential — factual status as of August 2026 repository documentation.

AGENDA

What this deck answers

Story

- Why Wingman needs to exist
- The human problem it solves
- How the protocol works
- Why it is not Tinder / Instagram

Evidence

- What is built today (A–D status)
- Safety, privacy, intelligence honesty
- Monetization models to validate
- Field-test gates still open

Status labels: **A Implemented** · **B Feature-flagged / internal** · **C Field test / validation** · **D Planned / vision**. Destiny is not presented as a public core feature.

You notice someone. Then nothing happens.

Café. Campus. Conference. Festival. The desire is real — the permission is missing.

Wingman exists for that gap: between noticing and meeting.

Mission

From presence to hello.

Wingman is a real-world connection facilitator. It helps two people who are already near each other safely discover mutual interest and say hello in real life.

THE PROBLEM

The first “hello” is still hard

Café

You catch a glance. You leave. The window closes in seconds.

Campus

Same lecture hall for weeks. No social script that feels safe.

Conference / Festival

Surrounded by strangers you might click with — and zero facilitation.

Fear of rejection. Uncertainty of mutual interest. No discreet facilitator. Privacy anxiety. Existing apps solve *remote discovery*, not the real-world approach.

WHAT PEOPLE ALREADY TRIED

Dating apps didn't remove the social cost

What they optimize

- Matches and message volume
- Time spent swiping and chatting
- Remote discovery at infinite scale

What still breaks

- Public profiles & performative photos
- Explicit rejection mechanics
- Chat that never becomes a meeting
- Someone standing five meters away — still unreachable

Context (US): 53% of adults under 30 have used a dating site/app; experiences are mixed — Pew Research Center, Feb 2023 (survey July 2022).

THE COST OF SILENCE

Every day, attraction dies of hesitation

Not because people don't want connection —
because the first step feels exposed, irreversible,
and socially expensive.

● Fear of rejection

● Unclear mutual interest

● No private channel

● Wrong tool for proximity

Wingman's bet: lower the emotional cost of the first move without increasing public exposure or addictive engagement.

THE WINGMAN SOLUTION

Wingman doesn't introduce profiles. It creates permission to say hello.

A short, private protocol for two people who are already near each other.



Product rule: any feature that increases time-in-app without increasing the chance of a real interaction must be rejected.

DESIGN CONSTRAINTS THAT CREATE OUTCOMES

Intention by design

2 Signals / day (Free)

Scarcity protects attention. No spray-and-pray.

1 active connection

Focus on one person — enforced as a system invariant, not a slogan.

~15 min Mission chat

Enough to arrange a meet. Not enough to live in the app.

Silent expiry

No decline button. No rejection notification.

Approximate location

Distance bands — never exact coordinates to peers.

Ephemeral media

Selfies are temporary, opaque, and not a public gallery.

HOW IT WORKS · 1–2

01

Activate Radar

You become discoverable nearby — Active, Invisible (default), or hidden in Mission. Anonymous dots on an abstract surface, not a public map of faces.

02

Send a Signal

Express interest privately. Free: 2/day. One active Signal per pair. Expires silently after ~10 minutes. No one is told they were declined.

03

Selfie A → Selfie B

Sequential, real-time capture. Short windows. Liveness-oriented verification in product scope. Media is temporary and recipient-scoped.

04

Mutual validation

Both sides confirm. Only then does a Connection open. Match is impossible without mutual validation — a hard protocol rule.

05

Ticket or Mission Meet

Meet now — or hold a Ticket (Free up to 2h). No chat until Mission Meet opens. Anti-contact filter blocks phone numbers and social handles in mission messages.

06

Mission Mode

~15 minutes (Free) to coordinate a real-world meet. Short. Single objective. Then the app steps back.

07

Outcome

Private answers: did you meet? The other person never sees your answer. Used for product learning later — not for public scoreboards.


08

Cooldown → Radar

30 min if any YES / 15 min if both NO or timeout. Then return to Radar. The loop is complete.

SHOW THE PRODUCT

Surface prototype — real UI



Source: live surface client <https://wingman-prototype.vercel.app/> · build referenced in operations/FIELD_TEST.md · demo/mock peers possible without Nest API — not Live Field Test Ready.

PROTOCOL DIAGRAM

One intentional loop

WINGMAN PROTOCOL



Then back to Radar. One intentional loop — not an endless feed.

Parallel path (not public core today): Destiny proposal → mutual consent → existing Signal/Connection flow. Destiny remains opt-in, default off, and out of public field test until its own gates.

WHY THIS IS NOT A DATING APP

PHILOSOPHY DIFFERENCE

Dating apps

Public profiles & photos

Swipe → match volume

Endless chat in-app

Optimize time-in-app

Explicit rejection UX

Remote discovery

Wingman

No public profile browsing

Signal → mutual consent

~15 min Mission Meet

Optimize real meetings

Silent expiry only

Already nearby

ALSO NOT A SOCIAL NETWORK

Wingman is a protocol, not a feed

Social networks

- Broadcast identity
- Content & followers
- Ambient social graph
- Maximize engagement

Wingman

- Controlled disclosure after mutual steps
- No public photo catalogue
- Ephemeral, local interactions
- Maximize real-world first acquaintances

WINGMAN PROTOCOL

Server-authoritative connection machine

Clients request transitions. The backend owns timers and terminal states.

STATE WINDOW	TYPICAL DURATION	NOTES
Signal	~10 min	Silent expiry — no rejection push
Selfie / approval	5 min (+5 Plus)	Sequential exchange
Ticket	2h Free / 24h Plus	Hold without chat
Mission Meet	15 / 20 min	Coordinate meet only
Cooldown	15–30 min	Then Radar

Source: `architecture/STATE_MACHINES.md` · `packages/domain` WingmanEngine

INVARIANTS THAT MAKE IT REAL

One active connection / user

Database-level ActiveUserLock — not UI-only.

One active Signal / pair

No duplicate pressure loops between the same two people.

Timers never pause offline

Absolute expiresAt (UTC). Workers reconcile.

Block is cross-cutting

Removes Radar visibility and closes active protocol paths.

SAFETY BY DESIGN

Safety is a protocol property — not a settings afterthought

Consent

Per-purpose, append-only, versioned. Core matching rests on contractual necessity — not a single global toggle.

Mutual steps

No connection without mutual validation. Destiny (when enabled) requires separate dual consent.

Controlled disclosure

Name after match path; no public photos; approximate location only to peers.

Responsible language: Wingman is designed to reduce risk and friction — it does not guarantee personal safety in the physical world. Meet in public places; trust your judgment.

ABUSE, REPORT, BLOCK

User controls **A**

- Block — instant, silent to the other party
- Report — can seal session evidence when needed
- Visibility modes — Invisible by default
- Anti-contact filter in Mission chat

System controls **B**

- Anti-Abuse engine (observe → graduated policy)
- Shadow mode available before enforcement
- No automatic permanent bans (human review)
- Signal quotas & rate limits

PRIVACY ARCHITECTURE

Minimize what must exist

Phone

Lookup via hashed identity; not shown to other users. Production OTP path still completing Live Field Test gates.

Location

Device has precise GPS. Peers see bands/cells. Exact lat/lng not returned on candidate payloads.

Selfies

Opaque media IDs, short-lived access, private storage model, deletion on expiry — not a public gallery.

Designed to support GDPR-oriented practices; legal review remains required for production claims.

Advanced engines exist — with flags, baselines, and locks

ENGINE	ROLE	STATUS
Radar Intelligence (S21)	Reorder eligible candidates only	B FLAGGED
Context Engine (S22)	Normalize ephemeral context	B FLAGGED
Destiny V2 (S23)	Rare convergence + dual consent	B INTERNAL / OUT OF PUBLIC FIELD
Anti-Abuse (S24)	Observe → graduated sanctions	B FLAGGED
Geo Intelligence (S25)	Cells/bands, no peer lat/lng	B FLAGGED
Measurement (S26)	Observe only — learning OFF	A/B ON, LEARNING LOCKED

DESTINY — CAREFUL TRUTH

Destiny is not a public core feature today

Implemented behind flags. Default off. Out of public field test until its own gates and DPIA path.

What it is

Detect rare contextual convergence, then require separate consent from both people. Never auto-match. Hands off to the existing V1 Signal → Connection flow.

What it is not

Not a stalking tool. No trajectory, date, or exact address in the user-facing message. Score/reasons stay server-side.

TECHNOLOGY (SIMPLIFIED)

SIMPLIFIED ARCHITECTURE (CONFIRMED)

Mobile / Web Client

NestJS API + WS

Workers (reconcile)

PostgreSQL durable

Redis ephemeral

Providers: SMS / Push / Stripe

Frozen domain: packages/domain (WingmanEngine)

Confirmed stack from repo: NestJS modular monolith · PostgreSQL · Redis · Prisma protocol tables · WebSocket realtime · Twilio SMS + FCM/APNs provider ports · Stripe as billing facts → backend entitlements. Payments currently disabled (PAYMENTS_ENABLED=false).

WHAT MAKES THE TECH SPECIAL

Frozen domain

S0–S7 WingmanEngine is frozen. Infra wraps protocol — doesn’t rewrite it for convenience.

Durable vs ephemeral

Postgres reconstructs protocol state. Redis holds presence TTL, locks, quotas. Presence never revived from PG.

Backend V1 GO

S20 certification: multi-instance, chaos, races, observability — automated gates passed 2026-08-09.

WHERE WINGMAN IS TODAY

WHERE WINGMAN IS TODAY

A · IMPLEMENTED

S0–S20 Backend V1 GO
 Protocol engine frozen
 Nest / PG / Redis / WS
 Billing→Entitlements (payments OFF)

B · FLAGGED / INTERNAL

S21 Radar Intelligence
 S22 Context Engine
 S23 Destiny V2
 S24 Anti-Abuse
 S25 Geo · S26 Measurement

C · FIELD / VALIDATION

Surface UI on Vercel
 Live Field Test S27–S34
 S27A OPEN (not GREEN)
 S27B SMS deferred

D · PLANNED / VISION

Public Destiny (gated)
 Payments go-live
 City density launch
 Learning after baselines

TRANSPARENT STATUS MATRIX

CAPABILITY	LABEL	FACT
Protocol loop (Radar→...→Cooldown)	A	Domain + Nest API implemented & tested
Mobile-first UI surface	C	Walkable on phones; demo mode without public Nest
Payments / checkout	B	Architecture ready; disabled fail-closed
Production SMS OTP	C	S27B OPEN / deferred (Twilio later)
Live multi-user field proof	C	S27A OPEN; S28–S34 queued
Public Destiny	D / LOCKED OUT	Code exists; public field OUT
Engine learning	D LOCKED	MEASUREMENT_LEARNING forbidden until review

FIELD TEST MILESTONE

From certified backend to real phones

CI green + Vercel ≠ Field Test Ready.

Definition of Done — Wingman Field Test Ready

Two real phones, two real numbers, Signal with app closed on B, real selfie + mutual validation, Mission Meet → Outcome → Radar — without fake users, QA buttons, manual DB, required refresh, or developer help.

S27A → S27B → S28 → S29 → S30 → S31 → S32 → S33 → S34 (GO PILOT / FIX LIST / NO-GO)

HOW WINGMAN CAN MONETIZE

Lean freemium — never ads in the meet flow

Free

- Full Radar
- 2 Signals / day
- 1 Ticket up to 2h
- Mission Meet 15 min

Wingman+ · €9.99/mo (spec)

- 20–25 Signals / day (final number TBD)
- 2 Tickets up to 24h + renewal
- +5 min windows · Mission 20 min
- Discovery priority (probability, never guaranteed exposure)

Source: docs/BUSINESS_MODEL.md · Payments not live (PAYMENTS_ENABLED=false).

MODELS A–C

A · Subscription

Customer: frequent users in dense venues.
Value: more Signals, longer tickets, windows.
Revenue: Wingman+ monthly.
Why pay: scarcity hurts when density is high.
Risks: paywalling safety/consent must never happen.
Validation: conversion after first successful Mission.

B · Night / Event Pass

Customer: one night out / festival day.
Value: temporary entitlement burst.
Revenue: €2.99 / €4.99 one-time (spec).
Why pay: tonight matters more than a month.
Risks: venue dependency; ops complexity.
Validation: partner nights with density.

C · Selfie / Rematch SKUs

Customer: users mid-protocol.
Value: Verified Selfie Cache, Rematch, Cool Down Skip.
Revenue: micro-purchases (spec).
Why pay: reduce friction at the last mile.
Risks: feel pay-to-skip-consent (must not).
Validation: attach rates post-mutual validation.

MODELS D-E + UNIT ECONOMICS

D · Venue / event partnerships

Customer: nightlife, campuses, conferences.

Value: better guest interaction quality.

Revenue: HYPOTHESIS — sponsorship / Pass distribution.

Risks: brand association; safety optics.

Validation: density-first pilots.

E · Never

Boosted profiles · ads in meeting flow · selling behavioral data. Explicitly rejected in product doctrine.

Unit economics (CAC, LTV, contribution margin): **HYPOTHESIS TO VALIDATE** — no live revenue; no fabricated fundraising numbers.

Launch where proximity is already true

One dense EU city. Seed events and venues where co-presence is natural.

1 · Density

Campus nights, nightlife corridors, conferences.

2 · Quality gate

Grow only if meeting outcomes hold — not vanity DAU.

3 · City by city

Expand when local Pulse/critical mass is real.

Source: docs/GO_TO_MARKET.md

TAM / SAM / SOM — assumptions labeled

TAM

Global online dating / social discovery spend is multi-billion USD depending on definition. Example range cited publicly: ~\$6B+ dating-app revenue (2024, Business of Apps via secondary reports) vs narrower Statista definitions — **definitions diverge**.

SAM

EU online dating: public estimates vary (~\$0.6B–\$1.2B depending on source/year). Wingman is a *subset*: proximity facilitation, not full swipe market.

SOM

HYPOTHESIS TO VALIDATE: first-city density cohort (nightlife + campus) — no fabricated user/revenue targets in this deck.

Citations: Pew (usage/experience, US 2022 survey published 2023); Business of Apps / Market Data Forecast / Statista for market sizing — treat as directional, not Wingman revenue.

COMPETITIVE LANDSCAPE

Same desire. Different philosophy.

PRODUCT TYPE	CORE MECHANIC	WINGMAN DIFFERENCE
Swipe dating (Tinder/Bumble...)	Remote catalogue + chat	Local protocol + capped interaction
Social networks	Broadcast & follow	No public browsing of attraction
Meetup / events	Group plans	Person-to-person first hello
Proximity experiments	Vary widely	Mutual validation + mission timers + silent expiry

Positioning axes: discreet · private · real-world · non-addictive.

DEFENSIBILITY

Current assets

- Encoded protocol + frozen domain tests
- Backend V1 GO certificate
- Safety/privacy model in product rules
- Advanced engines behind flags + measurement lock
- Clear anti-engagement doctrine

Potential future moats (not claimed yet)

- Density network effects in a city
- Trusted brand for first acquaintance
- Venue partnerships
- Learning from real meeting outcomes (after gates)

METRICS FUNNEL

North star: confirmed real-world meetings

METRIC	DEFINITION / TARGET (SPEC)
Signal acceptance	$\text{accepted} \div \text{received} \cdot \text{target} > 30\%$
Selfie response	$\text{returned} \div \text{received} \cdot > 60\%$
Mutual approval	$\text{approvals} \div \text{exchanged} \cdot > 40\%$
Mission Mode rate	$\text{entered} \div \text{connections} \cdot > 95\%$
Meeting confirmation	$\text{"Let's meet"} \div \text{Mission opened} \cdot > 40\%$
Meet outcome (indicative)	$\text{meetings} \div \text{signals} \cdot > 5\%$
Report rate	$\text{reports} \div \text{active sessions} \cdot < 0.5\%$

docs/SUCCESS_METRICS.md · S26 baselines observe connection→mission, mission completion, time-to-signal, etc. Learning OFF.

USER FAQ

Is Wingman a dating app?

No. It facilitates a first real-world acquaintance for people already nearby.

Will the other person know if I don't answer?

Signals expire silently. No rejection notification.

Does it share my exact location?

Peers see approximate bands — not exact coordinates.

How many Signals do I get?

Free: 2 per day. Plus (when payments live): 20–25 per day per spec.

Is Destiny on?

Off by default; not part of public field test until separate gates.

Does Wingman guarantee safety?

No app can. Wingman designs for consent, privacy, and controls — meet carefully in public.

INVESTOR NARRATIVE · 01-10

- Human problem: the first hello is expensive.
- Wrong tools dominate: swipe & social maximize engagement.
- Wingman thesis: proximity + mutual consent + short protocol.
- Product doctrine rejects addiction mechanics.
- Core loop is implemented as a frozen domain engine.
- Backend V1 certified GO (\$20).
- Advanced intelligence exists but is flagged and measured without learning.
- UI surface exists; live multi-user proof is the next critical path.
- Monetization is designed, payments fail-closed until ready.
- GTM is density-first, quality-gated.

INVESTOR NARRATIVE · 11–20

- Safety/privacy are product invariants, not marketing stickers.
- Destiny is powerful — and deliberately gated.
- Competitive edge is philosophy + protocol encoding.
- Market is large; Wingman’s wedge is narrower and more honest.
- Key risk: density cold-start — must be designed around.
- Key risk: trust/safety incidents — mitigated by design + ops.
- Key risk: confusing positioning as “another dating app.”
- Near-term value creation: Field Test Ready → pilot city.
- What to prove next: real OTP, realtime, selfie, closed-app Signal.
- **FUNDING SCENARIO — TO BE DEFINED** (no fabricated raise/revenue).

Decision gates, not vibes

Designed / Implemented / Certified

Spec V4.1 · Domain S0–S7 frozen · Envelope S8–S19 · S20 Backend V1 GO · V1.1 engines S21–S26 done with learning OFF.

Field-tested / Locked

Surface UI ready. Live Field Test track locked. Payments OFF. Public Destiny OUT. No new engines. Polish-by-habit stopped.

Governance: Observer → Measure → Decide → Ticket (only with objectified facts) → Correct → Validate → Document.

ROADMAP FROM ACTUAL DOCS

TRACK	STATUS
Backend V1 S0–S20	GO / frozen
V1.1 engines S21–S26	Done — engine sprints stopped; baselines
Client UI + payment readiness	Done — payments disabled
Live Field Test S27–S34	Active — S27A OPEN
S26 Review → engine learning	Not automatic
Payments go-live	Sandbox cert → then flag true
Public Destiny	Post DPIA / own gates

LONG-TERM VISION · LABELED VISION

VISION — not current fact

Become the trusted, discreet layer for the first acquaintance — recognizable by calm, private, magnetic character rather than loud catalogues.

Possible future

- Multi-city density networks
- Venue-native facilitation
- Outcome-trained intelligence (after ethics/gates)
- Category-defining “permission protocol”

What must stay true

- Real meetings over engagement
- Consent and privacy as product law
- No ads in the meeting flow
- Honesty about what is built vs dreamed

MAKE THE FIRST ACQUAINTANCE EASY.