

## CSCI 316 (Kong): TinyJ Assignment 2

Your assignment is to **complete a compiler** which does all of the following whenever its input is a syntactically valid TinyJ source file:

1. It checks that declarations and uses of identifiers in the source file are consistent with Java's scope rules.
2. As long as no errors are detected in the source file, **it translates the source file into a sequence of instructions for a stack-based virtual machine whose instruction set is given below**. At the same time, it writes to the output file an "enhanced parse tree" of the source file; this shows the static address or the stackframe offset that the compiler has allocated to each int or array reference variable, the start address of the code generated for each method, and the time at which each instruction is generated.
3. If no errors are detected in the source file then a list of the instructions generated is also written to the output file.

This assignment is to be submitted *no later than* Monday, May 13, but you should *aim to finish the assignment by Friday, May 10* to leave yourself more time to work on TinyJ Assignment 3 (which you will receive *before* Wednesday, May 8) and to prepare for Exam 2 and the final exam. [Note: If euclid goes down after 6 pm on the due date, the deadline will *not* be extended. Try to submit no later than noon on that day, and sooner if you can.]

The 35 virtual machine instructions that may be generated by the compiler are shown below. A specification of the effects of executing these instructions is given on pp. 5 – 6 of the following document:

<https://phantom.cs.qc.cuny.edu/kong/316/Memory-allocation-VM-instruction-set-and-hints-for-asn-2.pdf>

Operation	Operand 1	Operand 2
STOP		
PUSHNUM	<integer>	
PUSHSTATADDR	<address of static variable>	
PUSHLOCADDR	<local variable or parameter's stackframe offset>	
LOADFROMADDR		
SAVETOADDR		
WRITELNOP		
WRITEINT		
WRITESTRING	<address of first char>	<address of last char>
READINT		
CHANGESIGN		
NOT		
ADD		
SUB		
MUL		
DIV		
MOD		
AND		
OR		
EQ		
LT		
GT		
NE		
GE		
LE		
JUMP	<address of target instruction>	
JUMPFALSE	<address of target instruction>	
CALLSTATMETHOD	<address of method's first instruction>	
INITSTKFRM	<no. of locations needed for local vars declared in the method's body>	
RETURN	<no. of parameters the method has>	
HEAPALLOC		
ADDTOPTR		
PASSPARAM		
DISCARDVALUE		
NOP		

## How to Install the Already-Written Parts of the Program (Assuming You Have Already Followed the Installation Instructions Provided with TinyJ Assignment 1)

1. Login to **euclid** and enter the following command: `/users/kong300/316/TJ2setup`  
Wait for **TJ2setup done** to appear on the screen. **Important:** There should be no error messages!
2. **Logout from euclid.** Then **login to mars** and enter: `/home/faculty/ykong/TJ2setup`  
Wait for **TJ2setup done** to appear on the screen. Again, there should be no error messages!

Also do the next 3 steps **if** you are doing (or have already done) TinyJ Assignment 1 on your PC or Mac and plan to do this assignment on the same machine:

3. In a powershell / terminal window on the PC or Mac, make `~/316java` your working directory by entering the following command: `cd ~/316java`
4. Use an scp or sftp client to download the file **TJasn.jar** from your home directory on **euclid** to the `~/316java` folder on your PC or Mac. [See installation step 9 on p. 3 of the TinyJ Assignment 1 document, but substitute the filename **TJasn.jar** for **TJ1asn.jar**.]
5. On your PC or Mac, enter the following three commands in the powershell window:  

```
jar xvf TJasn.jar
javac -cp . TJasn/TJ.java
javac -cp . TJasn/virtualMachine/*.java
```

These commands assume you have done step 3, so that `~/316java` is your working directory.

Some or all of the following nine files will be considered in class:

**ParserAndTranslator.java.txt** (in the **TJasn** directory on mars, euclid, or your PC / Mac).  
The 8 other **.java.txt** files in the **TJasn** directory and its **virtualMachine** subdirectories.  
(There are 3 **.java.txt** files in **TJasn** and 6 in **virtualMachine**.)

## How to Do This Assignment

The only file you need to change is **TJasn/ParserAndTranslator.java**. In this file, each `/* ???????? */` comment must be replaced with appropriate code. *For most of these comments (specifically, the ones on lines 511 – 723), a good way to begin is to **first copy over** code you wrote for **Parser.java** in the previous assignment. (Do not open the **Parser.java** file you submitted; copy the code from one of your two backup copies of that file!) Then make changes in order that appropriate TinyJ virtual machine instructions will be generated.*

**Note:** For the comment on line 511, you only have to copy 3 statements! Do not copy over the lines of **Parser.java** corresponding to lines 482–3, 500, 502–4, 507, and 513 in **ParserAndTranslator.java**, and also do not copy the lines corresponding to lines 515, 519, and 537–8 in that file.

To recompile **TJasn/ParserAndTranslator.java** after you have edited it, enter this command:

```
javac -cp . TJasn/ParserAndTranslator.java
```

On **euclid** and **mars**, this command assumes your working directory is your home directory. On your PC or Mac (in a powershell / terminal window), this command assumes your working directory is `~/316java`.

**To have a good chance of finishing before the submission deadline, I recommend you do the following:**

- For the `/* ???????? */` comments on lines 511 – 723, copy over code from the corresponding parts of TinyJ Assignment 1 as soon as you have finished that assignment.
- Fill in the `/* ???????? */` gaps that were on lines 638 – 682 no later than **Tuesday, May 7**.

This should leave you enough time to fill in the other `/* ???????? */` gaps—i.e., the gaps that were on lines 492, 495, 511, 549, 593, 610, 627, and 723—well before the submission deadline. Some **hints** are given on the last few pages of:

<https://phantom.cs.qc.cuny.edu/kong/316/Memory-allocation-VM-instruction-set-and-hints-for-asn-2.pdf>

## How to Test Your Solution

First, enter this command to recompile your program: `javac -cp . TJasn/ParserAndTranslator.java`

After that, you can run your program on any TinyJ source file by entering the following command:

```
java -cp . TJasn.TJ TinyJ-source-file-name output-file-name
```

**Example:** `java -cp . TJasn.TJ CS316ex12.java 12.out`

This command assumes your working directory is your *home directory* if you are working on **mars** or **euclid**, but assumes your working directory is `~/316java` if you are working on your PC or Mac.

When you are asked `Want debugging stop or post-execution dump? (y/n)`

*you should enter y*

When you are asked to `Enter MINIMUM no. of instructions to execute before debugging stop. (Enter -1 to get a post-execution dump but no debugging stop.):`

*you should enter 0*

When you are asked `Stop after executing what instruction? (e.g., PUSHNUM) (Enter * to stop after executing just 0 instructions.):`

*you should enter \**

You can run my solution to Assignment 2 on any source file in a similar way, by entering the appropriate one of the following commands:

**On mars, euclid, or a Mac:**

```
java -cp TJsolclasses:. TJasn.TJ TinyJ-source-file-name output-file-name
```

**Example:** `java -cp TJsolclasses:. TJasn.TJ CS316ex12.java 12.sol`

**On a PC, in a powershell window:**

```
java -cp "TJsolclasses;." TJasn.TJ TinyJ-source-file-name output-file-name
```

**Example:** `java -cp "TJsolclasses;." TJasn.TJ CS316ex12.java 12.sol`

*When the TinyJ source file is a correct TinyJ program, the output files produced by your and my solutions **must contain the same “Instructions Generated:” lists (near the end, just above the “Data memory dump”).** But the output files need not be identical.*

For  $k = 0, 1, 2, \dots, 15$ , run **your program** with `CS316exk.java` as the TinyJ source file and `k.out` as the output file, then run **my solution** with `CS316exk.java` as the TinyJ source file and `k.sol` as the output file, and then check to see if the condition stated **in the first red sentence above** is satisfied by the two output files `k.out` and `k.sol`. (You can do this check using `diff -c` if you are working on **mars**, **euclid**, or a Mac. If you are working on a PC, you can use `fc.exe /n` instead. For more on how `diff -c` or `fc.exe /n` can be used to compare `k.out` and `k.sol`, see page 4 of the TinyJ Assignment 1 document. But your solution may be correct even if those files are different, provided that the condition stated **in the first red sentence above** is satisfied.)

## How to Submit Your Solution\*

This assignment counts **2%** towards your grade if the grade is computed using rule A. To submit:

1. Add a comment at the beginning of `ParserAndTranslator.java` that states your name and the names of the students you worked with (if any). As before, you may work with up to two other students, but see the remarks about this on p. 3 of the first-day announcements.
2. Leave your final version of `ParserAndTranslator.java` in your **TJasn** directory on **euclid**, so it replaces the original version of that file, before midnight\* on the due date. When two or three students work together, each of the students must leave his/her completed file in his/her directory. (If you are working on **mars** or your own PC / Mac, you can copy the file `ParserAndTranslator.java` to **euclid** by following the instructions on p. 5 of the TinyJ Assignment 1 document; but you should substitute `TJasn/ParserAndTranslator.java` for `TJlajn/Parser.java` and substitute `TJasn` for `TJlajn` when following the instructions.)

**Be sure to test your submission on euclid.** If your modified version of `ParserAndTranslator.java` cannot even be compiled without error **on euclid**, then you will receive no credit for your submission.

As stated on page 3 of the 1<sup>st</sup>-day announcements document, you are required to keep a backup copy of your submitted file on **mars**. You can enter the following command on **euclid** to put a copy of the file on **mars**:

```
scp TJasn/ParserAndTranslator.java your mars username@mars.cs.qc.cuny.edu:
```

The colon at the end of the command is needed!

\*If **euclid** unexpectedly goes down after 6 p.m. on the due date, the deadline will **not** be extended. **Do NOT** open your submitted file `ParserAndTranslator.java` in an editor on **euclid** after the due date, unless you are resubmitting a corrected version of your solution as a **late** submission. Also do not execute `mv`, `chmod`, or `touch` with your submitted file as an argument after the due date. (It's OK to view the file using the `less` file viewer after the due date.)