Lean shell independent UI evaluation v3

Verdict: PASS

Project: /home/ahnaf-zakaria/Downloads/Cydeline
Snapshot: cfb0dbf9bb4cacfb4837098c19f3ba0b4bc5372fb0b1b60c28735382891e4480
Contract: 4a7a48a2dc16c0afaef22b6343fe1a5042dd4a127f19213df130f6b6674bb6d8

Report generation: df1844bd0f6446e3b8a94dece9b64fbc

Coverage and acceptance

#/live/:run/monitoring / Primary and secondary navigation / 320/390/768/1440: reviewed

#/ / Launch briefing then reference / new exercise and coached ready: reviewed

#/live/instructor / Separate password-free instructor mode / local fixture transition and return: reviewed

#/live/:run/sandbox / Immersive workspace and minimize / ready320/390/768/1440: reviewed

#/live/:run/sandbox / Workspace recovery / stable gateway URL reconnect: reviewed

#/live/:run/monitoring / Keyboard and responsive operation / secondary tools and retained drafts: reviewed

#/live/profile / Assigned attempt pre-launch briefing / first assigned practice and assessment attempt: reviewed

Primary and secondary navigation: pass - Independent source and23/23 native lean-shell/lean-recovery/navigation/learning browser tests pass with isolated output/tmp/lean-ui-v3-results. First shared-output run22/23 ended with traceENOENT during browser teardown, no assertion failure; isolated rerun passed. All primary/supporting routes, oldURLs, ownership and recoverable drafts retained.

Launch briefing and reference: pass - Library and assigned launch both show expanded company briefing before starting. New native regression matrix coached/independent/assessment verifies missingbriefing blocksstart, Cancel makes0POST, failedstart retains briefing and retry, successful confirm uses assignment endpoint only, then only dedicated reference remains. Independent assessment modal probe confirms0POST before/cancel,1afterconfirm,0livebriefing and visible reference.

Separate instructor mode: pass - Native browser local fixture changed authenticated role, rendered distinct management header/tabs with no training rail or live toolbar and no password input; Training restored selected exercise. Backend authorization independently evaluated elsewhere. New recovery check verifies direct instructor entry and delayed session identity keeps Training disabled until actual demotion can occur. Independent instructor screenshots at320/390/768/1440 have no page overflow or password inputs.

Immersive workspace connection and focus: pass - Native test rendered synthetic guest at exact fullviewport0,0,width,900 at1440/768/390/320; shell inert, top-right minimize reachable. Minimize/resume/Escape retain same iframe/src and one load; focus returns Resume, navigation unmount clears inert.

Workspace recovery: pass - Explicit reconnect now increments iframe key and opens immersive workspace. Independent probe: loads1 before,2 after reconnect, remains2 after minimize/resume,3 after repeated reconnect; exactly1 launchPOST. Native failed503 launch test retains running investigation, offers retry and

successfully opens guest.

Responsive supporting tools and keyboard: pass - Independent probe sampled all four widths: document scrollWidth equals viewport, More tools keyboard Enter opens/closes with focused2px orange outline and whole panel within viewport. Screenshots inspected; data tables use internal horizontal scroll at narrow widths.


Sampled accessible names and contrast: pass - Native lean-shell rule scan passed color-contrast,button-name,link-name at320. Keyboard minimize/resume/navigation and disclosure exercised. This is sampled automation, not full WCAG or assistive-technology qualification.

Lightweight and privacy-preserving shell: pass - Source: instructor and observer lazy imports before learner RunProvider; recorder dynamic import only after optional consent. No new UI dependency. Capture blocks private fields and excludes other desktop/crossorigin; learner AI visibility restrictions retained.

Reduced-motion static sample: pass - Independent reduced-motion emulation found0activeCSSanimation names in static Monitor. Does not establish replay/VM motion compliance.


Evidence: monitor-1440

1440 x 900 pixels; viewport 1440 x 900; scale 1; scroll {'x': 0, 'y': 0}



Evidence: monitor-768


768 x 900 pixels; viewport 768 x 900; scale 1; scroll {'x': 0, 'y': 0}



monitor-768 continued

Evidence: monitor-390


390 x 900 pixels; viewport 390 x 900; scale 1; scroll {'x': 0, 'y': 0}



monitor-390 continued




monitor-390 continued




Evidence: monitor-320


320 x 900 pixels; viewport 320 x 900; scale 1; scroll {'x': 0, 'y': 0}



monitor-320 continued



monitor-320 continued




Evidence: workspace-1440

1440 x 900 pixels; viewport 1440 x 900; scale 1; scroll {'x': 0, 'y': 0}



Evidence: workspace-320

320 x 900 pixels; viewport 320 x 900; scale 1; scroll {'x': 0, 'y': 0}



workspace-320 continued




workspace-320 continued




Evidence: instructor-1440

1440 x 900 pixels; viewport 1440 x 900; scale 1; scroll {'x': 0, 'y': 0}




Evidence: instructor-320


320 x 989 pixels; viewport 320 x 900; scale 1; scroll {'x': 0, 'y': 0}



instructor-320 continued




instructor-320 continued




Evidence: assignment-1440

1440 x 900 pixels; viewport 1440 x 900; scale 1; scroll {'x': 0, 'y': 0}



Evidence: assignment-320

320 x 900 pixels; viewport 320 x 900; scale 1; scroll {'x': 0, 'y': 0}



assignment-320 continued

Only released evidence.

Normal work

- Employees read reports.

Evidence and its limits

Application audits.

When to escalate


Escalate anomalies.

What recovery means

Verify suspicious denial and legitimate work.


Assessment rubric

assignment-320 continued




Evidence: more-320


320 x 900 pixels; viewport 320 x 900; scale 1; scroll {'x': 0, 'y': 0}



more-320 continued




more-320 continued



Evidence: reconnect-1440

1440 x 900 pixels; viewport 1440 x 900; scale 1; scroll {'x': 0, 'y': 0}



1. LEAN-UI-01 - Reconnect does not reload a stable workspace gateway

functional-accessibility | major | resolved

Route: #/live/:run/sandbox

State: ready Windows minimized after a disconnected guest display

Expected: Reconnect reopens the current environment connection without stopping or relaunching the VM.

Observed: The control sets connection to data.url. When the gateway URL is unchanged the iframe remains the same loaded document. Independent synthetic frame count stayed1 before and after clicking Reconnect.

Consequence: A trainee with a stuck or disconnected embedded guest cannot recover via the offered recovery action.


Reproduce: Launch fixture desktop; minimize; click Reconnect while gateway returns the same URL. Observe frame navigation/load count and guest document remain unchanged.

Evidence: apps/web/src/features/live/AnalystTools.tsx Reconnect handler; independent-v1/probe.cjs and browser-observations.json reconnect.loads_before=1,loads_after=1. Native suite18/18 passes because it asserts preservation on minimize but does not exercise explicit reconnect.

Remedy: Explicitly reload or rekey the existing iframe on Reconnect while preserving its gateway URL, exercise and VM. Ordinary minimize/resume must continue preserving the frame.

Retest: Assert minimize/resume causes exactly one frame load, explicit Reconnect causes a second load at the same URL, repeated reconnect works, and no new VM launch POST occurs. Exercise error and retry states.

Detail of observed region



1 / LEAN-UI-01 detail 1,1

2. LEAN-UI-02 - Assigned training starts without its company briefing

functional-accessibility | major | resolved

Route: #/live/profile

State: new assigned practice or assessment attempt

Expected: Before starting training, present the assigned scenario company briefing once and let the learner explicitly launch afterward.

Observed: LearnerDesk Start assignment directly calls POST/assignments/:id/start then navigates Monitor. Browser probe recorded0briefing panels before click,1startPOST,0confirmation dialogs, immediate exercise route.

Consequence: A first-time assigned trainee begins the scenario without role, authority, normal work or response policy. Assessment/independent clocks can begin before this necessary orientation.


Reproduce: Return one unused assignment from fixture assignments; open My training; click Start assignment. Observe immediate start request/navigation with no pre-launch company briefing.

Evidence: apps/web/src/features/live/TrainingDesk.tsx:60-64,141; independent-v2/probe.cjs and browser-observations.json assignment result; assignment-before-1440.png and assignment-after-1440.png.

Remedy: Load the assigned scenario briefing and show a pre-start confirmation before dispatching the existing assignment start request. Keep instructor-fixed scenario/mode/assistance, attempt enforcement and server-owned timing. Do not repeatedly inject briefing into live investigation.

Retest: For first assigned coached, independent and assessment attempts, assert no startPOST until the expanded briefing is shown and confirmed; cancel makes no start call, failure retains retry, confirm uses assignment endpoint, and later live pages expose only the reference.


Detail of observed region




2 / LEAN-UI-02 detail 1,1




2 / LEAN-UI-02 detail 1,2




2 / LEAN-UI-02 detail 2,1



2 / LEAN-UI-02 detail 2,2



2 / LEAN-UI-02 detail 3,1



2 / LEAN-UI-02 detail 3,2