Milestone A independent observer UI review v1

Verdict: FAIL

Project: /home/ahnaf-zakaria/Downloads/Cydeline
Snapshot: b5d997dcfcfa179ffecbf31f51074836b481227941db03bf2d0bc7ca9e7df23b
Contract: cc88c17f807fb7aa7ceedce2f27ea874171901b2adce29cd1ae56e6f6aa44a85

Report generation: de605414993548abb7cafdc67374d4f5

Coverage and acceptance

#/live/observer/:run / Instructor observation and reconnect / live restricted observer: reviewed

#/live/observer/:run / Terminal review and recording segments / own terminal and instructor terminal: reviewed

#/live/observer/:run / Responsive and keyboard review / 320/390/768/1440: reviewed

#/live/:run/monitoring / Optional capture masking / live trainee: reviewed

Current isolated observer suite: pass - BASE_URL=http://127.0.0.1:5191 RUN_OBSERVER=1 npx playwright test observer.spec.ts:2passed7.9s; disposable fixture identity verified before test operations.

Live audience privacy and safe replay: pass - Current2test suite exercises input/private masking, trainee live403, assigned observer read-only403 on abort/revocation403, own-terminal200, reconnect retention, segments, script/form/network replay fixture.

Truthful terminal AI state: fail - OBS-UI-02 reproduced on current terminalaborted record.

Narrow observer pane switching: fail - OBS-UI-01;320/390/768 stack both panes instead of accepted switch.

Keyboard review navigation: fail - OBS-UI-03; top-level real controls show2px orange outlines, but focus enters inert historical screen.

Reflow and sampled contrast: pass - At320/390/768/1440 document scrollWidth equals viewport. Top-level color-contrast axe rule, iframesfalse:0violations,0incomplete. CSSzoom2 at1440 also had no horizontal overflow; this is not browserzoom or full WCAG proof.

Sampled reduced-motion static state: pass - emulateMedia reduced-motionreduce; top-level observer DOM had0active CSS animation names. Replay motion/full assistive technology remain unqualified.

LIMIT: This is independent local milestoneA UI/source review, not deployment or B/C readiness.

LIMIT: Fixture model output tests actual LocalAgent/control/target paths but does not establish genuine-model adaptation. Real-model-current.json is separate single-call proof and was not rerun by this evaluator.


LIMIT: No Windows desktop, sealed guest isolation, fifteen-minute timing, LAN/loadp95, participant usability or educational-effectiveness claim.

LIMIT: Full axe scan involving sandboxed replay did not complete and was stopped; targeted top-level contrast scan completed. Manual browserzoom, full screen-reader coverage and replay motion remain unverified.


LIMIT: Responsive screenshots use synthetic disposable fixture records; raw actual model transcripts and credentials excluded.

Evidence: terminal-1440

1440 x 1628 pixels; viewport 1440 x 900; scale 1; scroll {'x': 0, 'y': 0}




terminal-1440 continued



Evidence: terminal-768

768 x 2352 pixels; viewport 768 x 900; scale 1; scroll {'x': 0, 'y': 0}



terminal-768 continued



Recorded tab position 0.0 s **Show all AI activity**

Windows observation is a later range milestone and is not connected here.

AI activity

Waiting for the next model turn.

Only calls recorded after observer support was enabled include full transcripts.

AI-stated intent is a brief declaration, not private internal reasoning. A confirmed request may still be denied.

Decision started
`#3 · 8.0 s`

`decision_916da5107a5b4ab1a86d`

▶ Actual recorded data

Model request
`#4 · 8.0 s`

`decision_916da5107a5b4ab1a86d`


▶ Actual recorded data

Model final response
`#5 · 8.0 s`

`decision_916da5107a5b4ab1a86d`


Model: observer-browser-fixture

terminal-768 continued




Evidence: terminal-390


390 x 2782 pixels; viewport 390 x 900; scale 1; scroll {'x': 0, 'y': 0}




terminal-390 continued



terminal-390 continued




terminal-390 continued



terminal-390 continued



terminal-390 continued




terminal-390 continued



Evidence: terminal-320

320 x 2949 pixels; viewport 320 x 900; scale 1; scroll {'x': 0, 'y': 0}




terminal-320 continued




terminal-320 continued


1



terminal-320 continued



terminal-320 continued



terminal-320 continued

AI-stated intent is a brief declaration, not private internal reasoning. A confirmed request may still be denied.

Decision started

#3 · 8.0 s

decision_916da5107a5b4ab1a86d

▶ Actual recorded data

Model request


#4 · 8.0 s

decision_916da5107a5b4ab1a86d

▶ Actual recorded data

---


terminal-320 continued



terminal-320 continued



terminal-320 continued



1. OBS-UI-01 - Narrow observer layout lacks the accepted screen/AI switch

direction-mismatch | major | open

Route: #/live/observer/:run

State: 320/390/768px live and terminal observation

Expected: The approved plan section2 requires narrow layouts to switch between trainee screen and AI activity.

Observed: The <=900px rule stacks both sections. At320px terminal review the AI activity starts at document y1483.5; the trainee screen is scaled to a296px card. The two buttons inside the first card switch tab/actions, not trainee/AI panes.

Consequence: The agreed narrow observation mode is absent; comparing screen with actual AI activity requires long page travel.


Reproduce: Open a fixture run with recorded tab and AI events; use320px width. Inspect both always-visible cards and the absence of a trainee/AI selector.

Evidence: apps/web/src/styles/live.css:859,870; apps/web/src/features/live/ObserverView.tsx:139-144. Browser measured AI top1483.5 at320px,1389.8 at390px,1049.5 at768px. Screenshot terminal-320.


Remedy: Add an accessible narrow-screen trainee/AI view selector with selected state and one pane shown, retaining desktop split view and recording segment selection.

Retest: At320/390/768 widths, use keyboard to switch trainee/AI panes; verify focus, selected state and retained segment/scrub state. Retest1440 split view.


Detail of observed region




1 / OBS-UI-01 detail 1,1




1 / OBS-UI-01 detail 2,1



1 / OBS-UI-01 detail 3,1



1 / OBS-UI-01 detail 4,1



1 / OBS-UI-01 detail 5,1

2. OBS-UI-02 - Terminal review promises a next model turn

functional-accessibility | minor | open

Route: #/live/observer/:run

State: aborted terminal run

Expected: Terminal review states that AI execution ended, preserving unavailable/stopped reasons where known.

Observed: The header says Recorded and lifecycle says aborted, while AI activity says Waiting for the next model turn.

Consequence: The review presents contradictory execution state and implies another turn will occur.


Reproduce: Open an aborted fixture run with thinking=false and ai_unavailable=false.

Evidence: apps/web/src/features/live/ObserverView.tsx:141; current API snapshot terminalaborted. Actual rendered terminal1440 screenshot.

Remedy: Derive the AI status copy from terminal lifecycle before pending/generating/idle states; keep exact lifecycle/result visible.

Retest: Open completed/aborted/technical_failure reviews and live paused/thinking/unavailable states; verify no pending next-turn claim in terminal views.

Detail of observed region



2 / OBS-UI-02 detail 1,1



2 / OBS-UI-02 detail 1,2

3. OBS-UI-03 - Keyboard focus enters the inert recorded screen

functional-accessibility | minor | open

Route: #/live/observer/:run

State: keyboard traversal through recorded tab

Expected: The noninteractive replay display is skipped by keyboard; real review controls retain visible focus.

Observed: Sequential Tab enters the outer observer iframe after segment selection with no visible outline, and the next Tab reaches a recorded BUTTON inside the nested replay. pointer-events:none blocks the mouse, not this keyboard focus path.

Consequence: Keyboard users encounter an unmarked focus stop and historical controls that cannot operate the exercise, before reaching current review controls.


Reproduce: At1440px on a terminal run with a recorded screen, Tab from recording segment selector. Inspect document.activeElement and nested contentDocument.activeElement, then press Tab again.

Evidence: apps/web/src/features/live/ObserverView.tsx:77; apps/web/src/styles/live.css:864. Browser: outer IFRAME computed outline none; next Tab nested replay activeElement BUTTON.


Remedy: Remove outer/nested replay documents from sequential focus and make replay content inert; keep the labelled display available for review without fake historical interactive controls.

Retest: Tab/Shift+Tab through the entire observer page; replay DOM controls receive no focus, and slider/segment/details/invitations have visible focus.


Detail of observed region



3 / OBS-UI-03 detail 1,1



3 / OBS-UI-03 detail 1,2




3 / OBS-UI-03 detail 2,1



3 / OBS-UI-03 detail 2,2



3 / OBS-UI-03 detail 3,1



3 / OBS-UI-03 detail 3,2