

LINMA2222 Project Presentation

Subtitle

Lucas Ahou and Aymeric Couplet

Uclouvain

2025-12-16

Outline



- 1. Animation 2
 - 1.1 Simple Animation 3
 - 1.2 Complex Animation 4
 - 1.3 Callback Style Animation 5
 - 1.4 Math Equation Animation 6
- 2. Theorems 7
 - 2.1 Prime numbers 8
 - 2.2 Side-by-side 11
- 3. Appendix 12
 - 3.1 Appendix 13

1. Animation

1. Animation

—

1.1 Simple Animation

We can use `#pause` to

Meanwhile,

1. Animation



1. Animation

— 1.1 Simple Animation

1. This is a speaker note.
2. You won't see it unless you use `config-common(show-notes-on-second-screen: right)`

1.1 Simple Animation

We can use `#pause` to display something later.

Meanwhile, we can also use `#meanwhile` to

1. Animation



1. Animation

— 1.1 Simple Animation

1. This is a speaker note.
2. You won't see it unless you use `config-common(show-notes-on-second-screen: right)`

1.1 Simple Animation

We can use `#pause` to display something later.

Just like this.

Meanwhile, we can also use `#meanwhile` to display other content synchronously.

1. Animation



1. Animation

— 1.1 Simple Animation

1. This is a speaker note.
2. You won't see it unless you use `config-common(show-notes-on-second-screen: right)`

1.2 Complex Animation

At subslide 1, we can

use `reserving` for reserving space,

use `not_reserving` for not reserving space,

call `#only` multiple times $\times$ for choosing one of the alternatives.

1. Animation



1. Animation

— 1.2 Complex Animation

1.2 Complex Animation

At subslide 2, we can

use `#uncover` function for reserving space,

use `#only` function for not reserving space,

use `#alternatives` function ✓ for choosing one of the alternatives.

1. Animation



1. Animation

— 1.2 Complex Animation

1.3 Callback Style Animation

At subslide 1, we can

use `use_reserving` for reserving space,

use `use_no_reserving` for not reserving space,

call `#only` multiple times $\times$ for choosing one of the alternatives.

1. Animation



1. Animation

— 1.3 Callback Style Animation

1.3 Callback Style Animation

At subslide 2, we can

use `#uncover` function for reserving space,

use `#only` function for not reserving space,

use `#alternatives` function ✓ for choosing one of the alternatives.

1. Animation



1. Animation

— 1.3 Callback Style Animation

1.3 Callback Style Animation

At subslide 3, we can

use `#uncover` function for reserving space,

use `#only` function for not reserving space,

use `#alternatives` function ✓ for choosing one of the alternatives.

1. Animation



1. Animation

— 1.3 Callback Style Animation

1.4 Math Equation Animation

Equation with pause:

$$f(x) =$$

Here,

1. Animation



1. Animation

— 1.4 Math Equation Animation

1.4 Math Equation Animation

Equation with pause:

$$f(x) = x^2 + 2x + 1$$
$$=$$

Here, we have the expression of $f(x)$.

1. Animation



1. Animation

— 1.4 Math Equation Animation

1.4 Math Equation Animation

Equation with pause:

$$\begin{aligned}f(x) &= x^2 + 2x + 1 \\ &= (x + 1)^2\end{aligned}$$

Here, we have the expression of $f(x)$.

By factorizing, we can obtain this result.

1. Animation



1. Animation

— 1.4 Math Equation Animation

2. Theorems

2. Theorems

—

2.1 Prime numbers

2. Theorems

Definition 2.1.1 A natural number is called a *prime number* if it is greater than 1 and cannot be written as the product of two smaller natural numbers.

Example. The numbers 2, 3, and 17 are prime. Corollary 2.1.2.1 shows that this list is not exhaustive!

Theorem 2.1.2 (Euclid) There are infinitely many primes.

2. Theorems

— 2.1 Prime numbers

2.1 Prime numbers

2. Theorems

Proof. Suppose to the contrary that $p_1, p_2, \dots, p_n$ is a finite enumeration of all primes. Set $P = p_1 p_2 \dots p_n$. Since $P + 1$ is not in our list, it cannot be prime. Thus, some prime factor p_j divides $P + 1$. Since p_j also divides P , it must divide the difference $(P + 1) - P = 1$, a contradiction. $\square$

Corollary 2.1.2.1 There is no largest prime number.

Corollary 2.1.2.2 There are infinitely many composite numbers.

2. Theorems

— 2.1 Prime numbers

Theorem 2.1.3 There are arbitrarily long stretches of composite numbers.

Proof. For any $n > 2$, consider

$$n! + 2, \quad n! + 3, \quad \dots, \quad n! + n$$



2.2 Side-by-side

First column.

Second column.

2. Theorems



2. Theorems

— 2.2 Side-by-side

3. Appendix

3. Appendix

—

3.1 Appendix

Please pay attention to the current slide number.

3. Appendix

UCLouvain

Lucas Ahou and Aymeric Couplet

LINMA2222 Project Presentation

2025-12-16

13 / 11