
Abu Bakr (ra) beautiful dua



© 2018 Al-Nafi. All Rights Reserved.

Abu Bakr's Beautiful Dua

اللَّهُمَّ اجْعَلْ خَيْرَ زَمَانِي آخِرَهُ، وَخَيْرَ عَمَلِي خَوَاتِمَهُ،
وَخَيْرَ أَيَّامِي يَوْمَ أَلْقَاكَ

Allāhumma ijʿal khayra zamānī ākhirahu, wa-khayra
ʿamalī khawātimahu, wa-khayra ayyāmī yawma alqāka

O Allah, let the best of my lifetime be its ending,
and my best deed be that which I seal (my life with),
and the best of my days the Day I meet You.

© 2018 Al-Nafi. All Rights Reserved.

How Nafi Members Study!

1. Please subscribe to our YouTube channel and click the bell icon to get alerts https://www.youtube.com/channel/UC2yAW4Oq27r1yuRE8ePKRvA
2. Follow us on Facebook https://www.facebook.com/info.alnafi/
3. Follow us on Twitter https://twitter.com/nafiPakistan
4. Join the Al Nafi Official Group https://www.facebook.com/groups/alnafi/ (This group is only for members to ask questions)
5. All Nafi members MUST study on the portal https://alnafi.com/login/ and connect using your Nafi member username and password.
6. Once on the portal they can follow their classes by:
    - watching videos
    - attempting quizzes and flash cards
    - studying official Nafi notes
    - keep track of their studies long with many more features


© 2018-2019 Al-Nafi. All Rights Reserved.

Top Mitigations

- Know what you have
- Patch and manage me what you have
- Assess/monitor/log
- Educate users

© 2018 Al-Nafi. All Rights Reserved.


Know what you have



© 2018 Al-Nafi. All Rights Reserved.

Know what you have: Maintain a good inventory of all IT operating in the environment and understand the operational status. While this sounds simple, it is one of the most difficult things to accomplish for most large organizations.


Patch your systems on a timely basis



© 2018 Al-Nafi. All Rights Reserved.

Patch and manage what you have: Keep hardware, firmware, and software up to date and manage system configurations to ensure they are kept in a secure and well-maintained state. This is a basic security function but is also commonly neglected and not well implemented in many organizations.

Assess/monitor/log



© 2018 Al-Nafi. All Rights Reserved.

Assess/monitor/log: Assess system security status, monitor the status continuously, and log system, user, and process actions to the greatest extent possible. At the enterprise level, this includes collecting and aggregating individual system logs with automated and manual reviews.


Educate Users



© 2018 Al-Nafi. All Rights Reserved.

Educate users: At the enterprise level, this is critical to address human-based attacks (social engineering, phishing, etc.) that technology alone cannot defend against.

Common System Vulnerabilities



© 2018 Al-Nafi. All Rights Reserved.

The following are common system vulnerability types that exist to some degree in most systems. For each of the specific system types in this module, the common system vulnerabilities should be considered
applicable to some degree. The impact of the common vulnerabilities may be different based on system type.

Hardware vulnerabilities are most typically associated with loss of availability when components fail. However, supply chain concerns over inappropriate modification or counterfeit hardware components are
valid concerns. Improperly configured or illicitly modified hardware can impact system confidentiality and integrity.

Hardware:
Hardware components may fail at any time

- o Mean time between failures (MTBF) used to calculate expected life
- o Failure rates higher during initial system operation

Supply chain issues may introduce technical flaws/vulnerabilities or malicious

modification

Old hardware may be difficult to repair/replace

Communication vulnerabilities can directly impact confidentiality, integrity, or availability depending on system functions. Typically, the communication sub-systems of an information system are the most exposed components of the system and the most susceptible to technical attacks.

Communications:
- Can fail
- Can be blocked (denial of service (DoS))
- Can be intercepted
- Can be counterfeited (replayed)
- Can be modified
- Characteristics can expose information about the sender/receiver (e.g., address, location, etc.)


Misuse by user:
- Can be intentional or accidental
- Can degrade or bypass security controls
- Increases in likelihood as difficulty to operate increases
- For example, difficult security requirements increase likelihood of intentional misuse to “get the job done”

Code flaws:
- Exist in all software products with more than trivial complexity
- May be introduced accidentally or intentionally
- Typical risk conditions:
    - o Known flaws, patch available, systems not patched, exploit available
    - o Known flaws, patch not available, exploit available
    - o Unknown flaws, exploit available (zero-day attack possible)

Emanations vulnerabilities are primarily a concern to very high security systems (eg. Used by Govt or military agencies that can have a high impact on the national security of a given country.
- Hardware/physical elements may radiate information
- Radio frequency
- Visible and non-visible spectrum
- Can be used to discern system functions

- Can be used to locate systems/components

Client based systems



© 2018 Al-Nafi. All Rights Reserved.

Client-based systems are systems in which the end user directly interfaces with the computing hardware in the form of desktops, laptops, thin client terminals, and so on. They are typically present in large quantities in most organizations. Most organizations are continually adding new and decommissioning old client systems. They are typically general-purpose computers that are used for a variety of purposes across an organization.

Client based system vulnerabilities

Vulnerabilities

- Physically under user control
- Susceptible to user misuse (intentional or accidental)
- May be lost/stolen
- Monitoring may be difficult
- 100 percent update may be difficult

© 2018 Al-Nafi. All Rights Reserved.

End users in most cases physically control these devices. This allows for end user modification or removal from enterprise control of the system. They may be more susceptible to loss or theft for this reason. Since the devices are typically under user control, monitoring and updating the systems may be difficult as the location and power status (e.g., on/off) may be indeterminate.

- Physically under user control
- Susceptible to user misuse (intentional or accidental)
- May be lost/stolen
- Monitoring may be difficult
- 100 percent update may be difficult

Client based system vulnerabilities Mitigations

Mitigations

- Patch/update*: Continuous action
- General network protections: e.g. Network segmentation, firewall devices, network intrusion prevention or detection
- Host protections*: Antivirus, host intrusion prevention system (IPS), host firewall, disk encryption
- Monitor*: Logs, alerts, track location
- Educate users: Anti-phishing campaign, detecting attacks

© 2018 Al-Nafi. All Rights Reserved.

The following mitigations are the basic mitigations to apply to a general purpose computer. While these mitigations seem basic in nature, they are difficult to do well across a large installation base of client devices.

- Patch/update*: Continuous action
- General network protections: e.g. Network segmentation, firewall devices, network intrusion prevention or detection
- Host protections*: Antivirus, host intrusion prevention system (IPS), host firewall, disk encryption
- Monitor*: Logs, alerts, track location
- Educate users: Anti-phishing campaign, detecting attacks