dotnet new

`dotnet new sln`	Solution file
`dotnet new console`	Console application
`dotnet new classlib`	Class library
`dotnet new mvc`	ASP.NET Core Web App (Model-View-Controller)
`dotnet new xunit`	xUnit test project
`dotnet new -l`	Obtain a list of the available templates

dotnet sln

`dotnet sln list`	List all projects in a solution file
`dotnet sln todo.sln add todo-app/todo-app.csproj`	Add a C# project to a solution
`dotnet sln todo.sln remove todo-app/todo-app.csproj`	Remove a C# project from a solution
`dotnet sln todo.sln add **/*.csproj`	Add multiple C# projects to a solution using a globbing pattern

dotnet add

`dotnet add package Newtonsoft.Json`	Add *Newtonsoft.Json* NuGet package to a project
`dotnet add reference lib1/lib1.csproj lib2/lib2.csproj`	Add multiple project references to the project in the current directory
`dotnet add app/app.csproj reference **/*.csproj`	Add multiple project references using a globbing pattern on Linux/Unix

dotnet build

`dotnet build`	Build a project and all of its dependencies
`dotnet build --configuration Release`	Build a project and its dependencies using Release configuration
`dotnet build --runtime ubuntu.16.04-x64`	Build a project and its dependencies for a specific runtime (in this example, Ubuntu 16.04)

Starting with .NET Core 2.0, you don't have to run `dotnet restore` because it's run implicitly.

dotnet run

`dotnet run`	Run the project in the current directory
`dotnet run --project ./projects/proj1/proj1.csproj`	Run the specified project
`dotnet myapp.dll`	Run a framework-dependent app named `myapp.dll`

dotnet clean

`dotnet clean`	Clean the output of a project
`dotnet clean --configuration Release`	Clean a project built using the Release configuration

Only the outputs created during the build are cleaned. Both intermediate (*obj*) and final output (*bin*) folders are cleaned.

dotnet publish

`dotnet publish`	Publish the project in the current directory
`dotnet publish ~/projects/app1/app1.csproj`	Publish the application using the specified project file

The `dotnet publish` command's output is ready for deployment to a hosting system (for example, a server, PC, Mac, laptop) for execution.

dotnet ef

`dotnet ef migrations add`	Add a new migration
`dotnet ef migrations list`	List available migrations
`dotnet ef migrations remove`	Remove the last migration
`dotnet ef migrations script`	Generate a SQL script from migrations
`dotnet ef database update`	Update the database to a specified migration
`dotnet ef database drop`	Drop the database
`dotnet ef dbcontext list`	List available DbContext types
`dotnet ef dbcontext info`	Get information about a DbContext type
`dotnet ef dbcontext scaffold`	Scaffolds a DbContext and entity types for a database

By **Olcay Bayram** (oba)

cheatography.com/oba/
en.otomatikmuhendis.com

Published 30th June, 2018.
Last updated 30th June, 2018.
Page 1 of 2.

Sponsored by ApolloPad.com
Everyone has a novel in them. Finish Yours!
https://apollopad.com

dotnet pack

`dotnet pack`	Build the project and create NuGet packages
`dotnet pack --no-build --output nupkgs`	Pack the project in the current directory into the *nupkgs* folder and skip the build step
`dotnet pack /p:PackageVersion=2.1.0`	Set the package version to *2.1.0* with the *PackageVersion* MSBuild property

dotnet nuget

`dotnet nuget locals -l all`	Display the paths of all the local cache directories
`dotnet nuget push foo.nupkg -k 4003d786-cc37-4004-bfdf-c4f3e8ef9b3a`	Push *foo.nupkg* to the default push source, specifying an API key
`dotnet nuget delete Microsoft.AspNetCore.Mvc 1.0 --non-interactive`	Delete version 1.0 of package *Microsoft.AspNetCore.Mvc*, not prompting user for credentials or other input

dotnet remove

`dotnet remove package Newtonsoft.Json`	Remove *Newtonsoft.Json* NuGet package from a project in the current directory
`dotnet remove reference lib/lib.csproj`	Remove a project reference from the current project
`dotnet remove app/app.csproj reference **/*.csproj`	Remove multiple project references using a glob pattern on Unix/Linux

etc.

`dotnet help`	Show more detailed documentation online for the command
`dotnet migrate`	Migrate a Preview 2 .NET Core project to a .NET Core SDK 1.0 project
`dotnet msbuild`	Provides access to a fully functional MSBuild
`dotnet test`	Run the tests in the project in the current directory
`dotnet list reference`	List the project references for the project in the current directory

Environment variables

DOTNET_PACKAGES

The primary package cache.

DOTNET_SERVICING

Specifies the location of the servicing index to use by the shared host when loading the runtime.

DOTNET_CLI_TELEMETRY_OPTOUT

Specifies whether data about the .NET Core tools usage is collected and sent to Microsoft.

DOTNET_MULTILEVEL_LOOKUP

Specifies whether .NET Core runtime, shared framework, or SDK are resolved from the global location.

DOTNET_ROLL_FORWARD_ON_NO_CANDIDATE_FX

Disables minor version roll forward. For more information, see Roll forward.