Q1) What is of AJAX?

- Asynchronous Javascript and XML
- Asynchronize Java and XML
- Asynchronous Java and XML
- Asynchronize Java and XML

Q2) A ______ is a search input box that displays the search results as and when the user starts typing words.

- Free tool box
- Live tool box
- Free search box
- Live search box
- Q3) What are the different types of form controls for collecting data?
 - Checkboxes
 - Text Buttons
 - Radio Buttons
 - Clickable Controls
- **Q4)** Which of these are the superglobal variables used to retrieve data from submitted HTML form that have used GET or POST methods?
 - \$ REQUEST
 - \$ GET
 - \$ POST
 - \$ GETPOST
- Q5) Which of the following are the types of loops in PHP?
 - while
 - do_while
 - for_while
 - foreach
- Q6) Which type of array has the strings as an index?
 - Numerical
 - Narrative
 - Associative
 - Muti-Dimensional
- Q7) Which of the following operators is used to compare operands for equally as well as same data type in PHP?
 - ==
 - >=
 - ===
 - <=
- Q8) What is the full form of SMTP?
 - Simple Mail Transfer Protocol
 - Sample Mail Transfer Protocol
 - Simple Mail Transferring Protocol
 - Section Mail Transfer Protocol

Q9) For sending an email, a user must ensure that the, for PHP.	file includes the corresponding configurations
 Php.ini Php.ni Php.in Php.iin 	
Q10) Which function in PHP helps write some content of string	g(s) into a file?
 Fwrite_() Fwrite() Write() Writef() 	
Q11) Users can delete a file using PHP function	
 Delete_file() Unlink_file() Unlink() Delete() 	
Q12) A can contain variables (termed as prope that are designed to perform one or more tasks	rties), constants, and functions (termed as methods)
ClassObjectCharacterResult	
Q13) What variables are declared inside a class?	
 Member Methods Member Variables Inheritance Constructor 	
Q14) Which important principle in OOP enables a class to use r	methods and properties of other classes?
PublicAbstractInheritanceFinal	
Q15) OOP has certain keywords called that variables, and other member methods.	decide the accessibility for various class methods,
 Ability modification Access modification Ability modifiers Access modifiers 	
Q16) PHP provides function to access the	value of all the environment variables.
 getenv() getenvl() goenv() goenvl() 	

 pre_match() Preg_match() Srand() Rand() 		
Q18) Which PHP build is for 32-bits systems?		
 Thread-Safe (TS) PHP build Non-Thread-Safe (NTS) PHP build x86 x84 		
Q19) What is the easiest technique to utilize while setting up PHP if a user uses Internet Information Services (IIS)?		
 Web Platform Installer (Web PI) Visual C Runtime(CRT) Nginx MAMP 		
Q20) In which year was PHP version 8.0 released?		
 2015 2018 2020 2022 		
Q21) Which data type comprises a whole number?		
 Float Integer Boolean String 		
Q22) What are used for storing data such as numeric and character values, strings, and memory addresses at runtime?		
 Variables Texts Arrows Modes 		
Q23) What refers to the classification of data based on its attributes?		
 Data Codes Data Server Data Bucket Data Types 		
Q24) Which of the following functions sorts the element values in descending alphabetic order in an array?		
 sort() rsort() array_flip() arsort() 		

Q17) Which function helps to identify the browser which can be either Internet Explorer, Mozilla, or Netscape?

Q25) _	runs an open source Web server on Windows or Linux.
•	Apache HTTP
•	MySQL
•	PHP
•	XAMPP
Q26) \	Which of the following are the essential criteria to store data as an integer data type?
•	Should have at least one digit
•	Should have a decimal point
•	Can be positive or negative
•	All of these
	What is an open-source cross-platform Web server solution stack package that consists of the Apache HTTP , MariaDB database, and a PHP interpreter?
•	LAMP
•	WAMP
•	XAMPP
•	SaaS
Q28) _	in PHP help the user to arrive at a decision based on certain conditions.
•	Constructions
•	Conditional Statements
•	Conditional Data
•	Contracts
Q29)_	in PHP are used to repeat the same block of code until a specific condition is met.
•	Loops
•	Links
•	Lang
•	Sequence
Q30) \	Variables declared within a function are termed as variables for that function.
•	Set
•	Joint
•	Local
•	Easy