



MIAMI INTERNATIONAL AIRPORT 2100 NW 42 AVE MIAMI, FLORIDA 33126

TEL: 305-869-1161

FAX: 305-869-1167

CLIA: <u>4</u>

CLINICAL LABORATORY REPORT

Account# <u>1659461101</u> REFER# <u>88611</u> PASSPORT# <u>555433</u>

INTI FERNANDEZ MD PATIENT: <u>Test Entry</u>

2100 NW 42 AVE DOB: <u>1998-11-30</u> SEX: <u>male</u> MIAMI, FLORIDA 33126 ORDER#: <u>7967</u>

TEL: 305-869-1161 FAX: 305-869-1167 COLLECTED: 2022-01-22 18:48:07
DOCTOR: INTI FERNANDEZ MD REPORTED: 2022-01-22 18:49:17

Description Result

Method: PCR Testing Platform: ABBOTT IDNOW

Procedure: NAAT - RNA

Specimen Type: Nasopharyngeal Swab

NEGATIVE for PCR

This test has been performed following RT-PCR - Abbott ID Now methodology. This test has been authorized by FDA. This test has been validated in accordance with the FDA's Guidance Document (Policy for diagnostics testing in laboratories certified to perform testing under CLIA waiver prior to Emergency Use Authorization for coronavirus Disease-2019 during the public health Emergency)

inti Fernandez M.D. Miami International Airport Ground Level Miami,FL 33142