Here are all the code from my project:

index.php:

```
<?php
require_once "helpers.php";


$query = "
   SELECT posts.id, posts.title, posts.description, posts.image, posts.post_type, posts.price, posts.job_link, posts.created_at,
         users.name AS author_name, users.username AS author_username, categories.name AS category_name
   FROM posts
   JOIN users ON posts.user_id = users.id
   JOIN categories ON posts.category_id = categories.id
   ORDER BY posts.created_at DESC
";
$result = $conn->query($query);
$posts = [];
if ($result) {
   while ($row = $result->fetch_assoc()) {
      $posts[] = $row;
   }
}


$totalPosts = (int) ($conn->query("SELECT COUNT(*) AS c FROM posts")->fetch_assoc()["c"] ?? 0);
```

```
$totalUsers = (int) ($conn->query("SELECT COUNT(*) AS c FROM users")->fetch_assoc()["c"] ??
0);
$totalEvents = (int) ($conn->query("SELECT COUNT(*) AS c FROM posts WHERE post_type =
'event'")->fetch_assoc()["c"] ?? 0);


$eventsStmt = $conn->query("
    SELECT posts.id, posts.title, events.event_date, events.event_time
    FROM events
    JOIN posts ON posts.id = events.post_id
    ORDER BY events.event_date ASC, events.event_time ASC
    LIMIT 3
");
$upcomingEvents = [];
if ($eventsStmt) {
    while ($event = $eventsStmt->fetch_assoc()) {
        $upcomingEvents[] = $event;
    }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>ShowCase | Explore</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
```

```
<style>
  .hero-bg {
    background: linear-gradient(120deg, #1d2671, #6c2b8e, #c33764);
    background-size: 200% 200%;
    color: #fff;
    animation: gradientShift 10s ease infinite;
    position: relative;
    overflow: hidden;
  }
  .hero-bg::before {
    content: "";
    position: absolute;
    width: 520px;
    height: 520px;
    background: rgba(255, 255, 255, 0.08);
    border-radius: 50%;
    top: -180px;
    right: -120px;
  }
  .hero-bg::after {
    content: "";
    position: absolute;
    width: 420px;
    height: 420px;
    background: rgba(255, 255, 255, 0.06);
    border-radius: 50%;
```

```
        bottom: -180px;
        left: -100px;
    }
    @keyframes gradientShift {
        0% { background-position: 0% 50%; }
        50% { background-position: 100% 50%; }
        100% { background-position: 0% 50%; }
    }
    .hero-content { position: relative; z-index: 2; }
    .post-card { transition: transform .25s ease, box-shadow .25s ease; border-radius: 14px; }
    .post-card:hover { transform: translateY(-6px); box-shadow: 0 1rem 1.8rem rgba(0,0,0,.12);
}
    .post-image { height: 180px; object-fit: cover; }
    .stat-card { border-radius: 14px; }
    .reveal { opacity: 0; transform: translateY(16px); transition: opacity .55s ease, transform
.55s ease; }
    .reveal.active { opacity: 1; transform: translateY(0); }
  </style>
</head>
<body class="bg-light">
<?php include "navbar.php"; ?>


<header class="hero-bg py-5 py-lg-6 mb-4">
  <div class="container hero-content py-3">
    <div class="row align-items-center g-4">
      <div class="col-lg-8">
        <h1 class="display-4 fw-bold">Build Your Future with Skills That Matter</h1>
```

```
            <p class="lead mb-4">ShowCase blends portfolio, marketplace, and community learning in one place.</p>
            <div class="d-flex flex-wrap gap-2">
                <a href="<?= is_logged_in() ? "dashboard.php" : "register.php" ?>" class="btn btn-light btn-lg">Start Sharing</a>
                <a href="#explore-posts" class="btn btn-outline-light btn-lg">Explore Posts</a>
            </div>
        </div>
    </div>
  </div>
</header>

<main class="container pb-4">
  <?php if ($success = get_flash("success")): ?>
    <div class="alert alert-success"><?= e($success) ?></div>
  <?php endif; ?>
  <?php if ($error = get_flash("error")): ?>
    <div class="alert alert-danger"><?= e($error) ?></div>
  <?php endif; ?>

  <section class="row g-3 mb-4 reveal">
    <div class="col-6 col-lg-3">
        <div class="card stat-card border-0 shadow-sm">
            <div class="card-body">
                <p class="text-secondary mb-1">Total Posts</p>
                <h4 class="mb-0"><?= $totalPosts ?></h4>
            </div>
```

```
    </div>
  </div>
  <div class="col-6 col-lg-3">
    <div class="card stat-card border-0 shadow-sm">
      <div class="card-body">
        <p class="text-secondary mb-1">Creators</p>
        <h4 class="mb-0"><?= $totalUsers ?></h4>
      </div>
    </div>
  </div>
  <div class="col-6 col-lg-3">
    <div class="card stat-card border-0 shadow-sm">
      <div class="card-body">
        <p class="text-secondary mb-1">Live Events</p>
        <h4 class="mb-0"><?= $totalEvents ?></h4>
      </div>
    </div>
  </div>
  <div class="col-6 col-lg-3">
    <div class="card stat-card border-0 shadow-sm">
      <div class="card-body">
        <p class="text-secondary mb-1">Marketplace</p>
        <h4 class="mb-0">Active</h4>
      </div>
    </div>
  </div>
```

```
</section>

<section class="card border-0 shadow-sm mb-4 reveal">
  <div class="card-body">
    <div class="row g-3 align-items-center">
      <div class="col-lg-9">
        <select id="typeFilter" class="form-select">
          <option value="all">All Types</option>
          <option value="skill">Skill</option>
          <option value="course">Course</option>
          <option value="event">Event</option>
          <option value="job">Job</option>
        </select>
      </div>
      <div class="col-lg-3 d-flex justify-content-lg-end">
        <button id="resetFilter" class="btn btn-outline-secondary w-100 w-lg-
auto">Reset</button>
      </div>
    </div>
  </div>
</section>

<?php if (count($upcomingEvents) > 0): ?>
  <section class="card border-0 shadow-sm mb-4 reveal">
    <div class="card-body">
      <h5 class="mb-3">Upcoming Events</h5>
```

```
            <div class="row g-3">
                <?php foreach ($upcomingEvents as $event): ?>
                    <div class="col-md-4">
                        <div class="border rounded-3 p-3 h-100">
                            <h6><?= e($event["title"]) ?></h6>
                            <p class="small mb-1 text-secondary">Date: <?= e(date("d M Y",
strtotime($event["event_date"]))) ?></p>
                            <p class="small mb-0 text-secondary">Time: <?= e(date("h:i A",
strtotime($event["event_time"]))) ?></p>
                        </div>
                    </div>
                <?php endforeach; ?>
            </div>
        </div>
    </section>
<?php endif; ?>


<section id="explore-posts" class="reveal">
<div class="d-flex justify-content-between align-items-center mb-3">
    <h3 class="mb-0">Explore Latest Posts</h3>
    <span id="resultsCount" class="text-muted small"></span>
</div>
<div class="row g-4" id="postsGrid">
    <?php if (count($posts) > 0): ?>
        <?php foreach ($posts as $row): ?>
            <div class="col-md-6 col-lg-4">
                <div
```

```
                class="card post-card h-100 border-0 shadow-sm post-item"
                data-type="<?= e(strtolower($row["post_type"])) ?>"
            >
                <?php if (!empty($row["image"]) && file_exists(__DIR__ . "/uploads/" .
$row["image"])): ?>
                    <img class="card-img-top post-image" src="uploads/<?= e($row["image"]) ?>"
alt="<?= e($row["title"]) ?>">
                <?php else: ?>
                    <div class="post-image d-flex align-items-center justify-content-center bg-
secondary-subtle text-muted">No Image</div>
                <?php endif; ?>
                <div class="card-body d-flex flex-column">
                    <div class="d-flex justify-content-between mb-2">
                        <span class="badge text-bg-primary"><?= e($row["category_name"])
?></span>
                        <span class="badge text-bg-dark"><?= e(ucfirst($row["post_type"]))
?></span>
                    </div>
                    <h5 class="card-title"><?= e($row["title"]) ?></h5>
                    <p class="card-text text-muted"><?= e(mb_strimwidth($row["description"], 0,
120, "...")) ?></p>
                    <p class="small text-secondary mt-auto mb-2">
                        By <a class="text-decoration-none" href="user.php?u=<?= urlencode((string)
$row["author_username"]) ?>"><?= e($row["author_name"]) ?></a>
                    </p>
                    <div class="d-flex gap-2">
                        <a href="post.php?id=<?= (int) $row["id"] ?>" class="btn btn-outline-primary
btn-sm">View Details</a>
```

```
                    <?php if ($row["post_type"] === "job" && !empty($row["job_link"])): ?>
                      <?php if (is_logged_in()): ?>
                        <a href="<?= e($row["job_link"]) ?>" target="_blank" rel="noopener noreferrer" class="btn btn-primary btn-sm">Apply</a>
                      <?php else: ?>
                        <a href="login.php?next=<?= urlencode((string) $row["job_link"]) ?>" class="btn btn-primary btn-sm">Apply</a>
                      <?php endif; ?>
                    <?php else: ?>
                      <?php if (is_logged_in()): ?>
                        <a href="payment.php?post_id=<?= (int) $row["id"] ?>" class="btn btn-success btn-sm">Buy Now</a>
                      <?php else: ?>
                        <a href="login.php?next=<?= urlencode("payment.php?post_id=" . (int) $row["id"]) ?>" class="btn btn-success btn-sm">Buy Now</a>
                      <?php endif; ?>
                    <?php endif; ?>
                  </div>
                </div>
              </div>
            </div>
          <?php endforeach; ?>
        <?php else: ?>
          <div class="col-12">
            <div class="alert alert-info mb-0">No posts yet. Be the first to share your expertise.</div>
          </div>
```

```
        <?php endif; ?>
    </div>
    </section>

    <section class="card border-0 shadow-sm mt-4 reveal">
        <div class="card-body text-center p-4">
            <h4>Ready to teach or showcase your service?</h4>
            <p class="text-muted mb-3">Create your first post and start building your
reputation.</p>
            <a href="<?= is_logged_in() ? "dashboard.php" : "register.php" ?>" class="btn btn-
primary">Create Your Post</a>
        </div>
    </section>
</main>

<?php include "footer.php"; ?>
<script>
    (function () {
        const posts = Array.from(document.querySelectorAll(".post-item"));
        const typeFilter = document.getElementById("typeFilter");
        const resetFilter = document.getElementById("resetFilter");
        const resultsCount = document.getElementById("resultsCount");

        function applyFilters() {
            const selectedType = (typeFilter?.value || "all").toLowerCase();
            let visible = 0;
```

```
    posts.forEach((item) => {
        const matchType = selectedType === "all" || item.dataset.type === selectedType;
        const show = matchType;
        item.parentElement.style.display = show ? "" : "none";
        if (show) visible += 1;
    });

    if (resultsCount) {
        resultsCount.textContent = visible + " result" + (visible === 1 ? "" : "s");
    }
}

if (typeFilter) typeFilter.addEventListener("change", applyFilters);
if (resetFilter) {
    resetFilter.addEventListener("click", function () {
        if (typeFilter) typeFilter.value = "all";
        applyFilters();
    });
}
applyFilters();

const observer = new IntersectionObserver((entries) => {
    entries.forEach((entry) => {
        if (entry.isIntersecting) {
            entry.target.classList.add("active");
            observer.unobserve(entry.target);
```

```
            }
        });
    }, { threshold: 0.12 });

    document.querySelectorAll(".reveal").forEach((el) => observer.observe(el));
  })();
</script>
</body>
</html>
```

Users.php:

```
<?php
require_once "helpers.php";

$username = trim($_GET["u"] ?? "");
if ($username === "") {
  set_flash("error", "User not found.");
  header("Location: index.php");
  exit;
}

$userStmt = $conn->prepare("
  SELECT id, name, username, email, bio, profile_picture, created_at
  FROM users
```

```
    WHERE username = ?
");
$userStmt->bind_param("s", $username);
$userStmt->execute();
$profileUser = $userStmt->get_result()->fetch_assoc();

if (!$profileUser) {
    set_flash("error", "User not found.");
    header("Location: index.php");
    exit;
}

$postsStmt = $conn->prepare("
    SELECT posts.id, posts.title, posts.description, posts.image, posts.post_type, posts.created_at,
categories.name AS category_name
    FROM posts
    JOIN categories ON categories.id = posts.category_id
    WHERE posts.user_id = ?
    ORDER BY posts.created_at DESC
");
$postsStmt->bind_param("i", $profileUser["id"]);
$postsStmt->execute();
$userPosts = $postsStmt->get_result();
?>
<!DOCTYPE html>
<html lang="en">
```

```
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title><?= e($profileUser["name"]) ?> | ShowCase Profile</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
  <style>
    .user-banner { background: linear-gradient(120deg, #111827, #4f46e5); color: #fff; }
    .mini-card { transition: transform .2s ease, box-shadow .2s ease; }
    .mini-card:hover { transform: translateY(-4px); box-shadow: 0 .8rem 1.2rem rgba(0,0,0,.1); }
  </style>
</head>
<body class="bg-light">
<?php include "navbar.php"; ?>
<header class="user-banner py-5 mb-4">
  <div class="container">
    <div class="d-flex align-items-center gap-3">
      <?php if (!empty($profileUser["profile_picture"]) && file_exists(__DIR__ . "/uploads/" .
$profileUser["profile_picture"])): ?>
        <img src="uploads/<?= e($profileUser["profile_picture"]) ?>" alt="Profile"
class="rounded-circle border border-light" style="width:86px;height:86px;object-fit:cover;">
      <?php else: ?>
        <div class="rounded-circle bg-white text-dark d-flex align-items-center justify-content-
center fw-bold" style="width:86px;height:86px;">
          <?= e(strtoupper(substr($profileUser["name"], 0, 1))) ?>
        </div>
      <?php endif; ?>
```

```
            <div>
                <h2 class="mb-1"><?= e($profileUser["name"]) ?></h2>
                <p class="mb-1">@<?= e($profileUser["username"]) ?></p>
                <small>Joined <?= e(date("d M Y", strtotime($profileUser["created_at"]))) ?></small>
            </div>
        </div>
    </div>
</header>
<main class="container pb-4">
    <div class="row g-4">
        <div class="col-lg-4">
            <div class="card border-0 shadow-sm">
                <div class="card-body">
                    <h5>About</h5>
                    <p class="text-muted mb-2"><?= !empty($profileUser["bio"]) ?
nl2br(e($profileUser["bio"])) : "No bio added yet." ?></p>
                    <p class="mb-0"><strong>Posts:</strong> <?= (int) $userPosts->num_rows ?></p>
                </div>
            </div>
        </div>
        <div class="col-lg-8">
            <div class="card border-0 shadow-sm">
                <div class="card-body">
                    <h5 class="mb-3">Posts by <?= e($profileUser["name"]) ?></h5>
                    <?php if ($userPosts->num_rows > 0): ?>
                        <div class="row g-3">
```

```
                <?php while ($post = $userPosts->fetch_assoc()): ?>
                  <div class="col-md-6">
                    <div class="card mini-card h-100 border-0 shadow-sm">
                      <?php if (!empty($post["image"]) && file_exists(__DIR__ . "/uploads/" .
$post["image"])): ?>
                        <img src="uploads/<?= e($post["image"]) ?>" class="card-img-top"
style="height:150px;object-fit:cover;" alt="<?= e($post["title"]) ?>">
                      <?php endif; ?>
                      <div class="card-body">
                        <div class="d-flex justify-content-between mb-2">
                          <span class="badge text-bg-primary"><?=
e($post["category_name"]) ?></span>
                          <span class="badge text-bg-dark"><?= e(ucfirst($post["post_type"]))
?></span>
                        </div>
                        <h6><?= e($post["title"]) ?></h6>
                        <p class="small text-muted"><?=
e(mb_strimwidth($post["description"], 0, 90, "...")) ?></p>
                        <a class="btn btn-sm btn-outline-primary" href="post.php?id=<?= (int)
$post["id"] ?>">View Post</a>
                      </div>
                    </div>
                  </div>
                <?php endwhile; ?>
              </div>
            <?php else: ?>
              <div class="alert alert-info mb-0">This user has not posted yet.</div>
            <?php endif; ?>
```

```
            </div>
          </div>
        </div>
    </div>
</main>
<?php include "footer.php"; ?>
</body>
</html>
```

Profile.php:

```
<?php
require_once "helpers.php";
require_login();

$userId = (int) $_SESSION["user_id"];
$stmt = $conn->prepare("SELECT id, name, username, email, bio, profile_picture, created_at
FROM users WHERE id = ?");
$stmt->bind_param("i", $userId);
$stmt->execute();
$user = $stmt->get_result()->fetch_assoc();
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
    <title>My Profile | ShowCase</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
</head>
<body class="bg-light">
<?php include "navbar.php"; ?>
<main class="container py-4">
    <?php if ($success = get_flash("success")): ?>
        <div class="alert alert-success"><?= e($success) ?></div>
    <?php endif; ?>
    <?php if ($error = get_flash("error")): ?>
        <div class="alert alert-danger"><?= e($error) ?></div>
    <?php endif; ?>


    <div class="row justify-content-center">
        <div class="col-lg-8">
            <div class="card border-0 shadow-sm">
                <div class="card-body p-4">
                    <h4 class="mb-3">My Profile</h4>
                    <div class="d-flex align-items-center gap-3 mb-4">
                        <?php if (!empty($user["profile_picture"]) && file_exists(__DIR__ . "/uploads/" .
$user["profile_picture"])): ?>
                            <img src="uploads/<?= e($user["profile_picture"]) ?>" alt="Profile Picture"
class="rounded-circle border" style="width:84px;height:84px;object-fit:cover;">
                        <?php else: ?>
                            <div class="rounded-circle bg-secondary-subtle border d-flex align-items-center
justify-content-center" style="width:84px;height:84px;">
```

```
                <span class="fw-bold text-secondary"><?= e(strtoupper(substr($user["name"] ?? "U", 0, 1))) ?></span>
            </div>
        <?php endif; ?>
        <div>
            <p class="mb-1 fw-semibold"><?= e($user["name"] ?? "") ?></p>
            <p class="mb-1 text-muted">@<?= e($user["username"] ?? "") ?></p>
            <small class="text-secondary">Member since <?= e(date("d M Y", strtotime($user["created_at"] ?? "now"))) ?></small>
        </div>
    </div>


    <form action="actions/update_profile.php" method="POST" enctype="multipart/form-data">
        <div class="mb-3">
            <label class="form-label">Full Name</label>
            <input type="text" name="name" class="form-control" required maxlength="100" value="<?= e($user["name"] ?? "") ?>">
        </div>
        <div class="mb-3">
            <label class="form-label">Username</label>
            <input type="text" name="username" class="form-control" required minlength="3" maxlength="30" pattern="[a-zA-Z0-9_]+" value="<?= e($user["username"] ?? "") ?>">
        </div>
        <div class="mb-3">
            <label class="form-label">Email</label>
```

```
                <input type="email" name="email" class="form-control" required
maxlength="190" value="<?= e($user["email"] ?? "") ?>">
            </div>
            <div class="mb-3">
                <label class="form-label">Bio</label>
                <textarea name="bio" class="form-control" rows="4" maxlength="1000"><?=
e($user["bio"] ?? "") ?></textarea>
            </div>
            <div class="mb-3">
                <label class="form-label">Profile Picture (JPG/PNG/WEBP, max 2MB)</label>
                <input type="file" name="profile_picture" class="form-control"
accept=".jpg,.jpeg,.png,.webp">
            </div>
            <button class="btn btn-primary">Save Profile</button>
        </form>
    </div>
</div>
<div class="card border-0 shadow-sm mt-4">
    <div class="card-body p-4">
        <h5 class="mb-3">Change Password</h5>
        <form action="actions/change_password.php" method="POST">
            <div class="mb-3">
                <label class="form-label">Current Password</label>
                <input type="password" name="current_password" class="form-control"
required>
            </div>
            <div class="mb-3">
```

```
                <label class="form-label">New Password</label>
                <input type="password" name="new_password" class="form-control" required
minlength="6">
            </div>
            <div class="mb-3">
                <label class="form-label">Confirm New Password</label>
                <input type="password" name="confirm_password" class="form-control"
required minlength="6">
            </div>
            <button class="btn btn-outline-dark">Update Password</button>
          </form>
        </div>
      </div>
    </div>
  </div>
</main>
<?php include "footer.php"; ?>
</body>
</html>
```

Register.php:

```
<?php
require_once "helpers.php";
if (is_logged_in()) {
  header("Location: dashboard.php");
```

```
    exit;
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Register | ShowCase</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
</head>
<body class="bg-light">
<?php include "navbar.php"; ?>
<main class="container py-5">
    <div class="row justify-content-center">
        <div class="col-md-6 col-lg-5">
            <div class="card shadow-sm border-0">
                <div class="card-body p-4">
                    <h3 class="mb-3">Create your account</h3>
                    <?php if ($error = get_flash("error")): ?>
                        <div class="alert alert-danger"><?= e($error) ?></div>
                    <?php endif; ?>
                    <form action="actions/register_action.php" method="POST">
                        <div class="mb-3">
                            <label class="form-label">Full name</label>
```

```
                <input name="name" required class="form-control">
              </div>
              <div class="mb-3">
                <label class="form-label">Username</label>
                <input name="username" required class="form-control" minlength="3"
maxlength="30" pattern="[a-zA-Z0-9_]+">
                <small class="text-muted">Use letters, numbers, and underscore only.</small>
              </div>
              <div class="mb-3">
                <label class="form-label">Email</label>
                <input name="email" type="email" required class="form-control">
              </div>
              <div class="mb-3">
                <label class="form-label">Password</label>
                <input name="password" type="password" minlength="6" required
class="form-control">
              </div>
              <button class="btn btn-primary w-100">Register</button>
            </form>
            <p class="text-center mt-3 mb-0">
              Already have an account?
              <a href="login.php" class="text-decoration-none fw-semibold">Login here</a>
            </p>
          </div>
        </div>
      </div>
    </div>
```

```
</main>
<?php include "footer.php"; ?>
</body>
</html>
```

Login.php:

```
<?php
require_once "helpers.php";
if (is_logged_in()) {
    header("Location: dashboard.php");
    exit;
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Login | ShowCase</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
</head>
<body class="bg-light">
<?php include "navbar.php"; ?>
```

```
<main class="container py-5">
  <div class="row justify-content-center">
    <div class="col-md-6 col-lg-5">
      <div class="card shadow-sm border-0">
        <div class="card-body p-4">
          <h3 class="mb-3">Login to ShowCase</h3>
          <?php if ($error = get_flash("error")): ?>
            <div class="alert alert-danger"><?= e($error) ?></div>
          <?php endif; ?>
          <form action="actions/login_action.php" method="POST">
            <input type="hidden" name="next" value="<?= e($_GET['next'] ?? '') ?>">
            <div class="mb-3">
              <label class="form-label">Email</label>
              <input name="email" type="email" required class="form-control">
            </div>
            <div class="mb-3">
              <label class="form-label">Password</label>
              <input name="password" type="password" required class="form-control">
            </div>
            <button class="btn btn-success w-100">Login</button>
          </form>
          <p class="text-center mt-3 mb-0">
            Don't have an account?
            <a href="register.php" class="text-decoration-none fw-semibold">Create an
account</a>
          </p>
```

```
            </div>
          </div>
        </div>
    </div>
</main>
<?php include "footer.php"; ?>
</body>
</html>
```

logout.php:

```
<?php
require_once "helpers.php";
$_SESSION = [];
session_destroy();
header("Location: index.php");
exit;
?>
```

navbar.php:

```
<?php require_once __DIR__ . "/helpers.php"; ?>
<?php
$navUser = null;
if (is_logged_in()) {
```

```
    $navStmt = $conn->prepare("SELECT name, username, profile_picture FROM users WHERE id
= ?");
    $navStmt->bind_param("i", $_SESSION["user_id"]);
    $navStmt->execute();
    $navUser = $navStmt->get_result()->fetch_assoc();
}
?>

<nav class="navbar navbar-expand-lg navbar-dark bg-dark sticky-top shadow-sm">
    <div class="container">
        <a class="navbar-brand fw-bold" href="index.php">ShowCase</a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#mainNavbar">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="mainNavbar">
            <ul class="navbar-nav me-auto">
                <li class="nav-item"><a class="nav-link" href="index.php">Explore</a></li>
                <?php if (is_logged_in()): ?>
                    <li class="nav-item"><a class="nav-link" href="dashboard.php">Dashboard</a></li>
                <?php endif; ?>
            </ul>
            <div class="d-flex gap-2 align-items-center">
                <?php if (is_logged_in()): ?>
                    <div class="dropdown">
                        <button
                            class="btn p-0 border-0 bg-transparent d-flex align-items-center gap-2"
```

```
                type="button"
                data-bs-toggle="dropdown"
                aria-expanded="false"
                title="Open profile menu"
            >
                <?php if (!empty($navUser["profile_picture"]) && file_exists(__DIR__ .
"/uploads/" . $navUser["profile_picture"])): ?>
                    <img
                        src="uploads/<?= e($navUser["profile_picture"]) ?>"
                        alt="Profile"
                        class="rounded-circle border border-light"
                        style="width:38px;height:38px;object-fit:cover;"
                    >
                <?php else: ?>
                    <div
                        class="rounded-circle bg-primary text-white d-flex align-items-center
justify-content-center fw-semibold border border-light"
                        style="width:38px;height:38px;"
                    >
                        <?= e(strtoupper(substr($navUser["username"] ?? "U", 0, 1))) ?>
                    </div>
                <?php endif; ?>
                <span class="text-white small d-none d-md-inline">@<?=
e($navUser["username"] ?? "user") ?></span>
            </button>
            <ul class="dropdown-menu dropdown-menu-end">
```

```
                <li><h6 class="dropdown-header">@<?= e($navUser["username"] ?? "user")
?></h6></li>
                <li><a class="dropdown-item" href="profile.php">View Profile</a></li>
                <li><a class="dropdown-item" href="dashboard.php">Dashboard</a></li>
                <li><hr class="dropdown-divider"></li>
                <li><a class="dropdown-item text-danger" href="logout.php">Logout</a></li>
              </ul>
            </div>
          <?php else: ?>
            <a href="login.php" class="btn btn-outline-light btn-sm">Login</a>
            <a href="register.php" class="btn btn-primary btn-sm">Sign Up</a>
          <?php endif; ?>
        </div>
      </div>
    </div>
</nav>
```

footer.php:

```
<footer class="bg-dark text-light py-4 mt-5">
    <div class="container text-center">
      <p class="mb-1 fw-semibold">ShowCase - Learn, Share, and Grow</p>
      <p class="mb-0 small text-secondary">A mini social learning marketplace built with PHP
and MySQL.</p>
    </div>
```

```
</footer>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
```

Post.php:

```
<?php

require_once "helpers.php";


$postId = isset($_GET["id"]) ? (int) $_GET["id"] : 0;

if ($postId <= 0) {

    set_flash("error", "Invalid post selected.");

    header("Location: index.php");

    exit;

}


$stmt = $conn->prepare("

    SELECT posts.*, users.name AS author_name, users.username AS author_username,
categories.name AS category_name, events.event_date, events.event_time

    FROM posts

    JOIN users ON users.id = posts.user_id

    JOIN categories ON categories.id = posts.category_id

    LEFT JOIN events ON events.post_id = posts.id

    WHERE posts.id = ?

");

$stmt->bind_param("i", $postId);
```

```
$stmt->execute();
$post = $stmt->get_result()->fetch_assoc();


if (!$post) {
    set_flash("error", "Post not found.");
    header("Location: index.php");
    exit;
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title><?= e($post["title"]) ?> | ShowCase</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
</head>
<body class="bg-light">
<?php include "navbar.php"; ?>
<main class="container py-4">
    <div class="row justify-content-center">
        <div class="col-lg-9">
            <div class="card border-0 shadow-sm">
                <?php if (!empty($post["image"]) && file_exists(__DIR__ . "/uploads/" .
$post["image"])): ?>
```

```
            <img src="uploads/<?= e($post["image"]) ?>" class="card-img-top" style="max-height:420px;object-fit:cover;" alt="<?= e($post["title"]) ?>">
        <?php endif; ?>
        <div class="card-body p-4">
            <div class="d-flex gap-2 mb-2">
                <span class="badge text-bg-primary"><?= e($post["category_name"]) ?></span>
                <span class="badge text-bg-dark"><?= e(ucfirst($post["post_type"])) ?></span>
            </div>
            <h2 class="mb-3"><?= e($post["title"]) ?></h2>
            <p class="text-muted">
                By <a class="text-decoration-none" href="user.php?u=<?= urlencode((string) $post["author_username"]) ?>"><?= e($post["author_name"]) ?></a>
                · <?= e(date("d M Y H:i", strtotime($post["created_at"]))) ?>
            </p>
            <p class="mt-3"><?= nl2br(e($post["description"])) ?></p>
            <?php if ($post["post_type"] === "event" && !empty($post["event_date"]) && !empty($post["event_time"])): ?>
                <p class="mb-1"><strong>Event Date:</strong> <?= e(date("d M Y", strtotime($post["event_date"]))) ?></p>
                <p class="mb-3"><strong>Event Time:</strong> <?= e(date("h:i A", strtotime($post["event_time"]))) ?></p>
            <?php endif; ?>
            <?php if ($post["post_type"] === "job" && !empty($post["job_link"])): ?>
                <p class="mb-3">
                    <?php if (is_logged_in()): ?>
                        <a href="<?= e($post["job_link"]) ?>" target="_blank" rel="noopener noreferrer" class="btn btn-primary">Apply For This Job</a>
                    <?php else: ?>
```

```
                <a href="login.php?next=<?= urlencode((string) $post["job_link"]) ?>"
class="btn btn-primary">Apply For This Job</a>

            <?php endif; ?>

        </p>

    <?php endif; ?>

    <?php if ($post["post_type"] === "course" && !empty($post["video_file"]) &&
file_exists(__DIR__ . "/uploads/" . $post["video_file"])): ?>

        <div class="mb-3">

            <h6>Course Preview Video</h6>

            <video controls style="width:100%;max-height:420px;" preload="metadata">

                <source src="uploads/<?= e($post["video_file"]) ?>">

                Your browser does not support the video tag.

            </video>

        </div>

    <?php endif; ?>

    <?php if ($post["price"] !== null): ?>

        <p class="fw-semibold">Price: $<?= e(number_format((float) $post["price"], 2))
?></p>

    <?php endif; ?>

    <?php if ($post["post_type"] !== "job"): ?>

        <?php if (is_logged_in()): ?>

            <a href="payment.php?post_id=<?= (int) $post["id"] ?>" class="btn btn-
success">Buy Now</a>

        <?php else: ?>

            <a href="login.php?next=<?= urlencode('payment.php?post_id=' . (int)
$post['id']) ?>" class="btn btn-success">Buy Now</a>

        <?php endif; ?>
```

```
                <?php endif; ?>
            </div>
        </div>
    </div>
  </div>
</main>
<?php include "footer.php"; ?>
</body>
</html>
```

edit_post.php:

```
<?php
require_once "helpers.php";
require_login();

$postId = isset($_GET["id"]) ? (int) $_GET["id"] : 0;
$userId = (int) $_SESSION["user_id"];

if ($postId <= 0) {
  set_flash("error", "Invalid post id.");
  header("Location: dashboard.php");
  exit;
}

$stmt = $conn->prepare("
```

```
    SELECT posts.*, events.event_date, events.event_time
    FROM posts
    LEFT JOIN events ON events.post_id = posts.id
    WHERE posts.id = ? AND posts.user_id = ?
");
$stmt->bind_param("ii", $postId, $userId);
$stmt->execute();
$post = $stmt->get_result()->fetch_assoc();

if (!$post) {
    set_flash("error", "Post not found or access denied.");
    header("Location: dashboard.php");
    exit;
}

$categoryResult = $conn->query("SELECT id, name, slug FROM categories WHERE slug IN
('skill','course','event','job') ORDER BY FIELD(slug,'skill','course','event','job')");
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Edit Post | ShowCase</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
</head>
```

```
<body class="bg-light">
<?php include "navbar.php"; ?>
<main class="container py-4">
  <div class="row justify-content-center">
    <div class="col-lg-8">
      <div class="card border-0 shadow-sm">
        <div class="card-body">
          <h4 class="mb-3">Edit Post</h4>
          <form action="actions/update_post.php" method="POST" enctype="multipart/form-data">
            <input type="hidden" name="post_id" value="<?= (int) $post["id"] ?>">
            <input type="hidden" name="existing_image" value="<?= e((string) $post["image"]) ?>">
            <input type="hidden" name="existing_video_file" value="<?= e((string) ($post["video_file"] ?? "")) ?>">
            <div class="mb-3">
              <label class="form-label">Title</label>
              <input name="title" required class="form-control" maxlength="180" value="<?= e($post["title"]) ?>">
            </div>
            <div class="row g-3">
              <div class="col-md-6">
                <label class="form-label">Category</label>
                <select name="category_id" class="form-select" required>
                  <?php while ($cat = $categoryResult->fetch_assoc()): ?>
                    <option value="<?= (int) $cat["id"] ?>" <?= ((int) $cat["id"] === (int) $post["category_id"]) ? "selected" : "" ?>>
```

```
                <?= e($cat["name"]) ?>
            </option>
        <?php endwhile; ?>
    </select>
  </div>
  <div class="col-md-6">
    <label class="form-label">Post Type</label>
    <select name="post_type" class="form-select" required>
        <?php $types = ["skill", "course", "event", "job"]; ?>
        <?php foreach ($types as $type): ?>
            <option value="<?= e($type) ?>" <?= $post["post_type"] === $type ?
"selected" : "" ?>>
                <?= e(ucfirst($type)) ?>
            </option>
        <?php endforeach; ?>
    </select>
  </div>
</div>
<div class="mb-3 mt-3">
  <label class="form-label">Price (optional)</label>
  <input name="price" type="number" step="0.01" min="0" class="form-control"
value="<?= e((string) $post["price"]) ?>">
</div>
<div class="row g-3 mb-3">
  <div class="col-md-6">
    <label class="form-label">Event Date (for event posts)</label>
```

```
                <input name="event_date" type="date" class="form-control" value="<?= e((string) $post["event_date"]) ?>">
            </div>
            <div class="col-md-6">
                <label class="form-label">Event Time (for event posts)</label>
                <input name="event_time" type="time" class="form-control" value="<?= e((string) $post["event_time"]) ?>">
            </div>
        </div>
        <div class="mb-3">
            <label class="form-label">Job Link (required for job posts)</label>
            <input name="job_link" type="url" class="form-control" value="<?= e((string) ($post["job_link"] ?? "")) ?>" placeholder="https://example.com/job-posting">
        </div>
        <div class="mb-3">
            <label class="form-label">Description</label>
            <textarea name="description" rows="5" class="form-control" required><?= e($post["description"]) ?></textarea>
        </div>
        <div class="mb-3">
            <label class="form-label">Replace image (optional)</label>
            <input type="file" class="form-control" name="image" accept=".jpg,.jpeg,.png,.webp">
        </div>
        <div class="mb-3">
            <label class="form-label">Replace course video (optional, max 100MB)</label>
            <input type="file" class="form-control" name="course_video" accept=".mp4,.webm,.mov,.mkv">
```

```
                <?php if (!empty($post["video_file"])): ?>
                  <small class="text-muted">Current video: <?= e($post["video_file"])
?></small>
                <?php endif; ?>
              </div>
              <button class="btn btn-primary">Save Changes</button>
              <a href="dashboard.php" class="btn btn-outline-secondary">Cancel</a>
            </form>
          </div>
        </div>
      </div>
    </div>
</main>
<?php include "footer.php"; ?>
</body>
</html>
```

Dashboard.php:

```
<?php
require_once "helpers.php";
require_login();

$userId = (int) $_SESSION["user_id"];
```

```
$userStmt = $conn->prepare("SELECT id, name, email, created_at FROM users WHERE id = ?");

$userStmt->bind_param("i", $userId);

$userStmt->execute();

$user = $userStmt->get_result()->fetch_assoc();


$categoryResult = $conn->query("SELECT id, name, slug FROM categories WHERE slug IN
('skill','course','event','job') ORDER BY FIELD(slug,'skill','course','event','job')");


$postsStmt = $conn->prepare("

   SELECT posts.id, posts.title, posts.post_type, posts.created_at, categories.name AS
category_name

   FROM posts

   JOIN categories ON categories.id = posts.category_id

   WHERE posts.user_id = ?

   ORDER BY posts.created_at DESC

");

$postsStmt->bind_param("i", $userId);

$postsStmt->execute();

$posts = $postsStmt->get_result();

$postCount = (int) ($conn->query("SELECT COUNT(*) AS c FROM posts WHERE user_id = " .
$userId)->fetch_assoc()["c"] ?? 0);

?>

<!DOCTYPE html>

<html lang="en">

<head>

   <meta charset="UTF-8">

   <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Dashboard | ShowCase</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
  <style>
    .dash-hero {
      background: linear-gradient(120deg, #1f2937, #4338ca);
      color: #fff;
      border-radius: 18px;
    }
    .dash-card { border-radius: 14px; }
    .soft-input .form-control, .soft-input .form-select { border-radius: 10px; }
    .post-row:hover { background-color: #f8f9ff; }
  </style>
</head>
<body class="bg-light">
<?php include "navbar.php"; ?>
<main class="container py-4">
  <?php if ($success = get_flash("success")): ?>
    <div class="alert alert-success"><?= e($success) ?></div>
  <?php endif; ?>
  <?php if ($error = get_flash("error")): ?>
    <div class="alert alert-danger"><?= e($error) ?></div>
  <?php endif; ?>

  <section class="dash-hero p-4 p-lg-5 mb-4 shadow-sm">
    <div class="row align-items-center g-3">
```

```
        <div class="col-lg-8">
            <h2 class="fw-bold mb-1">Welcome back, <?= e($user["name"] ?? "Creator") ?></h2>
            <p class="mb-0" style="color: #e5e7eb;">Manage your profile, publish posts, and grow your audience from one place.</p>
        </div>
        <div class="col-lg-4">
            <div class="bg-white text-dark rounded-3 p-3">
                <p class="mb-1 text-secondary small">Your total posts</p>
                <h3 class="mb-0"><?= $postCount ?></h3>
                <a href="profile.php" class="btn btn-outline-dark btn-sm mt-2">Edit Profile</a>
            </div>
        </div>
    </div>
  </section>

  <div class="row g-4">
    <div class="col-lg-4">
        <div class="card dash-card border-0 shadow-sm h-100">
            <div class="card-body">
                <h4 class="card-title mb-3">Profile Summary</h4>
                <p class="mb-1"><strong>Name:</strong> <?= e($user["name"] ?? "") ?></p>
                <p class="mb-1"><strong>Email:</strong> <?= e($user["email"] ?? "") ?></p>
                <p class="text-muted mb-0"><small>Member since: <?= e(date("d M Y", strtotime($user["created_at"] ?? "now"))) ?></small></p>
                <hr>
                <a href="profile.php" class="btn btn-outline-primary btn-sm">Go to My Profile</a>
            </div>
```

```
    </div>
  </div>

  <div class="col-lg-8">
    <div class="card dash-card border-0 shadow-sm">
      <div class="card-body soft-input">
        <h4 class="card-title mb-3">Create New Post</h4>
        <form action="actions/add_post.php" method="POST" enctype="multipart/form-
data">
          <div class="row g-3">
            <div class="col-md-8">
              <label class="form-label">Title</label>
              <input name="title" required class="form-control" maxlength="180">
            </div>
            <div class="col-md-4">
              <label class="form-label">Category</label>
              <select name="category_id" class="form-select" required>
                <option value="">Select category</option>
                <?php while ($cat = $categoryResult->fetch_assoc()): ?>
                  <option value="<?= (int) $cat["id"] ?>"><?= e($cat["name"]) ?></option>
                <?php endwhile; ?>
              </select>
            </div>
            <div class="col-md-6">
              <label class="form-label">Post Type</label>
              <select name="post_type" class="form-select" required>
```

```
                <option value="skill">Skill</option>
                <option value="course">Course</option>
                <option value="event">Event</option>
                <option value="job">Job</option>
            </select>
        </div>
        <div class="col-md-6">
            <label class="form-label">Price (optional)</label>
            <input name="price" type="number" step="0.01" min="0" class="form-control" placeholder="0.00">
        </div>
        <div class="col-md-6">
            <label class="form-label">Event Date (for event posts)</label>
            <input name="event_date" type="date" class="form-control">
        </div>
        <div class="col-md-6">
            <label class="form-label">Event Time (for event posts)</label>
            <input name="event_time" type="time" class="form-control">
        </div>
        <div class="col-12">
            <label class="form-label">Job Link (required for job posts)</label>
            <input name="job_link" type="url" class="form-control" placeholder="https://example.com/job-posting">
        </div>
        <div class="col-12">
            <label class="form-label">Description</label>
```

```
                    <textarea name="description" rows="4" class="form-control"
required></textarea>
                  </div>
                  <div class="col-12">
                    <label class="form-label">Image (jpg/png/webp, max 2MB)</label>
                    <input type="file" name="image" class="form-control"
accept=".jpg,.jpeg,.png,.webp">
                  </div>
                  <div class="col-12">
                    <label class="form-label">Course Video (optional for course, max
100MB)</label>
                    <input type="file" name="course_video" class="form-control"
accept=".mp4,.webm,.mov,.mkv">
                  </div>
                </div>
                <button class="btn btn-primary mt-3 px-4">Publish Post</button>
              </form>
            </div>
          </div>
        </div>
      </div>

      <div class="card dash-card border-0 shadow-sm mt-4">
        <div class="card-body">
          <div class="d-flex justify-content-between align-items-center mb-3">
            <h4 class="card-title mb-0">My Posts</h4>
            <span class="badge text-bg-secondary"><?= $postCount ?> total</span>
```

```
</div>
<?php if ($posts->num_rows > 0): ?>
  <div class="table-responsive">
    <table class="table align-middle table-hover">
      <thead>
      <tr>
        <th>Title</th>
        <th>Type</th>
        <th>Category</th>
        <th>Created</th>
        <th>Actions</th>
      </tr>
      </thead>
      <tbody>
      <?php while ($post = $posts->fetch_assoc()): ?>
        <tr class="post-row">
          <td><?= e($post["title"]) ?></td>
          <td><span class="badge text-bg-dark"><?= e(ucfirst($post["post_type"]))
?></span></td>
          <td><?= e($post["category_name"]) ?></td>
          <td><?= e(date("d M Y", strtotime($post["created_at"]))) ?></td>
          <td class="d-flex gap-2">
            <a class="btn btn-sm btn-outline-primary" href="post.php?id=<?= (int)
$post["id"] ?>">View</a>
            <a class="btn btn-sm btn-outline-warning" href="edit_post.php?id=<?= (int)
$post["id"] ?>">Edit</a>
```

```
                        <form action="actions/delete_post.php" method="POST" onsubmit="return
confirm('Delete this post?')">
                            <input type="hidden" name="post_id" value="<?= (int) $post["id"] ?>">
                            <button class="btn btn-sm btn-outline-danger">Delete</button>
                        </form>
                    </td>
                </tr>
            <?php endwhile; ?>
            </tbody>
        </table>
    </div>
  <?php else: ?>
    <div class="alert alert-info mb-0">You have not created any posts yet.</div>
  <?php endif; ?>
 </div>
</div>
</main>
<?php include "footer.php"; ?>
</body>
</html>
```

helpers.php:

```
<?php
require_once __DIR__ . "/db.php";
```

```
function e(string $value): string
{
    return htmlspecialchars($value, ENT_QUOTES, "UTF-8");
}

function is_logged_in(): bool
{
    return isset($_SESSION["user_id"]);
}

function require_login(): void
{
    if (!is_logged_in()) {
        $_SESSION["error"] = "Please login to continue.";
        header("Location: login.php");
        exit;
    }
}

function set_flash(string $key, string $message): void
{
    $_SESSION[$key] = $message;
}

function get_flash(string $key): ?string
{
```

```
    if (!isset($_SESSION[$key])) {
        return null;
    }

    $message = $_SESSION[$key];
    unset($_SESSION[$key]);
    return $message;
}
```

payment.php:

```
<?php
require_once "helpers.php";

$postId = isset($_GET["post_id"]) ? (int) $_GET["post_id"] : 0;
if ($postId <= 0) {
    set_flash("error", "Invalid payment request.");
    header("Location: index.php");
    exit;
}

$stmt = $conn->prepare("
    SELECT posts.id, posts.title, posts.price, posts.post_type, users.name AS author_name
    FROM posts
    JOIN users ON users.id = posts.user_id
```

```
    WHERE posts.id = ?
");
$stmt->bind_param("i", $postId);
$stmt->execute();
$post = $stmt->get_result()->fetch_assoc();

if (!$post) {
    set_flash("error", "Post not found for payment.");
    header("Location: index.php");
    exit;
}

$paymentSuccess = null;
$paymentError = null;

if ($_SERVER["REQUEST_METHOD"] === "POST") {
    $method = $_POST["payment_method"] ?? "";
    $name = trim($_POST["payer_name"] ?? "");
    $email = trim($_POST["payer_email"] ?? "");

    if ($name === "" || $email === "" || !filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $paymentError = "Please provide valid name and email.";
    } elseif (!in_array($method, ["mobile", "card", "bank"], true)) {
        $paymentError = "Please select a payment method.";
    } else {
        if ($method === "mobile") {
```

```
        $mobileProvider = $_POST["mobile_provider"] ?? "";
        $mobileNumber = trim($_POST["mobile_number"] ?? "");
        if (!in_array($mobileProvider, ["bkash", "rocket", "nagad"], true) || $mobileNumber ===
"") {
            $paymentError = "Please enter mobile payment details.";
        }
    } elseif ($method === "card") {
        $cardNumber = trim($_POST["card_number"] ?? "");
        $cardExpiry = trim($_POST["card_expiry"] ?? "");
        if ($cardNumber === "" || $cardExpiry === "") {
            $paymentError = "Please enter card details.";
        }
    } elseif ($method === "bank") {
        $bankName = trim($_POST["bank_name"] ?? "");
        $accountNumber = trim($_POST["account_number"] ?? "");
        if ($bankName === "" || $accountNumber === "") {
            $paymentError = "Please enter bank transfer details.";
        }
    }
  }

  if ($paymentError === null) {
    $paymentSuccess = "Payment successful";
  }
}
?>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Payment | ShowCase</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
  <style>
    .method-card { border: 1px solid #dee2e6; border-radius: 12px; padding: 14px; cursor:
pointer; }
    .method-card.active { border-color: #0d6efd; background: #f7fbff; }
  </style>
</head>
<body class="bg-light">
<?php include "navbar.php"; ?>
<main class="container py-4">
  <div class="row justify-content-center">
    <div class="col-lg-9">
      <div class="card border-0 shadow-sm mb-4">
        <div class="card-body p-4">
          <h4 class="mb-3">Payment Checkout </h4>
          <p class="mb-1"><strong>Post:</strong> <?= e($post["title"]) ?></p>
          <p class="mb-1"><strong>By:</strong> <?= e($post["author_name"]) ?></p>
          <p class="mb-0"><strong>Amount:</strong> $<?= e(number_format((float)
($post["price"] ?? 0), 2)) ?></p>
        </div>
```

```
</div>

<?php if ($paymentSuccess): ?>
  <div class="alert alert-success"><?= e($paymentSuccess) ?></div>
<?php endif; ?>
<?php if ($paymentError): ?>
  <div class="alert alert-danger"><?= e($paymentError) ?></div>
<?php endif; ?>

<div class="card border-0 shadow-sm">
  <div class="card-body p-4">
    <form method="POST">
      <div class="row g-3 mb-3">
        <div class="col-md-6">
          <label class="form-label">Your Name</label>
          <input type="text" name="payer_name" class="form-control" required>
        </div>
        <div class="col-md-6">
          <label class="form-label">Your Email</label>
          <input type="email" name="payer_email" class="form-control" required>
        </div>
      </div>

      <label class="form-label">Choose Payment Method</label>
      <div class="row g-3 mb-3">
        <div class="col-md-4">
```

```
                <label class="method-card w-100" data-method="mobile">
                    <input type="radio" name="payment_method" value="mobile"
class="form-check-input me-2">
                    bKash / Rocket / Nagad
                </label>
            </div>
            <div class="col-md-4">
                <label class="method-card w-100" data-method="card">
                    <input type="radio" name="payment_method" value="card" class="form-
check-input me-2">
                    Card Payment
                </label>
            </div>
            <div class="col-md-4">
                <label class="method-card w-100" data-method="bank">
                    <input type="radio" name="payment_method" value="bank" class="form-
check-input me-2">
                    Bank Transfer
                </label>
            </div>
        </div>

        <div id="mobileFields" class="border rounded-3 p-3 mb-3 d-none">
            <h6>Mobile Payment Details</h6>
            <div class="row g-3">
                <div class="col-md-6">
                    <label class="form-label">Provider</label>
```

```
                <select name="mobile_provider" class="form-select">
                    <option value="">Select provider</option>
                    <option value="bkash">bKash</option>
                    <option value="rocket">Rocket</option>
                    <option value="nagad">Nagad</option>
                </select>
            </div>
            <div class="col-md-6">
                <label class="form-label">Mobile Number</label>
                <input type="text" name="mobile_number" class="form-control"
placeholder="01XXXXXXXXX">
            </div>
        </div>
    </div>

    <div id="cardFields" class="border rounded-3 p-3 mb-3 d-none">
        <h6>Card Payment Details</h6>
        <div class="row g-3">
            <div class="col-md-8">
                <label class="form-label">Card Number</label>
                <input type="text" name="card_number" class="form-control"
placeholder="1234 5678 9012 3456">
            </div>
            <div class="col-md-4">
                <label class="form-label">Expiry</label>
                <input type="text" name="card_expiry" class="form-control"
placeholder="MM/YY">
```

```
                </div>
            </div>
        </div>

        <div id="bankFields" class="border rounded-3 p-3 mb-3 d-none">
            <h6>Bank Transfer Details</h6>
            <div class="row g-3">
                <div class="col-md-6">
                    <label class="form-label">Bank Name</label>
                    <input type="text" name="bank_name" class="form-control">
                </div>
                <div class="col-md-6">
                    <label class="form-label">Account Number</label>
                    <input type="text" name="account_number" class="form-control">
                </div>
            </div>
        </div>




        <button class="btn btn-success">Confirm Payment</button>
      </form>
    </div>
  </div>
</div>
```

```
</main>
<?php include "footer.php"; ?>
<script>
  (function () {
    const radios = document.querySelectorAll('input[name="payment_method"]');
    const cards = document.querySelectorAll(".method-card");
    const mobileFields = document.getElementById("mobileFields");
    const cardFields = document.getElementById("cardFields");
    const bankFields = document.getElementById("bankFields");

    function toggleMethod(method) {
      mobileFields.classList.toggle("d-none", method !== "mobile");
      cardFields.classList.toggle("d-none", method !== "card");
      bankFields.classList.toggle("d-none", method !== "bank");
      cards.forEach((card) => card.classList.toggle("active", card.dataset.method === method));
    }

    radios.forEach((radio) => {
      radio.addEventListener("change", () => toggleMethod(radio.value));
    });
  })();
</script>
</body>
</html>
```

actions/add_post.php:

```php
<?php
require_once "../helpers.php";

if (!is_logged_in()) {
    set_flash("error", "Please login first.");
    header("Location: ../login.php");
    exit;
}

if ($_SERVER["REQUEST_METHOD"] !== "POST") {
    header("Location: ../dashboard.php");
    exit;
}

$title = trim($_POST["title"] ?? "");
$description = trim($_POST["description"] ?? "");
$categoryId = (int) ($_POST["category_id"] ?? 0);
$postType = $_POST["post_type"] ?? "skill";
$price = trim((string) ($_POST["price"] ?? ""));
$eventDate = trim($_POST["event_date"] ?? "");
$eventTime = trim($_POST["event_time"] ?? "");
$jobLink = trim($_POST["job_link"] ?? "");
$userId = (int) $_SESSION["user_id"];
```

```
$allowedTypes = ["skill", "course", "event", "job"];
if ($title === "" || $description === "" || $categoryId <= 0 || !in_array($postType,
$allowedTypes, true)) {
    set_flash("error", "Please provide valid post details.");
    header("Location: ../dashboard.php");
    exit;
}

if ($postType === "event" && ($eventDate === "" || $eventTime === "")) {
    set_flash("error", "Event posts require both event date and time.");
    header("Location: ../dashboard.php");
    exit;
}

if ($postType === "job") {
    if ($jobLink === "" || !filter_var($jobLink, FILTER_VALIDATE_URL)) {
        set_flash("error", "Job posts require a valid job link.");
        header("Location: ../dashboard.php");
        exit;
    }
} else {
    $jobLink = "";
}

$imageName = null;
if (isset($_FILES["image"]) && $_FILES["image"]["error"] !== UPLOAD_ERR_NO_FILE) {
```

```
if ($_FILES["image"]["error"] !== UPLOAD_ERR_OK) {
    set_flash("error", "Image upload failed.");
    header("Location: ../dashboard.php");
    exit;
}

if ($_FILES["image"]["size"] > 2 * 1024 * 1024) {
    set_flash("error", "Image is too large. Max 2MB.");
    header("Location: ../dashboard.php");
    exit;
}

$finfo = finfo_open(FILEINFO_MIME_TYPE);
$mime = finfo_file($finfo, $_FILES["image"]["tmp_name"]);
finfo_close($finfo);

$allowedMime = [
    "image/jpeg" => "jpg",
    "image/png" => "png",
    "image/webp" => "webp"
];

if (!isset($allowedMime[$mime])) {
    set_flash("error", "Only JPG, PNG, and WEBP images are allowed.");
    header("Location: ../dashboard.php");
    exit;
```

```
    }

    $imageName = uniqid("post_", true) . "." . $allowedMime[$mime];
    $target = "../uploads/" . $imageName;
    if (!move_uploaded_file($_FILES["image"]["tmp_name"], $target)) {
        set_flash("error", "Unable to save uploaded image.");
        header("Location: ../dashboard.php");
        exit;
    }
}

$videoFile = null;
if ($postType === "course" && isset($_FILES["course_video"]) &&
$_FILES["course_video"]["error"] !== UPLOAD_ERR_NO_FILE) {
    if ($_FILES["course_video"]["error"] !== UPLOAD_ERR_OK) {
        set_flash("error", "Video upload failed.");
        header("Location: ../dashboard.php");
        exit;
    }

    if ($_FILES["course_video"]["size"] > 100 * 1024 * 1024) {
        set_flash("error", "Course video is too large. Max 100MB.");
        header("Location: ../dashboard.php");
        exit;
    }
```

```
    $finfo = finfo_open(FILEINFO_MIME_TYPE);
    $videoMime = finfo_file($finfo, $_FILES["course_video"]["tmp_name"]);
    finfo_close($finfo);

    $allowedVideoMime = [
        "video/mp4" => "mp4",
        "video/webm" => "webm",
        "video/quicktime" => "mov",
        "video/x-matroska" => "mkv"
    ];

    if (!isset($allowedVideoMime[$videoMime])) {
        set_flash("error", "Only MP4, WEBM, MOV, and MKV videos are allowed.");
        header("Location: ../dashboard.php");
        exit;
    }

    $videoFile = uniqid("course_", true) . "." . $allowedVideoMime[$videoMime];
    if (!move_uploaded_file($_FILES["course_video"]["tmp_name"], "../uploads/" . $videoFile)) {
        set_flash("error", "Unable to save course video.");
        header("Location: ../dashboard.php");
        exit;
    }
}

$priceValue = null;
```

```
if ($price !== "") {
    if (!is_numeric($price) || (float) $price < 0) {
        set_flash("error", "Price must be a valid positive number.");
        header("Location: ../dashboard.php");
        exit;
    }
    $priceValue = (float) $price;
}


if ($priceValue === null) {
    $stmt = $conn->prepare("
        INSERT INTO posts (user_id, category_id, title, description, image, video_file, job_link,
post_type, price)
        VALUES (?, ?, ?, ?, ?, ?, ?, ?, NULL)
    ");
    $stmt->bind_param("iissssss", $userId, $categoryId, $title, $description, $imageName,
$videoFile, $jobLink, $postType);
} else {
    $stmt = $conn->prepare("
        INSERT INTO posts (user_id, category_id, title, description, image, video_file, job_link,
post_type, price)
        VALUES (?, ?, ?, ?, ?, ?, ?, ?, ?)
    ");
    $stmt->bind_param("iisssssd", $userId, $categoryId, $title, $description, $imageName,
$videoFile, $jobLink, $postType, $priceValue);
}
```

```
if ($stmt->execute()) {
    $postId = $stmt->insert_id;
    if ($postType === "event") {
        $eventStmt = $conn->prepare("INSERT INTO events (post_id, event_date, event_time)
VALUES (?, ?, ?)");
        $eventStmt->bind_param("iss", $postId, $eventDate, $eventTime);
        $eventStmt->execute();
    }
    set_flash("success", "Post created successfully.");
    header("Location: ../dashboard.php");
    exit;
}

set_flash("error", "Failed to create post.");
header("Location: ../dashboard.php");
exit;
?>
```

actions/delete_post.php:

```
<?php
require_once "../helpers.php";

if (!is_logged_in()) {
    set_flash("error", "Please login first.");
```

```
    header("Location: ../login.php");
    exit;
}

if ($_SERVER["REQUEST_METHOD"] !== "POST") {
    header("Location: ../dashboard.php");
    exit;
}

$postId = (int) ($_POST["post_id"] ?? 0);
$userId = (int) $_SESSION["user_id"];

if ($postId <= 0) {
    set_flash("error", "Invalid post id.");
    header("Location: ../dashboard.php");
    exit;
}

$stmt = $conn->prepare("SELECT image, video_file FROM posts WHERE id = ? AND user_id = ?");
$stmt->bind_param("ii", $postId, $userId);
$stmt->execute();
$post = $stmt->get_result()->fetch_assoc();

if (!$post) {
    set_flash("error", "Post not found or access denied.");
    header("Location: ../dashboard.php");
```

```
    exit;
}

$deleteStmt = $conn->prepare("DELETE FROM posts WHERE id = ? AND user_id = ?");
$deleteStmt->bind_param("ii", $postId, $userId);

if ($deleteStmt->execute()) {
    if (!empty($post["image"]) && file_exists("../uploads/" . $post["image"])) {
        unlink("../uploads/" . $post["image"]);
    }
    if (!empty($post["video_file"]) && file_exists("../uploads/" . $post["video_file"])) {
        unlink("../uploads/" . $post["video_file"]);
    }
    set_flash("success", "Post deleted successfully.");
    header("Location: ../dashboard.php");
    exit;
}

set_flash("error", "Failed to delete post.");
header("Location: ../dashboard.php");
exit;
```

Acions/update_post.php:

```php
<?php
require_once "../helpers.php";

if (!is_logged_in()) {
    set_flash("error", "Please login first.");
    header("Location: ../login.php");
    exit;
}

if ($_SERVER["REQUEST_METHOD"] !== "POST") {
    header("Location: ../dashboard.php");
    exit;
}

$postId = (int) ($_POST["post_id"] ?? 0);
$userId = (int) $_SESSION["user_id"];
$title = trim($_POST["title"] ?? "");
$description = trim($_POST["description"] ?? "");
$categoryId = (int) ($_POST["category_id"] ?? 0);
$postType = $_POST["post_type"] ?? "skill";
$price = trim((string) ($_POST["price"] ?? ""));
$eventDate = trim($_POST["event_date"] ?? "");
$eventTime = trim($_POST["event_time"] ?? "");
$jobLink = trim($_POST["job_link"] ?? "");
```

```
$existingImage = trim($_POST["existing_image"] ?? "");
$existingVideoFile = trim($_POST["existing_video_file"] ?? "");
$allowedTypes = ["skill", "course", "event", "job"];

if ($postId <= 0 || $title === "" || $description === "" || $categoryId <= 0 ||
!in_array($postType, $allowedTypes, true)) {
    set_flash("error", "Please provide valid details.");
    header("Location: ../dashboard.php");
    exit;
}

if ($postType === "event" && ($eventDate === "" || $eventTime === "")) {
    set_flash("error", "Event posts require both event date and time.");
    header("Location: ../edit_post.php?id=" . $postId);
    exit;
}

if ($postType === "job") {
    if ($jobLink === "" || !filter_var($jobLink, FILTER_VALIDATE_URL)) {
        set_flash("error", "Job posts require a valid job link.");
        header("Location: ../edit_post.php?id=" . $postId);
        exit;
    }
} else {
    $jobLink = "";
}
```

```
$checkStmt = $conn->prepare("SELECT id FROM posts WHERE id = ? AND user_id = ?");
$checkStmt->bind_param("ii", $postId, $userId);
$checkStmt->execute();
if (!$checkStmt->get_result()->fetch_assoc()) {
    set_flash("error", "Post not found or access denied.");
    header("Location: ../dashboard.php");
    exit;
}

$newImage = $existingImage;
if (isset($_FILES["image"]) && $_FILES["image"]["error"] !== UPLOAD_ERR_NO_FILE) {
    if ($_FILES["image"]["error"] !== UPLOAD_ERR_OK || $_FILES["image"]["size"] > 2 * 1024 *
1024) {
        set_flash("error", "Invalid image upload.");
        header("Location: ../edit_post.php?id=" . $postId);
        exit;
    }

    $finfo = finfo_open(FILEINFO_MIME_TYPE);
    $mime = finfo_file($finfo, $_FILES["image"]["tmp_name"]);
    finfo_close($finfo);
    $allowedMime = [
        "image/jpeg" => "jpg",
        "image/png" => "png",
        "image/webp" => "webp"
```

```
    ];

    if (!isset($allowedMime[$mime])) {
        set_flash("error", "Only JPG, PNG, and WEBP images are allowed.");
        header("Location: ../edit_post.php?id=" . $postId);
        exit;
    }

    $newImage = uniqid("post_", true) . "." . $allowedMime[$mime];
    $target = "../uploads/" . $newImage;
    if (!move_uploaded_file($_FILES["image"]["tmp_name"], $target)) {
        set_flash("error", "Unable to save uploaded image.");
        header("Location: ../edit_post.php?id=" . $postId);
        exit;
    }

    if ($existingImage !== "" && file_exists("../uploads/" . $existingImage)) {
        unlink("../uploads/" . $existingImage);
    }
}

$newVideoFile = $existingVideoFile;
if (isset($_FILES["course_video"]) && $_FILES["course_video"]["error"] !==
UPLOAD_ERR_NO_FILE) {
    if ($_FILES["course_video"]["error"] !== UPLOAD_ERR_OK) {
        set_flash("error", "Video upload failed.");
```

```
    header("Location: ../edit_post.php?id=" . $postId);
    exit;
}
if ($_FILES["course_video"]["size"] > 100 * 1024 * 1024) {
    set_flash("error", "Course video is too large. Max 100MB.");
    header("Location: ../edit_post.php?id=" . $postId);
    exit;
}

$finfo = finfo_open(FILEINFO_MIME_TYPE);
$videoMime = finfo_file($finfo, $_FILES["course_video"]["tmp_name"]);
finfo_close($finfo);
$allowedVideoMime = [
    "video/mp4" => "mp4",
    "video/webm" => "webm",
    "video/quicktime" => "mov",
    "video/x-matroska" => "mkv"
];

if (!isset($allowedVideoMime[$videoMime])) {
    set_flash("error", "Only MP4, WEBM, MOV, and MKV videos are allowed.");
    header("Location: ../edit_post.php?id=" . $postId);
    exit;
}

$newVideoFile = uniqid("course_", true) . "." . $allowedVideoMime[$videoMime];
```

```
    $targetVideo = "../uploads/" . $newVideoFile;
    if (!move_uploaded_file($_FILES["course_video"]["tmp_name"], $targetVideo)) {
        set_flash("error", "Unable to save course video.");
        header("Location: ../edit_post.php?id=" . $postId);
        exit;
    }
    if (!empty($existingVideoFile) && file_exists("../uploads/" . $existingVideoFile)) {
        unlink("../uploads/" . $existingVideoFile);
    }
}

if ($postType !== "course" && !empty($newVideoFile)) {
    if (file_exists("../uploads/" . $newVideoFile)) {
        unlink("../uploads/" . $newVideoFile);
    }
    $newVideoFile = null;
}

$priceValue = null;
if ($price !== "") {
    if (!is_numeric($price) || (float) $price < 0) {
        set_flash("error", "Price must be a valid positive number.");
        header("Location: ../edit_post.php?id=" . $postId);
        exit;
    }
    $priceValue = (float) $price;
```

```
}

if ($priceValue === null) {
    $stmt = $conn->prepare("
        UPDATE posts
        SET category_id = ?, title = ?, description = ?, image = ?, video_file = ?, job_link = ?,
post_type = ?, price = NULL
        WHERE id = ? AND user_id = ?
    ");
    $stmt->bind_param("isssssii", $categoryId, $title, $description, $newImage, $newVideoFile,
$jobLink, $postType, $postId, $userId);
} else {
    $stmt = $conn->prepare("
        UPDATE posts
        SET category_id = ?, title = ?, description = ?, image = ?, video_file = ?, job_link = ?,
post_type = ?, price = ?
        WHERE id = ? AND user_id = ?
    ");
    $stmt->bind_param("isssssdii", $categoryId, $title, $description, $newImage, $newVideoFile,
$jobLink, $postType, $priceValue, $postId, $userId);
}

if ($stmt->execute()) {
    if ($postType === "event") {
        $eventStmt = $conn->prepare("
            INSERT INTO events (post_id, event_date, event_time)
            VALUES (?, ?, ?)
```

```
        ON DUPLICATE KEY UPDATE event_date = VALUES(event_date), event_time =
VALUES(event_time)
        ");
        $eventStmt->bind_param("iss", $postId, $eventDate, $eventTime);
        $eventStmt->execute();
    } else {
        $deleteEventStmt = $conn->prepare("DELETE FROM events WHERE post_id = ?");
        $deleteEventStmt->bind_param("i", $postId);
        $deleteEventStmt->execute();
    }
    set_flash("success", "Post updated successfully.");
    header("Location: ../dashboard.php");
    exit;
}

set_flash("error", "Failed to update post.");
header("Location: ../edit_post.php?id=" . $postId);
exit;
```

actions/register_action.php:

```
<?php
require_once "../helpers.php";

if (!is_logged_in()) {
```

```
    set_flash("error", "Please login first.");
    header("Location: ../login.php");
    exit;
}

if ($_SERVER["REQUEST_METHOD"] !== "POST") {
    header("Location: ../dashboard.php");
    exit;
}

$postId = (int) ($_POST["post_id"] ?? 0);
$userId = (int) $_SESSION["user_id"];
$title = trim($_POST["title"] ?? "");
$description = trim($_POST["description"] ?? "");
$categoryId = (int) ($_POST["category_id"] ?? 0);
$postType = $_POST["post_type"] ?? "skill";
$price = trim((string) ($_POST["price"] ?? ""));
$eventDate = trim($_POST["event_date"] ?? "");
$eventTime = trim($_POST["event_time"] ?? "");
$jobLink = trim($_POST["job_link"] ?? "");
$existingImage = trim($_POST["existing_image"] ?? "");
$existingVideoFile = trim($_POST["existing_video_file"] ?? "");
$allowedTypes = ["skill", "course", "event", "job"];

if ($postId <= 0 || $title === "" || $description === "" || $categoryId <= 0 ||
!in_array($postType, $allowedTypes, true)) {
```

```
    set_flash("error", "Please provide valid details.");
    header("Location: ../dashboard.php");
    exit;
}

if ($postType === "event" && ($eventDate === "" || $eventTime === "")) {
    set_flash("error", "Event posts require both event date and time.");
    header("Location: ../edit_post.php?id=" . $postId);
    exit;
}

if ($postType === "job") {
    if ($jobLink === "" || !filter_var($jobLink, FILTER_VALIDATE_URL)) {
        set_flash("error", "Job posts require a valid job link.");
        header("Location: ../edit_post.php?id=" . $postId);
        exit;
    }
} else {
    $jobLink = "";
}

$checkStmt = $conn->prepare("SELECT id FROM posts WHERE id = ? AND user_id = ?");
$checkStmt->bind_param("ii", $postId, $userId);
$checkStmt->execute();
if (!$checkStmt->get_result()->fetch_assoc()) {
    set_flash("error", "Post not found or access denied.");
```

```
    header("Location: ../dashboard.php");
    exit;
}

$newImage = $existingImage;
if (isset($_FILES["image"]) && $_FILES["image"]["error"] !== UPLOAD_ERR_NO_FILE) {
    if ($_FILES["image"]["error"] !== UPLOAD_ERR_OK || $_FILES["image"]["size"] > 2 * 1024 *
1024) {
        set_flash("error", "Invalid image upload.");
        header("Location: ../edit_post.php?id=" . $postId);
        exit;
    }

    $finfo = finfo_open(FILEINFO_MIME_TYPE);
    $mime = finfo_file($finfo, $_FILES["image"]["tmp_name"]);
    finfo_close($finfo);
    $allowedMime = [
        "image/jpeg" => "jpg",
        "image/png" => "png",
        "image/webp" => "webp"
    ];

    if (!isset($allowedMime[$mime])) {
        set_flash("error", "Only JPG, PNG, and WEBP images are allowed.");
        header("Location: ../edit_post.php?id=" . $postId);
        exit;
```

```
    }

    $newImage = uniqid("post_", true) . "." . $allowedMime[$mime];
    $target = "../uploads/" . $newImage;
    if (!move_uploaded_file($_FILES["image"]["tmp_name"], $target)) {
        set_flash("error", "Unable to save uploaded image.");
        header("Location: ../edit_post.php?id=" . $postId);
        exit;
    }

    if ($existingImage !== "" && file_exists("../uploads/" . $existingImage)) {
        unlink("../uploads/" . $existingImage);
    }
}

$newVideoFile = $existingVideoFile;
if (isset($_FILES["course_video"]) && $_FILES["course_video"]["error"] !==
UPLOAD_ERR_NO_FILE) {
    if ($_FILES["course_video"]["error"] !== UPLOAD_ERR_OK) {
        set_flash("error", "Video upload failed.");
        header("Location: ../edit_post.php?id=" . $postId);
        exit;
    }
    if ($_FILES["course_video"]["size"] > 100 * 1024 * 1024) {
        set_flash("error", "Course video is too large. Max 100MB.");
        header("Location: ../edit_post.php?id=" . $postId);
```

```
    exit;
}

$finfo = finfo_open(FILEINFO_MIME_TYPE);
$videoMime = finfo_file($finfo, $_FILES["course_video"]["tmp_name"]);
finfo_close($finfo);
$allowedVideoMime = [
    "video/mp4" => "mp4",
    "video/webm" => "webm",
    "video/quicktime" => "mov",
    "video/x-matroska" => "mkv"
];

if (!isset($allowedVideoMime[$videoMime])) {
    set_flash("error", "Only MP4, WEBM, MOV, and MKV videos are allowed.");
    header("Location: ../edit_post.php?id=" . $postId);
    exit;
}

$newVideoFile = uniqid("course_", true) . "." . $allowedVideoMime[$videoMime];
$targetVideo = "../uploads/" . $newVideoFile;
if (!move_uploaded_file($_FILES["course_video"]["tmp_name"], $targetVideo)) {
    set_flash("error", "Unable to save course video.");
    header("Location: ../edit_post.php?id=" . $postId);
    exit;
}
```

```
    if (!empty($existingVideoFile) && file_exists("../uploads/" . $existingVideoFile)) {
        unlink("../uploads/" . $existingVideoFile);
    }
}

if ($postType !== "course" && !empty($newVideoFile)) {
    if (file_exists("../uploads/" . $newVideoFile)) {
        unlink("../uploads/" . $newVideoFile);
    }
    $newVideoFile = null;
}

$priceValue = null;
if ($price !== "") {
    if (!is_numeric($price) || (float) $price < 0) {
        set_flash("error", "Price must be a valid positive number.");
        header("Location: ../edit_post.php?id=" . $postId);
        exit;
    }
    $priceValue = (float) $price;
}

if ($priceValue === null) {
    $stmt = $conn->prepare("
        UPDATE posts
```

```
        SET category_id = ?, title = ?, description = ?, image = ?, video_file = ?, job_link = ?,
post_type = ?, price = NULL
        WHERE id = ? AND user_id = ?
    ");
    $stmt->bind_param("isssssii", $categoryId, $title, $description, $newImage, $newVideoFile,
$jobLink, $postType, $postId, $userId);
} else {
    $stmt = $conn->prepare("
        UPDATE posts
        SET category_id = ?, title = ?, description = ?, image = ?, video_file = ?, job_link = ?,
post_type = ?, price = ?
        WHERE id = ? AND user_id = ?
    ");
    $stmt->bind_param("isssssdii", $categoryId, $title, $description, $newImage, $newVideoFile,
$jobLink, $postType, $priceValue, $postId, $userId);
}


if ($stmt->execute()) {
    if ($postType === "event") {
        $eventStmt = $conn->prepare("
            INSERT INTO events (post_id, event_date, event_time)
            VALUES (?, ?, ?)
            ON DUPLICATE KEY UPDATE event_date = VALUES(event_date), event_time =
VALUES(event_time)
        ");
        $eventStmt->bind_param("iss", $postId, $eventDate, $eventTime);
        $eventStmt->execute();
```

```
    } else {
        $deleteEventStmt = $conn->prepare("DELETE FROM events WHERE post_id = ?");
        $deleteEventStmt->bind_param("i", $postId);
        $deleteEventStmt->execute();
    }
    set_flash("success", "Post updated successfully.");
    header("Location: ../dashboard.php");
    exit;
}

set_flash("error", "Failed to update post.");
header("Location: ../edit_post.php?id=" . $postId);
exit;
```

actions/login_action.php:

```
<?php
require_once "../helpers.php";

if ($_SERVER["REQUEST_METHOD"] !== "POST") {
    header("Location: ../login.php");
    exit;
}
```

```
$email = trim($_POST["email"] ?? "");
$password = $_POST["password"] ?? "";
$next = trim($_POST["next"] ?? "");

if ($email === "" || $password === "") {
    set_flash("error", "Email and password are required.");
    header("Location: ../login.php");
    exit;
}

$stmt = $conn->prepare("SELECT id, password FROM users WHERE email = ?");
$stmt->bind_param("s", $email);
$stmt->execute();
$user = $stmt->get_result()->fetch_assoc();

if ($user && password_verify($password, $user["password"])) {
    $_SESSION["user_id"] = (int) $user["id"];
    set_flash("success", "Welcome back.");
    if ($next !== "") {
        // If next is an absolute URL, redirect there. Otherwise treat as local path relative to project root.
        if (preg_match('/^https?:\/\//i', $next)) {
            header("Location: " . $next);
            exit;
        }
        // Prevent leading slashes causing double relative paths
```

```
        $next = ltrim($next, '/');
        header("Location: ../" . $next);
        exit;
    }
    header("Location: ../dashboard.php");
    exit;
}

set_flash("error", "Invalid login credentials.");
header("Location: ../login.php");
exit;
?>
```

actions/update_profile.php:

```
<?php
require_once "../helpers.php";

if (!is_logged_in()) {
    set_flash("error", "Please login first.");
    header("Location: ../login.php");
    exit;
}

if ($_SERVER["REQUEST_METHOD"] !== "POST") {
```

```
    header("Location: ../profile.php");
    exit;
}

$userId = (int) $_SESSION["user_id"];
$name = trim($_POST["name"] ?? "");
$username = trim($_POST["username"] ?? "");
$email = trim($_POST["email"] ?? "");
$bio = trim($_POST["bio"] ?? "");

if ($name === "" || $username === "" || $email === "") {
    set_flash("error", "Name, username, and email are required.");
    header("Location: ../profile.php");
    exit;
}

if (!preg_match('/^[a-zA-Z0-9_]{3,30}$/', $username)) {
    set_flash("error", "Username must be 3-30 chars and contain only letters, numbers, and
underscore.");
    header("Location: ../profile.php");
    exit;
}

if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
    set_flash("error", "Please enter a valid email address.");
    header("Location: ../profile.php");
```

```
    exit;
}

$checkStmt = $conn->prepare("SELECT id FROM users WHERE (email = ? OR username = ?) AND
id != ?");
$checkStmt->bind_param("ssi", $email, $username, $userId);
$checkStmt->execute();
if ($checkStmt->get_result()->num_rows > 0) {
    set_flash("error", "Email or username already used by another account.");
    header("Location: ../profile.php");
    exit;
}

$existingStmt = $conn->prepare("SELECT profile_picture FROM users WHERE id = ?");
$existingStmt->bind_param("i", $userId);
$existingStmt->execute();
$existing = $existingStmt->get_result()->fetch_assoc();
$profilePicture = $existing["profile_picture"] ?? null;

if (isset($_FILES["profile_picture"]) && $_FILES["profile_picture"]["error"] !==
UPLOAD_ERR_NO_FILE) {
    if ($_FILES["profile_picture"]["error"] !== UPLOAD_ERR_OK) {
        set_flash("error", "Profile image upload failed.");
        header("Location: ../profile.php");
        exit;
    }
```

```
    if ($_FILES["profile_picture"]["size"] > 2 * 1024 * 1024) {
        set_flash("error", "Profile image is too large. Max 2MB.");
        header("Location: ../profile.php");
        exit;
    }

    $finfo = finfo_open(FILEINFO_MIME_TYPE);
    $mime = finfo_file($finfo, $_FILES["profile_picture"]["tmp_name"]);
    finfo_close($finfo);

    $allowedMime = [
        "image/jpeg" => "jpg",
        "image/png" => "png",
        "image/webp" => "webp"
    ];

    if (!isset($allowedMime[$mime])) {
        set_flash("error", "Only JPG, PNG, and WEBP files are allowed.");
        header("Location: ../profile.php");
        exit;
    }

    $newName = uniqid("profile_", true) . "." . $allowedMime[$mime];
    if (!move_uploaded_file($_FILES["profile_picture"]["tmp_name"], "../uploads/" .
$newName)) {
        set_flash("error", "Could not save profile image.");
```

```
        header("Location: ../profile.php");
        exit;
    }

    if (!empty($profilePicture) && file_exists("../uploads/" . $profilePicture)) {
        unlink("../uploads/" . $profilePicture);
    }

    $profilePicture = $newName;
}

$updateStmt = $conn->prepare("UPDATE users SET name = ?, username = ?, email = ?, bio = ?,
profile_picture = ? WHERE id = ?");
$updateStmt->bind_param("sssssi", $name, $username, $email, $bio, $profilePicture, $userId);

if ($updateStmt->execute()) {
    set_flash("success", "Profile updated successfully.");
    header("Location: ../profile.php");
    exit;
}

set_flash("error", "Failed to update profile.");
header("Location: ../profile.php");
exit;
```

actions/change_password.php:

```php
<?php
require_once "../helpers.php";

if (!is_logged_in()) {
    set_flash("error", "Please login first.");
    header("Location: ../login.php");
    exit;
}

if ($_SERVER["REQUEST_METHOD"] !== "POST") {
    header("Location: ../profile.php");
    exit;
}

$userId = (int) $_SESSION["user_id"];
$currentPassword = $_POST["current_password"] ?? "";
$newPassword = $_POST["new_password"] ?? "";
$confirmPassword = $_POST["confirm_password"] ?? "";

if ($currentPassword === "" || $newPassword === "" || $confirmPassword === "") {
    set_flash("error", "All password fields are required.");
    header("Location: ../profile.php");
    exit;
}
```

```
if (strlen($newPassword) < 6) {
    set_flash("error", "New password must be at least 6 characters.");
    header("Location: ../profile.php");
    exit;
}

if ($newPassword !== $confirmPassword) {
    set_flash("error", "New password and confirm password do not match.");
    header("Location: ../profile.php");
    exit;
}

$stmt = $conn->prepare("SELECT password FROM users WHERE id = ?");
$stmt->bind_param("i", $userId);
$stmt->execute();
$user = $stmt->get_result()->fetch_assoc();

if (!$user || !password_verify($currentPassword, $user["password"])) {
    set_flash("error", "Current password is incorrect.");
    header("Location: ../profile.php");
    exit;
}

if (password_verify($newPassword, $user["password"])) {
    set_flash("error", "New password must be different from current password.");
```

```
    header("Location: ../profile.php");
    exit;
}

$newHash = password_hash($newPassword, PASSWORD_DEFAULT);
$updateStmt = $conn->prepare("UPDATE users SET password = ? WHERE id = ?");
$updateStmt->bind_param("si", $newHash, $userId);

if ($updateStmt->execute()) {
    set_flash("success", "Password updated successfully.");
    header("Location: ../profile.php");
    exit;
}

set_flash("error", "Failed to change password.");
header("Location: ../profile.php");
exit;
```