

Gloves Research:

Updated 2026.04 by DM

Questions to answer:

Which gloves are economical for a permanent supply choice in lab?

Which gloves have thorough datasheets with specifications?

Which gloves can tolerate chemicals for washing station?

Which gloves have high quality build with cut resistance for general mechanical work?

The following pages include the data gathered for our gloves research questions.

HyFlex®

ADVANCED MECHANICAL PROTECTION

11-550

Longer lasting cut protection with
INTERCEPT™ Technology

Available at Grainger - \$7.18 per pair, can order single pair.
considering 2026.04



Cut



Medium Duty

Versatile abrasion-resistant gloves equipped with nitrile coating for enhanced grip

- **Increased durability:** HyFlex® 11-550 assembly gloves boast FORTIX™ Abrasion Resistance nitrile foam coating, for EN and ANSI level 4 abrasion resistance
- **Enhanced grip:** The same nitrile foam formulation ensures secure grip in dry or slightly oily conditions, preventing workplace injuries
- **Heightened defenses:** HyFlex® 11-550 industrial working gloves' INTERCEPT™ Cut Resistance Technology fiber provides entry-level cut protection
- **Specialized protection:** HyFlex® 11-550 safety gloves also offer heat protection up to 212°F/100C°
- **Elevated comfort:** These PPE gloves' blend of Para-Aramid®, Spandex® and Nylon® liner delivers personal protection with supple all-day comfort
- **Considered aesthetics:** Black, dirt-masking palm coating ensures lasting wear



Industries

- Automotive
- Machinery and Equipment
- Metal fabrication

Applications

- General maintenance
- Maintenance inspection
- Handling of glass sheets, sharp edged objects
- Plastic injections
- Molding

HyFlex®

ADVANCED MECHANICAL PROTECTION

11-550

Longer lasting cut protection with
INTERCEPT™ Technology

Key Features

- **FORTIX™ Abrasion Resistance:** Up to 75% greater durability*
- **Nitrile foam coating:** Industrial gloves that deliver secure grip
- **INTERCEPT™ Cut Resistance fiber:** Basic cut protection guaranteed
*when compared with similarly equipped competitor gloves

Technologies

 **FORTIX™**
Abrasion Resistance Technology

 **INTERCEPT™**
Cut Resistance Technology

Performance Standards & Regulatory Compliance

REACH Compliant



Specifications

BRAND STYLE	DESCRIPTION	Gauge	SIZE	LENGTH	COLOR	PACKAGE
HyFlex® 11-550	Finishing: Palm Coated Coating Material: Nitrile Liner Material: Para-aramid, Nylon, Spandex Cuff Style: Knitwrist	15	6, 7, 8, 9, 10, 11	196-248 mm; 7.7-9.8 inches	Black	• 12 pairs/bag, 12 bags/shipper

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV
Riverside Business Park
Blvd International, 55
1070 Brussels, Belgium
T: +32 (0) 2 528 74 00
F: +32 (0) 2 528 74 01

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.
Blvd. Bernardo Quintana No. 7001-C,
Q7001 Torre II,
Suites 1304, 1305 y 1306,
Col. Centro Sur, c.p. 76079
Queretaro, Qro. Mexico
T: +52 442 248 1544 / 248 3133

North America Region

Ansell Healthcare Products LLC
111 Wood Avenue South,
Suite 210
Iselin, NJ 08830, USA
T: +1 800 800 0444
F: +1 800 800 0445

Canada

Ansell Canada
105 Lauder
Cowansville, QC J2K 2K8
Canada
T: +1 800 363 8340
F: +1 800 267 3551

Australia

Ansell Limited
Level 3, 678 Victoria Street,
Richmond, Vic, 3121
Australia
T: +61 1800 337 041
F: +61 1800 803 578

Asia Pacific Region

Ansell Global Trading Center
(Malaysia) Sdn Bhd
Prima 6, Prima Avenue
Block 3512, Jalan Teknokrat 6
T: +603 8310 6688
F: +603 8310 6699

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending:
www.ansell.com/patentmarking © 2021 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

Ansell

Previously known as: Powerflex® 80-100



Multi Purpose



Heavy Duty

Superb mechanical performance with comfort and a sure grip

- The Ansell ActivArm® 80-100 glove is designed for use in a wide range of handling and carrying applications
- For optimum productivity and safety in construction, transport, and shipping and receiving, the ActivArm® 80-100 glove is the smart and logical choice
- Thanks to its natural rubber coating, the Ansell ActivArm® 80-100 glove delivers excellent overall mechanical performance for maximal protection and durability
- The latex coating's raised crinkle finish gives the glove an excellent grip in both dry and wet conditions
- The automatic knitted liner delivers an optimally tensioned inner surface for superb fit and flexibility
- Available in sizes 6 through 10 in North America

Industries

- Machinery and Equipment

Applications

- Seizing rough blocs and cylinders
- Seizing and finishing structural parts
- Loading and unloading rough parts or boxes
- Picking parts and accessories
- Final assembly
- Loading raw material
- Unloading worked parts



Previously known as: Powerflex® 80-100

Key Features

- Crinkled finished coating for an excellent dry or wet grip for better safety and productivity

Performance Standards & Regulatory Compliance

REACH Compliant



Specifications

BRAND STYLE	DESCRIPTION	Gauge	SIZE	LENGTH	COLOR	PACKAGE
ActivArm® 80-100	Finishing: Palm Coated Coating Material: Natural Latex Rubber Liner Material: Cotton, Polyester Cuff Style: Knitwrist	10	6, 7, 8, 9, 10	235 - 280 mm/ 9.25-11.02 inches	Blue	• 12 pairs in a bag, 12 bags in a carton

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV
Riverside Business Park
Blvd International, 55
1070 Brussels, Belgium
T: +32 (0) 2 528 74 00
F: +32 (0) 2 528 74 01

North America Region

Ansell Healthcare Products LLC
111 Wood Avenue South,
Suite 210
Iselin, NJ 08830, USA
T: +1 800 800 0444
F: +1 800 800 0445

Australia

Ansell Limited
Level 3, 678 Victoria Street,
Richmond, Vic, 3121
Australia
T: +61 1800 337 041
F: +61 1800 803 578

Asia Pacific Region

Ansell Global Trading Center
(Malaysia) Sdn Bhd
Prima 6, Prima Avenue
Block 3512, Jalan Teknokrat 6
T: +603 8310 6688
F: +603 8310 6699

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.
Blvd. Bernardo Quintana No. 7001-C,
Q7001 Torre II,
Suites 1304, 1305 y 1306,
Col. Centro Sur, c.p. 76079
Queretaro, Qro. Mexico
T: +52 442 248 1544 / 248 3133

Canada

Ansell Canada
105 Lauder
Cowansville, QC J2K 2K8
Canada
T: +1 800 363 8340
F: +1 800 267 3551

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending:
www.ansell.com/patentmarking © 2021 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

HyFlex®

ADVANCED MECHANICAL PROTECTION

11-561

All-day comfort & cut protection

Gemini Recommends this one as similar to my Tiger glove from Indiana Safety & Supply, (I love these ones, with thinness that gives good feel for handling parts!



Cut



Light Duty

The thinnest, lightest ISO C/ANSI A3-level industrial gloves, with 200% greater durability

- **Optimized durability:** Hyflex® 11-561 industrial safety gloves are 200% more durable than competitors, with FORTIX™ Abrasion Resistance Technology
- **Advanced protection:** The safety gloves' patented INTERCEPT™ Cut Resistance Technology guards against lacerations
- **Thoughtful features:** The 11-561's palm coating improves grip, while their reinforced thumb crotch defends against rapid wear
- **Elevated comfort:** HyFlex® 11-561 industrial working gloves are also light and thin, making them flexible, yet protective
- **Reduced irritation:** Silicone-, fiberglass- and DMF-free, these HyFlex gloves boast Oeko-Tex™ certification for skin-friendliness
- **Proven excellence:** HyFlex® 11-561 PPE gloves satisfy EN and ANSI norms for cut and abrasion resistance



Industries

- Automotive
- Machinery and Equipment
- Metal fabrication
- Mining
- Oil and gas
- Automotive Aftermarket

Applications

- Handling metal sheets & panels
- Handling parts with sharp, rough edges
- Final assembly
- Handling materials with sharp or rough edges
- Assembly & inspection of components
- Applying finish to materials, products

Key Features

- **FORTIX™ Technology:** For 200% more durability than competitive gloves
- **INTERCEPT™ yarn:** Greater hand protection, fewer workplace injuries
- **Palm coating:** For breathable PPE gloves with superior grip

Technologies



DMF free



Fibre glass free



FORTIX™
Abrasion Resistance Technology



INTERCEPT™
Cut Resistance Technology

Performance Standards & Regulatory Compliance

REACH Compliant



Specifications

BRAND STYLE	DESCRIPTION	Gauge	SIZE	LENGTH	COLOR	PACKAGE
HyFlex® 11-561	Finishing: Palm Coated Coating Material: Nitrile Liner Material: Nylon, HPPE, Basalt, Spandex, Polyester Cuff Style: Knitwrist	15	5, 6, 7, 8, 9, 10, 11, 12	210-285 mm	Grey	12 pairs/bag, 12 bags/carton

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV
Riverside Business Park
Blvd International, 55
1070 Brussels, Belgium
T: +32 (0) 2 528 74 00
F: +32 (0) 2 528 74 01

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.
Blvd. Bernardo Quintana No. 7001-C,
Q7001 Torre II,
Suites 1304, 1305 y 1306,
Col. Centro Sur, c.p. 76079
Queretaro, Qro. Mexico
T: +52 442 248 1544 / 248 3133

North America Region

Ansell Healthcare Products LLC
111 Wood Avenue South,
Suite 210
Iselin, NJ 08830, USA
T: +1 800 800 0444
F: +1 800 800 0445

Canada

Ansell Canada
105 Lauder
Cowansville, QC J2K 2K8
Canada
T: +1 800 363 8340
F: +1 800 267 3551

Australia

Ansell Limited
Level 3, 678 Victoria Street,
Richmond, Vic, 3121
Australia
T: +61 1800 337 041
F: +61 1800 803 578

Asia Pacific Region

Ansell Global Trading Center
(Malaysia) Sdn Bhd
Prima 6, Prima Avenue
Block 3512, Jalan Teknokrat 6
T: +603 8310 6688
F: +603 8310 6699

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending:
www.ansell.com/patentmarking © 2021 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

Hyflex glove images - from Grainger 2026



- ▶ feels great! Good fit, highly flexible.
- ▶ durability is moderate. Some snags after 6 months. Expect 12 month life.
- ▶ high breathability, can operate touchscreen phone.

4/4/25, 10:27 AM

IS-377 Tiger A2 Cut Resistant Work Glove - Large | Indiana Safety and Supply Company

(800) 942- 8901



Improved Safety. Lower Cost.

Home (<https://www.indianasafety.com/Catalog/>)

- ▶ Work Gloves (<https://www.indianasafety.com/Catalog/Category/Gloves/Work-Gloves/>)
- ▶ Abrasion - Cut Resistant Gloves (<https://www.indianasafety.com/Catalog/Items/Cut/Work-Gloves/Abrasion-Cut-Resistant-Gloves/>)
- ▶ IS-377 Tiger A2 Cut Resistant Work Glove (<https://www.indianasafety.com/Catalog/g/INDS377XXXXX/IS-377-Tiger-A2-Cut-Resistant-Work-Glove/>)



Click to Enlarge



IS-377 Tiger A2 Cut Resistant Work Glove - Large

Item # IS-377-L

The IS-377 Tiger work gloves by Indiana Safety have an ANSI cut rating of 2 and an EN388 cut rating of 3. They feature an ultra-thin 18 gauge HPPE shell treated with water-repellent, and a seamless cuff design for improved comfort. A sandy foam nitrile palm coating provides exceptional abrasion protection in wet and dry applications, and a reinforced thumb-crotch increases durability, making for a tougher, longer lasting glove. Common applications: Automotive, construction, HVAC, manufacturing, material handling, recycling.

Large, 10/dz/cs

MANUFACTURERS ITEM #IS-377-L

\$8.61/PR

Quantity:

1

PR

+ ADD TO CART

Description

Minimum order of 1 dozen.

Ten dozen (120 pairs) per case.

SHOWA 719B

Protecting against a broad range of hazards, the SHOWA 719B chemical-resistant gloves features an extended gauntlet for forearm protection. The 0.28 mm thick unsupported nitrile provides resistance against chemicals, solvents, oils, and animal fats. The ergonomic design ensures comfort during long periods of wear. Featuring a Diamond textured surface makes wet work easier and safer.



BENEFITS

- Chemical-resistant
- Water-resistant
- Abrasion-resistant
- Disposable
- Forearm protection
- Oil-resistant


INDUSTRIES

FEATURES

- 100% Nitrile
- Unsupported
- Unlined

HAZARDS

NORMS & CERTIFICATES



TRADES & APPLICATIONS

- Chemical spray and treatment
- Coating preparation
- Laboratory, pharma & analysis
- Painting & spray workshops
- Washing and cleaning

GET IN TOUCH

SHOWA International | 579 Edison Street, Menlo, GA 30731, USA | showagroup.com |

USA@SHOWAGroup.com

© SHOWA GROUP 2025 | All rights reserved

PACKAGING

- Pair per polybag: 12
- Polybags per case: 12
- Pair per case: 144
- Gloves per case: 144

THICKNESS

11 mil

LENGTH

13 in

COATING

- Chemical resistant
- Water Resistant
- Nitrile

LINERS

- Unsupported

SIZES

6/XS | 7/S | 8/M | 9/L | 10/XL |
11/XXL

COLOUR

- Blue

MATERIAL

- Unsupported

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

GET IN TOUCH

SHOWA International | 579 Edison Street, Menlo, GA 30731, USA | [showagroup.com | USA@SHOWAgroup.com](mailto:USA@SHOWAgroup.com)
© SHOWA GROUP 2025 | All rights reserved

FLEXTRIL™ NITRILE CHEMICAL GLOVES

Working in chemical environments is a challenging job. Increasing your safety and productivity in the workplace is a challenge for us. Honeywell is launching Flextril, the hand protection solution providing fivefold performance – high chemical protection, reliable cut resistance, great wet and dry grip, enhanced dexterity and improved comfort. Moreover, with the printed QR code, you have all the performance data at your fingertips.



FIVEFOLD PERFORMANCE. ONE SOLUTION.

Rely on Flextril's chemical protection improved with cut resistance. The nitrile barrier protects your hands against chemicals, irritants, or other potentially hazardous materials, while the cut resistant technology shields against lacerations. Moreover, not even the tiniest bolt will slip through your fingers, as Flextril's specially designed coating gives you the grip performance you've always needed when wearing chemical gloves.

You can handle your tools even more efficiently with optimal thickness gloves that offer enhanced dexterity and increased ease of movement. Moreover, Flextril's new ergonomic design delivers high-performance hand support and comfort. Exceed the limits of chemical protection with one solution providing enhanced performance and comfort at the right cost.

FIVE STRENGTHS IN YOUR HANDS



HIGH CHEMICAL PROTECTION

- Nitrile barrier for advanced chemical protection
- Type A chemical protection under EN ISO 374:2016
- Compliant with food contact legislation



RELIABLE CUT RESISTANCE

- Cut Resistant Technology
- Simplified selection
- Cut level A3/C and A1/ A, according to EN 388:2016



ENHANCED GRIP PERFORMANCE

- Honeywell Super Grip Technology (SGT) for enhanced wet and dry grip
- Enhanced efficiency
- Increased productivity



GREAT DEXTERITY

- Cut liner integrated into nitrile shell for better tactility
- Optimal thickness for increased dexterity
- Enhanced ease of movement



SUPERIOR COMFORT

- Honeywell's Moisture Dispersion Technology (MDT) keeps hands dry
- Sweat management features
- Ergonomic design for high-performance hand support
- Reduced hand fatigue

Honeywell

SCAN. CHOOSE. PERFORM.

With Flextril, it's easy to choose the right gloves for your application. Scan the QR code printed on the gloves and access all the technical specifications you need – chemical permeation data, coating and liner materials, thickness, technical certifications and size.



KEY APPLICATIONS



Automotive industry



Chemical manufacturing



Machinery and equipment



Oil and gas



Food processing



Metal fabrication

ORDERING INFORMATION

PRODUCT	SKU	DESCRIPTION	PROTECTION RATINGS & CERTIFICATIONS	SCAN THE QR CODE FOR MORE INFORMATION
FLEXTRIL™ 231	33-3765E/7S	A3/C cut resistance with microfoam	EN ISO 374-1 Type A EN 388 EN 407 JKMOPT 4X32C X1XXXX ANSI A3 CUT ANSI 5 ABRASION	
	33-3765E/8M			
	33-3765E/9L			
	33-3765E/10XL			
	33-3765E/11XXL			
FLEXTRIL™ 211	33-3150E/7S	A1/A cut resistance with microfoam	EN ISO 374-1 Type A EN 388 EN 407 JKMOPT 4X21A X1XXXX ANSI A4 CUT ANSI 5 ABRASION	
	33-3150E/8M			
	33-3150E/9L			
	33-3150E/10XL			
	33-3150E/11XXL			
FLEXTRIL™ 101	32-3015E/7S	15 mil/0.38mm flocked	EN ISO 374-1 Type A EN 388 EN ISO 374-5 AJKOPT 3101X ANSI 4 ABRASION	
	32-3015E/8M			
	32-3015E/9L			
	32-3015E/10XL			
	32-3015E/11XXL			
FLEXTRIL™ 101V	32-3011E/7S/N	11mil/ 0.28mm unlined	EN ISO 374-1 Type A EN 388 EN ISO 374-5 JKONPT 2X01X ANSI 4 ABRASION	
	32-3011E/8M/N			
	32-3011E/9L/N			
	32-3011E/10XL/N			
	32-3011E/11XXL/N			

Packaging: 12 pairs in a bag. Flextril 231 and Flextril 211 – 72 pairs in a case. Flextril 101 and Flextril 101V – 144 pairs in a case.

For more information

www.sps.honeywell.com

Honeywell Personal Protective Equipment

9680 Old Bailes Rd,
Fort Mill, SC 29707, USA

US: Tel. 800.430.5490
Canada: Tel. 888.212.7233
Fax. 800.322.1330
Fax. 888.667.8477
information@honeywell.com

Fletril Data Sheet | Rev A | 02/21
© 2021 Honeywell International Inc.

THE
FUTURE
IS
WHAT
WE
MAKE IT

Honeywell