



PROTO[®]

INDUSTRIAL TOOLS & SAFETY

FULL LINE PRODUCT CATALOG






TABLE OF CONTENTS

PART 1	THE PROTO® BRAND	1-8
	TETHERED TOOLS.	9-66
	TOOL STORAGE	67-116
	MASTER SETS	117-244
PART 2	KITTED SETS	245-264
	SOCKETS & DRIVE TOOLS	265-390
	AIR TOOLS	391-398
	IMPACT SOCKETS.	399-488
	PRECISION TORQUE.	489-512
	WRENCHES	513-620
	SCREWDRIVERS	621-662
	PLIERS.	663-708
	STRIKING, PRYING & SCRAPING	709-738
	PULLERS.	739-772
	FLEET MAINTENANCE.	773-790
	SPECIALTY	791-802
	STANLEY TOOLS	803-902
	REFERENCE TABLES	903-913
INDEX	914-996	

extracted as
PART 1.1

TOOLS YOU CAN COUNT ON

PROTO® tools are built to be there when you need them most, every single time. We rigorously test our products to meet your most crucial needs in harsh work environments. For 112 years and counting, our passion and products have been fueled by you—the hard workers we serve.

PRODUCT INNOVATION



AEROSPACE PROGRAM

Over 1,500 SKUs meet Aerospace (AS) plating and dimensional standards to help promote safety and efficiency.



PRECISION 90 PLATFORM

90 tooth count equals 4° arc swing to help improve accessibility in obstructed areas.

P90 Ratchets (Pg. 271)

P90 Torque Wrenches (Pg. 493)



KITTED SETS

37 Foamed Modular Sets and 4 Foamed Master Sets. Helps reduce foreign object debris, improve tool identification and increase productivity. (Pg. 245)



TORQUE INNOVATION

Torque Bench and Sensors help reduce downtime with in-house testing.

(Pg. 508)





BUILT BEYOND STRONG

SAFETY OBSESSED

Safety is the backbone of everything we do, from our precision-manufactured products that deliver safety solutions to our robust safety training program. At the end of every day, it's about getting you back home to your family.

INDUSTRIAL STRENGTH

PROTO tools stand up to work in the toughest places on earth, from the arctic tundra, to oil rigs, factory floors, and anywhere in between. Where there's a job, PROTO has an industrial-strength tool to get it done.


BUILT-IN RELIABILITY

We meticulously design and deliver durable tools to meet high standards and help keep you working safer for longer. PROTO tools are built to last, so you can always be confident in your investment and in your work.



TRUSTED BY INDUSTRY

When you're working around the clock to keep the nation going, every move has widespread implications. It's across these heavy, high-stakes industries that workers rely on quality tools from PROTO. They're built to perform in demanding environments and help workers come through under pressure.



For Country Of Origin information, reach out to Customer Service at inquiry@sbdinc.com or 1-800-800-TOOL (8665)

PROTO[®]

DELIVERING REAL BENEFITS

TO THE INDUSTRIES WE SERVE



MANUFACTURING



Take on the demands of the plant and maintain machinery that keeps your facility running.

- › Machinery, CNC equipment, and conveyor systems repair and parts assembly.
- › Kitted foamed modular sets and metal storage help promote 5S organization, productivity, and safety.



GOVERNMENT & MILITARY



Jump into action with durable tools made to tackle mission-critical jobs.

- › Strong partnership with GSA-compliant distributors.



OIL & GAS



Explore, extract, refine, and transport the energy sources that keep America going.

- › Handle crucial jobs under pressure.
- › Tethered tools aid with drop prevention when working at great heights.



TRANSPORTATION

Keep the country moving with hard-working tools that will hold up.

- › Rail and fleet maintenance and repair.
- › Specialty sockets, wrenches, and sets stand up to the toughest work.



AVIATION



Get the durability and precision you demand from aerospace-compliant tools.

- › Engine repair and maintenance of high-value assets and parts.
- › AS-compliant sockets, ratchets, and wrenches enhance accessibility in tight areas.



BY ANY STANDARD, WE'RE IN THE SAFETY BUSINESS



FOD Prevention & Tool Control

PROTO foamed modular and master sets help reduce tool loss and downtime. They make it easy to see if a tool is missing so it won't be left behind as a foreign object debris (FOD) risk.



Tool Drop Prevention

When working at height, simple accidents can become costly mistakes. Tethered tools help protect workers from potential dangers of unsecured tools without hindering performance.



Aerospace Compliance

To maintain and repair high-value assets, PROTO offers over 1,500 tools tested and proven to meet strict aerospace specifications. Learn more on page 266 or visit

AS.ProtoIndustrial.com

WORKER SAFETY IS OUR

TOP PRIORITY

Safety.ProtoIndustrial.com

Our Safety Obsessed Training Program provides employees with up-to-date training on safety regulations and OSHA-compliance. Request an on-site seminar and get more info at Safety.ProtoIndustrial.com

PROTO SAFETY EXPERTS VISIT YOUR FACILITY TO TEACH:

- › Hands-on demonstrations.
- › How to choose the right tool for the job.
- › Checking tools for wear and damage.
- › Examples of tool safety features.
- › Training videos, materials, posters & stickers.



- › Tools & Storage
- › Industrial Strength
- › Industrial Solutions

- › Full Lifetime Warranty
- › Safety Obsessed
- › Trusted Distribution Partners



CONTENTS

SKYHOOK™ SYSTEM	14-15
HEAT SHRINK LOOPS	19
D-RINGS & SEALING TAPE	20
SPLIT RINGS & TOOL COLLARS	21
RETROFIT KITS	22
CINCH LOOP	22
LANYARDS	23-25
WRIST CUFFS & WRIST STRAPS	23
POCKETS & POUCHES	26-27
BUCKETS	27
TOOL BELTS	28
TETHER-READY SOCKETS & SOCKET SETS	29-40
TETHER-READY HEX BITS & SETS	31, 34 & 39
1/2" & 3/8" DRIVE	
TETHER-READY RATCHETS	40
TETHER-READY TORQUE WRENCHES	41
TETHER-READY WRENCHES	
& WRENCH SETS	42-51
TETHER-READY STRIKING & STRUCK TOOLS	52-53
TETHER-READY PUNCH, CHISEL	
& PRY BAR SETS	54-55
TETHER-READY PLIERS	56-59
TETHER-READY LOCKING,	
WIRE TWISTER & WIRE STRIPPER	59
TETHER-READY T-HANDLE HEX	
& FOLDING HEX KEYS	60-61
TETHER-READY DURATEK™ SCREWDRIVERS	62-63
TETHER-READY SPECIALTY TOOLS	64-66

TETHERED TOOLS



TOOL DROP PREVENTION

The SkyHook™ Tether & Transfer System is comprised of switches, docks, lanyards and carabiners, all designed to make tool control as complete as possible with little interference to tool function.

THE SKYHOOK™ AND THE SKYDOCK™


- › The SkyHook™ switch connector tethers to the tool on a short lanyard.
- › The SkyDock™ attachment securely anchors the SkyHook™ to wrist, belt, or apron.



01: TOOL IS SAFELY LOCKED.



02: USE SWITCH CONNECTOR TO TRANSFER.



03: TRANSFER TOOL AFTER CONNECTOR SAFELY LOCKS.

BREADTH OF LINE

PROTO® tethered tools offers a wide range of retrofit supplies to secure existing tools to a belt, person or workstation.



LOOPS & COLLARS

- Heat Shrink Loops
- Cylindrical Loops
- Tool Collars



TETHERS

- Swivel Tethers
- Cinch Loop Tethers
- Drill Boot Tethers
- Swivel Cup Tethers
- Glove Tethers
- Eyeglass Retainers



STORAGE

- Pockets
- Pouches
- Buckets
- Bags



BELTS

- With and Without Carabiners
- Retractors
- Double-Up Retractors



CLASPS & CONNECTORS

- D-rings
- Quick Connector
- Split Rings
- Badge Clips
- Rope Clips
- Metal Clips



LANYARDS

- Hard Hat Lanyards
- Neck Lanyards
- Wrist Lanyards
- Wire Lanyards
- Web Lanyards
- Elastic Lanyards



- Swivel Coil Lanyards
- Retractable Lanyards
- Non-Metallic Lanyards
- Break-Away Lanyards
- Pen & Pencil Lanyards
- Camera Lanyards



THE PROTO® SKYHOOK™ TETHER & TRANSFER SYSTEM:

The next generation of safety technology for positive control of hand tools at height, in work areas requiring foreign material exclusion (FME) or anywhere simple accidents become costly mistakes. Since a better tether system is a safer tether system, SkyHook™ provides secure tool transfers, a free range of motion, and positive tool control at the work site.

**"TOOL IS COMPLETELY
SECURE
DURING TRANSFER"**

Just "Swipe to Switch".
Hand-to-hand, hand-to-belt, person-to-person
or person-to-station, the transfer is the same.





The SkyHook™ will only disengage once it is engaged to another SkyDock™.



You can hold the tool during transfer.
The SkyHook™ does not require hands to make the switch.

SKYHOOK™ TOOL & TRANSFER SYSTEM

The SkyHook™ tether & transfer system features a screw-gate carabiner at one end and a SkyHook™ Safety Switch at the other. Tether-Ready Tools attach to the carabiner and the SkyHook™ connects safely to a SkyDock™. SkyDocks™ are available individually as well as on wrist straps, pouches and other products.



SKYHOOK™ COMPONENTS

Product #	Name	Description
JPS	SkyHook™ Switch Connector	SkyHook™ switch connector with lanyard and carabiner
JPDOCK	SkyDock™ Storage Attachment	SkyDock™ storage attachment point
JWS-SH	SkyDock™ Wrist Strap	SkyDock™ wrist attachment point



SKYHOOK™ TOOL KITS

Product #	Name	Description
JPS1	SkyHook™ Kit for 1 Tool	(1) SkyHook™ (1) SkyDock™ and (1) SkyDock™ Wrist Strap
JPS2	SkyHook™ Kit for 2 Tools	(2) SkyHooks™ (2) SkyDocks™ and (2) SkyDock™ Wrist Straps
JPSSCAFF4	SkyHook™ Kit for 4 Tools	(4) SkyHooks™ (4) SkyDocks™ and (2) SkyDock™ Wrist Straps
JPSSCAFF5	SkyHook™ Kit for 5 Tools	(5) SkyHooks™ (5) SkyDocks™ and (2) SkyDock™ Wrist Straps
JPS1	SkyHook™ with SkyDock™	(1) SkyHook™ and (1) SkyDock™ (No Wrist Strap)



SKYHOOK™ POCKET KITS

Product #	Name	Description
JPSTLPKT1	SkyHook™ Single Dock Pocket Kit	Single Dock Pouch with (1) SkyHook™ switch connector
JPSTLPKT2	SkyHook™ Dual Dock Pocket Kit	Dual Dock Pouch with (2) SkyHook™ switch connectors
JPSTLPKT3	SkyHook™ Three Dock Pocket Kit	Three Dock Pouch with (3) SkyHook™ switch connectors

JPSTLPKT2



SKYHOOK™ HAMMER KIT

Product #	Name	Description
JPSHS	SkyHook™ Hammer Kit	Holder for Hammer with (1) SkyHook™ switch connector



SKYHOOK™ TAPE POCKET

Product #	Name	Description
JPSTAPE	SkyHook™ Tape Pocket	Tape Measure Pouch with (1) SkyHook™ switch connector



SKYHOOK™ BOLT BAG

Product #	Name	Description
JPSBOLT	SkyHook™ Dual Dock Bolt Bag Kit	Dual Dock Bolt Bag with (2) SkyHook™ switch connectors



SKYHOOK™ SADDLE KIT

Product #	Name	Description
JPSSDLSM	SkyHook™ 8-Tool Saddle Kit	18" 8-Pocket Saddle featuring (8) integrated SkyDocks™ with (8) SkyHook™ switch connectors



SKYHOOK™ APRON KIT

Product #	Name	Description
JPSAPRON30	SkyHook™ 6-Dock Apron Kit	30" 6-Pocket Apron featuring (6) integrated SkyDocks™ with (6) SkyHook™ switch connectors





PROTO® TETHERED TOOLS OFFERS A WIDE RANGE OF RETROFIT SUPPLIES to secure existing tools to a belt, person or workstation. One size certainly does not fit all tools and all situations, so Proto® has expanded the range of collars, loops, lanyards, tethers, and storage options.

"EXISTING INVENTORY – RETROFIT OPTIONS"



SELECTING THE RIGHT ATTACHMENT TO THE RIGHT TOOL IS IMPORTANT. Collars are good for tools with long shanks like screwdrivers and punches. Shrink loops are used for tools with narrow necks and wide ends like wrenches and wide-edge chisels. Tools with complete openings, like the handle ends of adjustable wrenches, would use cinches or clasps.



Check out our YouTube page at
youtube.com/protoindustrial for "How To" videos.

SELECTION GUIDE

SHRINK LOOP ATTACHMENTS

SIZING

Part #	Tool Diameter (in)	Tool Weight Rating (lb/kg)
JP2R34X175LPOR	0.25 to 0.50	4/1.8
JP2R1X175LPOR	0.36 to 0.75	5/2.2
JP2R15X2LPOR	0.55 to 1.25	10/4.4
JP2R2X2LPOR	0.75 to 1.75	15/6.8
JP2R2X4LPOR	0.75 to 1.75	25/11.3
JP2R275X2LPOR	1.50 to 2.50	20/9
JP2R275X4LPOR	1.50 to 2.50	25/11.3
JP2R4X4LPOR	2.25 to 3.50	25/11.3

SIZING



Tools must have appropriate narrow geometry. Measure diameter at narrowed area of tool.

SIZING



Tools lacking appropriate narrow geometry.

TOOL LANYARDS - JLAN SERIES

WEIGHT RATINGS

Part #	Weight Rating (lb/kg)
JLAN15LBSSCAR	15/6.8
JLAN15LBDSS	15/6.8
JLAN15LBSSRP	15/6.8
JLAN15LB3LK	15/6.8
JLAN20LBD3LK	20/9
JLAN25LBDSS	25/11
JLAN40LBD3LK	40/18
JLAN40LBD3LKSW	40/18

Ensure the tool weight does not exceed the tool lanyard rating. Never exceed a tool lanyard weight limit for any reason.

TOOL ATTACHMENTS GUIDE

PROPER



Attach on tool areas that are fully closed or to Proto® brand attachment devices.

IMPROPER



Avoid tangles. Do not cinch without appropriate attachment point.

TOOL COLLARS

Part #	Tool Min. Dia. (in)	Tool Max. Dia. (in)	Tool Max. Weight Limit (lbs)
JTC0	0.035	0.094	0.10 lb
JTC1	0.094	0.156	0.10 lb
JTC2	0.156	0.250	0.13 lb
JTC3	0.219	0.313	0.32 lb
JTC4	0.313	0.438	0.60 lb
JTC5	0.400	0.540	0.67 lb
JTC6	0.54	0.79	1.20 lbs
JTC7	0.79	1.00	4.00 lbs

TOOL COLLAR TETHER LOOPS

Part #	Opening Dia. (in)
JTL1SS	0.14 Keyed
JTL2SS	0.21 Keyed
JTL3SS	0.27 Keyed
JTL4SS	0.35 Keyed
JTL5SS	0.61
JTL6SS	0.85
JTL7SS	1.10

LANYARD ATTACHMENT TAPE

WEIGHT RATINGS

D-ring Webbing Part #	
Tape #	JDRSMOR JDRHDOR
JMOL36RFOR	3/4-inch Wide - (3 lbs) 1-1/2-inch Wide - (3 lbs)

Ratings are based on cylindrical test modules in a perpendicular configuration and may or may not represent field configurations. End user must make determination of suitability.

SIZING



Tools must have appropriate narrow geometry. Measure diameter at narrowed area of tool.

REQUIRED AMOUNT

Tool Dia. (in)	Estimated Tape Amount (in)
0.25	8.5
0.50	17
1.00	33
2.00	66

For other tool sizes, multiply the average diameter by 24. If unsure of amount, it is better to overestimate.



ATTACHMENT POINTS LOOPS & DELUXE ATTACHMENT SYSTEM

Existing tools can be retrofitted with the same Proto® Industrial Tether Attachments used in the general product line.

HEAT SHRINK LOOPS

- ▶ Superior strength over conventional heat shrink methods.
- ▶ Easy installation, quick attachment to lanyards, and eliminates confusion with matching D-ring webbing to proper shrink rings.
- ▶ Designed to keep the stitching away from the heat source to prevent damage to the stitching common with conventional methods. Prevents webbing from slipping out of the heat shrink.
- ▶ Allows for proper labeling of each shrink loop containing load limits, usage instructions and precautions.



Product #	Name	Size (in W x in L)	Max. Tool Weight (lbs)	Type	Pack Qty.	Brand
JP2R34X175LPOR	Heat Shrink Loop	0.75 x 1.75	4	Heavy-Duty	25	Proto®
JP2R1X175LPOR	Heat Shrink Loop	1.10 x 1.75	5	Heavy-Duty	25	Proto®
JP2R15X2LPOR	Heat Shrink Loop	1.50 x 2.00	10	Heavy-Duty	25	Proto®
JP2R2X2LPOR	Heat Shrink Loop	2.00 x 2.00	15	Heavy-Duty	25	Proto®
JP2R2X4LPOR	Heat Shrink Loop	2.00 x 4.00	25	Heavy-Duty	25	Proto®
JP2R275X2LPOR	Heat Shrink Loop	2.75 x 2.00	20	Heavy-Duty	25	Proto®
JP2R275X4LPOR	Heat Shrink Loop	2.75 x 4.00	25	Heavy-Duty	25	Proto®
JP2R4X4LPOR	Heat Shrink Loop	4.00 x 4.00	25	Heavy-Duty	25	Proto®

HEAT SHRINK LOOP SAMPLE KIT

Product #: JP2RSMPLKIT

- ▶ One of each standard size used for determining proper fit.
- ▶ See page 66 for Heat Gun.

Contents	Size (in W x in L)	Type	Brand
JP2R34X175LPOR	0.75 x 1.75	Heavy-Duty	Proto®
JP2R1X175LPOR	1.10 x 1.75	Heavy-Duty	Proto®
JP2R15X2LPOR	1.50 x 2.00	Heavy-Duty	Proto®
JP2R2X2LPOR	2.00 x 2.00	Heavy-Duty	Proto®
JP2R2X4LPOR	2.00 x 4.00	Heavy-Duty	Proto®
JP2R275X2LPOR	2.75 x 2.00	Heavy-Duty	Proto®
JP2R275X4LPOR	2.75 x 4.00	Heavy-Duty	Proto®
JP2R4X4LPOR	4.00 x 4.00	Heavy-Duty	Proto®



D-RING WEBBING

- › For use with sealing tape or heat shrink loops.



JDRSMOR

Product #	Name	Size (in)	Length (in)	Color	Pack Qty.
JDRHDOR	Heavy-Duty Web Tether with Metal D-ring	1.00	3.50	Orange	25
JDRSMOR	Standard Web Tether with Metal D-ring	0.50	2.50	Orange	25

MOLECULAR SEALING TAPE

- › Used for attaching D-ring webbing to tools.
- › No heat gun necessary.
- › Bonds to itself and not the tool.
- › Installs in seconds (stretch, wrap, and go).
- › Will not peel off, must be cut.
- › No residue.
- › For use with tethers of 12 inches or less.



JMOL36RFOR

Product #	Name	Type	Size (in x ft)	Thickness (in)	Color
JMOL36RFOR	Molecular Sealing Tape	Reinforced	1 x 36	0.020	Orange

WEB D-RING & TAPE SAMPLE KIT

Product #: JDRSMPKIT

- › One of each size to determine proper fit.

Contents	Description	Brand
JDRHDOR	HD D-ring Web Tethers	Proto®
JDRSMOR	D-ring Web Tethers	Proto®
N/A	Sealing Tape - 2 feet	Proto®





SPLIT RINGS

- › Installs easily to manufacturers pre-drilled tether holes.
- › Fits tools of significant geometry.
- › Create a tether ring on the fly.
- › Weight Rated - Max Tool Weight 2 lbs.
- › Semi-permanent attachment of tools to lanyards.
- › For use with tethers of 12 inches or less.

Product #	Name	Diameter (in)	Brand
JSR04	Tether Split Ring	0.40	Proto®
JSR06	Tether Split Ring	0.60	Proto®
JSR1	Tether Split Ring	1.00	Proto®
JSR125	Tether Split Ring	1.25	Proto®
JSR15	Tether Split Ring	1.50	Proto®
JSR2	Tether Split Ring	2.00	Proto®



TOOL COLLAR® KITS

- › Sizes below are used to determine proper fit.



JPL2SS

Product #	Name	Description	Type	Pack Qty.	Brand
JPCLOSS	Tool Collar® (JTC0) & Loop (JTL1SS)	For tools from 0.035 to 0.094-in diameter	Metal Ring	10	Proto®
JPCL1SS	Tool Collar® (JTC1) & Loop (JTL2SS)	For tools from 0.094 to 0.156-in diameter	Metal Ring	10	Proto®
JPCL2SS	Tool Collar® (JTC2) & Loop (JTL3SS)	For tools from 0.156 to 0.250-in diameter	Metal Ring	10	Proto®
JPCL3SS	Tool Collar® (JTC3) & Loop (JTL4SS)	For tools from 0.219 to 0.313-in diameter	Metal Ring	10	Proto®
JPCL4SS	Tool Collar® (JTC4) & Loop (JTL5SS)	For tools from 0.313 to 0.438-in diameter	Metal Ring	10	Proto®
JPCL5SS	Tool Collar® (JTC5) & Loop (JTL6SS)	For tools from 0.400 to 0.540-in diameter	Metal Ring	10	Proto®
JPCL6SS	Tool Collar® (JTC6) & Loop (JTL7SS)	For tools from 0.540 to 0.790-in diameter	Metal Ring	10	Proto®
JPCL7SS	Tool Collar® (JTC7) & Loop (JTL8SS)	For tools from 0.790 to 1.000-in diameter	Metal Ring	10	Proto®

TOOL COLLAR® SAMPLE KIT

Product #: **JPCLSMPLKIT**

- › One of each metal ring size used for determining proper fit.

Contents	Description	Brand
JPCLOSS	0.035 to 0.094"	Proto®
JPCL1SS	0.094 to 0.156"	Proto®
JPCL2SS	0.156 to 0.250"	Proto®
JPCL3SS	0.219 to 0.313"	Proto®
JPCL4SS	0.313 to 0.438"	Proto®
JPCL5SS	0.400 to 0.540"	Proto®
JPCL6SS	0.540 to 0.790"	Proto®
JPCL7SS	0.790 to 1.00"	Proto®



RETROFIT KITS

- › A number of attachment point creation tools all in one location.
- › Portable kit used to bring directly to job locations.
- › Standard heat gun required for shrink ring assembly.

5-TOOL TETHERING KIT

Product #: **JPSSCAFF5KIT**

- › Recommended tether attachments for a tape rule, (2) pliers, hammer, and level.

Contents	Description	Brand
JTAPESLV	Tape Measure Holder	Proto®
N/A	Heat Shrink Loop	Proto®
N/A	(2) Sealing Tapes – 12"	Proto®
JSR15 & JSR2	(2) Key Rings	Proto®
JDRSMOR	(2) Web D-ring	Proto®



SWIVEL TETHER CINCH LOOP

- › For use on tools with a pre-drilled hole or slot.
- › Useful on applications where key rings and other solid anchors are cumbersome.
- › Features patented swivel.



Tool not included

Product #	Name	Max. Tool Weight (lbs)	Pack Qty.	Brand
T-TETHCNCHLPSW	Swivel Tether Cinch Loop	10	10	Ty-Flot



LANYARDS

PPE, WRIST & TOOL



HARD HAT LANYARDS

HARD HAT LANYARDS

- ▶ The Proto® hard hat lanyard is a great way to prevent your hard hat from becoming a dropped object. It can be used with almost any hard hat, and is a comfortable alternative to the traditional "chin strap."
- ▶ While keeping your helmet secure, the patented lanyard, attaches to an outer garment never impeding on the comfort or use of the hard hat.
- ▶ All Proto® Hard Hat lanyards feature an "easy release" where you may disengage the side release buckle, leaving one piece secured to the hard hat, and the other still attached to an outer garment. When ready to use the hard hat again, simply reengage the side release buckle.

Product #	Name	Color	Pack Qty.	Brand
JLANHATRD	Hard Hat Lanyard*	Red	100	Proto®
JLANHATRD10	Hard Hat Lanyard*	Red	10	Proto®

*Hard hat not included. Check out our YouTube page at youtube.com/protoindustrial for "How To" videos.

D-RING WRIST STRAP SYSTEM

- ▶ Completely forged D-Ring.
- ▶ Reinforced elastic fabric for safe but comfortable wrist control.
- ▶ All metal components to provide strong protection.
- ▶ 12" length lanyard to prevent entanglement in work.
- ▶ One carabiner that swivels to allow tool use in multiple and convenient positions.
- ▶ Two stainless steel carabiners with screw gate.



JDR2

Product #	Name	Size (in) L/W/H	Max. Tool Weight (lbs)	Brand
JWS-DR	Tethering D-Ring Wrist Strap	13 / 2 / 0.25	6	Proto®
JLANWR6LB	Tethering D-Ring Wrist Strap Lanyard	12 / 1 / 0.25	6	Proto®
JDR1	Tethering D-Ring Wrist Strap System with (1)JWS-DR and (1)JLANWR6LB	—	6	Proto®
JDR2	Tethering D-Ring Wrist Strap System with (2)JWS-DR and (2)JLANWR6LB	—	6	Proto®
JDR4	Tethering D-Ring Wrist Strap System with (2)JWS-DR and (4)JLANWR6LB	—	6	Proto®



TOOL LANYARDS - WIRE

- › Heavy-duty lanyards for use with large tools.
- › 10-15 lbs max. weight tool limit.
- › Swivel option on some lanyards to prevent entanglement.



T-L48WR153T

Product #	Name	Attachment	Length (in)	Max. Tool Weight (lbs)	Brand
T-L48WR153T	Wire Lanyard	Trip action lock	48	15	Ty-Flöt
T-L48WR153TSW	Wire Swivel Lanyard	Trip action lock	48	15	Ty-Flöt

TOOL LANYARDS - ELASTIC

- › Internal bungee cord with nylon outer sheathing on dual carabiner lanyards.
- › Lanyards with one carabiner have elastic woven into the webbing providing longevity versus standard elastic lanyards.



JLAN15LBSSRP

Product #	Name	Attachment	Retracted Length (in)	Extended Length (in)	Max Tool Weight (lbs)	Brand	ANSI Spec.
JLAN15LBSSRP	Elastic Lanyard	(1) Screw Gate Carabiner	32	48	15	Proto®	ANSI 121-2018
JLAN15LB3LK	Elastic Lanyard	(1) Triple Lock Carabiner	32	48	15	Proto®	—
JLAN20LBD3LK	Elastic Lanyard	(2) Triple Lock Carabiners	27	52	20	Proto®	—
JLAN25LBDSS	Elastic Lanyard	(2) Screw Gate Stainless Steel Carabiners	45	118	25	Proto®	ANSI 121-2018

TOOL LANYARDS - WEB

- › Heavy-duty lanyards for use with large tools.
- › Swivel option on some lanyards to prevent entanglement.



JLAN40LBD3LKSW

Product #	Name	Attachment	Length (ft)	Max Tool Weight (lbs)	Color	Pack Qty.	Brand
JLAN40LBD3LKSW	Web Lanyard	(2) Triple Lock Swivel Carabiners	4	40	Orange	1	Proto®
JLAN40LBD3LK	Web Lanyard	(2) Triple Lock Carabiners	4	40	Orange	1	Proto®
T-L72403TSWLP	Web Lanyard	Triple Action Lock & Swivel	6	40	Orange		Ty-Flöt

ANSI 121-2018



TOOL LANYARDS - METALLIC

- › High strength nylon webbing.
- › Quick and easy trigger snap hook or positive control screw gate.
- › Laminated and non-laminated versions.



Screw Gate

Product #	Name	Size (in)	Max. Tool Weight (lbs)	Color	Pack Qty.	Brand
T-SGS120R	Positive Control Tool Lanyard Screw Gate	12	10	Orange	10	Ty-Flöt
T-SGS240R	Positive Control Tool Lanyard Screw Gate	24	10	Orange	10	Ty-Flöt

RETRACTABLE TOOL LANYARDS

- › Attach to belt loops or harness D-rings.



T-TRSK8S



T-105601

Product #	Name	Description	Retracting Length (in)	Max. Tool Weight (lbs)	Retractor Force (oz)	Brand
T-HDRF810*	Heavy-Duty Retractor Pull with Carabiner	—	48	1	8 - 10	Ty-Flöt
T-1045601	Retractor Tool Lanyard with Belt Mount	Snap/Belt Mount	38	1	3	Ty-Flöt
T-TRSK8S	Retractor Locking Tool Lanyard	Belt (1.55" wide) or Carabiner Mounted	40	1	—	Ty-Flöt

* Do not force or bend the spring gate laterally as this will render the carabiner ineffective and create the potential for small parts to be released.

GLOVE TETHERS

- › Keep gloves and ear protection at an arm's reach.
- › Two styles for optimal use in any situation.
- › Reduce the cost of lost gloves and time spent searching for PPE.
- › Attach to belt loops or any convenient location.
- › Easy opening.
- › Features a breakaway.



Product #	Name	Description	Pack Qty.	Brand
JPPEGLV	PPE Caddy® Glove Holder	Secures gloves to belt loop	50	Proto®
JPPEGLV10	PPE Caddy® Glove Holder	Secures gloves to belt loop	10	Proto®
JPPEGLVPOU	PPE Caddy® Glove Holder/Pouch	Glove holder with pouch to hold ear protection	50	Proto®
JPPEGLVPOU10	PPE Caddy® Glove Holder/Pouch	Glove holder with pouch to hold ear protection	10	Proto®

STORAGE POCKETS, POUCHES & BUCKETS

TAPE MEASURE POCKET

- › Designed to conveniently hold a wide variety of tape measures.
- › Fits up to 2-inch tool belts.
- › Includes tape sleeve attachment for tape measure.
- › Ballistic nylon.

Product #	Name	Description	Max. Tool Weight (lbs)	Brand
JTAPESLV	Tethered Tape Rule Sleeve	Tethered tape rule sleeve with D-ring	2	Proto®



RETRACTABLE HAMMER / RATCHET POCKET

- › Designed for hammers and scaffold ratchets.
- › Fits up to 2-inch tool belts.
- › 42-inch Retractor with lock.
- › Ballistic nylon.

Product #	Name	Description	Max. Tool Weight (lbs)	Brand
T-RETHR	Retractable Hammer/Ratchet Pocket	42-inch Retractor with lock. Spectra cord	2	Ty-Flöt



RETRACTABLE 4 POCKET TOOL POUCH

- › Designed to hold hammers, scaffold ratchets, level, pliers, and tape measure.
- › Fits up to 2-inch tool belts.
- › 4 Retractors, 2 lanyard attachment points.
- › Ballistic nylon.



Product #	Name	Description	Max. Tool Weight (lbs)	Brand
T-RET4PKT	Retractable 4 Pocket Pouch - EZ Clean	(4) Retractors and (2) lanyard attachment points. Spectra cord	(1) for small retractors (2) for large retractors	Ty-Flöt



RETRACTABLE POUCH

- › 3 Ft. retractable lanyard rated to 1.5 lbs.
- › Removable retractor.
- › Strong & durable ballistic nylon.



Product #	Name	Description	Length (in)	Width (in)	Height (in)	Max. Tool Weight (lbs)	Brand
JRETPOU1	1-Pocket Retractable Pouch	Tethering D-Ring 1-Pocket Retractable Pouch	11	4	0.5	1.5	Proto®
JRETPOU2	2-Pocket Retractable Pouch	Tethering D-Ring 2-Pocket Retractable Pouch	11	4	0.5	1.5	Proto®
JRETSET1	1-Pocket Retractable Pouch Set	Tethering D-Ring Pouch Set with 1-Pocket, Retractable Lanyard, and D-Ring Wrist Strap System with (2)JWS-DR and (2)JLANVR6LB	11	4	0.5	1.5	Proto®
JRETSET2	2-Pocket Retractable Pouch Set	Tethering D-Ring Pouch Set with 2-Pockets, Retractable Lanyard, and D-Ring Wrist Strap System with (2)JWS-DR and (2)JLANVR6LB	11	4	0.5	1.5	Proto®

ANTI-SPILL POUCHES

- › Buckle closure.
- › Ballistic nylon.
- › Adaptable with 3-inch belts.



Product #	Name	Description	Brand
T-TLPC9X9SCL	Self Closing Parts Pouch	9" x 9" Buckle closure. Ballistic nylon	Ty-Flöt

TOOL BUCKETS



JBUCK300LBZP



Product #	Name	Description	Size (in Dia. x in Deep)	Max. Tool Weight (lbs)
JBUCK300LBZP	Tethering D-Ring Lift Bucket	Tethering D-Ring Lift Bucket with Swivel Triple Lock Carabiner	13 x 15	300
JBUCKET	Tethering D-Ring Lift Bucket Set	Tethering D-Ring Lift Bucket Set with D-Ring Wrist Strap System (2)JWS-DR and (6)JLANVR6LB	13 x 15	300

ACCESSORIES

BELTS & RETRACTORS



JBELTSET-L

TOOL BELT SETS

Product #	Name	Description	Size (in)	Color	Brand
JBELTSET-M	Comfort Belt Set Medium	Tethering Medium Comfort Belt Set with (2) Belt Adapter (JBELTAD2) and D-Ring Wrist Strap System (2)JWS-DR and (2)JLANVR6LB	28 - 40	■ Black	Proto®
JBELTSET-L	Comfort Belt Set Large	Tethering Large Comfort Belt Set with (2) Belt Adapter (JBELTAD2) and D-Ring Wrist Strap System (2)JWS-DR and (2)JLANVR6LB	40 - 54	■ Black	Proto®

TOOL BELTS

Product #	Name	Description	Size (in)	Color	Brand
JBELTCM-M	Comfort Belt Medium	Tethering Comfort Belt	28 - 40	■ Black	Proto®
JBELTCM-L	Comfort Belt Large	Tethering Comfort Belt	40 - 54	■ Black	Proto®

TOOL BELT ADAPTER WITH CARABINERS



JBELTAD2

Product #	Name	Description	Size (in)	Color	Brand
JBELTAD2	Belt Adaptor with (2) Carabiners	(2) Screw Gate Carabiners	2	■ Orange	Proto®



SOCKETS, DRIVE TOOLS & ACCESSORIES

All Proto® Tethered Tool Sockets, Ratchets, and Torque Wrenches feature a Positive Control Pin Detent System. Unlike the usual ball detent that only provides friction to retain the socket, the Positive Control System requires a separate tool (such as a punch pin) to attach or remove the socket. These sockets cannot be removed without specific intent.



3/8" DRIVE 21 PIECE METRIC SOCKET SET - 12 POINT

Product #: J52215-TT

Contents	Description	MM
J5206M-TT	Socket, 3/8" DR 6 mm 12 PT	
J5207M-TT	Socket, 3/8" DR 7 mm 12 PT	
J5208M-TT	Socket, 3/8" DR 8 mm 12 PT	
J5209M-TT	Socket, 3/8" DR 9 mm 12 PT	
J5210M-TT	Socket, 3/8" DR 10 mm 12 PT	
J5211M-TT	Socket, 3/8" DR 11 mm 12 PT	
J5212M-TT	Socket, 3/8" DR 12 mm 12 PT	
J5213M-TT	Socket, 3/8" DR 13 mm 12 PT	
J5214M-TT	Socket, 3/8" DR 14 mm 12 PT	
J5215M-TT	Socket, 3/8" DR 15 mm 12 PT	
J5216M-TT	Socket, 3/8" DR 16 mm 12 PT	
J5217M-TT	Socket, 3/8" DR 17 mm 12 PT	
J5218M-TT	Socket, 3/8" DR 18 mm 12 PT	
J5219M-TT	Socket, 3/8" DR 19 mm 12 PT	
J5220M-TT	Socket, 3/8" DR 20 mm 12 PT	
J5221M-TT	Socket, 3/8" DR 21 mm 12 PT	
J5222M-TT	Socket, 3/8" DR 22 mm 12 PT	
J5223M-TT	Socket, 3/8" DR 23 mm 12 PT	
J5224M-TT	Socket, 3/8" DR 24 mm 12 PT	
J5225M-TT	Socket, 3/8" DR 25 mm 12 PT	
J5226M-TT	Socket, 3/8" DR 26 mm 12 PT	
J2585	Socket, Bar 9"	
J2588	Socket, Bar 11"	
J2591	Socket, Clip 3/8" DR	

Weight (lbs): 2.98

AS954E S3.8.1 ASME B107.1

› 12 Point Standard: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26 mm.

› Accessories: 9- and 11-inch Socket Bars, and 21 Socket Clips.



3/8" DRIVE 18 PIECE METRIC DEEP SOCKET SET - 12 POINT

Product #: **J52207-TT**

- › 12 Point Deep: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23 mm.
- › Accessories: 17-inch Socket Bar and 18 Socket Clips.



Contents	Description	MM
J5006M-TT	Socket, 3/8" DR Deep 6 mm 12 PT	
J5007M-TT	Socket, 3/8" DR Deep 7 mm 12 PT	
J5008M-TT	Socket, 3/8" DR Deep 8 mm 12 PT	
J5009M-TT	Socket, 3/8" DR Deep 9 mm 12 PT	
J5010M-TT	Socket, 3/8" DR Deep 10 mm 12 PT	
J5011M-TT	Socket, 3/8" DR Deep 11 mm 12 PT	
J5012M-TT	Socket, 3/8" DR Deep 12 mm 12 PT	
J5013M-TT	Socket, 3/8" DR Deep 13 mm 12 PT	
J5014M-TT	Socket, 3/8" DR Deep 14 mm 12 PT	
J5015M-TT	Socket, 3/8" DR Deep 15 mm 12 PT	
J5016M-TT	Socket, 3/8" DR Deep 16 mm 12 PT	
J5017M-TT	Socket, 3/8" DR Deep 17 mm 12 PT	
J5018M-TT	Socket, 3/8" DR Deep 18 mm 12 PT	
J5019M-TT	Socket, 3/8" DR Deep 19 mm 12 PT	
J5020M-TT	Socket, 3/8" DR Deep 20 mm 12 PT	
J5021M-TT	Socket, 3/8" DR Deep 21 mm 12 PT	
J5022M-TT	Socket, 3/8" DR Deep 22 mm 12 PT	
J5023M-TT	Socket, 3/8" DR Deep 23 mm 12 PT	
J2587	Socket Bar, 17"	
J2591	Socket Clip, 3/8" DR	

Weight (lbs): 2.98

AS954E S3.8.1 ASME B107.1

3/8" DRIVE 13 PIECE SOCKET SET - 12 POINT

Product #: **J52124-TT**

- › 12 Point Standard: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1".
- › Accessories: 13-inch Socket Bar with 13 Socket Clips.



Contents	Description	INCH
J5208-TT	Socket, 3/8" DR 1/4" 12 PT	
J5210-TT	Socket, 3/8" DR 5/16" 12 PT	
J5212-TT	Socket, 3/8" DR 3/8" 12 PT	
J5214-TT	Socket, 3/8" DR 7/16" 12 PT	
J5216-TT	Socket, 3/8" DR 1/2" 12 PT	
J5218-TT	Socket, 3/8" DR 9/16" 12 PT	
J5220-TT	Socket, 3/8" DR 5/8" 12 PT	
J5222-TT	Socket, 3/8" DR 11/16" 12 PT	
J5224-TT	Socket, 3/8" DR 3/4" 12 PT	
J5226-TT	Socket, 3/8" DR 13/16" 12 PT	
J5228-TT	Socket, 3/8" DR 7/8" 12 PT	
J5230-TT	Socket, 3/8" DR 15/16" 12 PT	
J5232-TT	Socket, 3/8" DR 1" 12 PT	
J2586	Socket, Bar 13"	
J2591	Socket, Clip 3/8" DR	

Weight (lbs): 1.96

AS954E S3.8.1 ASME B107.1



3/8" DRIVE 13 PIECE DEEP SOCKET SET - 12 POINT

Product #: J52112-TT

Contents	Description	INCH
J5008-TT	Socket, 3/8" DR 1/4" 12 PT Deep	
J5010-TT	Socket, 3/8" DR 5/16" 12 PT Deep	
J5012-TT	Socket, 3/8" DR 3/8" 12 PT Deep	
J5014-TT	Socket, 3/8" DR 7/16" 12 PT Deep	
J5016-TT	Socket, 3/8" DR 1/2" 12 PT Deep	
J5018-TT	Socket, 3/8" DR 9/16" 12 PT Deep	
J5020-TT	Socket, 3/8" DR 5/8" 12 PT Deep	
J5022-TT	Socket, 3/8" DR 11/16" 12 PT Deep	
J5024-TT	Socket, 3/8" DR 3/4" 12 PT Deep	
J5026-TT	Socket, 3/8" DR 13/16" 12 PT Deep	
J5028-TT	Socket, 3/8" DR 7/8" 12 PT Deep	
J5030-TT	Socket, 3/8" DR 15/16" 12 PT Deep	
J5032-TT	Socket, 3/8" DR 1" 12 PT Deep	
J2586	Socket, Bar 13"	
J2591	Socket, Clip 3/8" DR	

Weight (lbs): 3.64

AS954E S3.8.1 ASME B107.1

- 12 Point Deep: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1".
- Accessories: 13-inch Socket Bar with 13 Socket Clips.



3/8" & 1/2" DRIVE 10 PIECE HEX BIT SET

Product #: J4900A-TT

Contents	Description	INCH
J49901/8-TT	Socket, Hex Bit 3/8" DR 1/8"	
J49905/32-TT	Socket, Hex Bit 3/8" DR 5/32"	
J49903/16-TT	Socket, Hex Bit 3/8" DR 3/16"	
J49907/32-TT	Socket, Hex Bit 3/8" DR 7/32"	
J49901/4-TT	Socket, Hex Bit 3/8" DR 1/4"	
J49905/16-TT	Socket, Hex Bit 3/8" DR 5/16"	
J49903/8-TT	Socket, Hex Bit 3/8" DR 3/8"	
J54411/2-TT	Socket, Hex Bit 1/2" DR 1/2"	
J54419/16-TT	Socket, Hex Bit 1/2" DR 9/16"	
J54415/8-TT	Socket, Hex Bit 1/2" DR 5/8"	
J4968PB	Blow-Molded Case	

Weight (lbs): 3.15

Individual components available for purchase.

- 3/8-inch Drive: 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8".
- 1/2-inch Drive: 1/2, 9/16, 5/8".



3/8" & 1/2" DRIVE 10 PIECE METRIC HEX BIT SET

Product #: J4900MA-TT

Contents	Description	MM
J4990-4M-TT	Socket, Hex Bit 3/8" DR 4 mm	
J4990-5M-TT	Socket, Hex Bit 3/8" DR 5 mm	
J4990-6M-TT	Socket, Hex Bit 3/8" DR 6 mm	
J4990-7M-TT	Socket, Hex Bit 3/8" DR 7 mm	
J4990-8M-TT	Socket, Hex Bit 3/8" DR 8 mm	
J4990-9M-TT	Socket, Hex Bit 3/8" DR 9 mm	
J4990-10M-TT	Socket, Hex Bit 3/8" DR 10 mm	
J5441-12M-TT	Socket, Hex Bit 1/2" DR 12 mm	
J5441-14M-TT	Socket, Hex Bit 1/2" DR 14 mm	
J5441-17M-TT	Socket, Hex Bit 1/2" DR 17 mm	
J4968PB	Blow-Molded Case	

Weight (lbs): 3.11


Individual components available for purchase.

- 3/8-inch Drive: 4, 5, 6, 7, 8, 9, 10 mm.
- 1/2-inch Drive: 12, 14, 17 mm.



3/8" DRIVE SOCKETS - 12 POINT

- ▶ Proto® 12 Point Sockets are ideal for use on stubborn or damaged fasteners, as well as on fasteners made from soft materials.
- ▶ TorquePlus™ features apply.



12	INCH (A)	Nut End Outside Dia. (in) (B)	Drive End Outside Dia. (in) (C)	Nut Depth (in) (D)	Bolt Clearance Depth (in) (E)	Overall Length (in) (L)	Weight (lbs)
J5208-TT	1/4	25/64	43/64	23/64	21/32	1-3/32	0.05
J5210-TT	5/16	15/32	43/64	23/64	21/32	1-3/32	0.05
J5212-TT	3/8	35/64	43/64	23/64	21/32	1-3/32	0.06
J5214-TT	7/16	41/64	43/64	23/64	21/32	1-3/32	0.06
J5216-TT	1/2	47/64	47/64	23/64	21/64	1-1/8	0.08
J5218-TT	9/16	13/16	13/16	1/2	11/16	1-1/8	0.09
J5220-TT	5/8	7/8	7/8	33/64	11/16	1-1/8	0.10
J5222-TT	11/16	61/64	61/64	17/32	11/16	1-1/8	0.13
J5224-TT	3/4	1-1/32	1-1/32	39/64	3/4	1-3/16	0.15
J5226-TT	13/16	1-3/32	1-3/32	39/64	3/4	1-3/16	0.17
J5228-TT	7/8	1-3/16	1-3/16	41/64	7/8	1-5/16	0.24
J5230-TT	15/16	1-1/4	1-1/4	49/64	7/8	1-5/16	0.25
J5232-TT	1	1-5/16	1-5/16	13/16	59/64	1-3/8	0.27

AS954E S3.8.1 ASME B107.1


12	MM (A)	Nut End Outside Dia. (in) (B)	Drive End Outside Dia. (in) (C)	Nut Depth (in) (D)	Bolt Clearance Depth (in) (E)	Overall Length (in) (L)	Weight (lbs)
J5206M-TT	6	25/64	43/64	1/4	45/64	1-3/32	0.05
J5207M-TT	7	27/64	43/64	1/4	45/64	1-3/32	0.05
J5208M-TT	8	15/32	43/64	1/4	45/64	1-3/32	0.06
J5209M-TT	9	33/64	43/64	9/32	45/64	1-3/32	0.05
J5210M-TT	10	19/32	43/64	5/16	45/64	1-3/32	0.06
J5211M-TT	11	41/64	43/64	21/64	45/64	1-3/32	0.07
J5212M-TT	12	45/64	45/64	9/32	1/2	1-1/8	0.05
J5213M-TT	13	47/64	47/64	9/32	1/2	1-1/8	0.07
J5214M-TT	14	25/32	25/32	15/32	7/16	1-1/8	0.08
J5215M-TT	15	27/32	27/32	17/32	7/16	1-1/8	0.10
J5216M-TT	16	55/64	55/64	17/32	7/16	1-1/8	0.10
J5217M-TT	17	15/16	15/16	17/32	7/16	1-1/8	0.12
J5218M-TT	18	61/64	61/64	17/32	1/2	1-3/16	0.12
J5219M-TT	19	1	1	17/32	1/2	1-3/16	0.14
J5220M-TT	20	1-3/32	1-3/32	5/8	1/2	1-3/16	0.17
J5221M-TT	21	1-3/32	1-3/32	9/16	41/64	1-9/32	0.18
J5222M-TT	22	1-11/64	1-11/64	43/64	5/8	1-5/16	0.22
J5223M-TT	23	1-3/16	1-3/16	47/64	5/8	1-5/16	0.21
J5224M-TT	24	1-1/4	1-1/4	49/64	37/64	1-5/16	0.23
J5225M-TT	25	1-21/64	1-21/64	49/64	5/8	1-3/8	0.29
J5226M-TT	26	1-21/64	1-21/64	49/64	59/64	1-3/8	0.26

AS954E S3.8.1 ASME B107.5M



3/8" DRIVE DEEP SOCKETS - 12 POINT

- ▶ Proto® 12 Point Sockets are ideal for use on stubborn or damaged fasteners, as well as on fasteners made from soft materials.
- ▶ TorquePlus™ features apply.



3/8" DRIVE TETHER-READY SOCKETS

12	INCH (A)	Nut End Outside Dia. (in) (B)	Drive End Outside Dia. (in) (C)	Nut Depth (in) (D)	Bolt Clearance Depth (in) (E)	Overall Length (in) (L)	Weight (lbs)
J5008-TT	1/4	13/32	21/32	5/16	1-11/16	2-1/8	0.10
J5010-TT	5/16	15/32	21/32	13/32	1-11/16	2-1/8	0.10
J5012-TT	3/8	35/64	21/32	13/32	1-11/16	2-1/8	0.10
J5014-TT	7/16	21/32	21/32	7/16	1-11/16	2-1/8	0.12
J5016-TT	1/2	23/32	23/32	33/64	1-11/16	2-1/8	0.14
J5018-TT	9/16	51/64	51/64	19/32	1-11/16	2-1/8	0.18
J5020-TT	5/8	7/8	7/8	43/64	2-5/16	2-3/4	0.24
J5022-TT	11/16	15/16	15/16	43/64	2-5/16	2-3/4	0.30
J5024-TT	3/4	1-1/64	1-1/64	43/64	2-5/16	2-3/4	0.33
J5026-TT	13/16	1-5/64	1-5/64	43/64	2-5/16	2-3/4	0.36
J5028-TT	7/8	1-15/64	1-15/64	1-3/16	2-5/16	2-3/4	0.43
J5030-TT	15/16	1-15/64	1-15/64	1-3/16	2-5/16	2-3/4	0.46
J5032-TT	1	1-5/16	1-5/16	1-3/16	2-5/16	2-3/4	0.54

AS954E S3.8.1 ASME B107.1

12	MM (A)	Nut End Outside Dia. (in) (B)	Drive End Outside Dia. (in) (C)	Nut Depth (in) (D)	Bolt Clearance Depth (in) (E)	Overall Length (in) (L)	Weight (lbs)
J5006M-TT	6	25/64	21/32	5/16	1-13/16	2-1/8	0.11
J5007M-TT	7	25/64	21/32	25/64	1-47/64	2-1/8	0.09
J5008M-TT	8	15/32	21/32	25/64	1-47/64	2-1/8	0.10
J5009M-TT	9	33/64	21/32	25/64	1-47/64	2-1/8	0.11
J5010M-TT	10	37/64	21/32	25/64	1-47/64	2-1/8	0.12
J5011M-TT	11	21/32	7/16	1-11/16	1-47/64	2-1/8	0.13
J5012M-TT	12	45/64	45/64	33/64	1-39/64	2-1/8	0.13
J5013M-TT	13	23/32	23/32	33/64	1-39/64	2-1/8	0.13
J5014M-TT	14	25/32	25/32	19/32	1-17/32	2-1/8	0.15
J5015M-TT	15	55/64	55/64	21/32	2-7/64	2-3/4	0.15
J5016M-TT	16	55/64	55/64	21/32	2-7/64	2-3/4	0.24
J5017M-TT	17	15/16	15/16	21/32	2-7/64	2-3/4	0.27
J5018M-TT	18	15/16	15/16	21/32	2-7/64	2-3/4	0.28
J5019M-TT	19	1-1/64	1-1/64	11/16	2-1/16	2-3/4	0.30
J5020M-TT	20	1-5/64	1-5/64	11/16	2-1/16	2-3/4	0.33
J5021M-TT	21	1-5/64	1-5/64	11/16	2-1/16	2-3/4	0.34
J5022M-TT	22	1-11/64	1-11/64	11/16	2-1/16	2-3/4	0.45
J5023M-TT	23	1-7/32	1-11/64	1-3/16	1-37/64	2-3/4	0.54

AS954E S3.8.1 ASME B107.5M



3/8" DRIVE HEX BIT SOCKETS

- › Manufactured with four detent holes so that the pin detent will engage correctly regardless of the direction the socket is placed on the square drive.
- › The positive control system requires a separate tool to attach or remove the socket, meaning it cannot be removed without specific intent.
- › Chrome finish is applied after the holes are bored for better corrosion resistance.
- › Made using a heat treated alloy for wear-resistance which helps minimize distortion for a long life.
- › Hex opening holds the bit allowing the bit holder to take the torque load.



HEX	INCH	Bit Length (in)	Overall Length (in)	Weight (lbs)
J49901/8-TT	1/8	1-5/8	2-23/32	0.12
J49905/32-TT	5/32	1-5/8	2-23/32	0.12
J49903/16-TT	3/16	1-5/8	2-23/32	0.12
J49907/32-TT	7/32	1-5/8	2-23/32	0.12
J49901/4-TT	1/4	1-5/8	2-23/32	0.12
J49905/16-TT	5/16	1-5/8	2-23/32	0.13
J49903/8-TT	3/8	1-5/8	2-23/32	0.15

HEX	MM	Bit Length (in)	Overall Length (in)	Weight (lbs)
J4990-4M-TT	4	1-5/8	2-23/32	0.12
J4990-5M-TT	5	1-5/8	2-23/32	0.12
J4990-6M-TT	6	1-5/8	2-23/32	0.12
J4990-7M-TT	7	1-5/8	2-23/32	0.12
J4990-8M-TT	8	1-5/8	2-23/32	0.13
J4990-9M-TT	9	1-5/8	2-23/32	0.15
J4990-10M-TT	10	1-5/8	2-23/32	0.16

1/2" DRIVE 24 PIECE METRIC SOCKET SET - 12 POINT

Product #: J54211-TT

- › 12 Point Standard: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 36 mm.
- › Accessories: (2) 17-inch Socket Bars with 24 Socket Clips.



Contents	Description	MM
J5410M-TT	Socket, 1/2" DR 10 mm 12 PT	
J5411M-TT	Socket, 1/2" DR 11 mm 12 PT	
J5412M-TT	Socket, 1/2" DR 12 mm 12 PT	
J5413M-TT	Socket, 1/2" DR 13 mm 12 PT	
J5414M-TT	Socket, 1/2" DR 14 mm 12 PT	
J5415M-TT	Socket, 1/2" DR 15 mm 12 PT	
J5416M-TT	Socket, 1/2" DR 16 mm 12 PT	
J5417M-TT	Socket, 1/2" DR 17 mm 12 PT	
J5418M-TT	Socket, 1/2" DR 18 mm 12 PT	
J5419M-TT	Socket, 1/2" DR 19 mm 12 PT	
J5420M-TT	Socket, 1/2" DR 20 mm 12 PT	
J5421M-TT	Socket, 1/2" DR 21 mm 12 PT	
J5422M-TT	Socket, 1/2" DR 22 mm 12 PT	
J5423M-TT	Socket, 1/2" DR 23 mm 12 PT	
J5424M-TT	Socket, 1/2" DR 24 mm 12 PT	
J5425M-TT	Socket, 1/2" DR 25 mm 12 PT	
J5426M-TT	Socket, 1/2" DR 26 mm 12 PT	
J5427M-TT	Socket, 1/2" DR 27 mm 12 PT	
J5428M-TT	Socket, 1/2" DR 28 mm 12 PT	
J5429M-TT	Socket, 1/2" DR 29 mm 12 PT	
J5430M-TT	Socket, 1/2" DR 30 mm 12 PT	
J5431M-TT	Socket, 1/2" DR 31 mm 12 PT	
J5432M-TT	Socket, 1/2" DR 32 mm 12 PT	
J5436M-TT	Socket, 1/2" DR 36 mm 12 PT	
J2586	Socket, Bar 13"	
J2587	Socket, Bar 17"	
J2592	Socket, Clip 1/2" DR	

Weight (lbs): 7.69

AS954E S3.8.1 ASME B107.5M



1/2" DRIVE 23 PIECE METRIC DEEP SOCKET SET - 12 POINT



Product #: J54201-TT

- ▶ 12 Point Deep: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32 mm.
- ▶ Accessories: (2) 17-inch Socket Bars with 23 Socket Clips.
- ▶ TorquePlus™ features apply.

Contents	Description	MM
J5310M-TT	Socket, 1/2" DR 10 mm 12 PT	
J5311M-TT	Socket, 1/2" DR 11 mm 12 PT	
J5312M-TT	Socket, 1/2" DR 12 mm 12 PT	
J5313M-TT	Socket, 1/2" DR 13 mm 12 PT	
J5314M-TT	Socket, 1/2" DR 14 mm 12 PT	
J5315M-TT	Socket, 1/2" DR 15 mm 12 PT	
J5316M-TT	Socket, 1/2" DR 16 mm 12 PT	
J5317M-TT	Socket, 1/2" DR 17 mm 12 PT	
J5318M-TT	Socket, 1/2" DR 18 mm 12 PT	
J5319M-TT	Socket, 1/2" DR 19 mm 12 PT	
J5320M-TT	Socket, 1/2" DR 20 mm 12 PT	
J5321M-TT	Socket, 1/2" DR 21 mm 12 PT	
J5322M-TT	Socket, 1/2" DR 22 mm 12 PT	
J5323M-TT	Socket, 1/2" DR 23 mm 12 PT	
J5324M-TT	Socket, 1/2" DR 24 mm 12 PT	
J5325M-TT	Socket, 1/2" DR 25 mm 12 PT	
J5326M-TT	Socket, 1/2" DR 26 mm 12 PT	
J5327M-TT	Socket, 1/2" DR 27 mm 12 PT	
J5328M-TT	Socket, 1/2" DR 28 mm 12 PT	
J5329M-TT	Socket, 1/2" DR 29 mm 12 PT	
J5330M-TT	Socket, 1/2" DR 30 mm 12 PT	
J5331M-TT	Socket, 1/2" DR 31 mm 12 PT	
J5332M-TT	Socket, 1/2" DR 32 mm 12 PT	

Weight (lbs): 8.95

ASME B107.110-2012



1/2" DRIVE TETHER-READY SOCKET SETS

1/2" DRIVE 19 PIECE SOCKET SET - 12 POINT

Product #: J54113-TT

- ▶ 12 Point Standard: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2".
- ▶ Accessories: 17-inch Socket Bar with 19 Socket Clips.



Contents	Description	INCH
J5412-TT	Socket, 1/2" DR 3/8" 12 PT	
J5414-TT	Socket, 1/2" DR 7/16" 12 PT	
J5416-TT	Socket, 1/2" DR 1/2" 12 PT	
J5418-TT	Socket, 1/2" DR 9/16" 12 PT	
J5420-TT	Socket, 1/2" DR 5/8" 12 PT	
J5422-TT	Socket, 1/2" DR 11/16" 12 PT	
J5424-TT	Socket, 1/2" DR 3/4" 12 PT	
J5426-TT	Socket, 1/2" DR 13/16" 12 PT	
J5428-TT	Socket, 1/2" DR 7/8" 12 PT	
J5430-TT	Socket, 1/2" DR 15/16" 12 PT	
J5432-TT	Socket, 1/2" DR 1" 12 PT	
J5434-TT	Socket, 1/2" DR 1-1/16" 12 PT	
J5436-TT	Socket, 1/2" DR 1-1/8" 12 PT	
J5438-TT	Socket, 1/2" DR 1-3/16" 12 PT	
J5440-TT	Socket, 1/2" DR 1-1/4" 12 PT	
J5442-TT	Socket, 1/2" DR 1-5/16" 12 PT	
J5444-TT	Socket, 1/2" DR 1-3/8" 12 PT	
J5446-TT	Socket, 1/2" DR 1-7/16" 12 PT	
J5448-TT	Socket, 1/2" DR 1-1/2" 12 PT	
J2587	Socket, Bar 17"	
J2592	Socket, Clip 1/2" DR	

Weight (lbs): 7.25

AS954E S3.8.1 ASME B107.1

1/2" DRIVE 19 PIECE DEEP SOCKET SET - 12 POINT

Product #: J54105-TT

- ▶ 12 Point Deep: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2".
- ▶ Accessories: 17-inch Socket Bar with 19 Socket Clips.



Contents	Description	INCH
J5312-TT	Socket, 1/2" DR 3/8" 12 PT Deep	
J5314-TT	Socket, 1/2" DR 7/16" 12 PT Deep	
J5316-TT	Socket, 1/2" DR 1/2" 12 PT Deep	
J5318-TT	Socket, 1/2" DR 9/16" 12 PT Deep	
J5320-TT	Socket, 1/2" DR 5/8" 12 PT Deep	
J5322-TT	Socket, 1/2" DR 11/16" 12 PT Deep	
J5324-TT	Socket, 1/2" DR 3/4" 12 PT Deep	
J5326-TT	Socket, 1/2" DR 13/16" 12 PT Deep	
J5328-TT	Socket, 1/2" DR 7/8" 12 PT Deep	
J5330-TT	Socket, 1/2" DR 15/16" 12 PT Deep	
J5332-TT	Socket, 1/2" DR 1" 12 PT Deep	
J5334-TT	Socket, 1/2" DR 1-1/16" 12 PT Deep	
J5336-TT	Socket, 1/2" DR 1-1/8" 12 PT Deep	
J5338-TT	Socket, 1/2" DR 1-3/16" 12 PT Deep	
J5340-TT	Socket, 1/2" DR 1-1/4" 12 PT Deep	
J5342-TT	Socket, 1/2" DR 1-5/16" 12 PT Deep	
J5344-TT	Socket, 1/2" DR 1-3/8" 12 PT Deep	
J5346-TT	Socket, 1/2" DR 1-7/16" 12 PT Deep	
J5348-TT	Socket, 1/2" DR 1-1/2" 12 PT Deep	
J2587	Socket, Bar 17"	
J2592	Socket, Clip 1/2" DR	


Weight (lbs): 14.00

AS954E S3.8.1 ASME B107.1



1/2" DRIVE SOCKETS - 12 POINT

- Proto® 12 Point Sockets are ideal for use on stubborn or damaged fasteners, as well as on fasteners made from soft materials.



1/2" DRIVE TETHER-READY SOCKETS

12	INCH (A)	Nut End Outside Dia. (in) (B)	Drive End Outside Dia. (in) (C)	Nut Depth (in) (D)	Bolt Clearance Depth (in) (E)	Overall Length (in) (L)	Weight (lbs)
J5412-TT	3/8	9/16	55/64	23/64	7/8	1-31/64	0.11
J5414-TT	7/16	43/64	55/64	23/64	7/8	1-31/64	0.11
J5416-TT	1/2	47/64	55/64	23/64	7/8	1-31/64	0.11
J5418-TT	9/16	13/16	55/64	23/64	51/64	1-1/2	0.13
J5420-TT	5/8	7/8	7/8	9/16	21/32	1-1/2	0.14
J5422-TT	11/16	61/64	61/64	9/16	21/32	1-1/2	0.15
J5424-TT	3/4	1-1/32	1-1/64	11/16	21/32	1-1/2	0.15
J5426-TT	13/16	1-3/32	1-5/64	11/16	21/32	1-1/2	0.23
J5428-TT	7/8	1-11/64	1-3/16	11/16	45/64	1-9/16	0.26
J5430-TT	15/16	1-1/4	1-1/4	13/16	45/64	1-9/16	0.33
J5432-TT	1	1-21/64	1-5/16	27/32	45/64	1-9/16	0.38
J5434-TT	1-1/16	1-13/32	1-25/64	13/16	25/32	1-5/8	0.42
J5436-TT	1-1/8	1-31/64	1-31/64	15/16	29/32	1-3/4	0.47
J5438-TT	1-3/16	1-9/16	1-17/32	59/64	29/32	1-3/4	0.59
J5440-TT	1-1/4	1-39/64	1-37/64	1	7/8	1-3/4	0.66
J5442-TT	1-5/16	1-21/32	1-41/64	27/32	1-19/64	1-55/64	0.69
J5444-TT	1-3/8	1-25/32	1-5/8	25/32	1-19/64	2	0.79
J5446-TT	1-7/16	1-59/64	1-5/8	27/32	1-19/64	2-1/8	0.98
J5448-TT	1-1/2	1-63/64	1-5/8	27/32	1-19/64	2-1/4	1.12

AS954E S3.8.1 ASME B107.1


12	MM (A)	Nut End Outside Dia. (in) (B)	Drive End Outside Dia. (in) (C)	Nut Depth (in) (D)	Bolt Clearance Depth (in) (E)	Overall Length (in) (L)	Weight (lbs)
J5410M-TT	10	39/64	55/64	23/64	55/64	1-31/64	0.11
J5411M-TT	11	45/64	55/64	23/64	55/64	1-31/64	0.11
J5412M-TT	12	47/64	55/64	23/64	55/64	1-31/64	0.11
J5413M-TT	13	3/4	55/64	23/64	55/64	1-31/64	0.12
J5414M-TT	14	13/16	55/64	23/64	7/8	1-1/2	0.13
J5415M-TT	15	55/64	55/64	37/64	7/8	1-1/2	0.13
J5416M-TT	16	7/8	7/8	37/64	7/8	1-1/2	0.13
J5417M-TT	17	61/64	61/64	37/64	7/8	1-1/2	0.14
J5418M-TT	18	61/64	61/64	37/64	7/8	1-1/2	0.17
J5419M-TT	19	1-1/32	1-1/32	11/16	27/32	1-1/2	0.19
J5420M-TT	20	1-3/32	1-3/32	11/16	27/32	1-1/2	0.22
J5421M-TT	21	1-3/32	1-3/32	11/16	27/32	1-1/2	0.24
J5422M-TT	22	1-11/64	1-11/64	11/16	27/32	1-17/32	0.26
J5423M-TT	23	1-13/64	1-13/64	25/32	59/64	1-17/32	0.27
J5424M-TT	24	1-1/4	1-1/4	53/64	59/64	1-17/32	0.28
J5425M-TT	25	1-9/32	1-9/32	53/64	59/64	1-17/32	0.30
J5426M-TT	26	1-21/64	1-21/64	55/64	63/64	1-39/64	0.33
J5427M-TT	27	1-13/32	1-13/32	15/16	1-3/64	1-43/64	0.39
J5428M-TT	28	1-31/64	1-31/64	63/64	1-5/32	1-25/32	0.48
J5429M-TT	29	1-31/64	1-31/64	63/64	1-5/32	1-25/32	0.62
J5430M-TT	30	1-9/16	1-17/32	63/64	1-5/32	1-25/32	0.63
J5431M-TT	31	1-39/64	1-39/64	1-1/16	1-5/32	1-25/32	0.63
J5432M-TT	32	1-39/64	1-39/64	1-1/8	1-7/32	1-27/32	0.63
J5436M-TT	36	1-31/32	1-31/32	1-3/8	1-39/64	2-15/64	1.04

AS954E S3.8.1 ASME B107.5M



1/2" DRIVE DEEP SOCKETS - 12 POINT

- Proto® 12 Point Sockets are ideal for use on stubborn or damaged fasteners, as well as on fasteners made from soft materials.



12	INCH (A)	Nut End Outside Dia. (in) (B)	Drive End Outside Dia. (in) (C)	Nut Depth (in) (D)	Bolt Clearance Depth (in) (E)	Overall Length (in) (L)	Weight (lbs)
J5312-TT	3/8	9/16	7/8	1/4	2-39/64	3-1/4	0.28
J5314-TT	7/16	9/16	7/8	23/64	2-39/64	3-1/4	0.28
J5316-TT	1/2	47/64	55/64	25/32	2-39/64	3-1/4	0.29
J5318-TT	9/16	13/16	27/32	15/16	2-39/64	3-1/4	0.29
J5320-TT	5/8	7/8	7/8	1-7/32	2-39/64	3-1/4	0.30
J5322-TT	11/16	31/32	31/32	1-7/32	2-39/64	3-1/4	0.42
J5324-TT	3/4	1-3/64	1-3/64	1-7/32	2-39/64	3-1/4	0.42
J5326-TT	13/16	1-3/32	1-3/32	1-7/32	2-39/64	3-1/4	0.52
J5328-TT	7/8	1-11/64	1-11/64	1-7/32	2-39/64	3-1/4	0.58
J5330-TT	15/16	1-1/4	1-1/4	1-7/32	2-39/64	3-1/4	0.67
J5332-TT	1	1-21/64	1-21/64	1-7/32	2-29/64	3-1/4	0.67
J5334-TT	1-1/16	1-13/32	1-13/32	1-9/32	2-29/64	3-1/4	0.75
J5336-TT	1-1/8	1-1/2	1-1/2	1-5/32	2-29/64	3-1/4	0.83
J5340-TT	1-1/4	1-9/16	1-9/16	1-13/32	2-29/64	3-1/4	1.06
J5338-TT	1-3/16	1-35/64	1-35/64	1-7/64	2-1/4	3-1/4	0.83
J5342-TT	1-5/16	1-7/8	1-5/8	27/32	2-1/4	3-1/2	1.06
J5344-TT	1-3/8	1-7/8	1-5/8	61/64	2-1/4	3-1/2	1.23
J5346-TT	1-7/16	2-1/16	1-5/8	61/64	2-1/4	3-1/2	1.27
J5348-TT	1-1/2	2-1/16	1-5/8	1	2-1/4	3-1/2	1.58

AS954E S3.8.1 ASME B107.1

12	MM (A)	Nut End Outside Dia. (in) (B)	Drive End Outside Dia. (in) (C)	Nut Depth (in) (D)	Bolt Clearance Depth (in) (E)	Overall Length (in) (L)	Weight (lbs)
J5310M-TT	10	39/64	55/64	19/32	2-3/32	3-1/4	0.25
J5311M-TT	11	45/64	55/64	5/8	2-3/32	3-1/4	0.25
J5312M-TT	12	47/64	55/64	43/64	2-3/32	3-1/4	0.26
J5313M-TT	13	3/4	55/64	43/64	2-3/32	3-1/4	0.26
J5314M-TT	14	27/32	27/32	15/16	2-3/32	3-1/4	0.30
J5315M-TT	15	55/64	55/64	1-1/16	2-3/32	3-1/4	0.32
J5316M-TT	16	55/64	55/64	1-3/16	2-3/32	3-1/4	0.32
J5317M-TT	17	61/64	61/64	1-3/16	2-3/32	3-1/4	0.33
J5318M-TT	18	63/64	63/64	1-3/16	2-3/32	3-1/4	0.33
J5319M-TT	19	1-3/64	1-3/64	1-3/16	2-3/32	3-1/4	0.37
J5320M-TT	20	1-3/32	1-3/32	1-3/16	2-3/32	3-1/4	0.46
J5321M-TT	21	1-3/32	1-3/32	1-3/16	2-3/32	3-1/4	0.51
J5322M-TT	22	1-11/64	1-11/64	1-3/16	2-3/32	3-1/4	0.51
J5323M-TT	23	1-13/64	1-13/64	1-3/16	2-3/32	3-1/4	0.51
J5324M-TT	24	1-1/4	1-1/4	1-3/16	2-3/32	3-1/4	0.51
J5325M-TT	25	1-5/16	1-5/16	1-3/16	2-3/32	3-1/4	0.62
J5326M-TT	26	1-21/64	1-21/64	1-3/16	2-3/32	3-1/4	0.63
J5327M-TT	27	1-1/64	1-1/64	1-7/64	2-3/32	3-1/4	0.65
J5328M-TT	28	1-3/32	1-31/64	1-7/64	2-3/32	3-1/4	0.68
J5329M-TT	29	1-31/64	1-31/64	1-7/64	2-3/32	3-1/4	0.68
J5330M-TT	30	1-9/16	1-9/16	1-7/64	2-5/8	3-1/4	0.70
J5331M-TT	31	1-39/64	1-39/64	1-7/64	2-5/8	3-1/4	0.73
J5332M-TT	32	1-39/64	1-39/64	1-7/64	2-5/8	3-1/4	0.73

ASME B107.110-2012



1/2" DRIVE HEX BIT SOCKETS



- › Manufactured with four detent holes so that the pin detent will engage correctly regardless of the direction the socket is placed on the square drive.
- › The positive control system requires a separate tool to attach or remove the socket, meaning it cannot be removed without specific intent.
- › Chrome finish is applied after the holes are bored for better corrosion resistance.
- › Made using a heat treated alloy for wear-resistance which helps minimize distortion for a long life.
- › Hex opening holds the bit allowing the bit holder to take the torque load.



HEX	INCH	Bit Length (in)	Overall Length (in)	Weight (lbs)
J54411/4-TT	1/4	1-3/4	3-1/4	0.19
J54415/16-TT	5/16	1-3/4	3-1/4	0.22
J54413/8-TT	3/8	1-3/4	3-1/4	0.25
J54417/16-TT	7/16	1-3/4	3-1/4	0.28
J54411/2-TT	1/2	1-7/8	3-5/8	0.46
J54419/16-TT	9/16	1-7/8	3-5/8	0.50
J54415/8-TT	5/8	2	4	0.85

HEX	MM	Bit Length (in)	Overall Length (in)	Weight (lbs)
J5441-6M-TT	6	1-3/4	3-1/4	0.20
J5441-8M-TT	8	1-3/4	3-1/4	0.22
J5441-10M-TT	10	1-3/4	3-1/4	0.26
J5441-12M-TT	12	1-3/4	3-1/4	0.29
J5441-13M-TT	13	1-7/8	3-41/64	0.46
J5441-14M-TT	14	1-7/8	3-41/64	0.50
J5441-15M-TT	15	1-7/8	3-41/64	0.50
J5441-17M-TT	17	2	4	0.87
J5441-18M-TT	18	2	4	0.90
J5441-19M-TT	19	2	4	0.94

EXTENSIONS

- › Made from alloy steel.
- › Heat treated for strength and durability.

Product #	Drive Size (in)	Overall Length (in)	Weight (lbs)
J5260-TT	3/8	3	0.16
J5262-TT	3/8	12	0.61
J5460-TT	1/2	2-1/2	0.24
J5461-TT	1/2	5	0.44
J5463-TT	1/2	10	0.89

ASME B107.10M



ADAPTERS



Product #	Input Drive (in)	Output Drive (in)	Overall Length (in)	Weight (lbs)
J5253-TT	3/8	1/2	1-7/16	0.11
J5254-TT	1/2	3/8	1-3/8	0.13

ASME B107.10M

UNIVERSAL JOINTS



Product #	Input Drive (in)	Output Drive (in)	Overall Length (in)	Weight (lbs)
J5270A-TT	3/8	1/2	1-7/16	0.11
J5470A-TT	1/2	3/8	1-3/8	0.13

ASME B107.10M

6	6 POINT	12	12 POINT	SPL	SPLINE	HEX	HEX	FULL POLISH	SATIN	BLACK OXIDE	BLACK CHROME
---	---------	----	----------	-----	--------	-----	-----	-------------	-------	-------------	--------------

1/2" DRIVE SCAFFOLDING RATCHET

- › The scaffold ratchet is designed for working with scaffolding and other construction applications.
- › Socket retained with through hole and pin for safety.
- › Hammer tip reduces vibration and protects fasteners against distortion.
- › Hole in ratchet handle to be used with tether strap.



Product #	Drive Size (in)	Finish	Style	Overall Length (in)	Weight (lbs)
J5449SC	1/2	Full Polish	Scaffolding	10	2.01

3/8" & 1/2" DRIVE PREMIUM PEAR HEAD RATCHETS

- › Small pear head design for access in tight, hard to reach work areas.
- › 45-Tooth gear provides balance between 8° articulation angle and high torque carrying capacity.
- › Sealed design helps prevent debris from entering the ratchet mechanism reducing wear. Also, helps to keep lubrication contained within the components. Patent pending design.
- › Low profile reversing lever design for quick, one-hand operation.
- › Contoured, ergonomically-designed handle for comfort. Knurled bands allow for increased grip and slip resistance.
- › Double nickel chrome plated for enhanced corrosion protection or black oxide finish.
- › Field repairable.
- › Locking pin detent to retain socket during use.



Lanyard ready through-hole built directly into the handle.

Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)	Repair Kit
J5249XL-TT	3/8	Full Polish	8-1/2	0.86	J5249XLRK-TT
J5250XL-TT	3/8	Full Polish	11	1.03	J5249XLRK-TT
J5449XL-TT	1/2	Full Polish	10-1/2	1.72	J5449XLRK-TT
J5450XL-TT	1/2	Full Polish	15	2.18	J5449XLRK-TT

ASME B107.500



RATCHETING HEAD MICROMETER TORQUE WRENCHES

MEETS ASME STANDARD

- › Calibrated to +/- 4% clockwise direction and +/- 6% counter clockwise direction at 20% to 100% of full scale.
- › Calibration is accomplished by manually loading the torque wrenches.
- › Manufactured to meet standard industrial torque applications, general industry, heavy equipment, and maintenance.
- › Locking pin Detent to retain Socket during use.



TETHER-READY TORQUE WRENCHES

FT-LBS

Product #	Drive Size (in)	Torque Range (ft-lbs)	Increments (ft-lbs)	Head Width (in)	Head Depth (in)	Overall Length (in)	Weight (lbs)	Storage Case	Repair Kit
J6012C-TT	3/8	20-100	0.5	1-7/16	1-1/64	17	3.30	J6006PBF	J6006RK-TT
J6014C-TT	1/2	50-250	1	1-7/8	1-13/32	27-1/8	5.90	J6014PBF	J6014RK-TT

NOTE: For use with Elastic Bungee or Web Lanyard only.

ASME B107.14M

NM

Product #	Drive Size (in)	Torque Range (Nm)	Increments (Nm)	Head Width (in)	Head Depth (in)	Overall Length (in)	Weight (lbs)	Storage Case	Repair Kit
J6006NMC-TT	3/8	16-80	0.5	1-7/16	1-1/64	15-1/2	3.00	J6006PBF	J6006RK-TT
J6016NMC-TT	1/2	40-200	1	1-7/8	1-13/32	21-1/2	5.00	J6014PBF	J6014RK-TT

NOTE: For use with Elastic Bungee or Web Lanyard only.

ASME B107.14M



WRENCHES

Proto® Tethered Wrenches are specifically assembled with the correct Heat Shrink Loop, as appropriate, selected from seven different sizes, and fitted for the weight and diameter of the tool. Some wrenches (adjustable and pipe) don't require the heat shrink. The durable, light loop does not interfere with the function of the tool.





15 PIECE COMBINATION ASD WRENCH SET - 12 POINT



Product #: J1200FASD-TT

- › Satin finish provides corrosion resistance and a slip-resistant grip.
- › 12 Point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6, and 12 Point fasteners.
- › Anti-Slip Design (ASD) open end. Fractional sizes 11/32" and smaller do not have the ASD feature.
- › Box ends incorporate the TorquePlus™ system.



12	INCH	Point Count	Overall Length (in)
J1210A-TT	5/16	12	5-3/8
J1212ASD-TT	3/8	12	6
J1214ASD-TT	7/16	12	7
J1216ASD-TT	1/2	12	8
J1218ASD-TT	9/16	12	8-7/8
J1220ASD-TT	5/8	12	9-1/2
J1222ASD-TT	11/16	12	10-1/4
J1224ASD-TT	3/4	12	11
J1226ASD-TT	13/16	12	11-7/8
J1228ASD-TT	7/8	12	12-1/2
J1230ASD-TT	15/16	12	13-1/4
J1232ASD-TT	1	12	14
J1234ASD-TT	1-1/16	12	15-1/4
J1236ASD-TT	1-1/8	12	15-7/8
J1240ASD-TT	1-1/4	12	16-7/8
J25TR34C	Tool Roll		

Weight (lbs): 9.75

ASME B107.100

15 PIECE METRIC COMBINATION ASD WRENCH SET - 12 POINT



Product #: J1200P-MASD-TT

- › Satin finish provides corrosion resistance and a slip-resistant grip.
- › 12 Point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6, and 12 Point fasteners.
- › Anti-Slip Design (ASD) open end. Metric sizes 9 mm and smaller do not have ASD feature.
- › Box ends incorporate the TorquePlus™ system.



12	MM	Point Count	Overall Length (in)
J1207MA-TT	7	12	5-5/32
J1208MA-TT	8	12	5-13/32
J1210MASD-TT	10	12	5-29/32
J1212MASD-TT	12	12	7-45/64
J1214MASD-TT	14	12	8-13/16
J1216MASD-TT	16	12	9-35/64
J1218MASD-TT	18	12	10-11/16
J1220MASD-TT	20	12	11-27/64
J1222MASD-TT	22	12	12-17/32
J1224MASD-TT	24	12	13-5/16
J1226MASD-TT	26	12	14-41/64
J1228MASD-TT	28	12	15-35/64
J1229MASD-TT	29	12	15-55/64
J1230MASD-TT	30	12	15-55/64
J1232MASD-TT	32	12	16-59/64
J25TR41C	Tool Roll		


Weight (lbs): 4.25

ASME B107.100

SATIN COMBINATION WRENCHES - 12 POINT



- ▶ Satin finish provides corrosion resistance and a slip-resistant grip.
- ▶ 12 Point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6, and 12 Point fasteners.
- ▶ Anti-Slip Design (ASD) open end.
- ▶ Fractional sizes 11/32" and smaller and sizes 1-5/16" and larger do not have the ASD feature.
- ▶ Box ends incorporate the TorquePlus™ system.



12	INCH	Throat Depth (in) (B)	Outside Head Width (in) (C)	Head Thickness (in) (D)	Outside Head Width (in) (C1)	Head Thickness (in) (D1)	Overall Length (in)	Weight (lbs)
J1210A-TT	5/16	3/8	45/64	3/16	33/64	17/64	5-3/8	0.08
J1212ASD-TT	3/8	13/32	13/16	3/16	39/64	5/16	6	0.11
J1214ASD-TT	7/16	17/32	15/16	15/64	43/64	21/64	7	0.14
J1216ASD-TT	1/2	39/64	1-5/16	1/4	49/64	11/32	8	0.18
J1218ASD-TT	9/16	11/16	1-3/16	9/32	3/4	23/64	8-7/8	0.21
J1220ASD-TT	5/8	3/4	1-21/64	19/64	15/16	13/32	9-1/2	0.29
J1222ASD-TT	11/16	13/16	1-29/64	5/16	1-1/64	7/16	10-1/4	0.35
J1224ASD-TT	3/4	57/64	1-37/64	11/32	1-3/32	15/32	11	0.41
J1226ASD-TT	13/16	31/32	1-11/16	23/64	1-11/64	1/2	11-7/8	0.54
J1228ASD-TT	7/8	1-1/16	1-13/16	3/8	1-1/4	33/64	12-1/2	0.65
J1230ASD-TT	15/16	1-1/8	1-29/32	13/32	1-27/64	37/64	13-1/4	0.74
J1232ASD-TT	1	1-13/64	2-1/64	13/32	1-13/32	37/64	14	0.95
J1234ASD-TT	1-1/16	1-9/32	2-9/64	29/64	1-31/64	39/64	15-1/4	1.13
J1236ASD-TT	1-1/8	1-23/64	2-17/64	15/32	1-21/32	41/64	15-7/8	1.38
J1240ASD-TT	1-1/4	1/2	2-33/64	33/64	1-3/4	45/64	16-7/8	1.89

AS 954 ASME B107.100

SATIN METRIC COMBINATION WRENCHES - 12 POINT



- ▶ Satin finish provides corrosion resistance and a slip-resistant grip.
- ▶ 12 Point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6, and 12 Point fasteners.
- ▶ Anti-Slip Design (ASD) open end.
- ▶ Metric sizes 9 mm and smaller and sizes 36 mm and larger do not have the ASD feature.
- ▶ Box ends incorporate the TorquePlus™ system.



12	MM	Throat Depth (in) (B)	Outside Head Width (in) (C)	Head Thickness (in) (D)	Outside Head Width (in) (C1)	Head Thickness (in) (D1)	Overall Length (in)	Weight (lbs)
J1207MA-TT	7	5/16	19/32	11/64	13/32	15/64	5-5/32	0.06
J1208MA-TT	8	25/64	11/16	3/16	1/2	17/64	5-13/32	0.07
J1210MASD-TT	10	31/64	7/8	7/32	21/32	5/16	5-29/32	0.11
J1212MASD-TT	12	9/16	1	1/4	47/64	11/32	7-45/64	0.18
J1214MASD-TT	14	11/16	1-3/16	9/32	55/64	23/64	8-13/16	0.29
J1216MASD-TT	16	3/4	1-21/64	5/16	15/16	13/32	9-35/64	0.26
J1218MASD-TT	18	55/64	1-33/64	11/32	1-1/16	29/64	10-11/16	0.41
J1220MASD-TT	20	63/64	1-11/16	23/64	1-3/16	31/64	11-27/64	0.55
J1222MASD-TT	22	1-3/64	1-25/32	3/8	1-17/64	1/2	12-17/32	0.62
J1224MASD-TT	24	1-1/8	1-57/64	13/32	1-11/32	35/64	13-5/16	0.77
J1226MASD-TT	26	1-13/64	2-1/64	27/64	1-27/64	19/32	14-41/64	0.97
J1228MASD-TT	28	1-23/64	2-17/64	15/32	1-21/32	41/64	15-35/64	1.37
J1229MASD-TT	29	1-23/64	2-17/64	15/32	1-21/32	41/64	15-55/64	1.39
J1230MASD-TT	30	1-23/64	2-17/64	15/32	1-21/32	41/64	15-55/64	1.41
J1232MASD-TT	32	1-1/2	2-33/64	33/64	1-49/64	45/64	16-59/64	1.82

ASME B107.100



7 PIECE DOUBLE BOX WRENCH SET - 12 POINT

Product #: J1100R-TT

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 Point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6, and 12 Point fasteners.
- Box ends incorporate the TorquePlus™ system.



12

INCH


J1170-TT	5/16 x 3/8
J1171-TT	7/16 x 1/2
J1172-TT	9/16 x 5/8
J1173-TT	11/16 x 3/4
J1174-TT	13/16 x 7/8
J1175-TT	15/16 x 1
J1176-TT	1-1/16 x 1-1/8

Individual components available for purchase.

11 PIECE DOUBLE BOX METRIC WRENCH SET - 12 POINT

Product #: J1100S-M-TT

- Full polish finish provides corrosion resistance and easy to clean surfaces.
- 12 Point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6, and 12 Point fasteners.
- Offset box end allows access to recessed fasteners and keeps hands clear of obstructions.
- Box ends incorporate the TorquePlus™ system.



12

MM

J1050M-TT	6 x 7
J1051M-TT	8 x 9
J1053M-TT	10 x 11
J1057M-TT	12 x 13
J1061M-TT	14 x 15
J1064M-TT	16 x 18
J1065M-TT	17 x 19
J1072M-TT	21 x 24
J1073M-TT	22 x 24
J1077M-TT	27 x 30
J1079M-TT	30 x 32

Individual components available for purchase.

3 PIECE FLARE NUT WRENCH SET - 6 POINT

Product #: J3760-TT

- Satin finish provides corrosion resistance and a slip-resistant grip.
- Flare nut box ends incorporate the TorquePlus™ system.



6

INCH

J3764-TT	3/8 x 7/16
J3768-TT	1/2 x 9/16
J3772-TT	5/8 x 11/16

Individual components available for purchase.

5 PIECE FLARE NUT METRIC WRENCH SET - 6 POINT

Product #: J3700M-TT

- Satin finish provides corrosion resistance and a slip-resistant grip.
- Flare nut box ends incorporate the TorquePlus™ system.



6

MM

J3707M-TT	7 x 8
J3709M-TT	9 x 11
J3710M-TT	10 x 12
J3713M-TT	13 x 14
J3715M-TT	15 x 17

Individual components available for purchase.

BLACK CHROME REVERSIBLE COMBINATION RATCHETING WRENCH SETS - SPLINE

- › Black chrome finish is corrosion-resistant and visually distinctive.
- › Spline wrenches can be used on fractional 4, 6, or 12 Point, spline fasteners and Torx® fasteners.
- › Anti-Slip Design (ASD) open end.

9 PIECE BLACK CHROME REVERSIBLE COMBINATION RATCHETING WRENCH SET - SPLINE

Product #: JSCV-9S-TT

- › The chrome-vanadium switch lever allows for easy changes in turning direction which helps improve speed.
- › 15° Angled offset box end helps keep shank clear of obstructions.



INCH

JSCV09-TT	9/32
JSCV10-TT	5/16
JSCV12-TT	3/8
JSCV14-TT	7/16
JSCV16-TT	1/2
JSCV18-TT	9/16
JSCV20-TT	5/8
JSCV22-TT	11/16
JSCV24-TT	3/4

Individual components available for purchase.

13 PIECE BLACK CHROME REVERSIBLE COMBINATION RATCHETING WRENCH SET - SPLINE

Product #: JSCVM-13S-TT

- › The chrome-vanadium switch lever allows for easy changes in turning direction which helps improve speed.
- › 15° Angled offset box end helps keep shank clear of obstructions.
- › Chrome-vanadium box ends and switch levers provide high strength and durability.
- › Box end is countersunk for easy application to the fastener.
- › Spline design was created for use with specialty spline bolts which are used when weight and size of bolt heads must be minimized.
- › Spline design enables the wrench to contact conventional fasteners away from the corners, which help apply force over a large area helping to reduce risk of fastener rounding.
- › Spline design also helps prevent rounding of corners and other fastener damage that could lead to Foreign Object Damage (FOD).
- › The high contact surface area which is away from fastener points enables turning of highly rounded fasteners.



MM

JSCVM07-TT	7
JSCVM08-TT	8
JSCVM09-TT	9
JSCVM10-TT	10
JSCVM11-TT	11
JSCVM12-TT	12
JSCVM13-TT	13
JSCVM14-TT	14
JSCVM15-TT	15
JSCVM16-TT	16
JSCVM17-TT	17
JSCVM18-TT	18
JSCVM19-TT	19

Individual components available for purchase.



9 PIECE BLACK CHROME NON-REVERSIBLE COMBINATION RATCHETING WRENCH SET - SPLINE

Product #: **JSCR-9S-TT**

- › Non-reversing ratcheting wrenches can be flipped over to turn the fastener in the opposite direction.
- › Ratcheting spline box end is countersunk for easy application to the fastener.
- › Spline design was created for use with specialty spline bolts which are used when weight and size of bolt heads must be minimized.
- › Spline design enables the wrench to contact conventional fasteners away from the corners, which help apply force over a large area helping to reduce risk of fastener rounding.
- › Spline design also helps prevent rounding of corners and other fastener damage that could lead to Foreign Object Damage (FOD).
- › The high contact surface area which is away from fastener points enables turning of highly rounded fasteners.



INCH

JSCR08-TT	1/4
JSCR10-TT	5/16
JSCR12-TT	3/8
JSCR14-TT	7/16
JSCR16-TT	1/2
JSCR18-TT	9/16
JSCR20-TT	5/8
JSCR22-TT	11/16
JSCR24-TT	3/4

Individual components available for purchase.

10 PIECE BLACK CHROME METRIC NON-REVERSIBLE COMBINATION RATCHETING WRENCH SET - SPLINE

Product #: **JSCRM-10S-TT**

- › The chrome-vanadium switch lever allows for easy changes in turning direction which helps improve speed.
- › Chrome-vanadium box ends and switch levers provide high strength and durability.
- › Box end is countersunk for easy application to the fastener.
- › Spline design was created for use with specialty spline bolts which are used when weight and size of bolt heads must be minimized.
- › Spline design enables the wrench to contact conventional fasteners away from the corners, which help apply force over a large area helping to reduce risk of fastener rounding.
- › Spline design also helps prevent rounding of corners and other fastener damage that could lead to Foreign Object Damage (FOD).
- › The high contact surface area which is away from fastener points enables turning of highly rounded fasteners.



MM

JSCRM10-TT	10
JSCRM11-TT	11
JSCRM12-TT	12
JSCRM13-TT	13
JSCRM14-TT	14
JSCRM15-TT	15
JSCRM16-TT	16
JSCRM17-TT	17
JSCRM18-TT	18
JSCRM19-TT	19

Individual components available for purchase.

5 PIECE DOUBLE BOX RATCHETING WRENCH SET - 6 & 12 POINT

Product #: **J1190A-TT**

- › Full polish finish provides corrosion resistance and easy to clean surfaces.
- › Shorter length for access to confined workspaces.
- › The wrench self-aligns with the fastener.
- › 12 Point box end allows for fine indexing.
- › Fits 4, 6, and 12 Point fasteners.



6 12	INCH	Point
J1191T-A-TT	1/4 x 5/16	6
J1192T-A-TT	3/8 x 7/16	6
J1193T-A-TT	1/2 x 9/16	6
J1194-A-TT	5/8 x 11/16	12
J1195-A-TT	3/4 x 7/8	12

Individual components available for purchase.

5 PIECE DOUBLE BOX RATCHETING OFFSET WRENCH SET - 6 & 12 POINT

Product #: **J1180A-TT**

- › 25° Offset box end helps keep shank clear of obstructions.
- › Shorter length for access to confined workspaces.
- › Reversing switch lever allows for easy changes in turning direction which helps improve speed.
- › Full polish finish on handle provides corrosion resistance and easy to clean surfaces.
- › 6 Point box end allows for large wrench to fastener contact area which helps prevent rounding of the fastener.
- › 12 Point box end allows for fine indexing, helping to improve speed and access.

6 12	INCH	Point
J1181-A-TT	1/4 x 5/16	6
J1182-A-TT	3/8 x 7/16	6
J1183-A-TT	1/2 x 9/16	6
J1184-A-TT	5/8 x 11/16	12
J1185-A-TT	3/4 x 7/8	12

Individual components available for purchase.

5 PIECE DOUBLE BOX RATCHETING METRIC WRENCH SET - 6 & 12 POINT

Product #: **J1190MA-TT**

- › Full polish finish provides corrosion resistance and easy to clean surfaces.
- › Shorter length for access to confined workspaces.
- › The wrench self-aligns with the fastener.
- › 6 Point box end allows for a large wrench to fastener contact area which helps prevent fastener rounding.
- › 12 Point box end allows for fine indexing.
- › Fits 4, 6, and 12 Point fasteners.

6 12	MM	Point
J1191M-A-TT	7 x 8	6
J1192M-A-TT	9 x 10	6
J1193MA-A-TT	11 x 13	6
J1194MA-A-TT	12 x 14	6
J1195M-A-TT	15 x 17	12

Individual components available for purchase.

7 PIECE DOUBLE BOX RATCHETING METRIC OFFSET WRENCH SET - 6 & 12 POINT

Product #: **J1180MA-TT**

- › Full polish finish provides corrosion resistance and easy to clean surfaces.
- › 12 Point box end allows for fine indexing, helping to improve speed and access. Fits 4, 6, and 12 Point fasteners.
- › 6 Point box end allows larger wrench to fastener contact area which helps prevent rounding of the fastener.
- › 25° Offset box end helps keep shank clear of obstructions.
- › Reversing switch lever allows for easy changes in turning direction which helps improve speed.



6 12	MM	Point
J1181M-A-TT	7 x 8	6
J1182M-A-TT	9 x 10	6
J1183MA-A-TT	11 x 13	6
J1184MA-A-TT	12 x 14	6
J1185M-A-TT	15 x 17	12
J1186M-A-TT	16 x 18	12
J1187M-A-TT	19 x 21	12

Individual components available for purchase.



3 PIECE CLIK-STOP® ADJUSTABLE WRENCH SET

Product #: J790-TT

- › Clik-Stop® locking design holds the moving jaw of an adjustable wrench in place when the wrench is in use.
- › Satin finish provides corrosion resistance and a slip-resistant grip.
- › Extra wide jaw capacity.
- › Square jaw opening provides strength and tight fit.
- › Included lanyards (JLAN15LBSSRP).

Contents	Max. Opening (in)	Overall Length (in)
J708L-TT	1-1/8	8
J710L-TT	1-5/16	10
J712L-TT	1-1/2	12
J25TR22C	Tool Roll	

Weight (lbs): 3.08

ASME B107.10 0



SATIN CLIK-STOP® ADJUSTABLE WRENCHES

- › Satin finish provides corrosion resistance and a slip-resistant grip.
- › Extra wide jaw capacity.
- › Square jaw opening provides strength and tight fit.
- › Clik-Stop® locking design holds the moving jaw of an adjustable wrench in place when the wrench is in use.
- › Included lanyard (JLAN15LBSSRP).

Product #	Max Opening (in)	Overall Length (in)	Weight (lbs)
J708L-TT	1-1/8	8	0.57
J710L-TT	1-5/16	10	0.95
J712L-TT	1-1/2	12	1.54
J715L-TT	1-11/16	15	3.13
J718L-TT	2-1/16	18	5.73

ASME B107.100



ALUMINUM PIPE WRENCHES

- › Light weight aluminum for less job fatigue.
- › Standard handle lengths with wide gripping surface for increased comfort and one-hand operation.
- › Forged steel jaw provides outstanding strength.
- › Large knurl and power threads provide fast, positive jaw adjustment.
- › Graduation markings on hook jaw show approximate opening for pipe sizes.
- › Riveted jaw pin for safety.
- › Hanging hole for storage.
- › Field repairable by removing the rivet pin located on the bottom side of the jaw.
- › Replacement parts available.
- › Included lanyard (JLAN15LBSSRP).

Product #	Max Opening (in)	Overall Length (in)	Weight (lbs)
J810A-TT	1-1/2	10	1.10
J812A-TT	2	12	1.72
J814A-TT	2	14	2.15
J824A-TT	4	24	5.65

NOTE: For use with Elastic Bungee or Web Lanyard only.



TETHER-READY ADJUSTABLE & PIPE WRENCHES

6 POINT	12 POINT	SPL SPLINE	HEX HEX	FULL POLISH	SATIN	BLACK OXIDE	BLACK CHROME
---------	----------	------------	---------	-------------	-------	-------------	--------------




Each wrench is fitted with the correct weight-rated Proto® Heat Shrink Loop for the size of the wrench. The wrench is secure and remains strong because no holes are bored through the handle.



BLACK OXIDE HEAVY-DUTY OFFSET STRIKING WRENCHES - 12 POINT

- ▶ Black oxide finish.
- ▶ Large striking surface for surer blow contact and more efficient transmittal of force to fastener.
- ▶ Short handle permits use in close quarters.
- ▶ Box opening designed to remain on fastener when wrench is struck.
- ▶ For use where extreme force is necessary to loosen or set large fasteners.
- ▶ Heavy box walls provide greater torque transmission.
- ▶ Offset handle clears obstructions.
- ▶ Non-reflective black oxide finish for use where non-plated products are required.
- ▶ 12 Point box end allows for fine indexing, helping improve speed and access.
- ▶ Fits most 4, 6, and 12 Point fasteners.



TETHER-READY WRENCHES

12	INCH	MM	Outside Head Width (in) (C)	Head Thickness (in) (D)	Offset Height (in) (E)	Overall Length (in)	Weight (lbs)
J2617SW-TT	1-1/16	27	1-11/16	5/8	15/16	8-1/2	1.84
J2618SW-TT	1-1/8	—	1-11/16	5/8	15/16	11	1.79
J2619SW-TT	1-3/16	30	2-1/16	13/16	13/16	10-3/4	2.55
J2620SW-TT	1-1/4	—	1-7/8	13/16	13/16	10-3/4	2.58
J2621SW-TT	1-5/16	—	1-7/8	13/16	13/16	11-1/2	2.59
J2622SW-TT	1-3/8	35	2-25/64	1	1-1/2	12	3.40
J2623SW-TT	1-7/16	—	2-3/16	1	1-1/2	12	3.29
J2624SW-TT	1-1/2	38	2-3/16	1	1-1/2	12	3.35
J2625SW-TT	1-9/16	—	2-21/32	1-1/8	1-7/16	12-1/4	3.89
J2626SW-TT	1-5/8	—	2-13/32	1-1/8	1-1/2	12-1/4	4.00
J2627SW-TT	1-11/16	43	2-13/32	1-1/8	1-1/2	13-7/16	3.88
J2628SW-TT	1-3/4	—	2-19/32	1-3/16	1-9/16	13-7/16	3.90
J2629SW-TT	1-13/16	—	2-21/32	1-3/16	1-9/16	13-7/16	5.30
J2630SW-TT	1-7/8	—	2-27/32	1-1/4	1-21/32	13-7/16	5.24
J2631SW-TT	1-15/16	—	2-27/32	1-1/4	1-7/8	13-7/16	5.20
J2632SW-TT	2	51	2-27/32	1-1/4	1-21/32	13-7/16	5.16
J2633SW-TT	2-1/16	—	3-1/8	1-1/4	2	13-1/2	6.82
J2634SW-TT	2-1/8	54	3-1/8	1-1/2	2	13-7/8	6.71
J2635SW-TT	2-3/16	—	3-3/8	1-1/2	2	13-1/2	6.78
J2636SW-TT	2-1/4	57	3-3/8	1-1/2	2	13-1/2	6.30
J2637SW-TT	2-5/16	—	3-3/8	1-1/2	2	13-1/2	7.94
J2638SW-TT	2-3/8	—	3-3/8	1-1/2	2	13-1/2	7.86

NOTE: For use with Elastic Bungee or Web Lanyard only.

12	MM	Outside Head Width (in) (C)	Head Thickness (in) (D)	Offset Height (in) (E)	Overall Length (in)	Weight (lbs)
J2632SWM-TT	32	1-57/64	53/64	1-3/16	10-3/4	0.88
J2636SWM-TT	36	2-13/64	63/64	1-1/2	12-1/64	2.13
J2641SWM-TT	41	2-13/32	1-7/64	1-1/2	12-1/4	2.37
J2646SWM-TT	46	2-43/64	1-3/16	1-37/64	13-27/64	2.81
J2650SWM-TT	50	2-53/64	1-17/64	1-21/32	13-27/64	6.36
J2655SWM-TT	55	3-25/64	1-1/2	2-1/64	13-1/2	6.58
J2660SWM-TT	60	3-25/64	1-1/2	2-1/64	13-1/2	9.19
J2665SWM-TT	65	4-1/64	1-1/2	2-1/4	13-1/2	12.61
J2670SWM-TT	70	4-1/64	1-1/2	2-1/4	13-1/2	12.11
J2675SWM-TT	75	4-29/64	1-57/64	2-41/64	15-63/64	13.53
J2680SWM-TT	80	4-29/64	1-57/64	2-41/64	15-63/64	13.16

NOTE: For use with Elastic Bungee or Web Lanyard only.



STRIKING & STRUCK

Striking tools require strength and durability during impact. Proto® Tether Attachment Points will secure a striking tool without holes or welds that weaken or unbalance properly-made equipment.



The molded textured rubber grip provides a slip-resistance grip and increased control.


Patented Anti-Vibe® technology delivers greater vibration dampening effect than traditional one-piece steel hammers.

Proto® specifically positions the Heat Shrink Tether Loop to maximize the range of natural motion during tool use.



ANTI-VIBE® STEEL BALL PEIN HAMMERS

- Well-balanced professional hammer with hardened drop-forged head bonded to strong, lightweight fiberglass handle.
- Exclusive Rim-Tempered™ process minimizes chipping from off-center strikes.
- Molded jacket over the fiberglass handle provides maximum overstrike protection.



Product #	Head Weight (oz)	Overall Length (in) (L)	Weight (lbs)
J1316AVP-TT	16	12-7/8	1.54
J1324AVP-TT	24	13-25/32	2.18
J1332AVP-TT	32	14-3/4	2.62

ASME B107.400

BRASS HAMMERS

- Mar-resistant soft brass head helps absorb impact and helps reduce work damage.
- Spark-resistant for safe use near combustible materials.
- Fiberglass handle with ergonomic, non-slip grip.

PROP 65 WARNING: Handling the brass material on this product exposes you to lead, a chemical known to the State of California to cause cancer and birth defects or other reproductive harm. Wash hands after use.



Product #	Head Weight (lbs)	Face Diameter (in) (D)	Head Length (in) (H)	Overall Length (in) (L)	Weight (lbs)
J14326-TT	2.60	1-3/4	3-1/2	13-3/4	3.45
J14316-TT	3.80	2	3-5/8	14-3/4	4.38

DEAD BLOW COMPO-CAST® COMBO FACE HAMMERS

- Top welded handle-to-head assembly adds extra durability and safety.
- Hot urethane Uni-Cast construction outlasts all other soft face striking tools. Urethane composition provides shape-retaining faces even after repeated striking on hard surfaces and sharp edges.
- Handle is reinforced with solid steel shaft for greater strength safety.
- Top of head molded with a flat surface.
- Dual head design (Standard Dead Blow and Slim-line heads).
- Comfortable dual molded grip.



Top of head molded with flat surface.

Dual head design (Standard dead blow and slim-line heads).

Double flange butt handle.




Product #	Head Weight (oz)	Face Diameter (in) (D)	Head Length (in) (H)	Overall Length (in) (L)	Weight (lbs)
J57-530-TT	15	1 x 1-1/4	3-47/64	10-13/32	0.90
J57-531-TT	21	1-1/4 x 1-35/64	4-17/32	11-21/32	1.40
J57-532-TT	28	1-11/32 x 1-45/64	5-9/64	13-1/4	1.80
J57-533-TT	48	1-45/64 x 2-3/32	5-51/64	14-1/4	2.95
J57-534-TT	56	1-61/64 x 2-13/32	6-13/64	15-61/64	3.70

5 PIECE COLD CHISEL SET

Product #: **J86CS2-TT**

- ▶ Made from S2 steel and specially heat-treated for greater strength and durability.
- ▶ Modified parabolic striking end to help reduce mushrooming and chipping.
- ▶ Hand ground cutting edge to the exact angle for cutting through tough metals.
- ▶ Black oxide finish to help prevent rust corrosion, extending tool life and performance.
- ▶ A polished identification panel on one of the flats is marked with the tool number and size in a black inlay.
- ▶ Set offers a wide range of sizes to handle a variety of jobs.
- ▶ Includes a pouch for convenient storage solution.



Contents	Description	Tip Width (in) (A)	Shank Width (in) (B)	Overall Length (in) (L)
J86A1/2S2-TT	5/8" Cold Chisel	5/8	1/2	6-3/4
J86A1/4S2-TT	5/16" Cold Chisel	5/16	1/4	5-1/8
J86A3/8S2-TT	7/16" Cold Chisel	7/16	3/8	5-9/16
J86A5/16S2-TT	3/8" Cold Chisel	3/8	5/16	5-9/16
J86A7/16S2-TT	1/2" Cold Chisel	1/2	7/16	6
J25TR15C	Pouch			


Weight (lbs): 1.17

Individual components available for purchase.

7 PIECE PIN PUNCH SET

Product #: **J47A-TT**

- ▶ Made from S2 steel and specially heat-treated for greater strength and durability.
- ▶ Two-piece design allows the tip to be hard for durability while allowing it to be produced straight to help prevent binding.
- ▶ Modified parabolic striking end to help reduce mushrooming and chipping.
- ▶ Black oxide finish to help prevent rust corrosion, extending tool life and performance.
- ▶ A polished identification panel on one of the flats is marked with the tool number and size in a black inlay.
- ▶ Set offers a wide range of sizes to handle a variety of jobs.
- ▶ Includes a pouch for convenient storage solution.



Contents	Description	Tip Width (in) (A)	Shank Width (in) (B)	Overall Length (in) (L)
J471-4X1-16-TT	1/16" Punch Pin	1/16	1/4	4-3/8
J471-4X3-32-TT	3/32" Pin Punch	3/32	1/4	4-3/4
J475-16X1-8-TT	1/8" Pin Punch	1/8	5/16	5-3/16
J475-16X5-32TT	5/32" Pin Punch	5/32	5/16	5-9/16
J473-8X3-16-TT	3/16" Pin Punch	3/16	3/8	5-7/8
J477-16X7-32TT	7/32" Pin Punch	7/32	3/8	6-3/8
J471-2X1-4-TT	1/4" Pin Punch	1/4	3/8	6-3/4
J25TR31C	Pouch			

Weight (lbs): 1.15

Individual components available for purchase.

ASME B107.410



4 PIECE LARGE HANDLE PRY BAR SET

Product #: J2156S-TT

- › Impact-resistant, extruded Acetate handles are four-sided with broad but shallow flutes.
- › Resistant to most harsh chemicals (including hydraulic fluids used in the aerospace industry).
- › Four-sided handle design helps prevent "roll away" from the work surface and is comfortable and easy to hold.
- › High alloy steel shanks are heat-treated their entire length and black oxide treated for added strength and durability.



Contents	Size (in)
J2140-TT	14
J2142-TT	18
J2146-TT	28
J2148-TT	32

Individual components available for purchase.

PUNCH & CHISEL HOLDER

- › Holds punches and chisels up to one inch in diameter reducing the risk of injury.
- › Nylon insert absorbs shock.
- › Large four-sided handle.

Product #	Overall Length (in) (L)	Weight (lbs)
J2108-TT	8	0.60

4 PIECE PRY & ROLLING HEAD BARS SET

Product #: J2100-TT

- › Set includes rolling head and aligning bars.
- › Black oxide finish to help prevent rust corrosion; extending tool life and performance.



Contents	Size (in)	Type
J2120-TT	18	Aligning
J2124-TT	24	Aligning
J2126-TT	12	Rolling Head
J2130-TT	16	Rolling Head

Individual components available for purchase.



TETHER-READY PLIERS

All Proto® Tethered Pliers integrate a Tether Attachment Point in the handle that sits in the heel of your hand. When the pliers open, the lanyard remains stationary in the hand and promotes a more natural use of the pliers.



XL SERIES PLIERS

- › Exclusive Flush Fastener provides better access with increased user adjustability making it 30% narrower.
- › Flush Fastener allows pliers to lay flat in the work place and prevents snagging on tool belts/pouches.
- › Flush Fastener is a nut and bolt assembly and can easily be adjusted by the end user in the field.





XL SERIES TONGUE & GROOVE

- › Jaws are milled with deep self-gripping pipe wrench style teeth for maximum bite.
- › Accurately machined undercut tongue and groove points for precision movement and joint strength.



Product #	Description	Overall Length (in)	Jaw Thickness (in)	Jaw Width (in)	Jaw Length (in)	Weight (lbs)
J261SGXL-TT	Groove Joint Pliers w/Grip - 5"	5	15/64	3/4	31/32	0.15
J262SGXL-TT	Groove Joint Pliers w/Grip - 7"	7	3/8	1-19/64	1-43/64	0.5
J260SGXL-TT	Groove Joint Pliers w/Grip - 10"	10	27/64	1-19/32	2-3/32	0.94
J264SGXL-TT	Groove Joint Pliers w/Grip - 12"	12	33/64	2-1/2	2-45/64	1.95
J265SGXL-TT	Groove Joint Pliers w/Grip - 16"	16	33/64	3-3/32	3	2.6


XL SERIES COMBINATION SLIP-JOINT

- › Jaws are milled with deep, sharp, lobster claw design that give two gripping areas with each position.
- › Combination pliers have shear type cutters.
- › Non-gripped versions are complemented with deep, strong, drop-forged knurled impressions making it non-slip. The impressions can also be used to file off a burr when on the go!





Product #	Description	Overall Length (in)	Jaw Thickness (in)	Jaw Width (in)	Jaw Length (in)	Weight (lbs)
J2766XL-TT	Slip-Joint Pliers w/Grip - 6"	6-1/2	13/32	1-1/4	1-27/32	0.5
J2766XL-TT	Slip-Joint Pliers w/Natural Finish - 6"	6-1/2	13/32	1-1/4	1-27/32	0.45
J2786XL-TT	Slip-Joint Pliers w/Grip - 8"	8	13/32	1-5/16	2-3/32	0.64
J278XL-TT	Slip-Joint Pliers w/Natural Finish - 8"	8	13/32	1-5/16	2-3/32	0.6
J2806XL-TT	Slip-Joint Pliers w/Grip - 10"	10	31/64	1-13/32	2-11/64	0.9
J2800XL-TT	Slip-Joint Pliers w/Natural Finish - 10"	10	31/64	1-13/32	2-11/64	0.9





SOFT JAW - CANNON PLUG PLIERS

- › Capacity of 3/4" to 2-1/2".
- › Four-position pivot design provides greater concentricity.
- › Replaceable urethane padded jaws protect work piece from marking or scratching.
- › Plastisol grips for added comfort.



Product #	Overall Length (in) (L)	Max. Opening (in)	Replacement Item	Weight (lbs)
J253G-TT	9-1/2	3/4 - 2-1/2	J253GRK	0.54




STRAIGHT JAW LOCKING PLIERS

- › Heavy-duty nose.
- › Reinforced precisely machined teeth.
- › Strong, tough tool.
- › Helps provide secure grip for extra tough jobs.
- › General purpose for various maintenance situations.
- › Locking nut to hold adjustment during repetitive jobs.



Product #	Overall Length (in) (L)	Jaw Length (in) (A)	Jaw Width (in) (B)	Weight (lbs)
J293XL-TT	9-1/4	1-19/32	5/8	1.39




SAFETY WIRE TWISTER PLIERS - REVERSIBLE

- › Reversible safety wire pliers provide right and left twist capability often eliminating the need for a second plier.
- › Meets SAE Aerospace Standard AS 567 Twister Requirements.
- › Provides all of the features of standard Proto® Safety Wire Pliers.
- › J196 designed for wire sizes .020" - .041".
- › J197 designed for wire sizes .020" - .060".
- › J198 designed for wire sizes .020" - 0.60".



Product #	Overall Length (in) (L)	Weight (lbs)
J196-TT	8-3/4	0.64



WIRE STRIPPER - CRIMPER

- › Strips 10-22 AWG (American Wire Gauge).
- › Box style crimp.
- › Crimps insulated and non-insulated terminals for 10-22 AWG.
- › Crimps non-insulated 7 mm and 8 mm auto ignition wire.
- › Cuts screw/bolt sizes 4-40, 5-40, 6-32, 8-32, 10-32, 10-24.
- › Anvil type wire cutter for cutting copper wire.
- › Air-pocket cushion grips for comfort.



Product #	Overall Length (in) (L)	Weight (lbs)
J299-TT	8-1/2	0.45

SCREWDRIVERS & HEX KEYS

Proto® Tethered Hex Keys and Screwdrivers feature tool collars that tightly attach to the bar of the tool. Each collar is specifically sized for a tight compression fit on the diameter of the bar.



11 PIECE T-HANDLE HEX KEY SET

Product #: J4968-TT



HEX	INCH	Handle Length (in)	Length (in)	Weight (lbs)
J46405-TT	5/64	3	6	0.11
J46406-TT	3/32	3	6	0.11
J46407-TT	7/64	3	6	0.11
J46408-TT	1/8	3	6	0.14
J46409-TT	9/64	3	6	0.14
J46410-TT	5/32	3	6	0.32
J46412-TT	3/16	4	6	0.32
J46414-TT	7/32	4	6	0.63
J46416-TT	1/4	4	6	0.82
J46420-TT	5/16	6	6	0.89
J46424-TT	3/8	6	6	0.90

Weight (lbs): 3.98

6 PIECE METRIC T-HANDLE HEX KEY SET

Product #: J4969-TT



HEX	MM	Handle Length (in)	Length (in)	Weight (lbs)
J46508-TT	2	3	6	0.11
J46510-TT	2.5	3	6	0.13
J46512-TT	3	3	6	0.13
J46514-TT	4	3	6	0.14
J46516-TT	5	4	6	0.32
J46518-TT	6	4	6	0.62

Weight (lbs): 1.00



T-HANDLE HEX KEYS



HEX	INCH	Handle Length (in)	Length (in)	Weight (lbs)
J46405-TT	5/64	3	6	0.11
J46406-TT	3/32	3	6	0.11
J46407-TT	7/64	3	6	0.11
J46408-TT	1/8	3	6	0.14
J46409-TT	9/64	3	6	0.14
J46410-TT	5/32	3	6	0.32
J46412-TT	3/16	4	6	0.32
J46414-TT	7/32	4	6	0.63
J46416-TT	1/4	4	6	0.82
J46420-TT	5/16	6	6	0.89
J46424-TT	3/8	6	6	0.90

T-HANDLE HEX KEYS METRIC



HEX	MM	Handle Length (in)	Length (in)	Weight (lbs)
J46508-TT	2	3	6	0.11
J46510-TT	2.5	3	6	0.13
J46512-TT	3	3	6	0.13
J46514-TT	4	3	6	0.14
J46516-TT	5	4	6	0.32
J46518-TT	6	4	6	0.62

TETHER-READY T-HANDLE & FOLDING HEX KEYS

6 PIECE METRIC LONG FOLDING HEX KEY SET

Product #: J4973-TT

- › Chrome plated steel case is 6-1/2" long.
- › Black oxide bits are 5" long.



MM	Length (in)
3	5
4	5
5	5
6	5
8	5
10	5

Weight (lbs): 0.84

9 PIECE FOLDING HEX KEY SET

Product #: J4993-TT

- › Chrome plated steel case is 4-1/2" long.
- › Black oxide bits are 1-7/16" to 2-3/4" long.



INCH	Set Screws	Fits Cap Screws 1960 Series	Cap Screws 1936 Series
5/64	#8	#2, #3	#3, #4
3/32	#10, #12	#4, #5	#5, #6
7/64	—	#6	—
1/8	1/4	—	#8
9/64	—	#8	—
5/32	5/16	#10	#10
3/16	3/8	1/4	1/4
7/32	7/16	—	5/16
1/4	1/2, 9/16	5/16	—

Weight (lbs): 0.47



PROTO® DURATEK™ SCREWDRIVERS



FEATURES AND BENEFITS — DURATEK™ SCREWDRIVERS

- › Ergonomically designed quad-lobe handle features 360° texture for additional grip.
- › Designed to meet demanding heavy-duty needs of industrial maintenance and assembly applications.

HANDLE

- › Impact and chemical resistant handles are four-sided with broad but shallow flutes.
- › Resistant to most harsh chemicals (including hydraulic fluids used in the aerospace industry).
- › Four-sided handle design helps prevent "roll away" from the work surface.

SHANK

- › High-alloy steel shanks are heat-treated their entire length to help provide strength against twisting action and to help prevent bending and twisting when placed under torque.
- › Fully grounded and chemically polished, then chrome plated for corrosion resistance.

TIP

- › Made of high-alloy steel (same as shank).
- › Precision machined for precise fastener fit.
- › Finished in black oxide to help prevent cam out and slipping.
- › Tips are un-plated with a black oxide finish to help prevent chrome peeling, an important Foreign Object Debris (FOD) concern.

Product #	Tip Size	Tips	Shank Length (in) (L1)	Shank Type	Bolster	Overall Length (in) (L)
JC31604R-TT	3/16	Cabinet	4	Round	—	7
JK14112R-TT	1/4	Keystone	1-1/2	Round	—	3-1/2
JK1404R-TT	1/4	Keystone	4	Round	—	8
JK51606R-TT	5/16	Keystone	6	Round	—	10-3/8
JK3808R-TT	3/8	Keystone	8	Round	—	13
JK3810R-TT	3/8	Keystone	10	Round	—	11
JPP0003R-TT	0	Phillips	3	Round	—	5-3/4
JP0103R-TT	1	Phillips	3	Round	—	6-3/4
JP02112R-TT	2	Phillips	1-1/2	Round	—	3-1/2
JP0204R-TT	2	Phillips	4	Round	—	8
JP0306R-TT	3	Phillips	6	Round	—	10-3/8
JP0408R-TT	4	Phillips	8	Round	—	13

ASME B107.600



6 PIECE PHILLIPS PROTO® DURATEK™ SCREWDRIVER SET

Product #: J1206SP-TT

► Duratek™ features apply.



Contents	Description	Tip Size	Tips	Shank Length (in) (L1)	Shank Type	Overall Length (in)
JPP0003R-TT	Screwdriver, Phillips Round #0 x 3"	0	Phillips	3	Round	5-3/4
JPO103R-TT	Screwdriver, Phillips Round #1 x 3"	1	Phillips	3	Round	6-3/4
JPO2112R-TT	Screwdriver, Phillips Round, Stubby #2 x 1-1/2"	2	Phillips	1-1/2	Round	3-1/2
JPO204R-TT	Screwdriver, Phillips Round #2 x 4"	2	Phillips	4	Round	8
JPO306R-TT	Screwdriver, Phillips Round #3 x 6"	3	Phillips	6	Round	10-3/8
JPO408R-TT	Screwdriver, Phillips Round #4 x 8"	4	Phillips	8	Round	13

ASME B107.600

6 PIECE SLOTTED PROTO® DURATEK™ SCREWDRIVER SET

Product #: J1206SSF-TT

► Duratek™ features apply.



Contents	Description	Tip Size	Tips	Shank Length (in) (L1)	Shank Type	Overall Length (in)
JC31604R-TT	Screwdriver, Slotted Keystone, Round 3/16" x 4"	3/16	Keystone	4	Round	7
JK14112R-TT	Screwdriver, Slotted Keystone, Round, Stubby 1/4" x 1-1/2"	1/4	Keystone	1-1/2	Round	3-1/2
JK1404R-TT	Screwdriver, Slotted Keystone, Round 1/4" x 4"	1/4	Keystone	4	Round	8
JK51606R-TT	Screwdriver, Slotted Keystone, Round 5/16" x 6"	5/16	Keystone	6	Round	10
JK3808R-TT	Screwdriver, Slotted Keystone, Round 3/8" x 8"	3/8	Keystone	8	Round	13
JK3810R-TT	Screwdriver, Slotted Keystone, Round 3/8" x 12"	3/8	Keystone	12	Round	17

ASME B107.600

SPECIALTY TOOLS



J2343-TT

Lanyard not included


1-1/2" CARBON SCRAPER

- › Impact-resistant, extruded Acetate handles are four-sided with broad but shallow flutes.
- › Resistant to most harsh chemicals (including hydraulic fluids used in the aerospace industry).
- › Four-sided handle design helps prevent "roll away" from the work surface and are comfortable and easy to hold.
- › High alloy steel 3/8" shanks are heat-treated their entire length and black oxide treated for added strength and durability.

Product #	Shank Diameter (in)	Blade Width (in)	Shank Length (in)	Overall Length (in)	Weight (lbs)
J2343-TT	3/8	1-1/2	6-1/4	10-3/8	0.50

STANLEY® WRECKING BARS

- › Forged one-piece steel construction for increased strength and durability.
- › Yellow powder coated claw end for high visibility.
- › Beveled chisel end for prying.
- › Nail slot on claw end with beveled edge for pulling nails and prying.
- › Both chisel and claw end are polished.



Product #	Overall Length	Claw Blade Width	Claw Blade Width	Weight	Color
55-130-TT	30 in (760 mm)	1-1/4 in (32 mm)	1 in (25 mm)	4.5 lbs (2.04 kg)	Yellow



HEAVY-DUTY PISTOL GRIP GREASE GUN

- › 3-Way filling: bulk, cartridge, or filler pump.
- › 16 oz. Bulk fill.
- › 14 oz. Standard cartridge.
- › Heavy-duty 1.7 mm thick seamless barrel to avoid dents.
- › Aluminum head reduces weight.
- › Heavy-duty flexible 18" nylon hose and 6" metal spout for easy use.
- › Output pressure: 3,600 PSI.



Product #	Overall Length (in)	Weight (lbs)
JFC33HD-TT	16	3.86

STANLEY® FATMAX® TETHER-READY AUTO-LOCK TAPE RULES

- › Auto-Lock Mode: For control and long blade life.
- › Manual Mode: Disengage lock for speed marking.
- › Detachable Hook: Allows user to work efficiently in different conditions.
- › 11' Blade Standout*: For reach and efficiency.
- › BladeArmor®: 10X** blade life.
- › Hook Storage: Securely stores hook when not in use.
- › Through-hole for attaching a tool lanyard when working at heights.



Lanyard not included

Product #	Blade Width (in)	Blade Length (ft)
FMHT33316	1-1/4	16
FMHT33338L	1-1/4	25
FMHT33348	1-1/4	30

*Standout claims based on maximum performance
**Compared to STANLEY 30-419

STANLEY® HIGH TENSION LOW PROFILE HACKSAW

- › Arc-shaped frame enables cutting in hard-to-reach areas.
- › 4" Throat depth cuts large PVC pipes.
- › Heavy-duty, lightweight, die-cast aluminum I-beam frame provides strength and durability.
- › Ergonomically designed handle for comfortable use.
- › Tension knob makes blade tension adjustment easy.
- › 45° and 90° Cutting angles add flexibility.
- › Hacksaw blade included (15-631): 1.
- › Included lanyard (JLAN15LBSSRP).



Product #	Blade Length	Throat Depth
20-001K-TT	12 in (305 mm)	4 in (102 mm)

STANLEY® SELF-RETRACTING SAFETY BLADE UTILITY KNIFE

- › Durable, all-metal knife body construction.
- › Machine screw firmly holds knife body together - Screwdriver required for blade change.
- › Contoured handle and textured, die-cast body for slip-resistance.
- › Interlocking nose design helps secure blade and helps prevent body separation.
- › Comes with hang-hole for adding a wrist strap or lanyard.
- › Auto-retracting blade: spring-loaded. Retracts when slide button is released.
- › Blades included (11-987): 1.
- › Works with most standard utility blades.



Auto Retracting
Blade Feature.



Interlocking
Nose Feature.

Product #	Length	Body Color
10-189C-TT	5-7/8 in (149 mm)	Orange

DEWALT® HEAT GUN

- › Variable temperature control allows for adjustment of the heat settings.
- › Built-in overload protection shuts the heating element down and prevents burn up.
- › Built-in hang ring adds a convenient storage feature.
- › Built-in innovative kickstand support provides greater stability and prevents tip over.
- › Cord Protector keeps the cord from tearing away from the housing.
- › Ergonomic comfort grip provides greater comfort for long hours of use.
- › Separate Internal Components allows maintenance on both the motor and the heating element.
- › Temperature: 120 to 1100 °F.



Product #	Voltage	Amps	Watts	Cord Length (ft)	Weight (lbs)
D26950	120	13	1550	10	2.10


CONTENTS

560 SERIES	68-69
550 SERIES	70-89
540 SERIES	90-103
FIELD INSTALLED LOCK BARS	104
DRAWER LINERS, FOAM KITS & VINYL MATS	104-105
COVERS	105
UTILITY CARTS	106-107
SERVICE ROAD BOX	108
TOOL BOXES	108-111
TOOL BAGS	111-112
BUCKETS & CASES	113
TOOL POUCHES	114-115
TOOL HOLDERS	115
BELTS & GLOVES	116

TOOL STORAGE

FULL RANGE OF OPTIONS

Series	Available Depths (in)	Available Lengths (in)	Slide Capacity (lbs)	Casters (in)	Caster Load Capacity (lbs)	Steel Construction	Available Power Drawer
560S	21-3/8	30, 45	400/ea	6 x 2	800/ea	12, 13, 14, 20 gauge	No
550S	25-1/4, 27	88, 67, 66, 57, 50, 34	125-200/ea	6 x 2	900/ea	14, 16, 18 gauge	Yes
540S	12, 18	54, 41, 27	100/ea	5 x 2	450/ea	18 gauge	No



560 SERIES **BUILT FOR STRENGTH**

OUR MOST RUGGED TOOL STORAGE

The 560 Series offers premium, industrial strength for your heaviest loads.

COLOR RANGE

DURA DRAWER



SAFETY
RED & GRAY



DUAL
BLACK

HERITAGE GLOSS



GLOSS
RED



GLOSS
BLACK



GLOSS
BLUE

SPECIAL ORDER

Custom colors
available upon request.



Lock-in, lock-out drawers
for security and safety.

Drawer capacity slides
rated to 400 lbs.

Drawer dividers make each
drawer custom configurable.

6" casters — 2 swivel,
2 rigid — load-rated to
carry 800 lbs per caster.



**560 SERIES 45" WORKSTATION - 10 DRAWER**

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
45	42-1/2	21-3/8	24,457	400

**Drawer Configuration**

42-1/2" W x 4-5/8" H	
20-1/4" W x 3" H	20-1/4" W x 3-7/8" H
20-1/4" W x 3" H	20-1/4" W x 4-5/8" H
20-1/4" W x 7" H	20-1/4" W x 4-5/8" H
	20-1/4" W x 4-5/8" H
20-1/4" W x 12-1/2" H	20-1/4" W x 7-7/8" H

Drawer Depth: 19-7/8"

DURA DRAWER	
Product #	Color
J564542-10SG	Safety Red & Gray
J564542-10DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J564542-10RD	Gloss Red
J564542-10BK	Gloss Black
J564542-10BL	Gloss Blue

560 SERIES 45" WORKSTATION - 6 DRAWER & 1 SHELF

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
45	42-1/2	21-3/8	24,498	390

**Drawer Configuration**

42-1/2" W x 4-5/8" H	
20-1/4" W x 21-1/2" H	20-1/4" W x 3-7/8" H
	20-1/4" W x 4-5/8" H
	20-1/4" W x 4-5/8" H
	20-1/4" W x 4-5/8" H
	20-1/4" W x 4-5/8" H
	20-1/4" W x 7-7/8" H

Drawer Depth: 19-7/8"

DURA DRAWER	
Product #	Color
J564542-6SG-1S	Safety Red & Gray
J564542-6DB-1S	Dual Black
HERITAGE GLOSS	
Product #	Color
J564542-6RD-1S	Gloss Red
J564542-6BK-1S	Gloss Black
J564542-6BL-1S	Gloss Blue

560 SERIES 30" ROLLER CABINET - 6 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
30	42-1/2	21-3/8	15,965	354

**Drawer Configuration**

20-1/4" W x 3" H
20-1/4" W x 3-7/8" H
20-1/4" W x 3-7/8" H
20-1/4" W x 4-5/8" H
20-1/4" W x 6-1/4" H
20-1/4" W x 9-3/8" H

Drawer Depth: 19-7/8"

DURA DRAWER	
Product #	Color
J563042-6SG	Safety Red & Gray
J563042-6DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J563042-6RD	Gloss Red
J563042-6BK	Gloss Black
J563042-6BL	Gloss Blue



550 SERIES


BUILT FOR INDUSTRIAL VERSATILITY

WORKSTATIONS, TOP PIECES, AND SIDE CABINETS

The 550 Series offers the largest selection of industrial tool storage options featuring premium, heavy gauge steel, fully extending drawers with up to 200 lbs slide capacity, and casters that hold up to 900 lbs each.

SEVEN DIFFERENT PLATFORM WIDTHS

From 34 inches to 88 inches allow these tool boxes to fit into any workspace.



TRIPLES



DOUBLES



SINGLES

MORE DRAWER CONFIGURATIONS

From narrow to full width, 22 drawers to 4, as well as power drawers, to fit your full assortment of tools.



COLOR RANGE

DURA DRAWER



SAFETY
RED & GRAY



DUAL
BLACK

HERITAGE GLOSS



GLOSS
RED



GLOSS
BLACK



GLOSS
BLUE

SPECIAL ORDER

Custom colors
available upon request.


HIGH IMPACT CASTERS

High impact glass filled nylon resin wheels and locks that are resistant to water and most chemicals.

900 lb load capacity each.

The enhanced locking mechanism is easy to actuate.

Rolling bearing with hardened steel bushings helps mobility and ease of rolling.





Made of industrial strength 14, 16, and 18 gauge steel.

Integrated brushed aluminum drawer pulls for added drawer rigidity.

100% fully extending and recessed drawer pulls.

Ergonomic metal side handle for easy gripping and handling.

Ball-bearing slides provide 125 to 200 lbs of drawer load capacity.

Adjustable drawer detents ensure drawers stay shut when the box is unlocked.

6" x 2" casters with a 900 lbs load capacity each.

Reinforced top and bottom panes to carry extra weight loads.

Heavy-duty locks with tubular keys.

Workstations provide up to 48,654 cubic inches of storage. Add even more space with top and side pieces.

ITEMS SHOWN:
J555041-12DB
J555027-10DB
J551934-6DB-SC

Vinyl top and drawer liners included.

Dual Black Option Shown.

OPTIONAL LOCK BARS

Provides extra security measure and drawer retention to help keep drawers shut while moving the cabinet from one location to the next (in the locked position).

Select 550 Series cabinets available fully assembled with factory installed lock bar.

FACTORY INSTALLED LOCK BARS
(See workstation tables for compatibility)

FIELD INSTALLED LOCK BARS
(See p. 104 for info table)

J553441-8SG with factory installed lock bar



550S 88" PLATFORM

550S 88" WORKSTATION - 22 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
88-1/4	46-3/8	27	48,115	1,238



Drawer Configuration

18-5/8" W x 6-7/8" H	59" W x 6-7/8" H	
18-5/8" W x 2-1/4" H	37-3/8" W x 2-1/4" H	18-5/8" W x 2-1/4" H
18-5/8" W x 2-1/4" H	37-3/8" W x 2-1/4" H	18-5/8" W x 2-1/4" H
18-5/8" W x 2-1/4" H	37-3/8" W x 3-3/8" H	18-5/8" W x 2-1/4" H
18-5/8" W x 2-1/4" H	37-3/8" W x 3-3/8" H	18-5/8" W x 2-1/4" H
18-5/8" W x 3-3/8" H	37-3/8" W x 3-3/8" H	18-5/8" W x 3-3/8" H
18-5/8" W x 3-3/8" H	37-3/8" W x 4-1/2" H	18-5/8" W x 3-3/8" H
18-5/8" W x 6-7/8" H	37-3/8" W x 6-7/8" H	18-5/8" W x 6-7/8" H

Drawer Depth: 24-3/4"

DURA DRAWER	
Product #	Color
J558846-22SG	Safety Red & Gray
J558846-22DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J558846-22RD	Gloss Red
J558846-22BK	Gloss Black
J558846-22BL	Gloss Blue

550S 88" WORKSTATION - 20 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
88-1/4	46-3/8	27	48,654	1,238



Drawer Configuration

18-5/8" W x 6-7/8" H	59" W x 6-7/8" H	
18-5/8" W x 2-1/4" H	37-3/8" W x 2-1/4" H	18-5/8" W x 2-1/4" H
18-5/8" W x 2-1/4" H	37-3/8" W x 2-1/4" H	18-5/8" W x 2-1/4" H
18-5/8" W x 3-3/8" H	37-3/8" W x 3-3/8" H	18-5/8" W x 2-1/4" H
18-5/8" W x 3-3/8" H	37-3/8" W x 3-3/8" H	18-5/8" W x 2-1/4" H
18-5/8" W x 11-1/2" H	37-3/8" W x 4-1/2" H	18-5/8" W x 3-3/8" H
	37-3/8" W x 6-7/8" H	18-5/8" W x 3-3/8" H
		18-5/8" W x 6-7/8" H

Drawer Depth: 24-3/4"

DURA DRAWER	
Product #	Color
J558846-20SG	Safety Red & Gray
J558846-20DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J558846-20RD	Gloss Red
J558846-20BK	Gloss Black
J558846-20BL	Gloss Blue



550S 88" POWER WORKSTATION - 18 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
88-1/4	46-3/8	27	48,654	1,238



Power Drawer Depth: 21-5/8"

Drawer Configuration

18-5/8" W x 6-7/8" H	59" W x 6-7/8" H	
18-5/8" W x 2-1/4" H	37-3/8" W x 2-1/4" H	18-5/8" W x 2-1/4" H
18-5/8" W x 2-1/4" H	37-3/8" W x 2-1/4" H	18-5/8" W x 2-1/4" H
18-5/8" W x 2-1/4" H	37-3/8" W x 3-3/8" H	18-5/8" W x 2-1/4" H
18-5/8" W x 4-1/2" H	37-3/8" W x 3-3/8" H	18-5/8" W x 4-1/2" H
18-5/8" W x 11-1/2" H	37-3/8" W x 4-1/2" H	18-5/8" W x 11-1/2" H
	37-3/8" W x 6-7/8" H	

Drawer Depth: 24-3/4"

DURA DRAWER	
Product #	Color
J558846-18SG-PD	Safety Red & Gray
J558846-18DB-PD	Dual Black
HERITAGE GLOSS	
Product #	Color
J558846-18RD-PD	Gloss Red
J558846-18BK-PD	Gloss Black
J558846-18BL-PD	Gloss Blue

550S 88" WORKSTATION - 18 DRAWER



Drawer Configuration

18-5/8" W x 6-7/8" H	59" W x 6-7/8" H	
18-5/8" W x 2-1/4" H	37-3/8" W x 2-1/4" H	18-5/8" W x 2-1/4" H
18-5/8" W x 2-1/4" H	37-3/8" W x 2-1/4" H	18-5/8" W x 2-1/4" H
18-5/8" W x 2-1/4" H	37-3/8" W x 3-3/8" H	18-5/8" W x 2-1/4" H
18-5/8" W x 4-1/2" H	37-3/8" W x 3-3/8" H	18-5/8" W x 4-1/2" H
18-5/8" W x 11-1/2" H	37-3/8" W x 4-1/2" H	18-5/8" W x 11-1/2" H
	37-3/8" W x 6-7/8" H	

Drawer Depth: 24-3/4"

DURA DRAWER	
Product #	Color
J558846-18SG	Safety Red & Gray
J558846-18DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J558846-18RD	Gloss Red
J558846-18BK	Gloss Black
J558846-18BL	Gloss Blue



550S 88" PLATFORM

550S 88" WORKSTATION - 13 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
88-1/4	46-3/8	27	48,517	1,238



Drawer Configuration

18-5/8" W x 6-7/8" H	59" W x 4-1/2" H
18-5/8" W x 2-1/4" H	59" W x 2-1/4" H
18-5/8" W x 2-1/4" H	59" W x 3-3/8" H
18-5/8" W x 3-3/8" H	59" W x 3-3/8" H
18-5/8" W x 3-3/8" H	59" W x 4-1/2" H
18-5/8" W x 11-1/2" H	59" W x 4-1/2" H
	59" W x 6-7/8" H

Drawer Depth: 24-3/4"

DURA DRAWER	
Product #	Color
J558846-13SG	Safety Red & Gray
J558846-13DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J558846-13RD	Gloss Red
J558846-13BK	Gloss Black
J558846-13BL	Gloss Blue

550S 88" TOP CHEST - 15 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
88-1/4	27-1/4	27	32,756	680



Drawer Configuration

18-5/8" W x 2-1/4" H	37-3/8" W x 2-1/4" H	18-5/8" W x 2-1/4" H
18-5/8" W x 2-1/4" H	37-3/8" W x 2-1/4" H	18-5/8" W x 2-1/4" H
18-5/8" W x 2-1/4" H	37-3/8" W x 2-1/4" H	18-5/8" W x 2-1/4" H
18-5/8" W x 3-3/8" H	37-3/8" W x 3-3/8" H	18-5/8" W x 3-3/8" H
18-5/8" W x 3-3/8" H	37-3/8" W x 3-3/8" H	18-5/8" W x 3-3/8" H

Drawer Depth: 24-3/4"

DURA DRAWER	
Product #	Color
J558827-15SG-TC	Safety Red & Gray
J558827-15DB-TC	Dual Black
HERITAGE GLOSS	
Product #	Color
J558827-15RD-TC	Gloss Red
J558827-15BK-TC	Gloss Black
J558827-15BL-TC	Gloss Blue



550S 88" HUTCH

Inside Height (in)	Outside Height (in)	Inside Width (in)	Outside Width (in)
20-11/32	25-3/4	87-3/4	87-57/64
Inside Depth (in)	Outside Depth (in)	Cubic Capacity (cu. in.)	
22-5/16	25-3/4	39,826	



DURA DRAWER	
Product #	Color
J558825-SG-H	Safety Red & Gray
J558825-DB-H	Dual Black
HERITAGE GLOSS	
Product #	Color
J558825-RD-H	Gloss Red
J558825-BK-H	Gloss Black
J558825-BL-H	Gloss Blue

550S 67" PLATFORM

550S 67" WORKSTATION - 20 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
67	41	25-1/4	30,519	600



Drawer Configuration

13-7/6" W x 4-1/2" H	44" W x 4-1/2" H	
13-7/6" W x 2-1/4" H	28" W x 2-1/4" H	13-7/6" W x 2-1/4" H
13-7/6" W x 2-1/4" H	28" W x 2-1/4" H	13-7/6" W x 2-1/4" H
13-7/6" W x 3-3/8" H	28" W x 3-3/8" H	13-7/6" W x 3-3/8" H
13-7/6" W x 3-3/8" H	28" W x 3-3/8" H	13-7/6" W x 3-3/8" H
13-7/6" W x 11-1/2" H	28" W x 4-1/2" H	13-7/6" W x 3-3/8" H
	28" W x 6-7/8" H	13-7/6" W x 4-1/2" H

Drawer Depth: 23"

DURA DRAWER	
Product #	Color
J556741-20SG	Safety Red & Gray
J556741-20DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J556741-20RD	Gloss Red
J556741-20BK	Gloss Black
J556741-20BL	Gloss Blue

550E 67" PLATFORM

550E 67" FRONT FACING POWER WORKSTATION - 18 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
67	41	25-1/4	30,144	600

- › Convenient, front mounted, power strip featuring four, 15A outlets and two USB ports.
- › High impact ABS plastic casing for industrial durability.
- › Power drawer standard.



Four, 15A Outlets and 2 USB Ports



11" Integrated Power Drawer

Drawer Configuration

13-7/6" W x 4-1/2" H	44" W x 4-1/2" H	
13-7/6" W x 2-1/4" H	28" W x 2-1/4" H	13-7/6" W x 2-1/4" H
13-7/6" W x 2-1/4" H	28" W x 2-1/4" H	13-7/6" W x 2-1/4" H
13-7/6" W x 3-3/8" H	28" W x 3-3/8" H	13-7/6" W x 3-3/8" H
13-7/6" W x 3-3/8" H	28" W x 3-3/8" H	13-7/6" W x 3-3/8" H
13-7/6" W x 3-3/8" H	28" W x 3-3/8" H	13-7/6" W x 3-3/8" H
13-7/6" W x 11-1/2" H	28" W x 4-1/2" H	13-7/6" W x 11-1/2" H
	28" W x 6-7/8" H	

Drawer Depth: 23"

DURA DRAWER

Product #	Color
J556741-18SGPDP	Safety Red & Gray
J556741-18DBPDP	Dual Black

HERITAGE GLOSS	
Product #	Color
J556741-18RDPDP	Gloss Red
J556741-18BKDPDP	Gloss Black
J556741-18BLPDP	Gloss Blue

550E 67" POWER WORKSTATION - 18 DRAWER

- › 4-Outlet 110V power strip.
- › Store and charge up to four battery packs.
- › Removable back panel keeps cords neat.
- › 1/4 turn fasteners for easy access.
- › Adjustable drawer divider separates chargers from tools.
- › Non-slip drawer liners.



Power Drawer Depth: 21-5/8"

Drawer Configuration

13-7/6" W x 4-1/2" H	44" W x 4-1/2" H	
13-7/6" W x 2-1/4" H	28" W x 2-1/4" H	13-7/6" W x 2-1/4" H
13-7/6" W x 2-1/4" H	28" W x 2-1/4" H	13-7/6" W x 2-1/4" H
13-7/6" W x 3-3/8" H	28" W x 3-3/8" H	13-7/6" W x 3-3/8" H
13-7/6" W x 3-3/8" H	28" W x 3-3/8" H	13-7/6" W x 3-3/8" H
13-7/6" W x 11-1/2" H	28" W x 4-1/2" H	13-7/6" W x 11-1/2" H
	28" W x 6-7/8" H	

Drawer Depth: 23"

DURA DRAWER

Product #	Color
J556741-18SGPDP	Safety Red & Gray
J556741-18DBPDP	Dual Black

HERITAGE GLOSS	
Product #	Color
J556741-18RDPDP	Gloss Red
J556741-18BKDPDP	Gloss Black
J556741-18BLPDP	Gloss Blue

550S 66" PLATFORM

TOOL STORAGE



550S 66" WORKSTATION - 12 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
66	46	27	36,455	750



Drawer Configuration

59" W x 6" H	
37-3/8" W x 1-3/4" H	18-2/3" W x 1-3/4" H
37-3/8" W x 1-3/4" H	18-2/3" W x 1-3/4" H
37-3/8" W x 3" H	18-2/3" W x 3" H
37-3/8" W x 3" H	18-2/3" W x 3" H
37-3/8" W x 4" H	18-2/3" W x 3" H
37-3/8" W x 6" H	18-2/3" W x 11" H

Drawer Depth: 24-3/4"

DURA DRAWER		
Product #	Color	Accessory Included
J556646-12SG	Safety Red & Gray	—
J556646-12SGL	Safety Red & Gray	Factory Installed Lock Bar
J556646-12DB	Dual Black	—
HERITAGE GLOSS		
Product #	Color	
J556646-12RD	Gloss Red	
J556646-12BK	Gloss Black	
J556646-12BL	Gloss Blue	

visit ProtoIndustrial.com for more info on lock bars

550S 66" WORKSTATION - 11 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
66	46	27	35,917	750



Drawer Configuration

59" W x 6" H	
37-3/8" W x 3" H	18 2/3" W x 1-3/4" H
37-3/8" W x 3" H	18 2/3" W x 1-3/4" H
37-3/8" W x 4" H	18 2/3" W x 3" H
37-3/8" W x 4" H	18 2/3" W x 3" H
37-3/8" W x 6" H	18 2/3" W x 11" H

Drawer Depth: 24-3/4"

DURA DRAWER		
Product #	Color	Accessory Included
J556646-11SG	Safety Red & Gray	—
J556646-11SGL	Safety Red & Gray	Factory Installed Lock Bar
J556646-11DB	Dual Black	—
HERITAGE GLOSS		
Product #	Color	
J556646-11RD	Gloss Red	
J556646-11BK	Gloss Black	
J556646-11BL	Gloss Blue	

visit ProtoIndustrial.com for more info on lock bars

550 SERIES



WARNING: WORK SAFELY WITH TOOLS. WEAR SAFETY GOGGLES.

+1.800.800.TOOL · Fax: +1.800.828.7809 · www.protoindustrial.com

550S 66" PLATFORM

550S 66" TOP CHEST - 10 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
66	27	27	24,684	550



Drawer Configuration

58" W x 6-7/16" H	
37-3/8" W x 2-1/4" H	18-5/8" W x 2-1/4" H
37-3/8" W x 2-1/4" H	18-5/8" W x 2-1/4" H
37-3/8" W x 2-1/4" H	18-5/8" W x 2-1/4" H
37-3/8" W x 3-3/8" H	18-5/8" W x 3-3/8" H
37-3/8" W x 3-3/8" H	18-5/8" W x 3-3/8" H

Drawer Depth: 24-3/4"

DURA DRAWER	
Product #	Color
J556627-10SG	Safety Red & Gray
J556627-10DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J556627-10RD	Gloss Red
J556627-10BK	Gloss Black
J556627-10BL	Gloss Blue

550S 66" TOP CHEST - 8 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
66	27	27	25,494	550



Drawer Configuration

58" W x 6-7/16" H	
37-3/8" W x 2-1/4" H	18-5/8" W x 3-3/8" H
37-3/8" W x 3-3/8" H	18-5/8" W x 3-3/8" H
37-3/8" W x 3-3/8" H	18-5/8" W x 3-3/8" H
37-3/8" W x 4-1/2" H	18-5/8" W x 3-3/8" H

Drawer Depth: 24-3/4"

DURA DRAWER	
Product #	Color
J556627-8SG	Safety Red & Gray
J556627-8DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J556627-8RD	Gloss Red
J556627-8BK	Gloss Black
J556627-8BL	Gloss Blue

550S 57" PLATFORM

TOOL STORAGE



550S 57" WORKSTATION - 13 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
57	43	25-1/4	28,291	625



Drawer Configuration

49-2/3" W x 3-7/8" H	
28" W x 1-3/4" H	18 2/3" W x 1-3/4" H
28" W x 1-3/4" H	18 2/3" W x 1-3/4" H
28" W x 1-3/4" H	18 2/3" W x 4" H
28" W x 3" H	18 2/3" W x 4" H
28" W x 3" H	18 2/3" W x 4" H
28" W x 4" H	18 2/3" W x 11" H
28" W x 6-3/8" H	

Drawer Depth: 23"

DURA DRAWER		
Product #	Color	Accessory Included
J555743-13SG	Safety Red & Gray	—
J555743-13SGL	Safety Red & Gray	Factory Installed Lock Bar
J555743-13DB	Dual Black	—
HERITAGE GLOSS		
Product #	Color	
J555743-13RD	Gloss Red	
J555743-13BK	Gloss Black	
J555743-13BL	Gloss Blue	

visit ProtoIndustrial.com for more info on lock bars

550S 57" WORKSTATION - 11 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
57	43	25-1/4	26,541	625



Drawer Configuration

49-2/3" W x 3-7/8" H x 23" D	
28" W x 4" H	18-2/3" W x 1-3/4" H
	18-2/3" W x 4" H
28" W x 6-3/8" H	18-2/3" W x 4" H
	18-2/3" W x 4" H
28" W x 6-3/8" H	18-2/3" W x 4" H
	18-2/3" W x 4" H
28" W x 6-3/8" H	18-2/3" W x 4" H

Drawer Depth: 23"

DURA DRAWER	
Product #	Color
J555743-11SG	Safety Red & Gray
J555743-11DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J555743-11RD	Gloss Red
J555743-11BK	Gloss Black
J555743-11BL	Gloss Blue

550 SERIES

550E 50" PLATFORM

550E 50" FRONT FACING POWER WORKSTATION - 10 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
50	41	25-1/4	23,779	487

- › Convenient, front mounted, power strip featuring four, 15A outlets and two USB ports.
- › High impact ABS plastic casing for industrial durability.
- › Power drawer standard.

DURA DRAWER	
Product #	Color
J555041-10SGPDP	Safety Red & Gray
J555041-10DBPDP	Dual Black
HERITAGE GLOSS	
Product #	Color
J555041-10RDPDP	Gloss Red
J555041-10BKDPDP	Gloss Black
J555041-10BLPDP	Gloss Blue

Drawer Configuration

44-7/16" W x 4" H	
28" W x 1-3/4" H	13-7/16" W x 1-3/4" H
28" W x 4" H	13-7/16" W x 4" H
28" W x 4" H	13-7/16" W x 4" H
28" W x 4" H	13-7/16" W x 11" H
28" W x 6-7/16" H	

Drawer Depth: 23"



Four, 15A Outlets
and 2 USB Ports



11" Integrated Power Drawer





550E 50" POWER WORKSTATION - 10 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
50	41	25-1/4	23,105	487

- › 4-Outlet 110V power strip.
- › Store and charge up to four battery packs.
- › Removable back panel keeps cords neat.
- › 1/4 turn fasteners for easy access.
- › Adjustable drawer divider separates chargers from tools.
- › Non-slip drawer liners.



Power Drawer Depth: 21-5/8"

Drawer Configuration

44-7/16" W x 4" H	
28" W x 1-3/4" H	13-7/16" W x 1-3/4" H
28" W x 4" H	13-7/16" W x 4" H
28" W x 4" H	13-7/16" W x 4" H
28" W x 4" H	13-7/16" W x 4" H
28" W x 6-7/16" H	13-7/16" W x 11" H

Drawer Depth: 23"

DURA DRAWER

Product #	Color
J555041-10SGPD	Safety Red & Gray
J555041-10DBPD	Dual Black

HERITAGE GLOSS

Product #	Color
J555041-10RDPD	Gloss Red
J555041-10BKPD	Gloss Black
J555041-10BLPD	Gloss Blue

550S 50" WORKSTATION - 12 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
50	41	25-1/4	23,419	475



Drawer Configuration

44-7/16" W x 4" H	
28" W x 1-3/4" H	13-7/16" W x 1-3/4" H
28" W x 4" H	13-7/16" W x 3" H
28" W x 4" H	13-7/16" W x 3" H
28" W x 4" H	13-7/16" W x 4" H
28" W x 4" H	13-7/16" W x 4" H
28" W x 6-7/16" H	13-7/16" W x 4" H

Drawer Depth: 23"

DURA DRAWER

Product #	Color
J555041-12SG	Safety Red & Gray
J555041-12DB	Dual Black

HERITAGE GLOSS

Product #	Color
J555041-12RD	Gloss Red
J555041-12BK	Gloss Black
J555041-12BL	Gloss Blue



550S 50" PLATFORM

550S 50" WORKSTATION - 10 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
50	41	25-1/4	23,779	475



Drawer Configuration

44-7/16" W x 4" H	
28" W x 1-3/4" H	13-7/16" W x 1-3/4" H
28" W x 4" H	13-7/16" W x 4" H
28" W x 4" H	13-7/16" W x 4" H
28" W x 4" H	13-7/16" W x 11" H
28" W x 6-7/16" H	

Drawer Depth: 23"

DURA DRAWER		
Product #	Color	Accessory Included
J555041-10SG	Safety Red & Gray	—
J555041-10SGL	Safety Red & Gray	Factory Installed Lock Bar
J555041-10DB	Dual Black	—
HERITAGE GLOSS		
Product #	Color	
J555041-10RD	Gloss Red	
J555041-10BK	Gloss Black	
J555041-10BL	Gloss Blue	

visit ProtoIndustrial.com for more info on lock bars

550S 50" WORKSTATION - 8 DRAWER - 2 SHELVES

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
50	41	25-1/4	18,920	475



Drawer Configuration

44-7/16" W x 4" H	
28" W x 1-3/4" H	13-7/6" W x 23-1/2" H
28" W x 1-3/4" H	
28" W x 1-3/4" H	
28" W x 1-3/4" H	
28" W x 4" H	
28" W x 4" H	
28" W x 4" H	

Drawer Depth: 23"

DURA DRAWER	
Product #	Color
J555041-8SG-2S	Safety Red & Gray
J555041-8DB-2S	Dual Black
HERITAGE GLOSS	
Product #	Color
J555041-8RD-2S	Gloss Red
J555041-8BK-2S	Gloss Black
J555041-8BL-2S	Gloss Blue



550S 50" WORKSTATION - 8 DRAWER - 1 SHELF

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
50	41	25-1/4	20,092	475



Drawer Configuration

44-7/16" W x 4" H		
28" W x 1-3/4" H	13-7/6" W x 23-1/2" H	
28" W x 1-3/4" H		
28" W x 1-3/4" H		
28" W x 1-3/4" H		
28" W x 4" H		
28" W x 4" H		
28" W x 4" H		
28" W x 4" H		

Drawer Depth: 23"

DURA DRAWER	
Product #	Color
J555041-8SG-1S	Safety Red & Gray
J555041-8DB-1S	Dual Black
HERITAGE GLOSS	
Product #	Color
J555041-8RD-1S	Gloss Red
J555041-8BK-1S	Gloss Black
J555041-8BL-1S	Gloss Blue

550S 50" WORKSTATION - 7 DRAWER - 1 SHELF

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
50	41	25-1/4	18,109	475



Drawer Configuration

44-7/16" W x 4" H		
28" W x 1-3/4" H	13-7/16" W x 23-1/2" H	
28" W x 3" H		
28" W x 3" H		
28" W x 4" H		
28" W x 4" H		
28" W x 4" H		
28" W x 4" H		
28" W x 4" H		

Drawer Depth: 23"

DURA DRAWER	
Product #	Color
J555041-7SG-1S	Safety Red & Gray
J555041-7DB-1S	Dual Black
HERITAGE GLOSS	
Product #	Color
J555041-7RD-1S	Gloss Red
J555041-7BK-1S	Gloss Black
J555041-7BL-1S	Gloss Blue

550S 50" PLATFORM

550S 50" TOP CHEST - 12 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
50	27	25-1/4	17,641	370

- With a light push of the lid, the gas springs take over and assist in opening the lid to its full opening position.



Drawer Configuration

44-1/4" W x 5-1/4" H

28" W x 1-3/4" H	13-7/16" W x 1-3/4" H
28" W x 1-3/4" H	13-7/16" W x 1-3/4" H
28" W x 1-3/4" H	13-7/16" W x 1-3/4" H
28" W x 1-3/4" H	13-7/16" W x 1-3/4" H
28" W x 3" H	13-7/16" W x 3" H
28" W x 3" H	13-7/16" W x 3" H

Drawer Depth: 23"

DURA DRAWER

Product #	Color
J555027-12SG	Safety Red & Gray
J555027-12DB	Dual Black

HERITAGE GLOSS

Product #	Color
J555027-12RD	Gloss Red
J555027-12BK	Gloss Black
J555027-12BL	Gloss Blue

550S 50" TOP CHEST - 10 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
50	27	25-1/4	18,197	370

- With a light push of the lid, the gas springs take over and assist in opening the lid to its full opening position.



Drawer Configuration

35-1/4" W x 5-1/4" H

19" W x 1-3/4" H	13-7/16" W x 1-3/4" H
19" W x 1-3/4" H	13-7/16" W x 1-3/4" H
19" W x 3" H	13-7/16" W x 3" H
19" W x 3" H	13-7/16" W x 3" H
19" W x 4" H	13-7/16" W x 4" H

Drawer Depth: 23"

DURA DRAWER

Product #	Color
J555027-10SG	Safety Red & Gray
J555027-10DB	Dual Black

HERITAGE GLOSS

Product #	Color
J555027-10RD	Gloss Red
J555027-10BK	Gloss Black
J555027-10BL	Gloss Blue



550S 50" TOP CHEST - 8 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
50	27	25-1/4	18,753	370

- With a light push of the lid, the gas springs take over and assist in opening the lid to its full opening position.



Drawer Configuration

44-1/4" W x 5-1/4" H	
28" W x 3" H	13-7/16" W x 3" H
28" W x 3" H	13-7/16" W x 3" H
28" W x 4" H	13-7/16" W x 4" H
28" W x 4" H	13-7/16" W x 4" H

Drawer Depth: 23"

550S 34" PLATFORM

550S 34" ROLLER CABINET - 8 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
34	41	25-1/4	15,134	310



Drawer Configuration

28" W x 1-3/4" H
28" W x 1-3/4" H
28" W x 1-3/4" H
28" W x 1-3/4" H
28" W x 3" H
28" W x 3" H
28" W x 4" H
28" W x 6-1/2" H

Drawer Depth: 23"

DURA DRAWER	
Product #	Color
J555027-8SG	Safety Red & Gray
J555027-8DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J555027-8RD	Gloss Red
J555027-8BK	Gloss Black
J555027-8BL	Gloss Blue

DURA DRAWER		
Product #	Color	Accessory Included
J553441-8SG	Safety Red & Gray	—
J553441-8SGL	Safety Red & Gray	Factory Installed Lock Bar
J553441-8DB	Dual Black	—
HERITAGE GLOSS		
Product #	Color	
J553441-8RD	Gloss Red	
J553441-8BK	Gloss Black	
J553441-8BL	Gloss Blue	

visit ProtoIndustrial.com for more info on lock bars

550S 34" PLATFORM

550S 34" ROLLER CABINET - 7 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
34	41	25-1/4	15,390	310



Drawer Configuration

28" W x 1-3/4" H
28" W x 1-3/4" H
28" W x 1-3/4" H
28" W x 3" H
28" W x 3" H
28" W x 6-1/2" H
28" W x 6-1/2" H

Drawer Depth: 23"

DURA DRAWER	
Product #	Color
J553441-7SG	Safety Red & Gray
J553441-7DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J553441-7RD	Gloss Red
J553441-7BK	Gloss Black
J553441-7BL	Gloss Blue

550S 34" ROLLER CABINET - 6 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
34	41	25-1/4	15,765	310



Drawer Configuration

28" W x 1-3/4" H
28" W x 1-3/4" H
28" W x 4" H
28" W x 4" H
28" W x 6-1/2" H
28" W x 6-1/2" H

Drawer Depth: 23"

DURA DRAWER	
Product #	Color
J553441-6SG	Safety Red & Gray
J553441-6DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J553441-6RD	Gloss Red
J553441-6BK	Gloss Black
J553441-6BL	Gloss Blue



550S 34" TOP CHEST - 6 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
34	27	25-1/4	11,662	235

- With a light push of the lid, the gas springs take over and assist in opening the lid to its full opening position.



Drawer Configuration

27-3/4" W x 5-1/4" H
28" W x 1-3/4" H
28" W x 1-3/4" H
28" W x 1-3/4" H
28" W x 1-3/4" H
28" W x 3" H
28" W x 3" H

Drawer Depth: 23"

DURA DRAWER		HERITAGE GLOSS	
Product #	Color	Product #	Color
J553427-6SG	Safety Red & Gray	J553427-6RD	Gloss Red
J553427-6DB	Dual Black	J553427-6BK	Gloss Black
		J553427-6BL	Gloss Blue

550S 34" TOP CHEST - 5 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
34	27	25-1/4	12,037	235

- With a light push of the lid, the gas springs take over and assist in opening the lid to its full opening position.



Drawer Configuration

27-3/4" W x 5-1/4" H
28" W x 1-3/4" H
28" W x 1-3/4" H
28" W x 1-3/4" H
28" W x 4" H
28" W x 4" H

Drawer Depth: 23"

DURA DRAWER		HERITAGE GLOSS	
Product #	Color	Product #	Color
J553427-5SG	Safety Red & Gray	J553427-5RD	Gloss Red
J553427-5DB	Dual Black	J553427-5BK	Gloss Black
		J553427-5BL	Gloss Blue

550S 34" TOP CHEST - 4 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
34	27	25-1/4	12,414	235

- With a light push of the lid, the gas springs take over and assist in opening the lid to its full opening position.



Drawer Configuration

27-3/4" W x 5-1/4" H
28" W x 3" H
28" W x 3" H
28" W x 4" H
28" W x 4" H

Drawer Depth: 23"

DURA DRAWER		HERITAGE GLOSS	
Product #	Color	Product #	Color
J553427-4SG	Safety Red & Gray	J553427-4RD	Gloss Red
J553427-4DB	Dual Black	J553427-4BK	Gloss Black
		J553427-4BL	Gloss Blue

550S ACCESSORIES

550S SIDE CABINET - 6 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
19	34	25-1/4	7,554	175



Drawer Configuration

13-7/16" W x 1-3/4" H
13-7/16" W x 1-3/4" H
13-7/16" W x 1-3/4" H
13-7/16" W x 4" H
13-7/16" W x 4" H
13-7/16" W x 11" H

Drawer Depth: 23"

DURA DRAWER	
Product #	Color
J551934-6SG-SC	Safety Red & Gray
J551934-6DB-SC	Dual Black
HERITAGE GLOSS	
Product #	Color
J551934-6RD-SC	Gloss Red
J551934-6BK-SC	Gloss Black
J551934-6BL-SC	Gloss Blue

550S SIDE CABINET - 5 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
19	34	25-1/4	7,734	175



Drawer Configuration

13-7/16" W x 1-3/4" H
13-7/16" W x 4" H
13-7/16" W x 4" H
13-7/16" W x 4" H
13-7/16" W x 11" H

Drawer Depth: 23"

DURA DRAWER	
Product #	Color
J551934-5SG-SC	Safety Red & Gray
J551934-5DB-SC	Dual Black
HERITAGE GLOSS	
Product #	Color
J551934-5RD-SC	Gloss Red
J551934-5BK-SC	Gloss Black
J551934-5BL-SC	Gloss Blue



550S WOOD TOPS

- › 1-1/2" thick solid maple with laminated edge hardwood work surface.
- › Clear lacquer top with radius edges.
- › For protection against drying, apply non-toxic mineral oil every 4-6 weeks.



Product #	Width (in)	Height (in)	Depth (in)	Overall Weight (lbs)
J4534-HWT	33-3/4	1-1/2	25	38
J4550-HWT	50-1/8	1-1/2	25	55
J4557-HWT	56-7/8	1-1/2	25	60
J4566-HWT	66-1/4	1-1/2	27	75
J4567-HWT	66-9/16	1-1/2	25	77
J4578-HWT	78-1/2	1-1/2	25	89
J4588-HWT	87-7/8	1-1/2	27	107

550S STAINLESS STEEL TOPS

- › High grade 1/16" thick, 16 gauge 304 stainless steel wrapped around a wood core.
- › Raised front lip prevents parts from rolling off the work surface.



Product #	Width (in)	Height (in)	Depth (in)	Overall Weight (lbs)
J4534-SST	33-3/4	1-1/2	25	50
J4550-SST	50-1/8	1-1/2	25	100
J4557-SST	56-7/8	1-1/2	25	100
J4578-SST	78-1/2	1-1/2	25	105



540 SERIES **BUILT FOR THE JOB**

INDUSTRIAL GRADE STORAGE THAT SATISFIES ALL YOUR ESSENTIAL JOB DEMANDS.

The 540 Series is a well-made, heavy-gauge line of storage boxes featuring the popular Drop Front Top Chests in multiple drawer configurations, allowing you to expand your tool storage capacity.

Drop Front Top Chests add extra protection and security.



Tool Tower is handy for moving equipment around the shop.



A full length locker cabinet can be added.



COLOR RANGE

DURA DRAWER



SAFETY
RED & GRAY



DUAL
BLACK

HERITAGE GLOSS



GLOSS
RED



GLOSS
BLACK



GLOSS
BLUE

SPECIAL ORDER

Custom colors
available upon request.


HIGH IMPACT CASTERS

High impact glass filled nylon resin wheels and locks that are resistant to water and most chemicals.

900 lb load capacity each.

The enhanced locking mechanism is easy to actuate.

Rolling bearing with hardened steel bushings helps mobility and ease of rolling.





Reinforced top and bottom panels to carry extra weight loads.

Heavy-duty keys.

Made of 18 gauge steel.

Easy grip steel handle.

100% fully extending and recessed drawer pulls.

Ball-bearing slides provide 100 lbs of drawer load capacity.

5" x 2" casters with 450 lbs load capacity each.

ITEMS SHOWN:
J545442-14SG
J545423-12SG

Vinyl top and drawer liners included.

Safety Red and Gray Option Shown.



Workstations provide up to 22,248 cubic inches of storage. Add even more space with top and side pieces.

2 reinforcement channels run left to right and 2 run front to back for additional strength.

OPTIONAL LOCK BARS

Provides extra security measure and drawer retention to help keep drawers shut while moving the cabinet from one location to the next (in the locked position).

Select 540 Series cabinets available fully assembled with factory installed lock bar.

FACTORY INSTALLED LOCK BARS
(See workstation tables for compatibility)

FIELD INSTALLED LOCK BARS
(See p. 104 for info table)

Closed Position
(lock not included)



540S 54" PLATFORM

540S 54" WORKSTATION - 14 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
54	42	18	22,248	345



Drawer Configuration

23-1/4" W x 1-7/8" H	23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H	23-1/4" W x 1-7/8" H
37-3/4" W x 3-15/16" H	37-3/4" W x 3-15/16" H
37-3/4" W x 3-15/16" H	37-3/4" W x 3-15/16" H
37-3/4" W x 3-15/16" H	37-3/4" W x 3-15/16" H
37-3/4" W x 3-15/16" H	37-3/4" W x 3-15/16" H
37-3/4" W x 3-15/16" H	37-3/4" W x 3-15/16" H
37-3/4" W x 8-1/16" H	37-3/4" W x 8-1/16" H

Drawer Depth: 16-1/8"

DURA DRAWER		
Product #	Color	Accessory Included
J545442-14SG	Safety Red & Gray	—
J545442-14SGL	Safety Red & Gray	Factory Installed Lock Bar
J545442-14DB	Dual Black	—
HERITAGE GLOSS		
Product #	Color	
J545442-14RD	Gloss Red	
J545442-14BK	Gloss Black	
J545442-14BL	Gloss Blue	

visit ProtoIndustrial.com for more info on lock bars

540S 54" TOP CHEST - 12 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
54	23	18	11,803	220



Drawer Configuration

23-1/4" W x 1-7/8" H	23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H	23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H	23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H	23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H	23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H	23-1/4" W x 1-7/8" H
23-1/4" W x 3-15/16" H	23-1/4" W x 3-15/16" H

Drawer Depth: 16-1/8"

DURA DRAWER	
Product #	Color
J545423-12SG	Safety Red & Gray
J545423-12DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J545423-12RD	Gloss Red
J545423-12BK	Gloss Black
J545423-12BL	Gloss Blue

540S 41" PLATFORM

TOOL STORAGE



540 SERIES

540S 41" WORKSTATION - 15 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
41	42	18	14,362	275



DURA DRAWER	
Product #	Color
J544142-15SG	Safety Red & Gray
J544142-15DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J544142-15RD	Gloss Red
J544142-15BK	Gloss Black
J544142-15BL	Gloss Blue

Drawer Configuration

37-3/4" W x 3-15/16" H	
23-1/4" W x 1-7/8" H	11-1/8" W x 1-7/8" H
23-1/4" W x 1-7/8" H	11-1/8" W x 1-7/8" H
23-1/4" W x 1-7/8" H	11-1/8" W x 1-7/8" H
23-1/4" W x 1-7/8" H	11-1/8" W x 1-7/8" H
23-1/4" W x 3-15/16" H	11-1/8" W x 3-15/16" H
23-1/4" W x 3-15/16" H	11-1/8" W x 3-15/16" H
23-1/4" W x 8-1/16" H	11-1/8" W x 8-1/16" H

Drawer Depth: 16-1/8"

540S 41" WORKSTATION - 6 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
41	42	18	15,588	250

DURA DRAWER		
Product #	Color	Accessory Included
J544142-6SG	Safety Red & Gray	—
J544142-6SGL	Safety Red & Gray	Factory Installed Lock Bar
J544142-6DB	Dual Black	—
HERITAGE GLOSS		
Product #	Color	
J544142-6RD	Gloss Red	
J544142-6BK	Gloss Black	
J544142-6BL	Gloss Blue	

visit ProtoIndustrial.com for more info on lock bars



Drawer Configuration

37-3/4" W x 3-15/16" H
37-3/4" W x 3-15/16" H
37-3/4" W x 3-15/16" H
37-3/4" W x 3-15/16" H
37-3/4" W x 3-15/16" H
37-3/4" W x 8-1/16" H

Drawer Depth: 16-1/8"

540S 41" TOP CHEST - 12 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
41	23	18	8,749	230



DURA DRAWER	
Product #	Color
J544123-12SG	Safety Red & Gray
J544123-12DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J544123-12RD	Gloss Red
J544123-12BK	Gloss Black
J544123-12BL	Gloss Blue

Drawer Configuration

23-1/4" W x 1-7/8" H	11-1/8" W x 1-7/8" H
23-1/4" W x 1-7/8" H	11-1/8" W x 1-7/8" H
23-1/4" W x 1-7/8" H	11-1/8" W x 1-7/8" H
23-1/4" W x 1-7/8" H	11-1/8" W x 1-7/8" H
23-1/4" W x 1-7/8" H	11-1/8" W x 1-7/8" H
23-1/4" W x 3-15/16" H	11-1/8" W x 3-15/16" H

Drawer Depth: 16-1/8"

540S 27" PLATFORM

540S 27" TOOL TOWER - 7 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
27	52	18	13,716	200

- Top cabinet installation not recommended for this unit.



Drawer Configuration

23-1/4" W x 1-7/8" H
23-1/4" W x 3-15/16" H
23-1/4" W x 3-15/16" H
23-1/4" W x 3-15/16" H
23-1/4" W x 8-1/16" H
23-1/4" W x 8-1/16" H
23-1/4" W x 8-1/16" H

Drawer Depth: 16-1/8"

DURA DRAWER	
Product #	Color
J542752-7SG	Safety Red & Gray
J542752-7DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J542752-7RD	Gloss Red
J542752-7BK	Gloss Black
J542752-7BL	Gloss Blue

540S 27" ROLLER CABINET - 12 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
27	42	18	9,420	235



Drawer Configuration

5" W x 1-7/8" H	11-1/8" W x 3-15/16" H	5" W x 1-7/8" H
5" W x 1-7/8" H		5" W x 1-7/8" H
23-1/4" W x 1-7/8" H		
23-1/4" W x 1-7/8" H		
23-1/4" W x 1-7/8" H		
23-1/4" W x 1-7/8" H		
23-1/4" W x 3-15/16" H		
23-1/4" W x 3-15/16" H		
23-1/4" W x 8-1/16" H		

Drawer Depth: 16-1/8"

DURA DRAWER	
Product #	Color
J542742-12SG	Safety Red & Gray
J542742-12DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J542742-12RD	Gloss Red
J542742-12BK	Gloss Black
J542742-12BL	Gloss Blue



540S 27" ROLLER CABINET - 11 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
27	42	18	9,410	205



Drawer Configuration

11-1/8" W x 1-7/8" H	11-1/8" W x 1-7/8" H
11-1/8" W x 1-7/8" H	11-1/8" W x 1-7/8" H
23-1/4" W x 1-7/8" H	
23-1/4" W x 1-7/8" H	
23-1/4" W x 1-7/8" H	
23-1/4" W x 1-7/8" H	
23-1/4" W x 3-15/16" H	
23-1/4" W x 3-15/16" H	
23-1/4" W x 8-1/16" H	

Drawer Depth: 16-1/8"

DURA DRAWER		
Product #	Color	Accessory Included
J542742-11SG	Safety Red & Gray	—
J542742-11SGL	Safety Red & Gray	Factory Installed Lock Bar
J542742-11DB	Dual Black	—
HERITAGE GLOSS		
Product #	Color	
J542742-11RD	Gloss Red	
J542742-11BK	Gloss Black	
J542742-11BL	Gloss Blue	

visit ProtoIndustrial.com for more info on lock bars

540S 27" ROLLER CABINET - 8 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
27	42	18	9,829	190



Drawer Configuration

11-1/8" W x 1-7/8" H	11-1/8" W x 1-7/8" H
11-1/8" W x 1-7/8" H	11-1/8" W x 1-7/8" H
23-1/4" W x 3-15/16" H	
23-1/4" W x 3-15/16" H	
23-1/4" W x 8-1/16" H	
23-1/4" W x 8-1/16" H	

Drawer Depth: 16-1/8"

DURA DRAWER		
Product #	Color	Accessory Included
J542742-8SG	Safety Red & Gray	—
J542742-8SGL	Safety Red & Gray	Factory Installed Lock Bar
J542742-8DB	Dual Black	—
HERITAGE GLOSS		
Product #	Color	
J542742-8RD	Gloss Red	
J542742-8BK	Gloss Black	
J542742-8BL	Gloss Blue	

visit ProtoIndustrial.com for more info on lock bars

540S 27" PLATFORM

540S 27" ROLLER CABINET - 7 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
27	42	18	9,747	180



Drawer Configuration

23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H
23-1/4" W x 3-15/16" H
23-1/4" W x 3-15/16" H
23-1/4" W x 3-15/16" H
23-1/4" W x 3-15/16" H
23-1/4" W x 3-15/16" H
23-1/4" W x 8-1/16" H

Drawer Depth: 16-1/8"

DURA DRAWER		
Product #	Color	Accessory Included
J542742-7SG	Safety Red & Gray	—
J542742-7SGL	Safety Red & Gray	Factory Installed Lock Bar
J542742-7DB	Dual Black	—
HERITAGE GLOSS		
Product #	Color	
J542742-7RD	Gloss Red	
J542742-7BK	Gloss Black	
J542742-7BL	Gloss Blue	

visit ProtoIndustrial.com for more info on lock bars

540S 27" ROLLER CABINET - 4 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
27	42	18	11,159	175



Drawer Configuration

23-1/4" W x 3-15/16" H
23-1/4" W x 3-15/16" H
23-1/4" W x 3-15/16" H
23-1/4" W x 3-15/16" H
24" W x 14" H

Drawer Depth: 16-1/8"

DURA DRAWER		
Product #	Color	Accessory Included
J542742-4SG	Safety Red & Gray	—
J542742-4SGL	Safety Red & Gray	Factory Installed Lock Bar
J542742-4DB	Dual Black	—
HERITAGE GLOSS		
Product #	Color	
J542742-4RD	Gloss Red	
J542742-4BK	Gloss Black	
J542742-4BL	Gloss Blue	

visit ProtoIndustrial.com for more info on lock bars



540S 27" SHORT ROLLER CABINET - 7 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
27	35	18	7,449	175



Drawer Configuration

23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H
23-1/4" W x 3-15/16" H
23-1/4" W x 8-1/16" H

Drawer Depth: 16-1/8"

DURA DRAWER		
Product #	Color	Accessory Included
J542735-7SG	Safety Red & Gray	—
J542735-7SGL	Safety Red & Gray	Factory Installed Lock Bar
J542735-7DB	Dual Black	—
HERITAGE GLOSS		
Product #	Color	
J542735-7RD	Gloss Red	
J542735-7BK	Gloss Black	
J542735-7BL	Gloss Blue	

visit ProtoIndustrial.com for more info on lock bars

540S 27" SHORT ROLLER CABINET - 3 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
27	35	18	9,000	150



Drawer Configuration

23-1/4" W x 1-7/8" H
23-1/4" W x 3-15/16" H
23-1/4" W x 3-15/16" H
24" W x 14" H

Drawer Depth: 16-1/8"

DURA DRAWER		
Product #	Color	Accessory Included
J542735-3SG	Safety Red & Gray	—
J542735-3SGL	Safety Red & Gray	Factory Installed Lock Bar
J542735-3DB	Dual Black	—
HERITAGE GLOSS		
Product #	Color	
J542735-3RD	Gloss Red	
J542735-3BK	Gloss Black	
J542735-3BL	Gloss Blue	

visit ProtoIndustrial.com for more info on lock bars



540S 27" PLATFORM

540S 27" TOP CHEST WITH DROP FRONT - 12 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
27	19	18	5,648	155



Drawer Configuration

5" W x 1-7/8" H	11-1/8" W x 1-7/8" H	5" W x 1-7/8" H
5" W x 1-7/8" H	11-1/8" W x 1-7/8" H	5" W x 1-7/8" H
5" W x 1-7/8" H	11-1/8" W x 1-7/8" H	5" W x 1-7/8" H
23-1/4" W x 1-7/8" H		
23-1/4" W x 1-7/8" H		
23-1/4" W x 3-15/16" H		

Drawer Depth: 16-1/8"

DURA DRAWER	
Product #	Color
J542719-12SG-D	Safety Red & Gray
J542719-12DB-D	Dual Black
HERITAGE GLOSS	
Product #	Color
J542719-12RD-D	Gloss Red
J542719-12BK-D	Gloss Black
J542719-12BL-D	Gloss Blue

540S 27" TOP CHEST WITH DROP FRONT - 10 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
27	19	18	5,593	145



Drawer Configuration

5" W x 1-7/8" H	11-1/8" W x 6" H	5" W x 1-7/8" H
5" W x 1-7/8" H		5" W x 1-7/8" H
5" W x 1-7/8" H		5" W x 1-7/8" H
23-1/4" W x 1-7/8" H		
23-1/4" W x 1-7/8" H		
23-1/4" W x 3-15/16" H		

Drawer Depth: 16-1/8"

DURA DRAWER	
Product #	Color
J542719-10SG-D	Safety Red & Gray
J542719-10DB-D	Dual Black
HERITAGE GLOSS	
Product #	Color
J542719-10RD-D	Gloss Red
J542719-10BK-D	Gloss Black
J542719-10BL-D	Gloss Blue



540S 27" TOP CHEST WITH DROP FRONT - 6 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
27	15	12	5,850	50



Drawer Configuration

5" W x 1-7/8" H	11-1/8" W x 1-7/8" H	5" W x 1-7/8" H
23-1/4" W x 1-7/8" H		
23-1/4" W x 1-7/8" H		
23-1/4" W x 3-15/16" H		

Drawer Depth: 11-1/8"

DURA DRAWER

Product #	Color
J542715-6SG-D	Safety Red & Gray
J542715-6DB-D	Dual Black

HERITAGE GLOSS

Product #	Color
J542715-6RD-D	Gloss Red
J542715-6BK-D	Gloss Black
J542715-6BL-D	Gloss Blue

540S 27" TOP CHEST WITH DROP FRONT - 4 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
27	15	12	3,202	50



Drawer Configuration

23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H
23-1/4" W x 3-15/16" H

Drawer Depth: 11-1/8"

DURA DRAWER

Product #	Color
J542715-4SG-D	Safety Red & Gray
J542715-4DB-D	Dual Black

HERITAGE GLOSS

Product #	Color
J542715-4RD-D	Gloss Red
J542715-4BK-D	Gloss Black
J542715-4BL-D	Gloss Blue



540S 27" PLATFORM

540S 27" TOP CHEST - 8 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
27	19	18	5,990	140



Drawer Configuration

11-1/8" W x 1-7/8" H	11-1/8" W x 1-7/8" H
11-1/8" W x 1-7/8" H	11-1/8" W x 1-7/8" H
23-1/4" W x 1-7/8" H	
23-1/4" W x 1-7/8" H	
23-1/4" W x 3-15/16" H	

Drawer Depth: 16-1/8"

DURA DRAWER

Product #	Color
J542719-8SG	Safety Red & Gray
J542719-8DB	Dual Black

HERITAGE GLOSS

Product #	Color
J542719-8RD	Gloss Red
J542719-8BK	Gloss Black
J542719-8BL	Gloss Blue

540S 27" TOP CHEST - 6 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
27	19	18	5,850	140



Drawer Configuration

23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H
23-1/4" W x 3-15/16" H

Drawer Depth: 16-1/8"

DURA DRAWER

Product #	Color
J542719-6SG	Safety Red & Gray
J542719-6DB	Dual Black

HERITAGE GLOSS

Product #	Color
J542719-6RD	Gloss Red
J542719-6BK	Gloss Black
J542719-6BL	Gloss Blue



540S 27" TOP CHEST - 5 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
27	23	18	5,990	130



Drawer Configuration

23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H
23-1/4" W x 3-15/16" H
23-1/4" W x 3-15/16" H

Drawer Depth: 16-1/8"

DURA DRAWER	
Product #	Color
J542723-5SG	Safety Red & Gray
J542723-5DB	Dual Black
HERITAGE GLOSS	
Product #	Color
J542723-5RD	Gloss Red
J542723-5BK	Gloss Black
J542723-5BL	Gloss Blue

540S 27" INTERMEDIATE CHEST - 4 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
26-1/4	10	18	2,505	80



Drawer Configuration

23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H
23-1/4" W x 1-7/8" H

Drawer Depth: 16-1/8"

DURA DRAWER	
Product #	Color
J542710-4SG-IC	Safety Red & Gray
J542710-4DB-IC	Dual Black
HERITAGE GLOSS	
Product #	Color
J542710-4RD-IC	Gloss Red
J542710-4BK-IC	Gloss Black
J542710-4BL-IC	Gloss Blue

540S ACCESSORIES

540S SIDE LOCKER CABINET - 4 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
15	58	18	13,090	125



Drawer Configuration

11-1/8" W x 3-15/16" H

11-1/8" W x 3-15/16" H

11-1/8" W x 3-15/16" H

11-1/8" W x 3-15/16" H

Drawer Depth: 16-1/8"

DURA DRAWER	
Product #	Color
J541558-4SG-LK	Safety Red & Gray
J541558-4DB-LK	Dual Black
HERITAGE GLOSS	
Product #	Color
J541558-4RD-LK	Gloss Red
J541558-4BK-LK	Gloss Black
J541558-4BL-LK	Gloss Blue

540S SIDE CABINET - 9 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
15	35	18	4,516	145



Drawer Configuration

11-1/8" W x 1-7/8" H

11-1/8" W x 1-7/8" H

11-1/8" W x 1-7/8" H

11-1/8" W x 1-7/8" H

11-1/8" W x 1-7/8" H

11-1/8" W x 1-7/8" H

11-1/8" W x 3-15/16" H

11-1/8" W x 3-15/16" H

11-1/8" W x 8-1/16" H

Drawer Depth: 16-1/8"

DURA DRAWER	
Product #	Color
J541535-9SG-SC	Safety Red & Gray
J541535-9DB-SC	Dual Black
HERITAGE GLOSS	
Product #	Color
J541535-9RD-SC	Gloss Red
J541535-9BK-SC	Gloss Black
J541535-9BL-SC	Gloss Blue



540S SIDE CABINET - 6 DRAWER

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
15	29	18	3,620	120



DURA DRAWER	
Product #	Color
J541529-6SG-SC	Safety Red & Gray
J541529-6DB-SC	Dual Black
HERITAGE GLOSS	
Product #	Color
J541529-6RD-SC	Gloss Red
J541529-6BK-SC	Gloss Black
J541529-6BL-SC	Gloss Blue

Drawer Configuration

11-1/8" W x 1-7/8" H

11-1/8" W x 1-7/8" H

11-1/8" W x 1-7/8" H

11-1/8" W x 3-15/16" H

11-1/8" W x 3-15/16" H

11-1/8" W x 8-1/16" H

Drawer Depth: 16-1/8"

540S WOOD TOPS

- › 1-1/2" thick solid maple with laminated edge hardwood work surface.
- › Clear lacquer top with radius edges.
- › For protection against drying, apply non-toxic mineral oil every 4-6 weeks.

Product #	Width (in)	Height (in)	Depth (in)	Weight (lbs)
J4427-HWWT	26-21/32	1-1/2	18	21
J4441-HWWT	40-37/64	1-1/2	18	32
J4454-HWWT	54-41/64	1-1/2	18	40



540S STAINLESS STEEL TOPS

- › High grade 1/16" thick, 16 gauge 304 stainless steel wrapped around a wood core.
- › Raised front lip prevents parts from rolling off the work surface.

Product #	Width (in)	Height (in)	Depth (in)	Weight (lbs)
J4427-SST	26-21/32	1-1/2	18	45
J4441-SST	40-37/64	1-1/2	18	55
J4454-SST	54-41/64	1-1/2	18	65



540S SIDE SHELVES

Width (in)	Depth (in)	Overall Weight (lbs)
15-1/8	15	8

DURA DRAWER	
Product #	Color
J54SS-SR	Safety Red
J54SS-MB	Matte Black

HERITAGE GLOSS	
Product #	Color
J54SS-RD	Gloss Red
J54SS-BK	Gloss Black
J54SS-BL	Gloss Blue



FIELD INSTALLED LOCK BARS

- › Removable design for select 550 Storage Series.
- › Hinge design for select 540 Storage Series.
- › Templates included.



Product #	Description	Compatible PROTO® Item
JLB33	33", Field Installed Lock Bar, Black	J555041-12XX, J555041-10XX, J555041-8XX-2S, J555041-8XX-1S, J555041-7XX-1S, J553441-8XX, J553441-7XX, J553441-6XX
JLB35	35", Field Installed Lock Bar, Black	J555743-13XX, J555743-11XX
JLB37	37", Field Installed Lock Bar, Black	J556646-12XX, J556646-11XX
JLB25	25", Field Installed Lock Bar, Black	J542735-7XX, J542735-3XX
JLB32	32", Field Installed Lock Bar, Black	J545442-14XX, J544142-15XX, J544142-6XX, J542742-11XX, J542742-8XX, J542742-7XX, J542742-4XX (requires 2 lock bars for: J545442-14XX, J544142-15XX, J542742-11XX, J542742-8XX)

DRAWER LINERS

Product #	Quantity	Width (in)	Depth (in)	Thickness (in)
J32365P	8	28	16	0.062
J32449P	3	28	16	0.062
	1	29	16	0.062
	9	16	8-1/4	0.062
J32559P	7	21-1/4	16	0.062
J32625P	7	28	16	0.062
J32757P	3	16	16	0.062
J32814P	7	28	23	0.062
	1	44-7/16	23	0.062
	1	13-7/16	23	0.062
	1	23	13-7/16	0.062
J32931P	1	28	16	0.062
J45009DL	6	13-7/16	23	0.062
J45018DL	6	28	23	0.062
J45020DL	5	28	23	0.062
	1	44-7/16	23	0.062
	4	13-7/16	23	0.062
J45025DL	7	28	23	0.062
	1	44-7/16	22	0.062
	1	13-7/16	23	0.062
J45028DL	6	28	23	0.062
	6	13-7/16	23	0.062
J45040DL	1	59	24	0.062
	6	34-3/8	24	0.062
	5	18-2/3	24	0.062
J45045DL	1	59	24	0.062
	6	34-3/8	24	0.062
	5	18-2/3	24	0.062

CUT TO FIT DRAWER LINER

Product #	Quantity	Width (in)	Depth (in)	Thickness (in)
J9910	Roll	60	24	0.062




DO-IT-YOURSELF FOAM KITS

- › Protects tools and drawer finish from scratching and marring.
- › Chemical resistant.
- › Two layers of foam, instructions and low tac tracing paper.

Product #	Size (in)	Thickness (in)	Color
DIYBK	26-1/4 x 39	1/2 top layer 1/4 base layer	Black/Red
DIYBL	26-1/4 x 39	1/2 top layer 1/4 base layer	Blue/Yellow

*Visit page 251 for pre-cut foam options





VINYL MATS

- › Vinyl mats protect cabinet and accessory tops.
- › Provides a skid-resistant, easy to clean workspace.

Product #	Width (in)	Height (in)	Length (in)	Weight (lbs)
J32725P	20.84	0.084	17.50	1.42
J45040M	66.56	0.084	26.69	7.68
J45045M	57.09	0.084	24.92	6.15
J9938	17.88	0.084	26.88	1.98
J32344P	33.19	0.084	17.75	2.56
J32532P	26.47	0.084	17.75	1.98



COVERS

- › Black 200 denier nylon with water resistant coating.



Product #	Description	Designed For
J88C	88" Workstation Cover	J558846-22XX / J558846-20XX / J558846-18XX-PD / J558846-18XX / J558846-13XX
J88SC	88" Set Cover	J558846-22XX / J558846-20XX / J558846-18XX-PD / J558846-18XX / J558846-13XX with J558827-15XX-TC or J558825-XX-H
J78C	78" Workstation Cover	J557843-20XX
J78SC	78" Set Cover	J557843-20XX with J557825-XX-H
J67C	67" Workstation Cover	J556741-20XX / J556741-18XX-PD
J66C	66" Workstation Cover	J556646-12XX / J556646-11XX
J66SC	66" Set Cover	J556646-12XX / J556646-11XX with J556627-10XX or J556627-8XX
J57C	57" Workstation Cover	J555743-13XX / J555743-11XX
J54C	54" Workstation Cover	J545442-14XX
J54SC	54" Set Cover	J545442-14XX with J545423-12XX
J50C	50" Workstation Cover	J555041-12XX / J555041-10XX / J555041-10XX-PD / J555041-8XX-2S / J555041-8XX-1S / J555041-7XX-1S
J50SC	50" Set Cover	J555041-10XX / J555041-12XX / J555041-8XX-2S / J555041-8XX-1S / J555041-7XX-1S / J555041-10XX-PD with J555027-12XX or J555027-10XX or J555027-8XX
J45C	45" Workstation Cover	J564542-10XX / J564542-6XX-1S
J41C	41" Workstation Cover	J544142-15XX / J544142-6XX
J41SC	41" Set Cover	J544142-15XX / J544142-6XX with J544123-12XX
J34C	34" Workstation Cover	J553441-8XX / J553441-7XX / J553441-6XX
J34SC	34" Set Cover	J553427-6XX / J553427-5XX / J553427-4XX
J30C	30" Workstation Cover	J563042-6XX
J27C	27" Workstation Cover	J542742-12XX / J542742-11XX / J542742-8XX / J542742-7XX / J542742-4XX
J27SC	27" Set Cover	J542742-12XX / J542742-11XX / J542742-8XX / J542742-7XX / J542742-4XX with J542719-12XX-D or J542719-10XX-D or J542719-8XX or J542719-6XX



MODULAR UTILITY CART

DURA DRAWER	
Product #	Color
JUC3743-3SG	Safety Red & Gray

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
37	43	20	20,559	231



Deep tool bin with power supply.



Universal rail system allows for height adjustable tool holders and accessories.

MODULAR LOCKER CABINET

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
18	34	20	6,809	214

Product #	Color
JUC1834-SG-LK	Safety Red & Gray



MODULAR SIDE CABINET

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
18	34	20	6,809	154

Product #	Color
JUC1834-5SG-SC	Safety Red & Gray



ADD ACCESSORIES

Pull-out Tray

JUCPULLTRAY



Power Tool Holder

JUC-PWRH



Screwdriver Holder

JUC-SCRH



Screwdriver Holder/Bins

JUC-SCRBH





HEAVY-DUTY UTILITY CART

Width (in)	Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
30	46	23	25,450	375



Drawer Configuration

31-1/4" W x 5-7/16" H x

28-5/8" W x 2-7/8" H x 18-3/8" D

28-5/8" W x 2-7/8" H x 18-3/8" D

28-5/8" W x 5-7/16" H x 18-3/8" D

Drawer Depth: 16-1/8"

DURA DRAWER

Product #	Color
J559000-3SG	Safety Red & Gray
J559000-3DB	Dual Black

HERITAGE GLOSS

Product #	Color
J559000-3RD	Gloss Red
J559000-3BK	Gloss Black
J559000-3BL	Gloss Blue

BASIC UTILITY CART

Width (in)	Height (in)	Depth (in)	Overall Weight (lbs)
37-1/2	38-1/2	20-1/2	80

- Basic two-shelf system.
- Two 3" deep storage shelves.
- Reinforced corners for structural support.
- Heavy-duty, locking, 5" x 2" casters. Two swivel, two rigid.
- 800 lbs total weight capacity.
- Assembly required.



DURA DRAWER

Product #	Color
J441000-RD	Gloss Red

Aerosol Can Holder

JUC-AERCH



Waste Can Holder*

JUC-TRSH



Container Bin

JUC-FLCTH



Cord Wrap

JUC-CRDWP



*Waste can not included



WARNING: WORK SAFELY WITH TOOLS. WEAR SAFETY GOGGLES.

+1.800.800.TOOL · Fax: +1.800.828.7809 · www.protoindustrial.com

34" SERVICE ROAD BOX

Height (in)	Depth (in)	Cubic Capacity (in)	Overall Weight (lbs)
23-3/8	24-3/8	6,369	250

GLOSS	
Product #	Color
J463423-5RD-RB	Safety Red



Tubular lock and key.



Recessed aluminum extruded drawers.



400 lbs slide load.

GENERAL PURPOSE BOX WITH 3 DRAWERS

Quantity	Type	Length (in)	Depth (in)	Height (in)
1	Compartment	20	8-1/2	2-1/4
3	Drawer	18	7-1/4	1-1/2

Product #	# of Drawers	Color	Cubic Capacity (in)	Width (in)	Height (in)	Depth (in)	Weight (lbs)
J9993	3	Red	2,075	20-3/16	11-3/4	8-3/4	25





GENERAL PURPOSE BOXES WITH TRAY

- › Removable steel tote tray.



Product #	Color	Cubic Capacity (in)	Width (in)	Height (in)	Depth (in)	Weight (lbs)
J9954R	Safety Red	546	14	6-1/2	6	5
J9977R	Safety Red	931	19-1/2	7	8	8
J9975R	Safety Red	1,615	20	9-1/2	8-1/2	14
J9969R*	Safety Red	2,133	26	9-1/2	8-1/2	19

* Heavy-duty side handles.

HIP ROOF BOX WITH TRAY

- › Removable steel tote tray.
- › Double latch for strength.
- › Hip roof lid design.



Product #	Color	Cubic Capacity (in)	Width (in)	Height (in)	Depth (in)	Weight (lbs)
J9971R	Safety Red	931	19	7	7	8.0

CARPENTER'S BOX

- › Removable steel tote tray.
- › Extra wide for large tools.
- › Double latch for strength.
- › Padlockable center hasp for security.
- › Heavy-duty side handles.



Product #	Color	Cubic Capacity (in)	Length (in)	Height (in)	Depth (in)	Overall Length (in)	Weight (lbs)
J9979-NA	Brown	2,584	32	9-1/2	8-1/2	32	24

CANTILEVER BOX

- › 4 trays - 2 with covers.
- › Trays swing out for easy tool access.



Product #	Color	Cubic Capacity (in)	Height (in)	Depth (in)	Overall Length (in)	Weight (lbs)
J9951	Black	2,520	10	14	18	20

HEAVY-DUTY SET BOXES

- › Padlockable center hasp for security.
- › Side handles.



Product #	Color	Width (in)	Height (in)	Depth (in)	Weight (lbs)
J5694R	Safety Red	20-1/4	3-3/8	6-1/2	11.0
J5695R	Safety Red	20-1/8	3-3/8	7-15/16	13.0
J5696R	Safety Red	25-3/16	4-1/16	9-1/16	18.0
J5697R	Safety Red	26-3/4	4	14-1/2	24.0
J5894R	Safety Red	31-13/16	3-9/16	10-7/16	13.0
J5896R	Safety Red	35-3/8	5-1/2	15-3/16	33.0

SET BOXES

- › These set boxes are used to store Socket Sets in your Tool Box or Utility Cart.
- › They also make it convenient and easy to transport a full set of sockets to the job.



Product #	Color	Width (in)	Height (in)	Depth (in)	Weight (lbs)
J4795R	Safety Red	7	1-1/4	3-7/16	0.75
J4029R	Safety Red	7-1/2	1-5/8	7-3/4	1.50
J5299R	Safety Red	10-3/8	1-5/8	4-7/16	1.36
J4797R	Safety Red	10-15/16	1-1/4	3-11/16	1.17
J4019R	Safety Red	12	1-3/4	11-3/4	3.50
J05400	Safety Red	14-1/2	2-11/16	5-3/4	2.90
J5298R	Safety Red	17-5/16	1-7/8	5-5/16	2.60
J5496R	Safety Red	19	3-7/8	6-1/4	4.00
J5497R	Safety Red	23	2-3/16	8	5.20



STRUCTURAL FOAM BOXES

- › Will not dent or chip.
- › Rust-resistant.
- › Structural foam construction.
- › Removable tote tray.



Product #	Cubic Capacity (in)	Height (in)	Depth (in)	Length (in)	Weight (lbs)
J9901	1,502	10-1/2	8-3/4	20	8.00
J9902	2,037	10-1/2	8-3/4	26	10.50

FACOM® PLASTIC TOOL BOX



Product #	Height (in)	Width (in)	Length (in)	Weight (lbs)
BP.P26	10-3/4	10-5/8	25-39/64	6.97

TOOL BACKPACK WITH REMOVEABLE TOTE

- › Durable 1,200 x 1,200 denier fabric.
- › Rigid and waterproof plastic bottom.
- › Ergonomically designed padded straps and back support provide comfort and durability.
- › Internal storage compartments for maximum organization.
- › Convenient laptop storage included.
- › Quick carry tool pouch included for easy transport of commonly used tools.



Product #	Height (in)	Depth (in)	Width (in)	Weight (lbs)
J114BP	18	11	14	4.50

OPEN TOTE TOOL BAG

- › Durable 1,200 x 1,200 denier fabric.
- › Rigid and waterproof plastic bottom.
- › Ergonomically designed leather handle.
- › 14 Internal storage loops for maximum organization.
- › Special storage partition for 12 screwdrivers.
- › 10 External storage pockets.
- › Adjustable saw compartment with self-adhesive strips.
- › Weather flap protects tools and conveniently tucks away.



Product #	Height (in)	Depth (in)	Overall Length (in)	Weight (lbs)
J120TB	14-1/2	9-1/2	19-1/2	7.00



EXPRESS TOOLMAT™

- › Keeps tools in designated area which prevents foreign object damage and loss control.
- › Detachable safety sign and reflecting tape on the edges, keeping working space protected and visible.
- › Cushioned mat provides comfort when working on knees.
- › Tape mechanism provides easy and fast opening and closing.
- › Easy to carry with shoulder strap and comfort handles.
- › Internal VELCRO® straps for easy adjustability.

Product #	Size Closed (in)	Size Open (in)
J95040	15-5/8 x 15-5/8 x 15-5/8	44-3/8 x 43-3/4



Tools Not Included

ZIPPER CLOSURE TOOL BAGS

- › One piece construction of water resistant polyester.
- › Heavy-duty zipper.
- › Ideal for storing pliers, wrenches, screwdrivers and other small tools and instruments.

Product #	Size (in)	Weight (lbs)
J95305	12" x 7"	0.21
J95306	8-1/2" x 7"	0.28



PROFESSIONAL EXTRA HEAVY-DUTY LEATHER REINFORCED TOOL BAGS

- › Rugged water resistant polyester reinforced with top grain leather bottom.
- › One-piece construction riveted to 12 gauge steel hinged frame.
- › Riveted reinforced leather handles and retaining straps.
- › Water-resistant fiber board bottom.
- › 9" x 11" reinforced inside pocket.
- › 6 metal studs to protect outside bottom wear.

Product #	Depth (in)	Overall Length (in)	Weight (lbs)
J95322	8	24	4.25
J95327	17	27	4.94



PROFESSIONAL HEAVY-DUTY REINFORCED TOOL BAGS WITH VINYL BOTTOM

- › Rugged, water resistant polyester reinforced with tough vinyl bottom.
- › One-piece construction riveted to 12 gauge steel hinged frame.
- › Riveted reinforced leather handles and retaining straps.
- › Water-resistant fiber board bottom.
- › 6 metal studs to protect outside bottom wear.

Product #	Length (in)	Depth (in)	Overall Length (in)	Weight (lbs)
J95311	18	9	18	2.73
J95316	20	10-1/4	20	3.24





STRAIGHT WALL UTILITY BUCKETS

- › Rugged water resistant polyester.
- › Polypropylene rope handles reinforced at top ring.
- › 8" x 7" inside pocket.
- › Heavy-duty die cast swivel snap hook.

Product #	Height (in)	Diameter (in)	Weight (lbs)
J95336	17	12	1.64



FACOM® TOOL CASE WITH DRAWERS

- › Removable bin with transport handle.

Product #	Length (in)	Height (in)	Width (in)	Weight (lbs)
BV.5A	17-17/32	7	13	10.14



FACOM® TOOL CASE

Product #	Length (in)	Height (in)	Width (in)	Weight (lbs)
BV.7A	17-1/2	7-1/4	13	8.38



FACOM® LEATHER TOOL BAG

Product #	Length (in)	Width (in)	Height (in)	Weight (lbs)
BV.100	13-3/4	6-1/4	5-3/8	1.12



CANVAS TOOL POUCHES

- › Red canvas.
- › Stitched and reinforced edges for strength.
- › Reinforced pockets.
- › Tie strap closure.



Product #	# of Pockets	Width (in)	Overall Length (in)	Weight (lbs)
J25TR01C	7	7	12	0.15
J25TR02C	12	6-1/2	7-1/2	0.15
J25TR03C	7	6	10	0.13
J25TR04C	5	10	14	0.18
J25TR05C	10	10	14	0.29
J25TR06C	5	9	12	0.10
J25TR07C	7	10	11	0.12
J25TR08C	14	12	15	0.36
J25TR09C	9	5	9	0.12
J25TR10C	13	7	12	0.09
J25TR11C	1	4.5	7	0.04
J25TR12C	8	6	7	0.05
J25TR13C	11	8	10	0.16
J25TR15C	5	6.3	8-13/16	0.08
J25TR16C	8	6.9	12-1/2	0.14
J25TR17C	3	6	10	0.07
J25TR18C	4	7	7	0.10
J25TR19C	6	7.5	12-5/16	0.18
J25TR20C	10	10	11-11/16	0.45
J25TR21C	26	11	16-1/2	0.47
J25TR22C	3	7.5	10	0.20
J25TR23C	7	6	9	0.12
J25TR24C	7	6.5	9-1/2	0.12
J25TR25C	6	5	8	0.09
J25TR26C	9	5	9-1/2	0.06
J25TR27C	8	8	9	0.31
J25TR28C	10	9	13	0.22
J25TR29C	7	8.7	11-11/16	0.15
J25TR30C	5	6.2	12	0.08
J25TR31C	7	7.3	8	0.08
J25TR32C	7	10	12	0.23
J25TR33C	7	7	11	0.17
J25TR34C	15	11	15	0.58
J25TR35C	9	13	12	0.17
J25TR36C	17	9	11	0.47
J25TR37C	7	8	11	0.17

Product #	# of Pockets	Width (in)	Overall Length (in)	Weight (lbs)
J25TR38C	9	12	13	0.17
J25TR39C	10	10	15	0.29
J25TR40C	14	9	13	0.30
J25TR41C	15	9	12	0.57
J25TR42C	18	11	13	0.51
J25TR43C	7	13	12	0.18
J25TR44C	11	9	13	0.41
J25TR46C	6	8.5	9-1/10	0.13
J25TR47C	4	7.5	11	0.22
J25TR49C	5	4.7	6-3/32	0.02
J25TR50C	1	3-21/64	6-1/3	0.03
J25TR52C	5	9	10	0.20
J25TR53C	3	5.5	10-1/4	0.07
J25TR54C	3	6.7	15-1/2	0.11
J25TR55C	4	10.5	9	0.26
J25TR56C	4	10.5	12-1/2	0.26
J25TR57C	18	12	17	0.61
J25TR58C	11	11	15-1/2	0.28
J25TR59C	20	12	17	0.62
J25TR60C	14	13	17	0.30
J25TR61C	8	7.5	14	0.16
J25TR67C	10	11	15-1/2	0.28
J25TR69C	11	8	9-1/2	0.10
J25TR70C	14	9.5	10-1/2	0.14
J25TR71C	9	7.5	9-1/2	0.11
J25TR72C	13	9.3	12	0.17
J25TR73C	8	8.7	12-1/2	0.15
J25TR74C	12	12	12-1/2	0.20
J25TR76C	14	13.5	18	0.32
J25TR77C	12	12	12-8/10	0.20
J25TR78C	20	12.7	17-7/10	0.54
J25TR79C	9	6	14-3/10	0.14
J25TR80C	22	12.7	17	0.65
J25TR81C	13	10.4	12-7/10	0.20
JSCV9SP	9	3	12-1/2	0.20



11-POCKET PROFESSIONAL CONSTRUCTION POUCH

- › 2 extra capacity deep flared main pockets.
- › 2 outer pockets.
- › 6 small utility pockets.
- › 2 extra thick hammer or hatchet loops.
- › 1 25"/30" tape ruler holder.
- › Belt adjusts to waists up to 50".

Product #	Weight (lbs)
J95120	1.52



2-POCKET WAIST APRON

- › Heavy-duty water resistant polyester.
- › Triple-stitched bindings and waist ties.
- › New Header Card included.

Product #	Width (in)	Overall Length (in)	Weight (lbs)
J95350	6	9	0.28



14 POCKET LEATHER EXTRA CAPACITY ELECTRICIAN'S TOOL POUCH

- › 10" x 10".
- › 4 Large gusseted utility pockets and 2 preformed pliers pockets.
- › 4 Screwdriver slots, 12" tape rule holder, secured T-type tape holder with swivel rivet.
- › 2" Belt slots.
- › Sectioned pocket for torpedo level, multi-purpose tool snap, scratch awl pocket and pencil holders.
- › Heavy-duty, top grain leather.

Product #	Overall Length (in)	Weight (in)
J95030	11	1.43



LEATHER TOOL HOLDERS

- › 2-1/2" belt slots.
- › Heavy-duty, top grain leather.

Product #	Item	Weight (lbs)
J95151	Hammer Holster	0.25
J95165	Utility Knife Holder	0.17
J95170	2-Pocket Leather Cable Splicer Holder	0.17
J95218	Folding Knife Blade Sheath	0.12
J95260	Flashlight Holder	0.11
J95160	Tool Holder	0.17
J95140	Tape Measure Holder	0.20



J95151



J95165



J95170



J95218



J95260

Accepts "D" size flashlights



J95160



J95140

Fits 25' & 30' tapes.

ADJUSTABLE WEB BELTS

- › Fully adjustable.
- › Fits waist size up to 50".
- › Riveted clasp and buckle holds firmly but permits easy release.
- › For use with tool pouches and holders.

Product #	Size (in)	Weight (lbs)
J95230	up to 50"	0.25



LEATHERWORK BELTS

- › Heavy-duty top grain saddle leather. Extra strong double tongue roller buckle.
- › Attractive embossed basket weave design.

Product #	Size (in)	Weight (lbs)
J95237	40" - 48"	0.54
J95238	46" - 52"	0.65



FACOM® SAFETY GLOVES

- › Silicon leather to help provide mechanical protection.
- › Worn over latex insulating gloves.

Product #	Size (in)	Length (in)	Weight (lbs)
BC.109VSE	9	11-13/16	0.36
BC.110VSE	10	12-19/32	0.36



FACOM®



LIMITED LIFETIME WARRANTY

Except as specified below, PROTO Industrial Tools, a business unit of Stanley Black & Decker, Inc. ("PROTO") warrants any of its PROTO®-branded products, including products sold by the PROTO Industrial Tools that are marketed as products "by PROTO," for as long as the original purchaser owns the product against defects in material or workmanship.

1-YEAR LIMITED WARRANTY (DIE GRINDERS, TORQUE WRENCHES, TORQUE MULTIPLIERS AND TORQUE TESTERS)

Die Grinders, Torque Wrenches, Torque Multipliers and Torque Testers are warranted for one (1) year, except for calibration which is warranted for ninety (90) days from date of purchase or date of delivery of the product (whichever date is later). Torque products can be repaired and recalibrated for a nominal charge at any PROTO or DEWALT Factory Service Center or any other such location as may be designated by PROTO. Defects in material or workmanship will be repaired or replaced at no cost: all other repairs will be at a nominal charge. Torque products are precise measuring devices that require care in handling. PROTO recommends that all Torque Wrenches be recalibrated once a year or more, depending on usage.

2-YEAR LIMITED WARRANTY (AIR IMPACT TOOLS)

Air Impact Tools are warranted for a period of two (2) years from the original purchase or delivery date (whichever is later). Our obligation to the original purchaser shall be repairing or replacing, at our expense (not including shipping charges) a defective tool if returned by the original purchaser within two (2) years following the date of purchase or date of delivery of the product (whichever date is later), all incoming shipping charges prepaid. THIS LIMITED WARRANTY DOES NOT COVER DEFECTS OR DAMAGES TO THE TOOL (i) after the warranty period expires; (ii) resulting from misuse or abnormal operation; (iii) resulting from a failure to properly lubricate, maintain or operate the tool; or (iv) resulting from any damage or defect caused by repair or maintenance services performed or attempted by any party other than PROTO at a PROTO or DEWALT Factory Service Center or a person authorized by PROTO to provide repair and maintenance services for this tool.

PROTO'S LIMITED TERM AND LIFETIME WARRANTIES ARE IN LIEU OF ALL OTHER EXPRESS WARRANTIES. ANY IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO THE DURATION OF THIS LIMITED WARRANTY. PROTO SHALL NOT BE LIABLE FOR ANY INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES.

SOME STATES AND COUNTRIES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, OR THE EXCLUSION OR LIMITATION OF INCIDENTAL, SPECIAL, CONSEQUENTIAL OR PUNITIVE DAMAGES, SO THE ABOVE LIMITATIONS OR EXCLUSIONS MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE AND COUNTRY TO COUNTRY.

ADDITIONAL LIMITED TERM AND LIMITED LIFETIME WARRANTY DISCLAIMERS AND LIMITATION

- Does not extend to products that have been damaged or rendered defective as a result of repair or service by any entity other than PROTO or a person authorized by PROTO to provide repair and maintenance services.
- Does not cover the following categories of products: universal sockets, universal joints, thin-wall impact sockets, adapters, and retaining rings.
- Does not cover damage due to ordinary wear and tear.
- PROTO makes no representations beyond those contained in the Limited Lifetime and Limited Term Warranty statements expressed above.
- Employees and agents of PROTO have no authority to make representations of any sort beyond those contained in the Limited Lifetime and Limited Term Warranty statements expressed above.

EXCLUSIVE REMEDY AND CLAIM PROCEDURE

- Distributors of record must act as a return agent.
- The exclusive remedy under this Limited Lifetime Warranty for products determined to be deficient in materials or workmanship by PROTO is repair or replacement with a reconditioned tool of equal value by PROTO.
- The selected remedy is at the sole discretion of PROTO. In no event shall PROTO be responsible for more than the original purchase price of the product.

QUESTIONS

- Should you have any questions, contact PROTO Customer Service at 1-800-800-TOOL (8665) or inquiry@sbdinc.com. This product is not intended for commercial use, and accordingly, such commercial use of this product will void this warranty.



DIGITAL CATALOG AVAILABLE NOW

SCAN THE QR CODE TO OPEN THE
CATALOG ON YOUR MOBILE DEVICE.

REPAIR CENTER LOCATIONS

WEST COAST:

Factory Service Center
3120 West California Ave, Suite E
Salt Lake City, UT 84104
801-486-5828

EAST COAST:

Factory Service Center
6115 Jimmy Carter Blvd, Suite C
Norcross, GA 30071
770-246-1710

CENTRAL REGION:

Factory Service Center
10245 W. Little York Rd, Suite 300
Houston, TX 77040-3228
713-466-1194



PROTO® Industrial Tools
701 E. Joppa Road
Towson, Maryland 21286

+1 (800) 800-TOOL
+1 (800) 828-7809 FAX
orders.proto@sbdinc.com

WWW.PROTOINDUSTRIAL.COM