

CONTENTS

COMPUTER SET-UP(WINDOWS&IOS)	4-9
RECORDING SOFTWARE SETTINGS	9-10
IMPORTANT NOTICE	10-11

WHAT'S IN THE BOX?

- 1 X USB Microphone with 5.9ft USB Cable
- 1 X Metal Tripod Stand
- 1 X User Manual

CONTACT US

Get Social: 

Facebook page: <http://bit.ly/FifinePage>

Contact Info: 

E-mail: web@fifine.cc

Please take a few minutes to watch the video before you start using the microphone.

Operation video: <http://bit.ly/fifinemicrophone-K669b>

More product FAQs can be found on the website.

Company Website: <https://fifinemicrophone.com/>

If you need instructions in other languages, please contact us.

WARRANTY

Easily get a 2-year extended warranty with online registration within 90 days of purchase.

1. Input the link : <https://fifinemicrophone.com>
2. Please roll down to the bottom of the page, fill in E-mail address and submit it .

TWO-YEAR WARRANTY REGISTRATION

Enter your email address

> CLICK TO START WARRANTY REGISTRATION

3. Check your inbox or spam to confirm subscription email.
4. After you click the button "Subscribe me to the list" and next "manage your preferences" to finish registration, tell us the model you are interested ,we will send you the the promo info/discount code and 2-year warranty code as well.

PS: If you cannot update your preferences, just re-do the subscription process.

INTRODUCTION

1. Keep the volume all the way down when plugging the mic into usb port, and gradually turn volume up for the perfect effect during the use.

Volume Control

Volume up:

Clockwise(Turn right)

Volume down:


Counterclockwise(Turn left)

Mute: Counterclockwise


(Turn maximum left)



3. The front of the microphone should be facing the sound source. (A VOLUME icon indicate the front of the microphone). No matter how you adjust the angle or position of the mic, make sure the front of the mic is pointing at your mouth in order to achieve the best pick up effect.



STAND INSTALLATION AND ADJUSTMENT



1. If necessary, adjust the microphone's angle with the pivot Mount's thumbscrew.(turn left for loosen ,turn right for tighten)

2. Pls Swing the microphone counterclockwise, Swing the microphone clockwise will cause the bracket broken.




K669-K669B

USER'S GUIDE


Version: 19-1111



2. Make sure to click off listen to device in your computer system when you are using any recording software, or else you would hear duet of yourself just like too much echo.



3. There are several ways to improve the recording by using Audacity. Come to FIFINEMICROPHONE.COM, find SUPPORT, click the Tutorial Blogs or type the <https://fifinemicrophone.com/blogs/news> directly to search the better recording solution for your interested subject in our blogs.
4. For windows computers, we recommend audacity, and for Apple computers, you can use Apple's own QuickTime player to test the recording.
5. Applications setting "Skype"



IMPORTANT NOTICE

● Setting your software levels

Correct adjustment of microphone level is important for optimum performance. Ideally, the microphone level should be as high as possible without overloading the input of your computer. If you hear distortion, or if your recording program shows levels that are consistently overloaded (at peak levels), turn the microphone volume (or level) down, either through your control panel (or system preferences) settings, or through your recording software. If your recording program shows insufficient level, you can increase the microphone gain either from the control panel (or system preferences) settings or through your recording program.

● Selecting software

You have many choices in recording software. Audacity, available for free online at <http://audacity.sourceforge.net/>, is a widely used software program that provides basic recording software.


Note: The microphone must be plugged in first and secondly turning on the recording software.

● Positioning your microphone

It is important to position the microphone directly in line (on axis) with the person speaking/ singing or instrument (or other sound source) to achieve the best frequency response of the microphone. For use in speaking/singing applications, the ideal placement for the microphone is directly in front of the person speaking/singing.

● Protecting your microphone

Avoid leaving your microphone in the open air or in areas where temperatures exceed 110° F (43° C) for extended periods. Extremely high humidity should also be avoided.



3. Screw the pivot mount to adjust microphone angle 360° horizontally.

SPECIFICATION


Power Supply:	5V
Polar Pattern:	Uni-directional
Frequency Response:	20Hz-20KHz
Sensitivity:	-43dB±3dB(at 1kHz)
Equivalent Noise Level:	-80dBFS
Max.SPL:	130dB(at 1kHz≤1% T.H.D)
S/N Ratio:	78dB
Electrical Current:	70mA

COMPUTER SETUP


Apple MAC OS

1. Plug the free end of the provided USB cable into the USB port on your computer. indicating the microphone is receiving power. Your computer will automatically recognize the USB device and install a driver.


2. To select the K669 as your audio input, first, open your System Preferences.



3. Next, click Sound to display the Sound preference pane.



4. Click the Input tab and select the "USB PnP Audio Device" as the device for sound input.




NOTICE:

- If you want to monitor your voice when using Macbook, you must turn on any recording software first(Audacity for example), make

sure to click "Software Playthrough(on)", then click the record button to begin, otherwise you can not hear any sound when you speak to the mic.


- Choose the default Dictation&Speech software when you use the speech to text in Macbook,click "On" under Dictation window, so that your microphone can be recognized by the software.




Windows

Please wait for a few secs when first time operation, since driver of microphone takes time to automatically install. There may be no pop-up window or message though. (If plugging receiver in a different USB port, driver installs again). After installation, you can test the mic by speaking to it. If the mic picks up no sound, please follow procedures below.


1. Right-click the speaker icon at the bottom right of the screen. Click "Sounds".




2. Confirm the loudspeaker is open.



Click the loudspeaker is being used-"Properties"--"levels",
drag progress bar to adjust volume of output




3. Select the Recording tab, and choose "USB PnP Audio Device" as the default device. When you speak to mic, bar-type icon will turn green and bounce. If it remains unchanged, please reset computer and replug in the USB port. If there's still no "USB PnP Audio Device", please contact FIFINE after service.




4. If you want to directly monitor your recording, click Microphone "USB PnP Audio Device" - "Properties" - "Listen" - click "Listen to this device" - "Apply". No sound can be heard through earphone, if you don't follow this procedure. NOTE: Click off "Listen to this device"

when you are using any recording software or chatting software (Skype).



5. Double click on the "USB PnP Audio Device" icon to open the Microphone Properties window. Click the speaker icon under the Levels tab. Select the Levels tab (14-20db) when the speaker output maximum volume to adjust microphone level.




Note: (Applicable for MAC and Windows)


1. If computer prompts that it's unable to identify USB devices, please restart computer and replug the microphone into other USB port.
2. If mic recognized but no sound comes out, please check whether System Sound is mute and whether you have turned volume control on microphone to minimum.
3. If mic recognized but not sound out, and your computer runs windows 10, please go to settings > privacy > microphone and click the Allow apps to access the microphone to ON then restart.

Recording Software Settings

1. Make sure you have the correct input/output selected. Notice: logging out of AUDACITY (or other recording software) if you find usb microphone is unavailable. And then plug in mic first, secondly log in software again.



input: USB PnP Audio Device



output: Pls choose your output device as needed

Dear Sir/Madam,

Thank you for being our valued customer.


We hope to meet your needs and impress you with our customer experience.

1. A product demonstration video in FIFINE web that offers operation functionality you could ever want. FIFINE Web: fifinemicrophone.com
2. Find us on facebook or mail us (Email: web@fifine.cc) if you need guidance. Discount will be found on it also.
3. Easy to get a upgrade 2-year warranty by signing in FIFINE web.

Write us a product commentary so to provide valuable experience to people who evaluate products before purchasing.

Best Regards,

FIFINE Team



Company Website:

<https://fifinemicrophone.com>

Get Social: 

Facebook page: <http://bit.ly/fifinepage>

Contact Info: 

Email: web@fifine.cc