| T. T | |
|-------|--|
| Name: | |

Midterm 2

Math 256

Spring 2023

You have 50 minutes to complete this exam and turn it in. You may use a 3x5 inch two-sided handwritten index card and a scientific calculator, but not a graphing one, and you may not consult the internet or other people. If you have a question, don't hesitate to ask — I just may not be able to answer it. Enough work should be shown that there is no question about the mathematical process used to obtain your answers.

You should expect to spend about one minute per question per point it's worth — there are 50 points possible on the exam and 50 minutes total.

Part I (9 points) Multiple choice. You don't need to show your work.

1. (3 points) Only one of the following four matrices is invertible. Which one is it?

$$\mathbf{A}) \ \mathbf{A} = \left[\begin{array}{ccc} 1 & 0 & 1 \\ 0 & 1 & 2 \end{array} \right].$$

B)
$$\mathbf{B} = \begin{bmatrix} 1 & 2 & 1 \\ 0 & -1 & 2 \\ 1 & 0 & 1 \end{bmatrix}.$$

$$\mathbf{C}) \ \mathbf{C} = \left[\begin{array}{ccc} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{array} \right].$$

- D) A 3×3 matrix **D** with eigenvectors $\begin{bmatrix} 1 \\ 2 \\ 0 \end{bmatrix}$, $\begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}$, and $\begin{bmatrix} 0 \\ 3 \\ 4 \end{bmatrix}$, corresponding to eigenvalues 1, 0, and -6.
- 2. (3 points) To solve a nonhomogeneous DE, we can use the method of undetermined coefficients or the method of variation of parameters. Which of the following DEs can **only** be solved with variation of parameters?

A)
$$y'' + 2y = e^t$$
.

B)
$$y'' + 4y' = \sin(t) + \cos(2t)$$
.

C)
$$y''' - y' + y = t^2 e^{-3t}$$
.

D)
$$y' + y = \csc(t)$$
.

3. (3 points) Matrix $\bf A$ has 4 rows and 3 columns, and matrix $\bf C$ has 4 rows and 2 columns. For the product $\bf AB = \bf C$ to be defined, what must be the shape of $\bf B$?

A)
$$3 \times 2$$
.

B)
$$4 \times 4$$
.

C)
$$3 \times 3$$
.

D) There is no shape that makes the product defined.

Part II (12 points) Short-answer. Explain your reasoning and show your work for each question.

1. (4 points) One of the eigenvectors of $\mathbf{A} = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 2 \\ 1 & 2 & 1 \end{bmatrix}$ is $\mathbf{v} = \begin{bmatrix} 0 \\ 1 \\ 1 \end{bmatrix}$ with eigenvalue $\lambda = 3$. What is $\mathbf{A}^8 \mathbf{v}$ (i.e. the result of multiplying \mathbf{A} by \mathbf{v} eight times)?

2. (4 points) Give an example of a differential equation whose general solution is

$$y = c_1 \cos(2t) + c_2 \sin(2t) + c_3 t \cos(2t) + c_4 t \sin(2t).$$

3. (4 points) Let
$$\mathbf{B} = \begin{bmatrix} 5 & -4 \\ -6 & 5 \end{bmatrix}$$
. Find \mathbf{B}^{-1} .

Part III (29 points) More involved questions with multiple parts.

- 1. (14 points) Let's look at a few variations of a DE.
- a) (2 points) Find the general solution to y'' 4y = 0.

b) (6 points) Find a particular solution to $y'' - 4y = e^{2t}$ using undetermined coefficients.

| c) (6 points) Find a particular solution to $y'' - 4y = e^{2t}$ | (the same as in part b) using variation of parameters. |
|---|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

2. (15 points) Consider the system of equations

$$3x - 2y = 5$$

$$4x - 3y = 8.$$

- a) (2 points) Write this system as an augmented matrix of the form $\left[\begin{array}{c|c} \mathbf{A} & \mathbf{b} \end{array}\right]$
- b) (5 points) Solve for \mathbf{x} by row-reducing \mathbf{A} . Clearly indicate every row operation.

| c) | (3 | points) | Find | the | eigen | ıvalue | es of . | A . | | | |
|----|----|---------|------|-----|-------|--------|---------|------------|-------|---------|----|
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| d) | (5 | points) | Find | the | corre | espon | ding | eigen | vecto | rs of A | Α. |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |