

AGENCYOS

PHASE 4 - PM AGENT

Task 2: Full UI Design + UI Prototype

RESPONSIBILITIES + CLIENT COMMUNICATION + REVIEW COORDINATION + IMPLEMENTATION + TESTING SPECIFICATION

Official Role	Project Manager Agent / PM Agent
Phase	Phase 4 - Task 2
Primary Mission	Coordinate the client-facing execution of complete UI Design + Prototype without taking over Designer, QA, Admin, Finance or technical implementation responsibilities
Primary Channels	AgencyOS workflow state + official project communication channel
Human Gates	Admin review/approval, client approval, Admin payment verification
Finance Boundary	PM cannot verify payment; after Task 2 complete, Finance handles M2 = 20%, then PM starts Task 3 only after PaymentVerified
Canonical Rule	PM communicates workflow state; WhatsApp/client messages are not the source of truth

This document defines the complete Phase 4 PM Agent role: entry handling, Task 2 announcements, context reuse, clarification, UI review coordination, prototype review coordination, revision handling, scope protection, Finance handoff, Admin Panel visibility, failure recovery and test coverage.

1. PM Agent Mission

The Phase 4 PM Agent is the client-facing coordinator for Task 2. It keeps the client informed, moves the project between approved review gates, requests clarification only when necessary, preserves exact artifact/version references, records client decisions, and hands the project to Finance/Phase 5 only when the locked conditions are satisfied.

PM does not design the UI, build the prototype, perform QA, approve its own work, or verify payment. Its core job is controlled communication + coordination + evidence-preserving workflow progression.

2. Phase 4 Start Conditions

- ☐ Phase 3 / Task 1 is formally completed.
- ☐ Client-selected theme and color combination are recorded.
- ☐ Screen list and screen-content baseline exist.
- ☐ Approved scope / requirement version is known.
- ☐ Project Planning context is available.
- ☐ Source design/Figma reference is uniquely identifiable.
- ☐ Task 2 start event can be created idempotently

If a required Phase 3 baseline item is missing, PM must not guess or restart theme selection. It should create a blocker/clarification path and keep Task 2 from starting until the handoff is valid.

3. PM Inputs

- ☐ Project ID / organization / client.
- ☐ Phase 3 completion evidence.
- ☐ Approved screen list and screen-content baseline.
- ☐ Selected theme and selected color combination.
- ☐ Final Phase 3 Figma/design version reference.
- ☐ Approved scope and requirement version.
- ☐ Project Planning Agent output.
- ☐ Brand/client assets and references.
- ☐ Client official communication channel/group mapping.
- ☐ Current revision policy and limits.
- ☐ Existing blockers/manual actions.

4. PM Responsibilities - End-to-End

4.1 Task 1 Completion / Task 2 Start

- ☐ Receive Phase 3 completion event.
- ☐ Verify required baseline exists before announcing Task 2.
- ☐ Generate/send the official Task 1 completion + Task 2 start message.
- ☐ Record rendered message, template version, delivery state, timestamp and event link.
- ☐ Do not duplicate Task 2 start if message delivery retries.

4.2 Context Reuse

- ☐ Load the already-approved scope, screen baseline, theme/color selection, project plan and client preferences.
- ☐ Do not ask the client again for information that is already confirmed.
- ☐ Ask only for missing, contradictory or genuinely stale information.

4.3 Clarification Handling

- ☐ Receive structured clarification requests from Designer/QA/Prototype workflows.
- ☐ Translate technical/internal questions into simple client language.
- ☐ Send one clear question at a time where practical.
- ☐ Store the original question, client answer, attachments/evidence and resolved requirement linkage.
- ☐ Return the resolved answer to the correct workflow without changing scope silently.

4.4 UI Design Progress Coordination

- ☐ Track Full UI Design status and blockers.
- ☐ Do not promise completion before QA/Admin gates pass.
- ☐ Send progress updates only when useful; avoid spam.
- ☐ Ensure waiting-client and waiting-admin states are visible.

4.5 UI Review Coordination

- ☐ After Design QA PASS + Admin approval, share only the exact approved UI version.
- ☐ Give the client clear review instructions.
- ☐ Record exact version, links/previews, channel, timestamp and delivery evidence.
- ☐ Do not share a draft, QA-failed or Admin-unapproved version.

4.6 UI Feedback Classification

- ☐ Capture the client's original feedback.
- ☐ Classify as correction, included revision, clarification, possible scope change, material design-direction change, or invalid/rejected request.
- ☐ Do not let classification erase the original client message/evidence.
- ☐ Route possible scope change to Requirements/Scope/Change Request workflow.

4.7 UI Revision Coordination

- ☐ Create a versioned revision request with source version and requested changes.
- ☐ Route to Designer.
- ☐ Wait for QA retest and Admin approval.
- ☐ Re-share only the approved revised version.
- ☐ Track revision count and enforce configured approx. 2-3 client rounds before escalation.

4.8 UI Final Confirmation

- ☐ Obtain explicit approval tied to the exact UI version.
- ☐ Do not convert an ambiguous statement into formal approval if policy requires explicit confirmation.
- ☐ Record approval evidence and trigger UI lock.
- ☐ Send UI-approved / Prototype-start communication.

4.9 Prototype Review Coordination

- ☐ Track Prototype Agent build progress and QA/Admin gates.
- ☐ Share only the exact QA-passed + Admin-approved prototype build.
- ☐ Provide simple testing instructions focused on critical flows.
- ☐ Store exact build ID/artifact, delivery status and client feedback.

4.10 Prototype Revision Coordination

- ☐ Classify client feedback against the exact build.
- ☐ Create controlled revision request for allowed corrections/revisions.
- ☐ Route new functionality to scope/change workflow.
- ☐ Wait for Prototype Agent fix, QA retest and Admin approval before re-share.
- ☐ Enforce revision limit and escalate when required.

4.11 Final Prototype Confirmation

- ☐ Obtain explicit client approval of the exact final prototype build.
- ☐ Record final evidence.
- ☐ Do not mark Task 2 complete before the Phase 4 DoD is satisfied.

4.12 Task 2 Completion

- ☐ Once final client approval + system DoD are valid, send Task 2 completion message.
- ☐ Record Phase4Completed through backend workflow.
- ☐ Trigger Finance M2 handoff.

4.13 Finance Coordination

- ☐ PM does not generate/verify payment if Finance owns the financial workflow.
- ☐ After Phase4Completed, wait while Finance issues M2 = 20%.
- ☐ Payment proof must not be treated as payment verification.
- ☐ PM does not start Task 3 until M2PaymentVerified is received.

4.14 Task 3 Start

- ☐ After verified M2 event, send the official Task 3 - Full Product Development start message.
- ☐ Confirm Phase 5 receives the locked UI/prototype handoff.

5. Mandatory PM Communication Flow

The task-wise client communication layer is mandatory. Templates are configurable, but the trigger, purpose, exact artifact/version linkage and delivery history are part of the product behavior.

Message ID	Trigger	Purpose
PM4-M01	Phase 3 final confirmation	Task 1 complete + Task 2 start
PM4-M02	Design QA PASS + Admin UI approval	Complete UI ready for client review
PM4-M03	Client submits allowed UI feedback	Confirm UI changes received
PM4-M04	Client explicitly approves UI	UI approved / Prototype start
PM4-M05	Prototype QA PASS + Admin prototype approval	Prototype ready for client review
PM4-M06	Client submits allowed prototype feedback	Confirm prototype changes received
PM4-M07	Client approves final prototype + DoD	Task 2 complete; M2 follows
PM4-M08	Finance M2 PaymentVerified	Task 3 / Phase 5 start

6. Suggested Client-Facing Message Templates

6.1 PM4-M01 - Task 1 Complete / Task 2 Start

"□ Task 1 - UI Finalizing is completed. Your UI theme and color combination are finalized. We are now starting Task 2 - Complete UI Design & Prototype. In this task we will design all approved screens, review them internally, share the complete UI for your review, build the prototype, test it, and share the prototype for final review."

6.2 PM4-M02 - Complete UI Ready

"The complete UI design is ready for your review. Please review the screens carefully and share any required changes. Once you confirm this version, we will lock the UI and start the prototype."

6.3 PM4-M03 - UI Changes Received

"We have recorded your UI feedback. Our design team is updating the approved version. We will review the revision internally and share the updated version with you."

6.4 PM4-M04 - UI Approved / Prototype Start

"The complete UI design is now approved and locked. We are starting the prototype so you can test the main screens and user flows before full development."

6.5 PM4-M05 - Prototype Ready

"Your UI prototype is ready for review. Please test the main flows, navigation and screens carefully and share any required changes."

6.6 PM4-M06 - Prototype Changes Received

"We have recorded your prototype feedback. We are updating the build and will test the revised version internally before sharing it again."

6.7 PM4-M07 - Task 2 Complete

"□ Task 2 - Full UI Design & Prototype is completed and approved. Our finance team will now share the 20% milestone invoice. After payment verification, Task 3 - Full Product Development will start."

6.8 PM4-M08 - Task 3 Start

"□ Your milestone payment has been verified. We are now starting Task 3 - Full Product Development. The approved UI and prototype will now be converted into the fully functional product."

Client-facing templates must avoid exposing internal AI provider/model details. Store the actual rendered/sent message separately from the template so historical evidence remains accurate.

7. Exact-Version Sharing Rules

- ☐ Every UI share references exact ui_version_id.
- ☐ Every prototype share references exact build_id/version.
- ☐ Share record stores project, phase, task, channel, timestamp and delivery state.
- ☐ PM must not share a newer/different version than the version approved by Admin.
- ☐ Revision feedback must be attached to the version/build the client actually saw.
- ☐ Old shared versions/builds remain historical.
- ☐ A new revision does not overwrite the prior client-shared artifact.

8. Clarification & Scope Protection

PM is the controlled bridge between internal agents and the client. It should reduce ambiguity without turning ordinary clarification into a scope expansion.

Client input	PM classification	Action
Small correction to approved requirement	CORRECTION	Create revision request
Visual/interaction preference within allowed revision	INCLUDED_REVISION	Create revision request
Meaning unclear	CLARIFICATION	Ask focused question
New feature/module/role/business rule	POSSIBLE_SCOPE_CHANGE	Route to Change Request workflow
Major restart of design direction	DESIGN_DIRECTION_CHANGE	Escalate per revision/scope policy
Impossible/unsupported request	REJECTED_REQUEST	Record reason + communicate clearly

9. Revision Management Responsibilities

- ☐ Track separate UI revision count and Prototype revision count if system policy distinguishes them.
- ☐ Store from-version / to-version.
- ☐ Store origin: CLIENT / ADMIN / QA_CORRECTION.
- ☐ Store original feedback/evidence.
- ☐ Store normalized requested changes.
- ☐ Store affected screens/flows.
- ☐ Store QA result and Admin decision.
- ☐ Store client decision.
- ☐ Stop automatic client revision loop at configured approx. 2-3 rounds and create escalation.
- ☐ Do not reset count by silently creating a new 'version family'.

10. PM State & Waiting Ownership

State	Meaning / PM action
READY_TO_START	Validate Phase 3 baseline and send Task 2 start
WAITING_DESIGN	Track progress; no client review yet
WAITING_QA	No premature client share
WAITING_ADMIN	Wait for Admin decision
WAITING_CLIENT_UI	Client has exact UI version; follow up according to policy
UI_REVISION	Coordinate client-origin revision
WAITING_PROTOTYPE	Track prototype build
WAITING_PROTOTYPE_QA	No premature client share
WAITING_ADMIN_PROTOTYPE	Wait for Admin decision
WAITING_CLIENT_PROTOTYPE	Client has exact prototype build
PROTOTYPE_REVISION	Coordinate build revision
READY_TO_COMPLETE	Validate final client approval + DoD
WAITING_M2	Task 2 complete; Finance owns payment workflow
READY_FOR_TASK3	M2 PaymentVerified received
BLOCKED	Expose exact blocker, owner and resume condition

11. PM Agent Must NOT

- ☐ Must not design screens or choose client theme/color on its own.
- ☐ Must not perform Design QA or Prototype QA.
- ☐ Must not mark QA PASS.
- ☐ Must not mark Admin approval.
- ☐ Must not interpret payment proof as verified payment.
- ☐ Must not start Phase 5 before M2 is verified.
- ☐ Must not silently change scope based on client chat.
- ☐ Must not bypass revision limits.
- ☐ Must not expose internal provider/model/API details to client.
- ☐ Must not fabricate message delivery.
- ☐ Must not fabricate Figma/prototype completion.
- ☐ Must not ask the client to repeat already-confirmed context unless missing/contradictory/stale.

12. Admin Panel - PM Visibility & Controls

Admin surface	PM information / control
Phase 4 Overview	Current PM-owned state, next action, blocker, revision counters
PM Communication	Template, rendered message, channel, delivery status, retry/failure, timestamps
Client UI Review	Exact UI version sent, client response, classification, revision action
Client Prototype Review	Exact build sent, client response, classification, revision action
Clarifications	Open/answered questions, source agent, client answer, linked requirement/screen
Revision Timeline	Origin, from/to version/build, requested changes, status
Escalations	Revision-limit, scope-change, blocker, owner, decision
Finance Handoff	Phase4Completed, M2 invoice/payment state, PaymentVerified status
Activity/Audit	PM-triggered messages, client decisions, workflow events

Admin must be able to see what PM sent, what client saw, what client replied, which exact version/build was involved, and why the workflow is waiting.

13. PM-Specific Data Contracts

Entity	Minimum PM-relevant fields
PMCommunication	project_id, phase, task, event_type, template_version, rendered_message, channel, delivery_state, provider/external ref, retry_count, sent_at
ClientReviewShare	project_id, review_type UI/PROTOTYPE, artifact_version/build_id, channel, sent_at, delivery evidence
ClientFeedback	share_id, raw message/evidence, normalized classification, linked screens/flows, received_at
RevisionRequest	source artifact, target type, origin, requested changes, revision index, scope classification, status
ClarificationRequest	source agent/work item, question, client-facing wording, status, response/evidence, resolved_at
PMEscalation	type, reason, revision count/blocker, owner, decision, resolution
TaskAnnouncement	Task 2/Task 3 event, rendered message, delivery history, business event linkage
AuditEvent	actor/agent, action, entity/version, before/after, timestamp, correlation id

14. PM Event Contract

Event	PM behavior
Phase3Completed	Validate baseline and prepare Task 2 announcement
Task2Started	Record start; send/track message
UIDesignQAPassed	Wait for Admin UI approval
AdminUIApproved	Prepare exact UI review share
AdminUIEditRequested	No client share; wait for revised QA/Admin cycle
ClientUIChangeRequested	Create/reconcile revision request
ClientUIApproved	Record approval; trigger UI-lock/prototype-start communication
PrototypeQAPassed	Wait for Admin prototype approval
AdminPrototypeApproved	Prepare exact prototype review share
AdminPrototypeEditRequested	No client share; wait for revised QA/Admin cycle
ClientPrototypeChangeRequested	Create/reconcile prototype revision
ClientPrototypeApproved	Record approval; evaluate Task 2 completion
Phase4Completed	Send completion message; hand off to Finance
M2PaymentVerified	Send Task 3 start message; trigger Phase 5 eligibility

15. Communication Reliability, Retry & Idempotency

- ☐ Task announcements have deterministic idempotency keys.
- ☐ Same event replay does not create duplicate client messages unless policy explicitly supports retry copies.
- ☐ Delivery failure can retry without changing business state twice.
- ☐ Rendered message and business event are persisted before/with dispatch intent where practical.
- ☐ Provider 400/401/403/timeout errors remain visible to Admin with actionable status.
- ☐ Duplicate client webhook/message should not create duplicate revision requests.
- ☐ If external delivery is uncertain, PM state should show UNKNOWN/FAILED/PENDING rather than SENT.

16. PM Security & Permission Boundaries

- ☐ PM reads only organization/project context it is authorized to access.
- ☐ PM may create communication/coordination records but cannot impersonate Admin/client decisions.
- ☐ PM cannot call payment-verification action.
- ☐ PM cannot grant itself or other agents elevated permissions.
- ☐ PM cannot dispatch client-facing messages from unrelated projects.
- ☐ Sensitive credentials remain server-side and never enter PM prompt/context unnecessarily.
- ☐ Client attachments/messages are access-controlled.
- ☐ Every privileged PM workflow action is audited.

17. PM Cost-Control Responsibilities

- ☐ Reuse existing project/client context rather than re-summarizing the full history repeatedly.
- ☐ Do not call an expensive model for deterministic state checks or revision counting.
- ☐ Use structured summaries for long communication history.
- ☐ Avoid duplicate response drafting on provider retry.
- ☐ Do not ask multiple agents to independently rewrite the same client message unless governed comparison is required.
- ☐ Track PM agent/model/tool usage where system cost telemetry exists.

18. Failure & Exception Handling

Scenario	PM behavior
Phase 3 baseline incomplete	Block Task 2 announcement; surface missing item
Designer clarification needed	Send clear client question; wait; route answer back
QA fails UI	No client share; wait for fix/retest
Admin edits UI	No client share; wait for Designer→QA→Admin cycle
WhatsApp delivery fails	Retry communication; do not duplicate business transition
Client reply ambiguous	Request clarification; do not infer final approval
Client asks new feature	Create possible scope-change route
Revision limit exceeded	Create human escalation; stop automatic loop
Prototype build fails	Inform only if client-facing update is useful; preserve accurate status
Admin edits prototype	No client share; wait for revised cycle
Payment proof received	PM does not start Task 3; wait for PaymentVerified
Finance/verification delayed	Show WAITING_M2; communicate accurately if needed

19. PM Agent Technical Implementation Plan

PM4-I01 Existing PM Workflow Discovery

Inspect current PM Agent, project communication, outbox/delivery, client feedback, Phase 3→4 events, Finance events and Admin Panel before creating new services.

PM4-I02 Phase 4 PM Contract

Define supported actions, input schemas, output schemas, state ownership, permission boundaries and failure codes.

PM4-I03 Baseline Validation

Implement Task 2 start eligibility checks and exact Phase 3 handoff loading.

PM4-I04 Task Announcements

Implement PM4-M01 and PM4-M08 plus intermediate review/completion templates, event linkage and delivery history.

PM4-I05 Clarification Workflow

Create structured internal→PM→client→PM→requester clarification path.

PM4-I06 UI Review Coordination

Implement exact-version sharing eligibility and client UI decision capture.

PM4-I07 UI Revision Control

Implement feedback classification, revision request, count, escalation and scope routing.

PM4-I08 Prototype Review Coordination

Implement exact-build sharing eligibility and client prototype decision capture.

PM4-I09 Prototype Revision Control

Implement revision request/count/escalation/scope routing for prototype feedback.

PM4-I10 Task 2 Completion

Validate final client approval + DoD, create completion communication and Phase4Completed handoff.

PM4-I11 Finance Waiting & Task 3 Start

Consume M2 states; keep PM blocked until PaymentVerified; then Task 3 announcement.

PM4-I12 Admin Visibility

Expose PM messages, clarifications, client reviews, revisions, escalations and M2 waiting state.

PM4-I13 Reliability & Security

Add idempotency, retry, duplicate webhook protection, RBAC/project scoping and audit.

PM4-I14 Testing & Regression

Run unit/integration/E2E/security/recovery tests and regression against earlier PM flows.

20. PM Agent Test Matrix

Test area	Required coverage
Task 2 start	valid baseline, invalid baseline, duplicate event, message retry
Context reuse	known data reused; missing-only clarification
Clarification	question source, simple client wording, answer routing, duplicate answer
UI share	only QA+Admin-approved exact version; evidence stored
UI feedback	classification, raw evidence, revision creation, scope routing
UI approval	explicit exact-version approval; ambiguous response not auto-approved
Prototype share	only QA+Admin-approved exact build
Prototype feedback	revision vs scope classification; build linkage
Revision limit	approx. 2-3 rounds then escalation
Task 2 completion	requires final client approval + DoD
Finance	PM cannot verify payment; proof ≠ verified; wait for M2PaymentVerified
Task 3 start	only after verified M2
Communication	400/401/403/timeout retry and accurate delivery status
Idempotency	event/message/webhook replay does not duplicate outcome
Permissions	PM cannot Admin-approve, QA-pass, verify payment or access another project
Admin history	exact message/share/feedback/revision visible
Cost	no unnecessary repeated full-context model calls

21. Mandatory PM Test Cases

ID	Scenario	Expected
PM4-T001	Receive Phase3Completed with valid baseline	Task 2 start becomes eligible
PM4-T002	Receive Phase3Completed missing final UI direction	Block; no Task 2 announcement
PM4-T003	Replay Task2Started	No duplicate business transition/message intent
PM4-T004	Task 2 message provider fails	Delivery retryable; phase state not duplicated
PM4-T005	Existing client info already known	PM does not re-ask
PM4-T006	Designer asks clarification	PM creates client-friendly question and links source
PM4-T007	Client answers clarification	Answer routes to source work item
PM4-T008	Design QA not passed	PM cannot share UI
PM4-T009	Admin not approved	PM cannot share UI
PM4-T010	UI approved by QA/Admin	PM shares exact version and stores evidence
PM4-T011	Client asks visual revision	PM creates versioned revision request
PM4-T012	Client asks new feature	PM routes possible scope change
PM4-T013	Client says ambiguous 'looks okay'	No formal approval if explicit confirmation required
PM4-T014	Client explicitly approves exact UI version	PM records approval; UI lock path starts
PM4-T015	Prototype QA not passed	PM cannot share build
PM4-T016	Admin prototype not approved	PM cannot share build
PM4-T017	Approved prototype build	PM shares exact build ID/artifact
PM4-T018	Client requests prototype correction	Controlled revision request
PM4-T019	Revision limit reached	Automatic loop stops; escalation created
PM4-T020	Client approves final prototype	PM evaluates completion eligibility
PM4-T021	DoD missing required evidence	Task 2 completion blocked

ID	Scenario	Expected
PM4-T022	Task 2 completes	Completion message recorded; Finance M2 handoff created
PM4-T023	Payment proof arrives	PM remains WAITING_M2
PM4-T024	PM attempts payment verification	Denied
PM4-T025	Finance sends M2PaymentVerified	PM sends Task 3 start and Phase 5 eligibility
PM4-T026	Duplicate client webhook	No duplicate feedback/revision
PM4-T027	Cross-project message attempt	Denied
PM4-T028	Client-facing prompt includes provider/model detail	Redaction/policy test fails until removed

22. Mandatory PM End-to-End Scenario

- ☐ Consume valid Phase 3 completion.
- ☐ Send Task 1 complete / Task 2 start message.
- ☐ Designer clarification arrives; PM asks client and routes response back.
- ☐ Design QA passes; Admin approves exact UI.
- ☐ PM sends exact UI version.
- ☐ Client requests one visual revision.
- ☐ PM creates revision; waits for Designer→QA→Admin.
- ☐ PM re-shares revised exact version.
- ☐ Client explicitly approves UI.
- ☐ PM sends Prototype Start message.
- ☐ Prototype QA passes; Admin approves exact build.
- ☐ PM shares exact build.
- ☐ Client requests one correction.
- ☐ PM creates prototype revision; waits for Prototype Agent→QA→Admin.
- ☐ PM re-shares exact revised build.
- ☐ Client explicitly approves final build.
- ☐ PM validates Task 2 completion conditions.
- ☐ PM sends Task 2 completion message.
- ☐ Finance issues M2; payment proof is submitted.
- ☐ PM remains blocked from Task 3 until Admin verification.
- ☐ M2PaymentVerified arrives.
- ☐ PM sends Task 3 start message and Phase 5 becomes eligible.
- ☐ All messages, exact versions/builds, decisions and revisions are visible in Admin Panel.

23. PM Agent Definition of Done

- ☐ PM Agent receives valid Phase 4 start context.
- ☐ Task 2 announcements are event-driven and idempotent.
- ☐ Existing project/client context is reused.
- ☐ Clarification workflow works end-to-end.
- ☐ PM cannot share UI before QA + Admin approval.
- ☐ Exact UI version sharing/history works.
- ☐ UI feedback classification/revision/scope routing works.
- ☐ Explicit client UI approval works.
- ☐ PM cannot share prototype before QA + Admin approval.
- ☐ Exact prototype build sharing/history works.
- ☐ Prototype feedback classification/revision/scope routing works.
- ☐ Explicit final client prototype approval works.
- ☐ Revision-limit escalation works.
- ☐ Task 2 completion message works.
- ☐ Finance M2 handoff works.
- ☐ PM cannot verify payment.
- ☐ Task 3 start occurs only after M2PaymentVerified.
- ☐ Admin Panel shows all PM messages, shares, feedback, revisions and blockers.
- ☐ Security, idempotency, retry and audit tests pass.
- ☐ No unresolved PM Agent Phase 4 P0/P1 defects remain.

24. Master PM Agent Checklist

A. Start

- ☐ Phase3Completed consumed

- ☐ baseline validated
- ☐ Task2Started
- ☐ start message
- ☐ delivery state

B. Context

- ☐ scope
- ☐ screen baseline
- ☐ theme/colors
- ☐ Figma/design ref
- ☐ project plan
- ☐ client preferences
- ☐ known info reuse

C. Clarification

- ☐ source request
- ☐ client-friendly wording
- ☐ message evidence
- ☐ answer
- ☐ route back
- ☐ resolved status

D. UI Review

- ☐ QA PASS
- ☐ Admin approval
- ☐ exact UI version
- ☐ share evidence
- ☐ client feedback
- ☐ classification
- ☐ revision

E. UI Approval

- ☐ explicit confirmation
- ☐ exact version
- ☐ UI lock
- ☐ Prototype start message

F. Prototype Review

- ☐ QA PASS
- ☐ Admin approval
- ☐ exact build
- ☐ share evidence
- ☐ feedback
- ☐ classification
- ☐ revision

G. Prototype Approval

- ☐ explicit final confirmation
- ☐ exact build
- ☐ DoD evaluation

H. Revision Control

- ☐ count
- ☐ origin

- ☐ from/to artifact
- ☐ change request
- ☐ scope route
- ☐ escalation

I. Finance

- ☐ Phase4Completed
- ☐ M2 handoff
- ☐ WAITING_M2
- ☐ payment proof not verified
- ☐ PaymentVerified
- ☐ Task3 message

J. Admin Panel

- ☐ messages
- ☐ deliveries
- ☐ clarifications
- ☐ client reviews
- ☐ revisions
- ☐ escalations
- ☐ M2 state
- ☐ audit

K. Reliability

- ☐ idempotency
- ☐ retry
- ☐ duplicate webhook
- ☐ provider errors
- ☐ accurate delivery status

L. Security

- ☐ RBAC
- ☐ project scope
- ☐ no Admin impersonation
- ☐ no payment verification
- ☐ no provider detail leakage

M. Testing

- ☐ unit
- ☐ integration
- ☐ event/job
- ☐ communication
- ☐ permissions
- ☐ E2E
- ☐ negative
- ☐ recovery
- ☐ regression

25. Final Locked PM Agent Flow

PHASE 3 COMPLETE → PM VALIDATES BASELINE → PM TASK 2 ANNOUNCEMENT → TRACK UI WORK → CLARIFICATION IF NEEDED → WAIT DESIGN QA → WAIT ADMIN UI APPROVAL → SHARE EXACT UI → CAPTURE/CLASSIFY CLIENT FEEDBACK → CONTROLLED REVISION LOOP → EXPLICIT UI APPROVAL → PM PROTOTYPE-START MESSAGE → WAIT PROTOTYPE QA → WAIT ADMIN PROTOTYPE APPROVAL → SHARE EXACT BUILD → CAPTURE/CLASSIFY CLIENT FEEDBACK → CONTROLLED REVISION LOOP → EXPLICIT FINAL PROTOTYPE APPROVAL → VALIDATE TASK 2 DoD → PM TASK 2 COMPLETE MESSAGE → FINANCE M2 20% →

Locked PM principle: PM owns client-facing coordination and communication, not technical implementation or human approval authority. Every message and client decision must be tied to the exact workflow state and artifact version/build.