

AGENCYOS

PHASE 3 - UI DESIGNER AGENT

Figma Designer Responsibilities, Design Generation, Review Loops, Cost Control, Admin
Visibility & Implementation Specification

CANONICAL DESIGN OWNER FOR PHASE 3 UI THEME + COLOR FINALIZATION

Status	LOCKED PHASE 3 UI DESIGNER RESPONSIBILITY BASELINE
Official Role	Figma Designer Agent / UI Designer Agent
Canonical Design Tool	Figma
Primary Output	2-3 meaningful UI theme directions + appropriate color combinations + approved final visual direction
Human/Review Gates	Internal Design Review → Admin Review → Client review via PM
Next Phase Dependency	Final locked Figma direction becomes Phase 4 design baseline
Cost Principle	Reuse first; no duplicate generation; image generation only when it adds real value

This document defines the UI Designer Agent in enough detail for implementation, integration, QA and Claude Code execution while preserving the locked Phase 3 business flow.

1. UI Designer Agent Mission

The UI Designer Agent is the specialized Phase 3 design-production role responsible for turning the approved project context, finalized screen baseline, brand information and client references into a small set of high-quality visual directions in Figma.

Phase 3 does not require the Designer to create every final production screen. The goal is to establish and lock the visual system that Phase 4 will use for full UI design and prototype work.

Canonical rule: Figma is the design source of truth. Preview images may support review, but screenshots or generated images must never replace the underlying Figma artifact.

2. Start Conditions

- ☐ Phase 3 is active for the project.
- ☐ Approved scope and requirements are available.
- ☐ Project Planning Agent context is available.
- ☐ Screen list and screen-by-screen content baseline are sufficiently defined for theme work.
- ☐ Known brand assets/references/preferences are loaded.
- ☐ Any mandatory design clarification blocking theme generation has been resolved.
- ☐ Designer job is not a duplicate/replay of an already completed input version.

3. Designer Inputs

- ☐ Project identity and project type.
- ☐ Approved scope reference.
- ☐ Finalized/working screen list.
- ☐ Screen-by-screen content and action baseline.
- ☐ Project Planning Agent operational blueprint.
- ☐ Brand assets, logo, fonts if supplied, style references and existing product assets.
- ☐ Client-provided inspiration/reference images or URLs stored in project context.
- ☐ Previously confirmed color or brand constraints.
- ☐ Target platforms: mobile, web, responsive or other agreed surface.
- ☐ Known accessibility/usability constraints if included in project requirements.
- ☐ Current design-context version and prior theme/revision history.

4. Primary Responsibilities

4.1 Understand the approved design context

- ☐ Read the latest approved scope and relevant design requirements before creating anything.
- ☐ Use the finalized screen/content baseline to understand actual product needs.
- ☐ Use Project Planning output for project context/dependencies, not for visual invention.
- ☐ Do not invent features or screens to make a theme look more impressive.

4.2 Create meaningful theme directions

- ☐ Create approximately 2-3 distinct UI theme directions.
- ☐ Each direction should be meaningfully different in visual language while remaining suitable for the same approved product.
- ☐ Do not create superficial duplicates where only one minor property changes.
- ☐ Keep the option count deliberately limited for client clarity and cost control.

4.3 Create color-combination options

- ☐ Prepare approximately 2-3 suitable color combinations per direction as applicable.
- ☐ Respect confirmed brand colors/constraints.
- ☐ Define reusable color tokens instead of only visual swatches.
- ☐ Ensure basic text/background contrast and usability are considered.

4.4 Build Figma-native artifacts

- ☐ Create theme/sample screens and reusable styles/components in Figma or the configured supported Figma workflow.
- ☐ Store stable Figma file/page/node references.
- ☐ Use preview assets only as secondary review artifacts.
- ☐ Keep layer/component naming structured enough for Phase 4 reuse.

4.5 Establish early design-system primitives

- ☐ Define only the Phase 3 level of visual primitives needed to communicate the direction.
- ☐ Examples: typography style, color tokens, surfaces, buttons, cards, spacing feel, border/radius/shadow style, icon treatment and key navigation style.
- ☐ Do not overbuild the complete production design system if Phase 3 does not require it.

4.6 Support internal review

- ☐ Submit design directions to Internal Design Reviewer with clear option/version identifiers.
- ☐ Receive structured feedback.
- ☐ Revise only the requested/validated items.
- ☐ Resubmit for review with change summary.

4.7 Support Admin review

- ☐ After internal review passes, prepare Admin-ready artifacts and previews.
- ☐ On Admin EDIT, consume the structured reason/comments.
- ☐ Revise the exact affected version.
- ☐ Send it back through internal review before Admin receives it again.

4.8 Support client-requested revisions

- ☐ Receive client feedback only through the controlled workflow/PM.
- ☐ Mark revision origin as CLIENT.
- ☐ Apply only approved visual/design changes.
- ☐ Do not treat new functionality as normal visual feedback.
- ☐ Send revised design through internal review and Admin approval before PM re-shares it.

4.9 Final lock preparation

- ☐ After client selects a direction, ensure exact theme ID, color ID and Figma version are stable.
- ☐ Finalize necessary Phase 3 tokens/reference assets for Phase 4.
- ☐ Do not silently overwrite the chosen version.
- ☐ Produce the structured design handoff metadata.

5. What UI Designer Agent Must NOT Do

- ☐ Must not communicate directly with client when PM owns client communication.
- ☐ Must not mark Admin approval.
- ☐ Must not mark client final confirmation.
- ☐ Must not bypass Internal Design Reviewer.
- ☐ Must not add screens/features outside approved scope without a governed scope/change decision.
- ☐ Must not generate 10-20 options when the locked requirement is approximately 2-3 meaningful directions.
- ☐ Must not use image generation as a substitute for the canonical Figma artifact.
- ☐ Must not create duplicate designs after a retry when the same input/version already produced an artifact.
- ☐ Must not overwrite earlier versions or destroy review history.
- ☐ Must not expose internal AI/provider/model details inside client-facing design artifacts.
- ☐ Must not proceed on ambiguous functional requirements by guessing.
- ☐ Must not create Phase 4 full-production UI/prototype as part of Phase 3 unless the user later changes the locked boundary.

6. Theme Direction Definition

A Phase 3 theme direction is a coherent visual language, not merely a color palette.

Theme dimension	Designer should define
Visual personality	Modern, premium, minimal, playful, editorial, enterprise, etc. as justified by project context
Typography	Font family or safe candidate, hierarchy, weight/size feel
Layout language	Density, whitespace, alignment, container/card treatment
Navigation feel	Tabs, bottom nav, side nav or context-relevant visual treatment
Components	Button, card, input, badge/chip, modal/sheet treatment as samples
Imagery/iconography	Illustration/photo/icon style when relevant
Surface treatment	Background, elevation, border, radius, shadow approach
Motion feel	Only high-level interaction/motion direction if relevant; not full animation spec
Color direction	Linked tokenized palettes
Reference screens	Enough representative screens/states to judge the direction

7. Representative Screen Strategy

- ☐ Use representative screens that expose the most important visual decisions.
- ☐ Select screens across key patterns rather than designing every screen in Phase 3.
- ☐ Include at least one primary/home/dashboard-like screen when applicable.
- ☐ Include at least one content/detail/form/list pattern when applicable.
- ☐ Include enough navigation/state context for Admin/client to judge the direction.
- ☐ Do not create redundant sample screens that add cost without decision value.
- ☐ Record which final screen definitions each representative sample maps to.

8. Figma as Canonical Source of Truth

The Designer Agent must treat the selected Figma artifact/version as the authoritative Phase 3 design output.

- ☐ Store Figma file key/reference.
- ☐ Store page/node IDs for each theme option where available.
- ☐ Store preview thumbnails/renders for Admin/client convenience.
- ☐ Preserve version association between preview and Figma artifact.
- ☐ Ensure Phase 4 can open the exact final selection without relying on screenshots.
- ☐ Do not silently replace a Figma file/node and reuse the same version identifier.
- ☐ Protect provider credentials and access tokens through secure configuration.

9. Image Generation Policy

Image generation is optional support, not the default design workflow.

- ☐ Use image generation only when it materially helps produce an illustration, reference, texture, mood-board element or visual asset that cannot be efficiently produced/reused otherwise.
- ☐ Do not generate a whole fake app screenshot and treat it as the Phase 3 source of truth.
- ☐ Do not pay for both image generation and separate Figma recreation when direct Figma design would be more efficient.
- ☐ If generated imagery influences the final design, preserve asset/source linkage and usage rights metadata where relevant.
- ☐ Reuse generated assets across relevant screens instead of regenerating near-identical versions.

10. Cost-Control Responsibilities

Designer optimization target: maximum useful design decision quality per project cost, not maximum number of generations.

- ☐ Create only the requested 2-3 meaningful directions.
- ☐ Reuse approved components, tokens and brand assets.
- ☐ Reuse unchanged results when input context/version has not changed.
- ☐ Use lower-cost suitable model/tool for routine extraction/classification.
- ☐ Use stronger model only when complex visual reasoning materially benefits quality.
- ☐ Do not send the same brief independently to multiple expensive providers unless a governed comparison is actually needed.
- ☐ Cache design-brief summaries and normalized context.
- ☐ Bundle related feedback into one revision where possible.
- ☐ Track design-generation/model/tool usage by project/phase/task where supported.
- ☐ Expose abnormal repeated-generation patterns to Admin.

11. Design Brief Contract

- ☐ project_id
- ☐ phase3_workspace_id
- ☐ design_context_version
- ☐ project_type
- ☐ target_platforms
- ☐ approved_scope_refs
- ☐ screen_definition_refs
- ☐ representative_screen_candidates
- ☐ brand_asset_refs
- ☐ client_reference_refs
- ☐ confirmed_visual_preferences
- ☐ confirmed_color_constraints
- ☐ accessibility/usability constraints if applicable
- ☐ option_count policy
- ☐ color_option policy
- ☐ revision policy
- ☐ existing reusable component/token refs
- ☐ output/Figma workspace target

12. Theme Option Output Contract

- ☐ theme_option_id
- ☐ project_id
- ☐ phase3_version
- ☐ option_name
- ☐ visual_direction_summary
- ☐ representative_screen_refs
- ☐ figma_file_ref
- ☐ figma_page/node refs
- ☐ preview_asset_refs
- ☐ design_token_refs
- ☐ linked_color_option_ids
- ☐ source_context_version
- ☐ generation/job id
- ☐ generation cost/usage reference if available
- ☐ internal_review_status
- ☐ admin_status
- ☐ client_status
- ☐ created_at / updated_at

13. Color Option Output Contract

- ☐ color_option_id
- ☐ theme_option_id
- ☐ palette_name
- ☐ primary token
- ☐ secondary token
- ☐ accent token
- ☐ background/surface tokens

- ☐ text tokens
- ☐ semantic success/warning/error tokens if represented
- ☐ contrast/accessibility notes
- ☐ brand constraint source
- ☐ preview refs
- ☐ version/status

14. Internal Review Loop

DESIGNER DRAFT → INTERNAL DESIGN REVIEW → PASS or CHANGES_REQUIRED

- ☐ Reviewer receives exact artifact/version.
- ☐ Feedback is structured by option/screen/component where possible.
- ☐ Designer records a change summary.
- ☐ Designer changes only the necessary artifact version.
- ☐ Resubmission creates auditable review history.
- ☐ Internal PASS is required before Admin review.

15. Admin Review Loop

INTERNAL PASS → ADMIN REVIEW → CONFIRM or EDIT → if EDIT: DESIGNER REVISION → INTERNAL REVIEW → ADMIN REVIEW

- ☐ Admin sees Figma reference, previews, theme/color identifiers and internal-review evidence.
- ☐ Admin EDIT must have reason/comments.
- ☐ Designer does not communicate the Admin edit directly to client.
- ☐ Revised option remains a new version.
- ☐ Only Admin-approved versions become eligible for PM/client sharing.

16. Client Revision Loop

CLIENT FEEDBACK via PM → DESIGN REVISION REQUEST → DESIGNER → INTERNAL REVIEW → ADMIN REVIEW → PM → CLIENT

- ☐ Client feedback arrives as a structured request linked to source evidence.
- ☐ Designer differentiates visual change from possible functional/scope change.
- ☐ If request affects scope, return/flag instead of implementing silently.
- ☐ Revision origin is CLIENT.
- ☐ Revision count is maintained by workflow.
- ☐ Designer stops automatic revision generation when the configured approximately 2-3 client revision limit is reached and waits for escalation outcome.

17. Scope-Protection Rules

- ☐ Every designed screen or representative sample maps to an approved ScreenDefinition or explicitly approved design requirement.
- ☐ Designer may visually interpret an approved requirement but must not invent new business logic.
- ☐ New client feature requests must be flagged as POSSIBLE_SCOPE_CHANGE.
- ☐ New screen request not traceable to approved scope must be blocked/flagged until governed.
- ☐ Designer should document visual assumptions separately from functional requirements.
- ☐ Visual simplification must not remove required functionality from the representation.

18. Design Quality Checklist

- ☐ Theme directions are meaningfully distinct.
- ☐ Visual hierarchy is clear.
- ☐ Typography is legible and consistent.
- ☐ Spacing rhythm is coherent.
- ☐ Colors are usable and consistent.
- ☐ Primary actions are visually clear.
- ☐ Navigation patterns are understandable.
- ☐ Representative screens demonstrate the direction adequately.
- ☐ Brand constraints are respected.
- ☐ UI patterns are reusable in Phase 4.
- ☐ Basic contrast/accessibility concerns are not obviously violated.
- ☐ Design is appropriate to target platform(s).
- ☐ Option is presentation-ready for Admin/client review.

19. Phase 4 Reuse & Handoff Preparation

- ☐ Final selected theme/color is represented by stable Figma version.
- ☐ Phase 4 receives design tokens/primitives rather than recreating them.
- ☐ Reusable components created in Phase 3 are preserved.
- ☐ Representative screens remain available as reference.
- ☐ Screen list/content baseline is linked.
- ☐ Client/Admin approval evidence is linked.
- ☐ Known exceptions/limitations are documented.
- ☐ Phase 4 must not redo theme selection unless a governed change is introduced.

20. Admin Panel - Mandatory Designer Visibility

AgencyOS-wide locked principle: important work and history from every phase must be visible in the Admin Panel.

Admin view	Designer information that must be visible
Phase 3 Overview	Designer job/state, current version, blockers, revision count
Screen Definitions	Screens/content the Designer is working from
Theme Options	All generated options with Figma/preview refs
Color Options	Palettes linked to each theme
Internal Reviews	Pass/change history and comments
Admin Reviews	Confirm/edit history
Client Share Status	Whether exact option/version was shared
Client Feedback	Structured feedback relevant to Designer
Revision History	Version, origin, changes, timestamps
Final Selection	Locked theme/color/Figma version
Project Plan	Relevant Project Planning context
Cost/Usage	Generation calls/tool/model usage/cost where supported

Historical artifacts must remain accessible. A new revision must not erase a previously reviewed or client-shared version.

21. State Machines

Designer Work Item

QUEUED → CONTEXT_LOADING → DRAFTING → FIGMA_SYNC → INTERNAL_REVIEW → CHANGES_REQUIRED / INTERNAL_PASS → ADMIN_REVIEW → ADMIN_EDIT / ADMIN_APPROVED → CLIENT_FEEDBACK_WAIT → CLIENT_REVISION → FINAL_LOCK_READY

Theme Option

DRAFT → INTERNAL_REVIEW → INTERNAL_PASS → ADMIN_REVIEW → ADMIN_APPROVED → CLIENT_SHARED → CLIENT_SELECTED / CLIENT_CHANGE → LOCKED

Failure states

BLOCKED_REQUIREMENT | PROVIDER_FAILED | FIGMA_SYNC_FAILED | SCOPE_ESCALATION | REVISION_LIMIT_ESCALATION

22. Events

Event	Producer	Designer behavior
Phase3Started	Workflow	Prepare/validate design context
ScreenListFinalized	Screen workflow	Open theme-generation eligibility
DesignContextReady	Coordination	Start drafting if not duplicate
ThemeGenerationRequested	Orchestrator	Create options
ThemeOptionsGenerated	Designer	Persist options + previews + Figma refs
InternalDesignChangesRequired	Reviewer	Revise exact version
InternalDesignPassed	Reviewer	Prepare Admin review
AdminDesignEditRequested	Admin	Revise and resubmit internally
AdminDesignApproved	Admin	No design action unless client feedback arrives
ClientDesignChangeRequested	PM/workflow	Create client-origin revision
PossibleScopeChangeDetected	Designer	Stop affected change; route escalation
ClientDesignSelected	PM/workflow	Prepare final lock/handoff
Phase3Completed	Workflow	Freeze selected Phase 3 reference set

23. Minimum Designer Data Model

Entity	Minimum fields
DesignJob	project, input/context version, job type, status, idempotency key, provider/tool usage
ThemeOption	theme contract + statuses + Figma refs
ColorOption	palette/tokens + theme link + status
DesignTokenSet	typography/color/spacing/surface primitives + version
RepresentativeScreen	screenDefinition link, theme link, Figma node, preview
DesignRevision	source/target version, origin, requested changes, result, cost/usage
DesignReviewLink	review IDs/statuses tied to exact artifact/version
DesignAsset	source/generated/reused type, storage/Figma refs, rights/source metadata if applicable
DesignHandoff	selected theme/color/token/Figma refs + approval evidence
UsageRecord	project/phase/agent/task/provider/model/tool/tokens/calls/cost if available
AuditEvent	actor/agent, action, entity/version, before/after, timestamp

24. Figma Integration Requirements

- ☐ Inspect existing Figma/provider integration before implementing a new one.
- ☐ Use official/supported APIs or configured integration mechanisms.
- ☐ Support secure Figma credentials/service tokens where applicable.
- ☐ Create/update artifacts under the correct project/workspace.
- ☐ Persist file/page/node identifiers.
- ☐ Generate preview assets without losing linkage to canonical nodes.
- ☐ Use idempotency to prevent duplicate option creation on retry.
- ☐ Detect/handle permission errors and revoked tokens.
- ☐ Do not claim automated editing if the actual integration only supports assisted/manual steps.
- ☐ Expose exact manual step in Admin Panel when automation cannot complete it.

25. Security & Permission Boundaries

- ☐ Designer has project-scoped access only.
- ☐ Designer can read approved requirements/brand assets needed for design.
- ☐ Designer can write design artifacts/revisions, not Admin/client approval state.
- ☐ Figma/provider credentials never appear in client-facing output.
- ☐ Generated previews and attachments use access-controlled storage.
- ☐ Server-side authorization protects design APIs.
- ☐ Tenant/project isolation is tested.
- ☐ Every material design mutation is auditable.

26. Failure & Recovery

Scenario	Required behavior
Incomplete design context	BLOCKED_REQUIREMENT; request structured clarification
Figma API/provider timeout	Retry safely using same job/idempotency key
Figma permission failure	Surface manual/config blocker; do not fake completion
Generation tool/model failure	Retry/fallback by policy; preserve context/version
Duplicate job/event	Return existing artifact if same input/version
Internal review rejects	Create revision; preserve prior version
Admin edit	Create new version; run internal review again
Client new feature request	Flag scope escalation
Client revision limit reached	Stop auto-generation; escalation
Preview rendering fails	Retry preview only; do not regenerate design unnecessarily
Cost threshold breached	Alert/policy action; avoid runaway regeneration

27. Implementation Plan - UI Designer Agent

UI3-I01 Existing System Discovery

- ☐ Inspect Phase 3 domain, Project Planning context, screen definitions, Figma integration, asset storage, design system, approval engine, event/jobs, Admin Panel, audit and usage tracking.
- ☐ Create PDF-requirement-to-code traceability matrix.

UI3-I02 Designer Agent Contract

- ☐ Define input schema, output schema, supported actions, permission boundary, state transitions and failure codes.
- ☐ Require structured outputs for workflow-changing actions.

UI3-I03 Design Context Builder

- ☐ Normalize approved scope, screen/content baseline, brand assets, client references and reusable design assets into a versioned design brief.
- ☐ Hash/version context to support artifact reuse.

UI3-I04 Theme Generation Workflow

- ☐ Implement approximately 2-3 meaningful theme directions.
- ☐ Generate/store canonical Figma artifacts, preview refs and metadata.
- ☐ Prevent duplicate generation.

UI3-I05 Color/Token Workflow

- ☐ Implement appropriate color combinations and reusable tokens.
- ☐ Link tokens to theme/version.
- ☐ Preserve confirmed brand constraints.

UI3-I06 Representative Screen Workflow

- ☐ Select/create representative sample screens based on screen definitions.
- ☐ Link samples to exact screen requirements.

UI3-I07 Internal Review Integration

- ☐ Create review submission payload.
- ☐ Consume structured changes/pass.
- ☐ Implement versioned revision/resubmission.

UI3-I08 Admin Review Integration

- ☐ Consume Admin EDIT/APPROVED.
- ☐ On EDIT, revise → internal review → Admin.
- ☐ Never mark Admin approval internally.

UI3-I09 Client Revision Integration

- ☐ Consume PM-routed design feedback.
- ☐ Classify visual revision vs possible scope change.
- ☐ Implement client-origin revision and revision-limit guard.

UI3-I10 Final Lock/Handoff

- ☐ Prepare stable selected Figma/token/theme/color references.
- ☐ Prevent silent overwrite.
- ☐ Create Phase 4 design-handoff artifact.

UI3-I11 Admin History & Cost Telemetry

- ☐ Expose all options/versions/reviews/revisions/final selection.

☐ Track generation/tool/model calls and cost where available.

UI3-I12 Security, Reliability & QA

☐ Implement RBAC, project isolation, secret handling, idempotency, retries, logs and full test suite.

28. Suggested Service/API Boundaries

Reuse equivalent existing services rather than creating duplicates.

Capability	Example contract
Build brief	buildPhase3DesignBrief(projectId, contextVersion)
Generate themes	generateThemeOptions(projectId, briefVersion, idempotencyKey)
Generate colors	generateColorOptions(themeOptionId, constraints)
Sync Figma	syncThemeToFigma(themeOptionId, version)
Render previews	renderThemePreviews(themeOptionId, version)
Submit internal review	submitDesignForInternalReview(themeOptionId, version)
Apply review changes	reviseFromInternalReview(themeOptionId, sourceVersion, reviewId)
Apply Admin edit	reviseFromAdminFeedback(themeOptionId, sourceVersion, decisionId)
Apply client revision	reviseFromClientFeedback(themeOptionId, sourceVersion, revisionId)
Flag scope change	flagPossibleDesignScopeChange(projectId, revisionId)
Prepare final handoff	preparePhase3DesignHandoff(projectId, selectedThemeId, colorId, figmaVersion)

29. QA Test Matrix

Area	Required tests
Context	Approved inputs loaded; missing/ambiguous blocked; cross-project isolation
Theme count	2-3 meaningful options; duplicate retry does not create more
Theme quality	Distinct direction metadata; representative screens
Color options	Correct theme link; brand constraints; token persistence
Figma	Create/update refs; preview link; permission failure; retry idempotency
Image generation	Optional only; traceable; no fake canonical artifact
Internal review	Reject/revise/pass loop
Admin	Edit/revise/re-review/approve; Designer cannot self-approve
Client revision	PM-routed only; origin/version/count preserved
Scope protection	New feature flagged, not silently implemented
Revision cap	Stop/escalate after configured limit
History	Prior versions retained and visible
Cost	Same input reused; no unnecessary duplicate provider calls
Handoff	Selected theme/color/Figma version stable and Phase 4 reusable
Security	RBAC, project isolation, secret handling
Recovery	Provider timeout, job retry, duplicate event, preview failure

30. Mandatory End-to-End Designer Scenario

- ☐ Receive valid Phase 3 design context.
- ☐ Build versioned design brief from approved scope/screens/project plan.
- ☐ Generate exactly 3 meaningful theme directions in test scenario.
- ☐ Create linked color options/tokens.
- ☐ Create representative Figma samples and previews.
- ☐ Submit all to internal review.
- ☐ Reviewer rejects one direction; Designer revises; review passes.
- ☐ Admin edits a different detail; Designer creates new version; internal review passes; Admin approves.
- ☐ PM shares approved options; client asks for visual change.
- ☐ Designer receives PM-routed client revision.
- ☐ Designer applies revision without adding new scope.
- ☐ Internal review passes; Admin approves.
- ☐ Client selects final theme/color through PM.
- ☐ Designer prepares final locked Figma/token handoff.
- ☐ All prior versions/reviews remain visible.
- ☐ Duplicate event replay creates no duplicate design option.
- ☐ Usage/cost records reflect actual generations only.

31. Definition of Done

- ☐ Designer Agent consumes the locked Phase 3 design context.
- ☐ Figma is the canonical artifact source.
- ☐ Approximately 2-3 meaningful theme directions are supported.
- ☐ Appropriate color combinations/tokens are supported.
- ☐ Representative screens are mapped to approved ScreenDefinitions.
- ☐ Internal review loop works.
- ☐ Admin edit/approval loop works.
- ☐ Client-origin revision loop works through PM.
- ☐ Scope-change detection prevents silent feature addition.
- ☐ Revision-limit behavior works.
- ☐ Final theme/color/Figma version can be locked for Phase 4.
- ☐ Admin Panel shows options, reviews, revisions and final selection.
- ☐ Historical versions are preserved.
- ☐ Duplicate generation is prevented.
- ☐ Cost/usage telemetry works where infrastructure supports it.
- ☐ Security, permissions, isolation, retries and recovery tests pass.
- ☐ No unresolved P0/P1 UI Designer Phase 3 defects remain.

32. Master UI Designer Checklist

A. Context

- ☐ Approved scope.
- ☐ Screen list.
- ☐ Screen content.
- ☐ Project plan.
- ☐ Brand assets.
- ☐ Client references.
- ☐ Platform.
- ☐ Constraints.

- ☐ Context version.

B. Theme Work

- ☐ 2-3 directions.
- ☐ Meaningful distinction.
- ☐ Representative screens.
- ☐ Figma refs.
- ☐ Previews.
- ☐ Metadata.
- ☐ Reusable primitives.

C. Colors

- ☐ 2-3 combinations as applicable.
- ☐ Brand constraints.
- ☐ Tokens.
- ☐ Contrast note.
- ☐ Theme link.
- ☐ Version.

D. Figma

- ☐ Canonical artifact.
- ☐ File/page/node refs.
- ☐ Secure auth.
- ☐ Idempotent sync.
- ☐ Preview refs.
- ☐ Error handling.

E. Reviews

- ☐ Internal submission.
- ☐ Changes required.
- ☐ Revision.
- ☐ Internal pass.
- ☐ Admin review.
- ☐ Admin edit loop.
- ☐ Admin approval.

F. Client Revision

- ☐ PM-routed feedback.
- ☐ Visual vs scope classification.
- ☐ Revision origin.
- ☐ Version.
- ☐ Count.
- ☐ Re-review.
- ☐ Escalation.

G. Final Handoff

- ☐ Theme ID.
- ☐ Color ID.
- ☐ Figma version.
- ☐ Tokens.
- ☐ Representative screens.
- ☐ Approval refs.

- ☐ Phase 4 package.

H. Admin Panel

- ☐ Theme history.
- ☐ Colors.
- ☐ Reviews.
- ☐ Admin decisions.
- ☐ Client revision.
- ☐ Final selection.
- ☐ Project plan.
- ☐ Cost/usage.

I. Cost

- ☐ Reuse context.
- ☐ Reuse assets.
- ☐ No duplicate provider calls.
- ☐ Limited variants.
- ☐ No retry regeneration.
- ☐ Usage tracking.

J. Quality

- ☐ Unit.
- ☐ Integration.
- ☐ Figma/provider.
- ☐ Review loops.
- ☐ Negative.
- ☐ Security.
- ☐ Isolation.
- ☐ Idempotency.
- ☐ Recovery.
- ☐ E2E.

33. Claude Code Execution Protocol

DISCOVER EXISTING DESIGN/Figma INFRASTRUCTURE → MAP THIS PDF → REUSE WORKING COMPONENTS → IMPLEMENT DESIGNER DOMAIN/CONTRACT → BUILD CONTEXT REUSE → IMPLEMENT THEME/COLOR/Figma FLOW → INTERNAL REVIEW → ADMIN LOOP → CLIENT-REVISION INTEGRATION → COST/IDEMPOTENCY → FULL E2E → SECURITY/RECOVERY → PRODUCTION READINESS

- ☐ Do not create duplicate design systems if reusable infrastructure already exists.
- ☐ Do not merge UI Designer responsibilities into PM.
- ☐ Do not let Designer self-approve internal/Admin/client gates.
- ☐ Do not substitute image generation for Figma.
- ☐ Do not generate more variants than required without an explicit reason.
- ☐ Do not silently add scope.
- ☐ Do not overwrite version history.
- ☐ Do not rerun expensive generation on ordinary retry when same artifact can be reused.
- ☐ Do not mark requirement complete until implementation + integration + test + evidence exists.
- ☐ Final report must include changed files, migrations, Figma/provider setup, events/APIs, tests, usage/cost controls, manual steps, limitations and Phase 4 readiness.

34. Final Locked UI Designer Flow

PHASE 3 DESIGN CONTEXT READY → LOAD APPROVED SCOPE + SCREEN BASELINE + PROJECT PLAN + BRAND/REFERENCE CONTEXT → CREATE 2-3 MEANINGFUL FIGMA THEME DIRECTIONS → CREATE APPROPRIATE COLOR COMBINATIONS/TOKENS → REPRESENTATIVE SCREEN SAMPLES → INTERNAL REVIEW → CHANGES IF REQUIRED → INTERNAL PASS → ADMIN REVIEW → ADMIN EDIT OR APPROVE → IF EDIT: DESIGNER REVISION → INTERNAL REVIEW → ADMIN AGAIN → ADMIN APPROVED → PM SHARES TO CLIENT → CLIENT FEEDBACK VIA PM → DESIGNER REVISION → INTERNAL REVIEW → ADMIN REVIEW → PM RE-SHARE → LIMITED CLIENT REVISION LOOP → CLIENT SELECTS FINAL DIRECTION → PREPARE LOCKED THEME + COLOR + FIGMA VERSION → PHASE 4 HANDOFF

Locked Designer principle: create the minimum high-quality design work needed to make a confident visual decision, preserve Figma as the canonical source, reuse everything useful, and never bypass the review/approval/scope controls.