

AGENCYOS

Phase 1 Admin Panel

Screen-by-Screen Enterprise UI / UX Blueprint

Lead-to-Close Control Center | Frontend + Backend + Permissions + API + Audit + DoD

Document	AgencyOS Phase 1 Admin Panel Blueprint
Scope	Phase 1 only: Lead -> Close / WON
Users	Super Admin / Admin / Sales / Operations / Auditor as configured
Design goal	Beautiful, modern, enterprise-grade, information-dense but clean
Future compatibility	Phase 2+ modules plug into the same shell
Prepared	2026-09-11

Principle: The Admin Panel is the human governance and operations control center. It exposes visibility and controlled commands; it is not a second source of truth. Backend state, Policy Engine authority, agent contracts and audit remain authoritative.

1. Phase 1 Admin Panel Objective

The panel must let authorized operators observe and control everything required for Lead-to-Close: leads, conversations, qualification, requirements, meetings, quotations, approvals, negotiations, acceptance/close gates, agent activity, workflow tasks, failures, integrations, policy-controlled actions and audit history.

Phase 1 stops at the governed close/WON boundary. Full Finance, Project Management, Development, QA, Handover and Maintenance modules belong to later phases; the Phase 1 panel exposes only the controls needed for the current flow.

The architecture separates backend-authoritative state, Policy Engine authority, Coordination workflow responsibility, Orchestrator routing/execution responsibility and specialist domain execution. The UI must preserve these boundaries. ■filecite■turn16file0■

2. Enterprise Navigation

Navigation	Phase 1 purpose
Overview	Business + operational health
Leads & CRM	Lead lifecycle, ownership, qualification
WhatsApp Inbox	Conversation evidence + sales visibility
Requirements	Requirement versions, confirmation, readiness
Scheduler	Calendar, meetings, reminders, evidence
Quotations	Quotes, versions, approval/delivery/acceptance
Approval Center	Commercial and governed approvals
Negotiations	Objections, rounds, requested changes
Workflow & Tasks	Coordination tasks, dependencies, blockers
AI Workforce	Agent status, tasks, routing/execution visibility
Integrations	Provider connections, health, enable/disable
Policies & Controls	Pricing, discount, offer, approval and routing controls
Audit & Activity	System trace and critical changes
System Health	Jobs, queues, incidents, provider health
Settings	Users, roles, organization, preferences

Important: Future-phase modules can be represented as locked placeholders, but they must not be treated as active Phase 1 functionality.

3. Global Enterprise UI Shell

3.1 Layout

- Left navigation with module counts/badges.
- Top bar with global search, alerts, environment indicator and user menu.
- Breadcrumbs on deep routes.
- Context header for lead/client/workflow pages.
- Right-side detail drawer for quick inspection.
- Consistent table, filter, badge, modal, drawer, timeline and empty-state components.

3.2 Global interaction rules

- Destructive/high-risk actions require confirmation and authorization.
- Approval screens show the exact action and exact version.
- Long-running actions show progress and permitted cancellation.
- Do not use optimistic UI for governed state transitions.
- Loading, empty, error, blocked and permission-denied states are first-class.
- Critical manual changes show actor/timestamp and generate audit.

3.3 Design system

- Premium enterprise hierarchy: summary -> details -> action.
- High information density without clutter.
- Status uses text + badge; never color alone.
- Design tokens for typography, spacing, radius, elevation and status.
- Keyboard navigation and visible focus.
- Consistent confirmation, validation and error patterns.
- Responsive desktop-first behavior.

4. Master Screen Inventory

ID	Screen	Priority	Primary user
A01	Admin Overview Dashboard	P0	Super Admin/Admin
A02	Global Search	P0	All authorized
A03	Lead List	P0	Sales/Admin
A04	Lead Detail / 360 View	P0	Sales/Admin
A05	WhatsApp Conversation	P0	Sales/Admin
A06	Requirements Workspace	P0	Sales/Admin
A07	Requirement Version Compare	P1	Sales/Admin
A08	Scheduler Calendar	P0	Admin/Operations/Sales
A09	Meeting Detail	P0	Admin/Operations
A10	Quotation List	P0	Admin/Sales
A11	Quotation Detail	P0	Admin/Sales
A12	Quotation Version Compare	P0	Admin/Sales
A13	Approval Center	P0	Admin
A14	Approval Detail	P0	Admin
A15	Negotiation Workspace	P1	Sales/Admin
A16	Workflow Task Board	P0	Admin/Operations
A17	Task Detail / Execution Trace	P0	Admin/Operations
A18	Dependency / Blocker View	P1	Admin/Operations
A19	AI Workforce Dashboard	P1	Super Admin/Admin
A20	Agent Detail	P1	Super Admin/Admin
A21	Routing / Model Trace	P1	Super Admin/Admin
A22	Integrations Hub	P0	Super Admin/Admin
A23	Integration Detail / Health	P1	Super Admin/Admin
A24	Policies & Controls	P0	Super Admin/Admin
A25	Pricing / Discount Rules	P0	Admin
A26	Notification Rules	P1	Admin
A27	Audit Timeline	P0	Admin/Auditor
A28	System Health / Jobs	P0	Super Admin/Admin
A29	Incidents / Recovery Queue	P0	Super Admin/Admin
A30	Users / Roles / Access	P0	Super Admin
A31	Organization Settings	P1	Super Admin
A32	Profile / Preferences	P2	All
A33	Readiness / Release View	P1	Super Admin/Admin/QA
A34	Help / System Documentation	P2	All

A01. Admin Overview Dashboard

Goal: Lead-to-close command overview

Required content / components

- Funnel: new/contacted/responding/qualified/requirements pending/quote sent/negotiation/awaiting acceptance/payment pending/WON/LOST.
- Pending and expiring approvals.
- Follow-up backlog and high-priority leads.
- Today/upcoming meetings.
- Quotes awaiting action and expiring quotes.
- Workflow blockers, failed tasks and escalations.
- AI/provider health and incidents.
- Recent critical audit events.
- Clickable cards opening pre-filtered lists.

Validation / interaction rules

- Only show metrics computable from authoritative data.
- Dashboard filters persist where practical.
- Do not imply success from agent text alone.

A02. Global Search

Goal: Authorized cross-module search

Required content / components

- Lead/client name, phone/email, lead ID, quote ID/version, meeting ID, approval ID, task ID, correlation ID.
- Entity-type filters.
- Recent searches.

Validation / interaction rules

- Tenant/resource permissions apply to every result.
- Opening a result preserves exact entity context.

A03. Lead List

Goal: CRM operations queue

Required content / components

- Columns: lead, client, source, owner, state, priority, score, last activity, next action, quote value, updated time.
- Saved views for unassigned, high-value, no response, requirements pending, negotiation, acceptance and payment.
- Assignment/reassignment.
- Controlled bulk actions.

Validation / interaction rules

- Server-side pagination/filtering.
- Export only when authorized and audited.

A04. Lead Detail / 360 View

Goal: Single opportunity command center

Required content / components

- Header: identity, state, owner, source, priority, next action.
- Tabs: Overview, Conversation, Requirements, Meetings, Quotes, Negotiation, Activities, Tasks, Audit.
- Qualification/score.
- Client linkage and duplicate status.
- Quick actions: assign, follow-up, schedule, quote, approval, authorized state change.

Validation / interaction rules

- Critical actions require confirmation.
- Every tab enforces permissions.

A05. WhatsApp Conversation

Goal: Conversation evidence + sales context

Required content / components

- Chronological messages, media, delivery/read status where supported.
- Lead/client identity.
- Summary and relevant structured memory.
- Requirement/objection highlights.

- Quote/version links.
- Pause automation/do-not-contact/escalate where authorized.
- Important-action audit.

Validation / interaction rules

- WhatsApp is not source of truth.
- Internal/private analysis is visibly separated from client-facing content.
- No secret exposure.

A06. Requirements Workspace

Goal: Requirement readiness and confirmation

Required content / components

- Current requirement version.
- Confirmed facts, assumptions, unanswered questions, optional items, exclusions.
- Source evidence.
- Client confirmation state.
- Version history.
- Quote readiness.
- Clarification/confirmation actions.

Validation / interaction rules

- Material changes create new version.
- Assumptions cannot silently become confirmed.
- Quote action stays blocked until readiness rules pass.

A07. Requirement Version Compare

Goal: Requirement revision control

Required content / components

- Side-by-side versions.
- Added/removed/modified/superseded items.
- Evidence and actor.
- Impact on quote/scope.

Validation / interaction rules

- Historical versions read-only.
- Current version explicit.

A08. Scheduler Calendar

Goal: Scheduling operations

Required content / components

- Day/week/month views.
- Owner/mode/status filters.
- Meeting cards with client, time, timezone and mode.
- Conflict indicators without private calendar details.
- Reschedule/cancel where authorized.
- Reminder status.

Validation / interaction rules

- Timezone always visible.
- Changes revalidate before commit.

A09. Meeting Detail

Goal: Meeting record and evidence

Required content / components

- Lead/client, mode, date/time, timezone, owner.
- Provider event/link.
- Purpose and known requirements.
- Reminder jobs.
- Reschedule/cancel history.
- Completion state.
- Evidence attachments.
- AI analysis state/outcome.

Validation / interaction rules

- Time passing alone does not mean completion.
- Evidence access is role-controlled.

A10. Quotation List

Goal: Commercial operations queue

Required content / components

- Quote ID, current version, client, value, state, approval state, validity, owner.
- Filters: draft/review/sent/viewed/negotiation/accepted/expired/rejected/cancelled.
- Stale approval and superseded version indicators.

Validation / interaction rules

- Do not mix historical and current versions.
- Client actions use authorized current version.

A11. Quotation Detail

Goal: Commercial control surface

Required content / components

- Exact quote version.
- Scope/deliverables/timeline.
- Line items, pricing, discount, tax, payment schedule, milestones.
- Validity/terms.
- Approval and policy references.
- Delivery history.
- Acceptance evidence.
- Negotiation links.
- Audit.

Validation / interaction rules

- Accepted version visibly locked.
- Calculations use stored deterministic inputs.

A12. Quotation Version Compare

Goal: Commercial revision control

Required content / components

- Side-by-side price/scope/discount/tax/payment/milestone/timeline/terms diff.
- Approval status per version.
- Acceptance status.
- Change reason/actor.

Validation / interaction rules

- Historical versions read-only.
- Current and accepted versions differentiated.

A13. Approval Center

Goal: Governance queue

Required content / components

- Pending/approved/rejected/changes requested/expired/executed/verified.
- Cards: exact action, quote/version, amount, requester, policy version, risk, expiry.
- Filters by type/risk/value/requester.

Validation / interaction rules

- No approval from preview text alone.
- Stale/expired approvals cannot be used.
- Backend revalidates before action.

A14. Approval Detail

Goal: Exact decision record

Required content / components

- Exact action, requester, entity/version, amount/value, policy version, risk, reason/evidence, expiry, required role.
- Approve/reject/changes requested where permitted.

- Decision comment and audit.

Validation / interaction rules

- Approval remains separate from execution/verification.

A15. Negotiation Workspace

Goal: Controlled commercial negotiation

Required content / components

- Objection type and exact concern.
- Round timeline.
- Current version.
- Requested scope/price/discount/payment/timeline changes.
- Policy limits.
- Approval dependencies.
- Next action.

Validation / interaction rules

- No unauthorized promise.
- Material change follows quote versioning.

A16. Workflow Task Board

Goal: Coordination operations

Required content / components

- States: created/ready/in progress/waiting/blocked/retrying/failed/escalated/closed.
- Filters by agent/task/lead/age/priority.
- Stale tasks.
- Queue summary.
- Authorized retry/reassign/pause/resume.

Validation / interaction rules

- Backend state authoritative.
- Result received is not acceptance.

A17. Task Detail / Execution Trace

Goal: Deep operational trace

Required content / components

- Task envelope, source/destination, intent, context references, acceptance criteria.
- Agent/model/provider route.
- Attempts/failures.
- Tool calls where permitted.
- Result/validation.
- Evidence.
- State transitions.
- Next action/escalation.

Validation / interaction rules

- Sensitive payloads masked.
- Correlation trace reconstructable.

A18. Dependency / Blocker View

Goal: Bottleneck management

Required content / components

- Dependency graph/list.
- Blocking reason/task.
- Owner/age.
- Required condition.
- Escalation.
- Resolution action.

Validation / interaction rules

- Do not remove prerequisites simply to advance workflow.
- Resolution audited.

A19. AI Workforce Dashboard

Goal: Phase 1 agent fleet

Required content / components

- Five Phase 1 agents and status.
- Active tasks.
- Success/failure.
- Blocked/escalated.
- Capability health.
- Provider/model availability.
- Routing exceptions.

Validation / interaction rules

- No business authority assigned here.
- Future agents, if shown, are inactive/future only.

A20. Agent Detail

Goal: Agent operational profile

Required content / components

- Agent ID/version, mission, capabilities, tasks, tools/permission classes, health, failures, config and DoD status.

Validation / interaction rules

- Agent cannot edit its own authority.

A21. Routing / Model Trace

Goal: AI routing transparency

Required content / components

- Task/correlation ID.
- Candidate agents/models/providers.
- Selected agent/model/provider.
- Routing policy/version.
- Selection factors.
- Fallback attempts.
- Validation outcome.

Validation / interaction rules

- No provider secrets.
- Trace is not an editable business record.

A22. Integrations Hub

Goal: Central provider inventory

Required content / components

- WhatsApp, calendar/meeting and AI providers.
- Connection status, environment, last health check, credential status metadata, enable/disable, usage/rate alerts.

Validation / interaction rules

- Only authorized admins modify integrations.
- Disable action audited.

A23. Integration Detail / Health

Goal: Provider diagnostics

Required content / components

- Provider/version, capabilities, health, latency/errors, limits/quota, resources, fallback eligibility, config history, test connection, enable/disable.

Validation / interaction rules

- Credential values never displayed.
- Disabling a provider surfaces workflow impact.

A24. Policies & Controls

Goal: Central governance index

Required content / components

- Pricing, discount, payment, approval, trust, negotiation, follow-up, routing and data restrictions.
- Current policy version.
- Draft/active state.
- Change history.
- Impact preview where feasible.

Validation / interaction rules

- Versioned, authorized and audited.
- Agents cannot edit policy.

A25. Pricing / Discount Rules

Goal: Commercial policy management

Required content / components

- Service/category rules, price ranges, minimum acceptable price, autonomous max, discount caps, stacking, high-value thresholds, special offers, effective dates.

Validation / interaction rules

- Historical quote results do not mutate when policy changes.

A26. Notification Rules

Goal: Central notification policy

Required content / components

- Internal Admin, Sales, approvals, meeting reminders, escalations and incidents.
- Channels, frequency, quiet hours/opt-out where configured.

Validation / interaction rules

- Central rules prevent module-specific notification drift.
- Notifications remain auditable.

A27. Audit Timeline

Goal: System-wide trace

Required content / components

- Filter by user/agent/lead/quote/task/approval/integration/action/date.
- Event, actor, time, before/after or references where allowed.
- Correlation links.
- Authorized export.

Validation / interaction rules

- Normal UI cannot edit history.
- Sensitive values masked.

A28. System Health / Jobs

Goal: Background execution health

Required content / components

- Queue depth.
- Job states: queued/running/retrying/failed/completed/cancelled.
- Dead-letter.
- Provider health.
- Webhook health.
- Latency/errors.
- Backlog.

Validation / interaction rules

- Long-running workflows use jobs/events.
- Retry state durable.

A29. Incidents / Recovery Queue

Goal: Controlled failure recovery

Required content / components

- Incident ID/source task/severity/impact/owner.
- Retry/reassign/escalate/resolve where permitted.
- Provider outage and uncertain-side-effect indicators.

- Runbook/evidence.
- Resolution history.

Validation / interaction rules

- Recovery actions audited.
- Uncertain non-idempotent effects reconciled before retry.

A30. Users / Roles / Access

Goal: Phase 1 authorization

Required content / components

- Users/status/roles.
- Module permissions.
- Lead ownership.
- Approval/policy permissions.
- Integration access.
- Audit access.
- Security/session controls.

Validation / interaction rules

- Least privilege.
- High-risk permissions controlled and audited.

A31. Organization Settings

Goal: Tenant-level defaults

Required content / components

- Business timezone/hours/days.
- Default language.
- Communication defaults.
- Sales routing.
- Scheduling defaults.
- Configured thresholds/features.

Validation / interaction rules

- Tenant-scoped.
- Changes versioned/effective according to policy.

A32. Profile / Preferences

Goal: Personal configuration

Required content / components

- Profile, permitted notification preferences, timezone/display, saved views, accessibility/theme.

Validation / interaction rules

- Cannot override mandatory security/policy settings.

A33. Readiness / Release View

Goal: Phase 1 implementation readiness

Required content / components

- Build/version identity.
- Tests, critical defects, security, integration health, release candidate, hard gates, approvals and smoke status.

Validation / interaction rules

- Exact tested build must equal approved release candidate.
- Failed hard gate blocks readiness.

A34. Help / System Documentation

Goal: In-product operational help

Required content / components

- Agent responsibility summaries, state definitions, approval guidance, failure meanings, recovery guidance, glossary and version information.

Validation / interaction rules

- Links to approved specs/version.
- No secret/internal prompt exposure.

5. Phase 1 Role & Permission Matrix

Capability	Super Admin	Admin	Sales	Operations	Auditor
View CRM	Yes	Yes	Assigned	Authorized	Read
Edit CRM	Yes	Yes	Authorized	Limited	No
Reassign lead	Yes	Yes	No	Configured	No
View conversations	Yes	Yes	Authorized	Authorized	Read
Send client message	Yes	Yes	Yes	Configured	No
Schedule/cancel	Yes	Yes	Limited	Yes	No
Create quote draft	Yes	Yes	Request	No	No
Approve exception	Yes	Yes if granted	No	No	No
Edit policy	Yes	Granted	No	No	No
Manage tasks	Yes	Yes	No	Yes	Read
Retry safe task	Yes	Yes	No	Authorized	No
Reassign/escalate	Yes	Yes	Request	Yes	No
Manage integrations	Yes	Granted	No	No	Status
Manage users/roles	Yes	Restricted	No	No	No
View audit	Yes	Yes	Limited	Limited	Yes

This is the Phase 1 UI baseline; backend authorization remains the actual enforcement layer.

6. Lead-to-Close Admin Journey

LEAD ARRIVES -> LEAD 360 -> WHATSAPP/SALES -> REQUIREMENTS -> SCHEDULER WHEN NEEDED -> QUOTATION -> APPROVAL -> DELIVERY -> NEGOTIATION -> NEW VERSION IF MATERIAL -> EXACT ACCEPTANCE -> PAYMENT/EXCEPTION GATE -> WON -> HANDOFF

- At every stage, the panel exposes current state, owner, next action, blocker, evidence and permitted actions.
- Any governed state change uses a backend command and audit event.
- Admin can inspect, approve, pause, recover or escalate only where permission/policy allows.
- Admin visibility does not automatically grant action authority.

7. UI Action -> Backend Contract

UI action	Backend command/contract	Evidence
Assign lead	ASSIGN_LEAD	Actor + before/after + audit
Pause automation	PAUSE_WORKFLOW	Scope + policy + audit
Create requirement version	CREATE_REQUIREMENT_VERSION	Version + source evidence
Create quote	CREATE_QUOTE_DRAFT	Task + quote/version
Approve quote	APPROVE_EXACT_ACTION_VERSION	Approval + policy/version
Send quote	DELIVER_AUTHORIZED_QUOTE	Message/document ref
Create negotiation version	CREATE_QUOTE_VERSION	Change diff
Record acceptance	RECORD_EXACT_ACCEPTANCE	Client/version/evidence
Move to WON	TRANSITION_WON	All configured gates
Retry task	RETRY_TASK	Attempt/idempotency
Disable provider	DISABLE_INTEGRATION	Actor + reason
Activate policy	ACTIVATE_POLICY_VERSION	Policy version + audit

Rule: Buttons request backend commands. They do not directly mutate authoritative business state.

8. Common State / UX Patterns

State	UI treatment	Action
LOADING	Skeleton/progress	Wait
EMPTY	Useful explanation + next step	Search/create/filter
ERROR	Error class + safe retry	Retry if permitted
BLOCKED	Blocker reason + owner	Resolve/escalate
PENDING APPROVAL	Approval badge + expiry	Open approval
EXPIRED	Expired + re-evaluation path	Renew if authorized
SUPERSEDED	Historical + current link	Read-only
ACCEPTED	Locked/verified	Read/audit
FAILED	Failure + attempts	Retry/fallback if safe
ESCALATED	Owner + reason	Authorized recovery
WON	Converted + handoff link	Read/audit

The interface must not display successful business state merely because an API request returned 200 or an agent produced natural-language completion.

9. Frontend Component Library

- AppShell, Sidebar, Topbar, Breadcrumbs, ContextHeader.
- KPICard, StatusBadge, PriorityBadge, HealthBadge.
- DataTable, Pagination, ColumnChooser, SavedFilters.
- SearchBox, FilterDrawer, DateRangePicker, MultiSelect.
- Tabs, Accordion, Drawer, Modal, ConfirmDialog.
- Timeline, ActivityItem, AuditEvent.
- ConversationMessage, AttachmentPreview, EvidenceLink.
- QuotePreview, VersionDiff, ApprovalCard.
- TaskCard, DependencyView, RetryPanel.
- Calendar, MeetingCard, ReminderStatus.
- AgentCard, RoutingTrace, ProviderHealthCard.
- LoadingState, EmptyState, ErrorState, PermissionDenied.
- All components share tokens, validation and accessibility behavior.

10. Admin API / Data Dependencies

Module	Primary data
Overview	Lead metrics, quotes, approvals, meetings, tasks, incidents, provider health
Leads	Lead, client, conversation, activity, requirement, quote, negotiation, task
WhatsApp	Message/conversation/evidence/provider status
Requirements	Requirement versions, evidence, confirmation
Scheduler	Meeting, provider mapping, reminders/jobs
Quotation	Quote versions, calculations, payment/milestones, approval, delivery, acceptance
Approval	Approval request, policy decision, exact action/version, audit
Workflow	Task, event, dependency, blocker, retry/escalation
AI Workforce	Agent capabilities, execution records, routing decisions, provider state
Integrations	Provider registry, health, quota/rate limits
Policies	Policy versions, rules, effective dates, history
Audit	Audit events + correlation graph
Health	Jobs, queues, dead letters, incidents
Users/Settings	Users, roles, organization, preferences

The UI consumes canonical backend contracts and must not create a separate business state machine.

11. Admin Action Safety Rules

- Backend rechecks authorization, policy, current state, version and evidence before governed action.
- Approval confirmations name the exact action and exact quotation/version.
- Retry UI explains failure class and whether replay is safe.
- Payment-sensitive actions never become verified merely because proof was uploaded.
- Historical quote versions never mutate.
- Manual corrections create explicit audit events.
- Cross-tenant access is blocked at API/backend level.
- Integration disable shows impact on active workflows where known.
- Emergency controls require reason capture and elevated audit.
- Hidden UI controls do not replace backend permission enforcement.

12. Performance & Operational UX

- Server-side pagination for operational lists.
- Debounced/scoped global search.
- Incremental loading for long timelines/conversations.
- Virtualization for large lists where required.
- No optimistic rendering for critical business-state transitions.
- Progress indicators for long-running jobs.
- Dashboard caching only where freshness is explicitly defined.
- Critical actions return request/correlation references.

13. Accessibility & Responsive Requirements

- Desktop-first with tablet-friendly behavior.
- Tables collapse into readable cards/drawers instead of clipping.
- Keyboard navigation and visible focus.
- Semantic labels and status text.
- Color is never the sole status signal.
- Clear confirmation dialogs.
- Consistent date/time/timezone presentation.
- Actionable error messages.
- Readable, searchable long-form content.

14. Screen-Level Definition of Done

- Route exists with correct permission guard.
- API contract is implemented and schema-validated.
- Loading/empty/error/blocked/unauthorized states are designed.
- Real backend data is used; production mocks are removed.
- Actions use backend commands, not direct UI/database mutation.
- State badges map to canonical backend state.
- Critical actions use exact confirmations.
- Configured critical actions generate audit.
- Search/filter/pagination work with real data.
- Stable IDs connect related entities.
- Evidence/version references are visible where relevant.
- Responsive and accessibility checks pass.
- Role/tenant tests pass.
- Happy-path and negative-path tests exist.
- Visual QA has no clipping/overlap/broken layout.

15. Phase 1 Admin Panel Release Gate

- All P0 screens are complete and integrated.
- Required P1 screens are complete.
- Ordinary Lead-to-Close operations require no manual database edits.
- Approval, quotation version, acceptance and WON gates are auditable.
- Blockers and failures are visible and recoverable according to policy.
- AI routing/execution is inspectable without exposing secrets.
- Integration health and controlled disable are available.
- Critical UI actions enforce backend permissions.
- Audit timeline reconstructs important actions.
- Critical E2E scenarios pass from Admin perspective.
- No critical authorization/security/UI defect remains.
- Tested build exactly equals approved release candidate.

16. Final Phase 1 Admin Panel Principle

ADMIN PANEL = OBSERVE + UNDERSTAND + AUTHORIZE + CONTROL + RECOVER + AUDIT.

For Phase 1 it is the enterprise control center for the five locked agents: Sales, Scheduler, Quotation Master, Coordination and Orchestrator/Router. It should be beautiful and modern, but enterprise quality also means safe commands, clear state semantics, role isolation, deep traceability, resilient failure handling and contract consistency.

Phase 1 boundary: Lead -> CRM/WhatsApp -> Sales -> Scheduler when needed -> Requirements -> Quotation Master -> Approval -> Delivery -> Negotiation/versioning -> Exact acceptance -> Payment/exception gate -> WON. Phase 2 adds Project Manager and downstream lifecycle inside the same expandable shell.

Final rule: The panel is the human control surface; the backend is the state authority; the Policy Engine is the governance authority; specialist agents execute domain work; Coordination manages workflow; Orchestrator manages routing/execution strategy.