

AGENCYOS

Coordination Agent — Complete A-to-Z Responsibility & Implementation Specification

Phase 1 Lead-to-Close Workforce | Large → Small → Smallest Responsibilities

Purpose: Define the dedicated Coordination Agent as the controlled workflow-handoff layer for Phase 1. It coordinates work between specialist agents, preserves context and versions, tracks dependencies and evidence, and prevents workflow gaps.

Architecture boundary: The uploaded AgencyOS architecture assigns provider/model routing to the Orchestrator and post-conversion operational project coordination to PM. This document therefore defines Coordination Agent as a Phase 1 workflow coordination layer, without silently replacing those authorities.

1. Mission & Outcome

Keep Lead-to-Close moving through valid explicit states; create and track specialist tasks; carry minimum authorized context; wait for real results; validate evidence; manage dependencies, blockers, retries and escalation; and leave an auditable trail.

2. Phase 1 Scope

Lead intake → Sales → qualification/discovery → Scheduler when required → requirements confirmation → Quotation Master → approval → quote delivery → objections/negotiation → exact acceptance → payment/exception gate → WON/conversion handoff.

3. Responsibility Boundaries

- Sales owns client-facing sales, qualification, discovery, trust and commercial conversation within policy.
- Scheduler owns availability, slots, booking, reminders and meeting execution.
- Quotation Master owns quote construction, commercial calculations/application, milestones, taxes, versions and quote artifact within policy.
- Orchestrator owns agent/provider routing, capability matching, model selection and fallback.
- Policy Engine/Admin owns business authorization and governed exceptions.
- Coordination owns workflow handoffs, task/context/dependency tracking, result validation, evidence, blockers and operational escalation.
- Never invent requirements, client intent, pricing, discounts, payment terms or acceptance.
- Never override Admin/Policy authority.
- Never infer acceptance from sent/viewed/delivered status.
- Never treat an agent's 'done' claim as evidence when evidence is required.

4. Master Lead-to-Close Coordination Map

Stage	Specialist	Coordination duty
Lead	CRM + Sales	Validate record/ownership; create idempotent Sales task
Conversation	Sales	Track next action, waiting states and dependencies
Call/meeting	Scheduler	Create task; collect booking/result evidence
Requirements	Sales	Check readiness; preserve confirmed vs assumptions
Quotation	Quotation Master	Pass exact requirement/scope version + commercial refs
Approval	Policy/Admin	Track exact quote version and decision
Delivery	Sales/Communication	Gate delivery on approval; record evidence
Negotiation	Sales + Quote	Track round/change/revision/approval
Acceptance	Sales/CRM	Require exact version/terms evidence
Payment gate	Finance/configured workflow	Track required payment/exception state
WON	CRM	Validate gates; create structured handoff

5. Core Task Contract

- Unique Task ID
- Organization/tenant, client, lead and project IDs where applicable

- Source/destination agent
- Task type and workflow state
- Requirement/scope/artifact/version references
- Required output and acceptance criteria
- Priority/deadline where configured
- Policy/approval references
- Evidence and blockers
- Retry count and prior failure summary
- Correlation ID and idempotency key
- Durable task persistence where required
- Task-created event

6. Context Packet — Smallest Required Details

- Minimum relevant context only
- Verified client/lead identity
- Relevant conversation summary
- Confirmed facts separated from assumptions
- Unanswered questions
- Exact requirement/scope/quote/artifact versions
- Scheduler date/time/timezone/mode constraints
- Quotation category/complexity/platform/features/integrations/design/timeline and approved commercial refs
- Negotiation round/current version/requested change
- Acceptance exact-version evidence
- Previous failure context for retry
- No secrets/unnecessary sensitive data
- Provenance/evidence references
- Schema validation before dispatch

7. Lead Arrival — Micro Flow

- Consume lead-created event
- Confirm CRM record
- Verify normalized identity
- Check duplicate/open lead
- Check active-client link
- Confirm Sales owner
- Prevent duplicate active task
- Attach source/inquiry/language
- Define expected Sales output
- Dispatch
- Record timestamp/correlation
- Receive structured result
- Validate result
- Update state
- Create next task only after valid transition

Example: Facebook lead L-1024 arrives. Coordination verifies identity/duplicates, confirms Sales ownership, creates Sales task T-2001 with minimum context, then waits for a structured result. It does not write the sales pitch itself.

8. Sales Conversation Coordination

- Receive Sales progress/result events
- Identify next action from verified state
- Handle conversation/clarification/meeting/requirements/quote/follow-up/negotiation/close dependencies
- Keep one authoritative active next action where applicable
- Prevent conflicting parallel handling
- Return Scheduler/Quotation results to Sales with exact references
- Create clarification dependency for missing mandatory data
- Record client-wait state
- Stop downstream action when prerequisite is invalid

9. Scheduler Handoff — A-to-Z

- Recognize verified call/meeting intent
- Capture preferred date/time/range
- Capture timezone
- Capture meeting mode
- Capture participants
- Capture purpose/context
- Create Scheduler task
- Dispatch idempotently
- Receive proposed/confirmed slot
- Validate booking/reference
- Record exact confirmed date/time/timezone
- Return confirmation to Sales
- Trigger configured reminders
- Handle reschedule/cancel/no-show
- Ingest completion recording/notes/transcript refs where configured
- Trigger meeting-analysis task
- Validate analysis
- Return evidence-backed outcome to Sales
- Retry safely or escalate on failure

Example: Client asks for tomorrow at 3 PM. Sales identifies meeting intent. Coordination creates Scheduler task. Scheduler checks availability and returns a confirmed slot. Coordination records the exact result and returns it to Sales; it never invents availability.

10. Requirements → Quotation Master

- Confirm structured requirements
- Confirm mandatory fields complete or explicitly pending
- Separate confirmed facts and assumptions
- Preserve target users, project/service type, platforms, features, integrations, design, timeline, budget where appropriate, urgency, decision-maker and special requirements
- Create requirement/scope version
- Check quote eligibility
- Create quotation task
- Pass exact requirement/scope version
- Pass category/complexity/platform/features/integrations/design/timeline
- Pass approved pricing/discount/offer/milestone/tax references
- Define expected quotation object/artifact
- Correlate quote task to lead

Example: Confirmed scope is Android + iOS, subscription, admin panel, payment gateway and 8-week target. Coordination sends Quotation Master exact requirement version R-07; it does not calculate the price itself.

11. Quotation Approval Coordination

- Receive quote draft/version
- Validate quote ID/version
- Check commercial validation
- Determine approval requirement from policy
- Record auto-approval where configured
- Create/track Admin approval request
- Reference exact quote version/value/reason/evidence/policy version/role
- Track approval states separately
- Return changes-requested feedback
- Stop delivery on rejection
- Invalidate/re-evaluate stale approval after material change
- Permit delivery only after valid approval

12. Quote Delivery Gate

- Confirm exact approved version
- Confirm permitted channel
- Create delivery task/event
- Attach exact artifact
- Record send timestamp/reference
- Link delivery to CRM
- Track view/delivery when supported
- Notify Sales of response
- Never equate delivery/view with acceptance

13. Objection & Negotiation Coordination

- Receive structured objection
- Preserve client concern/evidence
- Track objection type
- Create Sales next-action
- Track negotiation round
- Track requested scope/price/discount/payment/timeline change
- Determine Quotation revision requirement
- Determine Admin approval requirement
- Protect accepted baseline
- Create new version for material change
- Keep historical versions immutable
- Link result to exact version
- Stop at configured negotiation limits
- Escalate policy-limit threats

Example: Policy allows 10% autonomous discount and client asks for 20%. Coordination records the request, detects the approval dependency and prevents an unauthorized promise until the required authorization exists.

14. Exact Acceptance Coordination

- Receive acceptance signal
- Identify exact quote version
- Verify identity/evidence
- Verify terms are unambiguous

- Ask Sales to clarify ambiguous 'okay' when multiple versions exist
- Record timestamp
- Record accepted version
- Record accepted payment terms
- Link acceptance to CRM/quote
- Never infer acceptance from delivery/view/payment discussion/unrelated chat
- Release post-acceptance workflow only after valid evidence

15. Payment / Exception Gate

- Pass accepted quote/version and payment terms to finance workflow
- Keep acceptance separate from payment state
- Track invoice/payment request where configured
- Track payment proof/reference
- Never claim verified payment without required evidence
- Track Admin exception approval
- Stop conversion on payment mismatch when configured
- Preserve special-payment/no-advance exception and approver
- Never manufacture financial evidence

16. WON & Handoff

- Confirm exact accepted version
- Confirm commercial approvals
- Confirm payment/exception gate
- Confirm no blocking requirement conflict
- Trigger backend-controlled WON transition
- Link existing client when identity matches
- Create structured onboarding/project handoff
- Pass confirmed requirements
- Pass accepted quote/version
- Pass payment/exception status
- Pass expectations/trust concerns
- Pass communication preferences
- Pass relevant conversation/meeting summary
- Record real handoff event
- Preserve sales history

17. Task State Machine

Recommended: CREATED → VALIDATING → READY → DISPATCHED → ACKNOWLEDGED → IN_PROGRESS → WAITING_FOR_RESULT → RESULT_RECEIVED → VALIDATING_RESULT → ACCEPTED → HANDOFF_READY → HANDED_OFF → VERIFIED → CLOSED. Exceptions: BLOCKED, RETRYING, FAILED, EXPIRED, CANCELLED, ESCALATED.

- Backend controls transitions
- Reject invalid transitions
- Timestamp and actor for every transition
- Increment retry attempt
- Retain blocker reason
- Retain escalation target/evidence
- Closed state retains completion evidence

18. Dependency & Version Control

- Store prerequisite task IDs
- Do not dispatch before prerequisites pass
- Allow safe independent tasks where configured
- Detect circular dependencies/deadlocks
- Detect stale/expired prerequisites
- Recompute downstream readiness on upstream change
- Invalidate work tied to obsolete versions
- Never mix V1/V2 commercial terms in one active handoff

19. Events, Jobs, Retries & Idempotency

- Consume workflow events
- Emit task created/dispatched/completed/failed events
- Emit handoff created/completed
- Emit blocked/escalated
- Use durable event/outbox patterns where required
- Use correlation IDs
- Use idempotency keys for side effects
- Bound retries with backoff
- Never blindly retry financial/destructive/non-repeatable operations
- Use dead-letter/escalation after exhaustion
- Duplicate events/webhooks must not duplicate business actions

20. Failure & Recovery

Failure	Response
Missing requirement	Return to Sales clarification; never guess.
Scheduler unavailable	Safe retry; preserve state; escalate after limit.
Quote validation failure	Block delivery; return correction task.
Approval pending	Wait; no governed action executes.
Approval expired after change	Invalidate/re-evaluate exact version.
Duplicate event/task	Idempotency/correlation prevents duplicate action.
Provider/model failure	Orchestrator handles routing/fallback; Coordination tracks outcome.
Conflicting results	Block and escalate to authoritative owner.
Ambiguous client intent	Sales clarifies; Coordination records dependency.
Payment mismatch	Stop conversion; escalate.
Repeated failure	Bound retries; escalate; never loop forever.

21. Coordination vs Orchestrator

Area	Coordination Agent	Orchestrator/Router
Workflow handoff	Primary	Supports
Operational task tracking	Primary	Routing-level
Context handoff	Prepare/track	Task packet/routing
Agent selection	No	Yes
Provider/model selection	No	Yes
Fallback provider	No	Yes
Business policy override	No	No
Client sales	No	No
Scheduling execution	No	No

Area	Coordination Agent	Orchestrator/Router
Quotation construction	No	No
Dependencies/blockers	Yes	Yes at orchestration level
Escalation	Operational	Routing/authority ambiguity

22. Data Model Responsibilities

- **CoordinationTask:** task_id, organization_id, client_id, lead_id, project_id, source_agent, destination_agent, task_type, workflow_state, status, priority, deadline, attempt_count, idempotency_key, correlation_id, acceptance_criteria, required_output, dependency_ids, blocker, failure_summary, policy_reference, approval_reference, timestamps.
- **HandoffRecord:** handoff_id, source/destination, source/expected state, context version, artifact IDs, requirement/scope version, evidence IDs, policy/approval IDs, timestamps, verification.
- **CoordinationEvent:** event ID/type, entity, correlation ID, actor, timestamp, payload reference, idempotency key and processing status.

23. Security, Permissions & Governance

- Tenant isolation on every scoped operation
- Least privilege
- No unrelated client/project context
- No secrets/API keys in prompts
- Respect provider/data-classification policy
- External webhook/provider data treated as untrusted
- Validate agent-generated state before workflow change
- Audit important handoffs/state/escalations
- Mask sensitive fields where appropriate
- Admin-only decisions remain authorized

24. Admin Panel

- Active coordination task view
- Filters by lead/client/agent/task/state/blocker/age
- Authorized handoff packet viewer
- Dependency inspection
- Retry/failure history
- Escalation queue
- Pause/resume permitted automation
- Retry/reassign supported tasks with audit
- Exact quote/approval/version references
- Audit timeline
- Manual recovery controls only where policy permits

25. Observability & KPIs

- Task/agent/provider/model metadata when available
- Start/end/result status
- Handoff latency
- Task success/failure
- Retry frequency
- Blocked duration
- Escalation frequency
- Context validation failures
- Scheduler/quotation handoff failures
- Client-impacting coordination failures

- End-to-end lead correlation tracing

26. Build Checklist — Recommended Order

A. Foundation

- Task schema
- Handoff schema
- State machine
- Correlation IDs
- Idempotency
- Event contracts
- Audit hooks
- Authorization

B. Sales

- Lead consumer
- Sales task creation
- Sales result schema
- Next-action mapping
- Clarification/blocker flow
- Sales handback

C. Scheduler

- Meeting intent event
- Scheduler task
- Booking validation
- Reminder trigger
- Completion ingestion
- Meeting-analysis handback

D. Quotation

- Requirement readiness
- Quote task
- Exact version refs
- Approval tracking
- Delivery gate
- Negotiation/version dependency

E. Close

- Exact acceptance validator
- Payment/exception gate
- WON guard
- Client/project handoff
- Final audit chain

F. Reliability

- Retries
- Backoff
- Dead-letter/escalation
- Duplicate event protection
- Stale-version invalidation
- Deadlock detection

G. Admin/Observability

- Task dashboard
- Handoff viewer
- Blocker/escalation queue
- Audit timeline
- Metrics
- Manual recovery

27. Test Checklist

- New lead creates exactly one Sales task
- Duplicate lead event does not duplicate task
- Unauthorized context is excluded
- Missing requirements block quotation handoff
- Meeting request creates one idempotent Scheduler task
- Confirmed slot returns to correct lead
- Scheduler failure retries and escalates
- Meeting completion creates correct continuation
- Quote references exact requirement version
- Out-of-policy quote cannot bypass approval
- Approval applies to exact quote version
- Material quote change invalidates stale approval
- Delivery does not imply acceptance
- Ambiguous acceptance triggers clarification
- Material negotiation change creates new version
- Payment remains separate from acceptance
- WON is impossible without configured evidence
- Critical handoffs appear in audit
- Tenant isolation passes
- Untrusted event cannot grant permission
- Retries do not duplicate side effects
- Provider failure does not corrupt state
- Blocked task remains blocked until condition/evidence changes
- Deadlock is detected
- Closed task contains completion evidence

28. End-to-End Test Scenario

Lead arrives → Sales engages → client requests call → Scheduler books → meeting completes → outcome returns → Sales confirms requirements → Quotation Master creates V1 → policy requires Admin approval → V1 approved → quote sent → client negotiates → V2 created → V2 approved → V2 sent → client explicitly accepts V2 → configured payment/exception gate satisfied → WON → structured handoff.

- Lead evidence
- Sales task evidence
- Scheduler booking evidence
- Meeting outcome evidence
- Requirement version
- V1 quote and immutable history after V2
- V1 approval
- V1 delivery
- Negotiation round

- V2 creation
- V2 approval
- V2 delivery
- Exact V2 acceptance
- Payment/exception evidence
- WON gate
- Handoff event
- Complete audit chain

29. Definition of Done

- All Phase 1 handoffs use structured contracts
- Sales ↔ Coordination works
- Scheduler ↔ Coordination works
- Quotation Master ↔ Coordination works
- Approval lifecycle tracked
- Exact quote versions preserved
- Negotiation dependencies controlled
- Exact acceptance validated
- Payment/exception gate represented correctly
- WON/handoff evidence-based
- Backend controls task transitions
- Duplicate events safely handled
- Retries bounded and safe
- Blockers/escalations visible
- Security/tenant isolation passes
- Audit evidence complete
- Admin can inspect/recover supported failures
- End-to-end test passes
- No responsibility silently overrides another agent

30. Final Operating Contract

Always: know current state; identify next valid action; assign correct specialist; send minimum authorized context; wait for real result; validate evidence; preserve versions; track dependencies; recover safely; escalate uncertainty; record audit trail.

Never: guess requirements; invent intent; invent pricing/discounts; approve governed exceptions; select providers/models as business authority; silently edit accepted terms; claim payment verified; infer acceptance from delivery; hide failures; endlessly retry unsafe operations; mark a stage complete without evidence.

31. Source Alignment

- AI Agent Architecture: structured handoff, shared memory, permissions, failure handling, quality gates and observability. ■filecite■turn9file5■ ■filecite■turn9file14■
- AI Orchestrator & Multi-Model Routing: routing/provider/model selection belongs to Orchestrator; structured outputs, fallback and routing audit are separated from specialist execution. ■filecite■turn9file0■ ■filecite■turn9file7■
- CRM/Sales/Lead Management: lead lifecycle, Sales ownership, requirements, quote versioning, negotiation, acceptance, payment separation and handoff. ■filecite■turn9file12■ ■filecite■turn9file18■
- Complete Business Workflow: explicit auditable transitions and failure/escalation rules. ■filecite■turn9file10■
- Admin Approval & Policy Engine: exact-version approvals and approval states. ■filecite■turn9file3■
- QA: evidence-driven independent validation. ■filecite■turn9file6■