

AGENCYOS - ENTERPRISE ADMIN PANEL

Complete Screen Architecture

71-screen baseline with sub-screens, UI contents, actions, states, phase traceability and admin-manageability rules.

Purpose

This document is the implementation-grade screen blueprint for the AgencyOS Admin Panel redesign. It consolidates the current locked business phases, the existing Admin Panel/CRM/Project/Finance/QA/Automation/Security specifications, and the new enterprise UI direction discussed during the screen-by-screen redesign.

Core rule: every meaningful AgencyOS phase output, decision, approval, payment gate, artifact, agent action and configuration must be visible and manageable from the Admin Panel according to permission.

Baseline status: UI/UX architecture locked for implementation planning
Document version: 1.0 | September 2026

1. Locked UX and Governance Principles

- Enterprise information architecture: no long mixed Settings page and no unclear "ghoj-puch" placement. Every major domain gets a clear module, tabs and dedicated screens.
- Admin visibility is mandatory across every phase. Example: for UI work the Admin must see theme samples sent, selected theme/color, design versions, review status and client confirmation. The same traceability applies to planning, development, QA, finance, launch and maintenance.
- The interface uses a consistent pattern: dark navigation sidebar, light workspace, blue primary actions, rounded cards, compact tables, status chips, strong search/filtering and contextual right drawers.
- The five-second rule applies to every screen: the user should quickly know where they are, current status, what is wrong, and the next permitted action.
- Nothing becomes complete only because an AI agent says it is complete. Completion follows the relevant human/QA/payment/approval gates.
- Client-facing communication never exposes internal AI provider/model/API details. Authorized internal Admin screens may show provider/model/cost for operational control.
- Every governed action must be traceable: actor, time, source record, before/after state, evidence and decision reason where applicable.
- Every empty state must explain why it is empty and what the user can do next; avoid giant blank boxes.
- Every screen must support loading, empty, error, permission-denied and stale-data states in addition to the happy path.
- Responsive behavior: desktop full-width dashboard, tablet compact grids and drawers, mobile stacked cards with priority actions first.

Source alignment

The blueprint aligns to the current AgencyOS

Master/Admin/CRM/Onboarding/Requirements/UI/Development/QA/Finance/Security/Automation specifications and the locked phase flows discussed in this project. Where multiple functions are closely related, they are grouped as sub-screens/tabs under one numbered screen so the baseline remains 71 unique screens/sub-screens rather than duplicating the same workspace.

2. Information Architecture - 71 Screen Baseline

The left sidebar should be sectioned. A user should not have to remember which unrelated setting is buried inside one page.

Module	Screens	Purpose
Global Control	001-004	Cross-system navigation, action queues and universal creation/search.
Sales & CRM	005-013	Phase 1 lead-to-close: discovery, requirements, quotation, meetings and follow-up.
Clients	014-017	Client master records and long-term relationship context.
Projects	018-027	Phase 2 onward project control, tasks, files, people, milestones and reports.
Requirements & Scope	028-031	Versioned requirements, scope freeze and change control.
Design & Prototype	032-038	Phase 3-4 UI finalization, full screen design, QA, approvals and prototype review.
Development	039-043	Phase 5 implementation planning, task execution, repositories, builds and dependencies.
QA & Release	044-049	Prototype/development QA through Master QA and production readiness.
Finance	050-056	Cross-phase invoicing, payment verification, expenses, tax and profitability.
Communication	057-060	WhatsApp, templates, announcements, failed deliveries and meeting summaries.
AI Workforce	061-065	Internal agent registry, model/provider routing, runs and cost traceability.
Operations	066-067	Jobs, events, scheduler, dead letters, system health and readiness.
Governance & Security	068-069	Approvals, policies, roles, tenant isolation and immutable audit.
Integrations	070	External dependency lifecycle and controlled import.
Organization Settings	071	Organized business rules and deployment-wide defaults.

Navigation recommendation: Command Center; Sales & CRM; Clients; Projects; Requirements; Design & Prototype; Development; QA & Release; Finance; Communication; AI Workforce; Operations; Governance & Security; Integrations; Settings.

3. Phase-to-Admin-Panel Visibility Matrix

This is a non-negotiable requirement from the redesign discussion: every phase must leave visible, queryable evidence inside the Admin Panel.

Lifecycle area	What must be visible in Admin Panel
Phase 1 - Lead to Close	Lead thread, qualification, accepted requirement versions, quote versions/approval, meetings, follow-ups, WON/LOST evidence.
Phase 2 - Onboarding + Payment + Kickoff	Structured handoff, client/onboarding profile, manual WhatsApp group setup task, GST/Non-GST choice, M1 invoice, Admin payment verification, Project Planning Agent blueprint, kickoff message.
Phase 3 - UI Finalization	Final screen list, screen contents, 2-3 theme directions, color variants, internal reviewer, Admin review, client selection, selected theme/color, PM Task 1 messages.
Phase 4 - UI Design + Prototype	Complete Figma screens, QA coverage, Admin review, client feedback/version loops, prototype builds, prototype QA, Admin review, client confirmation, PM Task 2 completion, M2 20% trigger.
Phase 5 - Full Development	Development Planning Agent output, detailed technical checklist, dependencies, one-task execution, developer evidence, QA loop, Admin review, client approval, PM Task 3 completion, M3 30% trigger.
Phase 6 - Master QA	Master QA plan, multi-level coverage, defects, fix/retest/regression evidence, final pass, PM Task 4 completion, M4 20% trigger.
Phase 7 - Production + Handover	100% payment gate, deployment readiness, production release, smoke check, rollback info, handover package, secure handover link, client confirmation, project completion.
Phase 8 - Customer Success	Maintenance period, support tickets, bug vs new-scope classification, renewal invoices, payment verification, retention/upsell opportunities, relationship history.
Finance cross-phase	All four milestone invoices, GST/non-GST profile, payment submissions, Admin verification, reminders, change-request payments, maintenance renewal, zero-amount free-maintenance invoice where applicable.

4. Shared Components and Screen Rules

Global Header

- Global search with keyboard shortcut
- Quick Create
- Notifications with unread count
- Help/status
- Signed-in user, role and organization

Context Header

- Breadcrumb
- Entity title + primary status
- Client/project/phase metadata
- Primary action and overflow actions

Filtering

- Search within current domain
- Status/owner/date/source/project filters
- Saved views for frequent workflows
- Clear all filters

Tables & Boards

- Sticky column headers on long lists
- Bulk selection only where safe
- Per-row overflow actions
- Column sorting and pagination
- Context drawer instead of full-page navigation for small edits

Right-side Drawers

- Quick details
- Edit form
- Evidence/attachments
- Approval actions
- Activity history

Audit & Evidence

- Created by/updated by
- Created/updated timestamps
- Source/reference ID
- Decision history
- Linked files/requirements/tasks/events

States

- Loading skeleton
- Empty with explanation and action
- Error with retry and reference
- Permission denied
- Integration unavailable/degraded
- Stale/outdated data warning

5. Complete Screen Inventory

#	Module	Screen	Primary lifecycle
1	Global Control	Command Center	Cross-phase
2	Global Control	Global Search	Cross-phase
3	Global Control	Notifications & Action Center	Cross-phase
4	Global Control	Quick Create / Command Palette	Cross-phase
5	Sales & CRM	Sales Overview & Pipeline	Phase 1
6	Sales & CRM	Leads List	Phase 1
7	Sales & CRM	Lead 360	Phase 1
8	Sales & CRM	Qualification & Scoring	Phase 1
9	Sales & CRM	Requirements Discovery	Phase 1
10	Sales & CRM	Meetings	Phase 1 + Cross-phase
11	Sales & CRM	Quotations List	Phase 1
12	Sales & CRM	Create / Edit Quotation	Phase 1
13	Sales & CRM	Follow-ups & Nurture	Phase 1 + Phase 8
14	Clients	Client Management	Phase 1 onward
15	Clients	Client 360	Phase 2 onward
16	Clients	Client Projects & Commercials	Phase 2 onward
17	Clients	Client Communication, Files & Notes	Cross-phase
18	Projects	All Projects	Phase 2 onward
19	Projects	Project Overview	Phase 2 onward
20	Projects	Project Board	Phase 2 onward
21	Projects	My Tasks	Cross-phase internal
22	Projects	Project Calendar	Cross-phase
23	Projects	Project Milestones / Gantt	Phase 2 onward
24	Projects	Project Files	Cross-phase
25	Projects	Project Team	Phase 2 onward
26	Projects	Project Reports	Cross-phase
27	Projects	Project Settings, Activity & Templates	Cross-phase
28	Requirements & Scope	Requirements Dashboard	Phase 1-5
29	Requirements & Scope	Requirement Set / Detail	Phase 1-5
30	Requirements & Scope	Scope Versions & Freeze	Phase 1-5
31	Requirements & Scope	Change Requests & Traceability	Phase 4-8
32	Design & Prototype	Design Dashboard	Phase 3-4
33	Design & Prototype	UI Theme Finalization	Phase 3
34	Design & Prototype	Screen Inventory	Phase 3-4
35	Design & Prototype	Screen Detail / Coverage Matrix	Phase 4
36	Design & Prototype	Design Review & Approval	Phase 3-4
37	Design & Prototype	Prototype Builds & Review	Phase 4
38	Design & Prototype	Assets, Brand Kit & Feedback History	Phase 3-5
39	Development	Development Dashboard	Phase 5

#	Module	Screen	Primary lifecycle
40	Development	Implementation Plan	Phase 5
41	Development	Development Task Execution	Phase 5
42	Development	Repository, Branch & Code Review	Phase 5
43	Development	Builds, Environments & Dependencies	Phase 5-7
44	QA & Release	QA Dashboard	Phase 4-7
45	QA & Release	Test Plan & Cases	Phase 4-6
46	QA & Release	Test Runs	Phase 4-7
47	QA & Release	Bugs & Defects	Phase 4-8
48	QA & Release	Regression, Compatibility & Performance	Phase 5-7
49	QA & Release	Production Readiness & Release Candidate	Phase 6-7
50	Finance	Finance Overview	Phase 2-8
51	Finance	Invoices	Phase 2-8
52	Finance	Invoice Detail / Create	Phase 2-8
53	Finance	Payments	Phase 2-8
54	Finance	Payment Verification	Phase 2-8
55	Finance	Expenses & Profitability	Cross-phase internal
56	Finance	GST, Tax & Financial Reports	Cross-phase internal
57	Communication	Communication Center	Cross-phase
58	Communication	WhatsApp / Conversations	Phase 1-8
59	Communication	Templates & Announcements	Cross-phase
60	Communication	Delivery Failures, Outbox & Meeting Notes	Cross-phase
61	AI Workforce	AI Workforce Dashboard	Internal cross-phase
62	AI Workforce	Agent Registry	Internal cross-phase
63	AI Workforce	Agent Detail & Permissions	Internal cross-phase
64	AI Workforce	Model Routing, Providers & Tools	Internal cross-phase
65	AI Workforce	Agent Runs, Usage, Cost & Automations	Internal cross-phase
66	Operations	Operations Dashboard	Cross-phase
67	Operations	System Health, Production Readiness & Alerts	Cross-phase
68	Governance & Security	Approval Center, Policies & Overrides	Cross-phase
69	Governance & Security	Security, Roles & Audit Log	Cross-phase
70	Integrations	Integrations Center & Import	Cross-phase
71	Organization Settings	Organization Settings & Business Rules	Cross-phase

6. Detailed Screen-by-Screen Breakdown

Each numbered screen below includes the required content, sub-screens/tabs, allowed actions and guardrails. These are implementation requirements, not decorative suggestions.

SCR-001 - Command Center

Primary lifecycle: Cross-phase | Screen baseline number: 1 of 71

Purpose

- The owner/admin landing page. It must answer in under five seconds: what needs attention, what is blocked, what is financially gated, and what should happen next.

Header / Summary / KPI area

- Global date range and organization selector
- Needs Action, Pending Approvals, Payment Verification, Blocked Projects, Failed Deliveries
- Active projects and phase distribution
- Today: meetings, due items, reminders, payment verifications
- System health: app, database, scheduler, AI provider, WhatsApp, alerting

Main content and sub-screens

- Needs Attention queue
- Today panel
- Project health table
- Finance gate queue
- System/integration health strip
- Quick actions: Add lead, Create project, Create invoice, Open approval

Primary actions

- KPI click opens the corresponding filtered list
- Acknowledge/escalate an operational item
- Open project, client, lead, invoice, approval or failed delivery in context
- Never show a giant blank panel; empty states must explain why and what action is available

Guardrails, status rules and traceability

- All phases visible through project and finance status summaries
- All values must be sourced from real records; no fabricated health or completion numbers

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-002 - Global Search

Primary lifecycle: Cross-phase | Screen baseline number: 2 of 71

Purpose

- One search experience across leads, clients, projects, tasks, requirements, quotations, invoices, files, meetings, agents and audit events.

Header / Summary / KPI area

- Search box with keyboard shortcut
- Type filters and date filters
- Recent searches and saved searches
- Result sections grouped by entity type

Main content and sub-screens

- Search results page
- Quick preview drawer
- Advanced filter builder
- Saved search manager

Primary actions

- Open result in the correct 360-degree page
- Copy reference/ID
- Apply filters without losing query
- Respect tenant/role isolation

Guardrails, status rules and traceability

- Search must never leak records across organizations
- AI-assisted semantic search may summarize only records the admin is already allowed to read

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-003 - Notifications & Action Center

Primary lifecycle: Cross-phase | Screen baseline number: 3 of 71

Purpose

- A single inbox for approvals, blockers, payment verification requests, client responses, QA failures, failed deliveries and system alerts.

Header / Summary / KPI area

- Unread count
- Severity chips: critical, action required, warning, information
- Category filters
- Snoozed and resolved states

Main content and sub-screens

- Notification list
- Notification detail drawer
- Action history
- Escalation destination

Primary actions

- Resolve, snooze, assign, open source record
- Batch mark read
- Escalate to owner/ops admin
- Deep-link to the exact approval/payment/task/message

Guardrails, status rules and traceability

- Every notification must point to an auditable source event
- No duplicate alert storms; repeated events should be grouped where practical

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-004 - Quick Create / Command Palette

Primary lifecycle: Cross-phase | Screen baseline number: 4 of 71

Purpose

- Fast creation surface for common records without navigating away from the current context.

Header / Summary / KPI area

- Create lead
- Create client
- Create project
- Create task
- Create quotation
- Create invoice
- Schedule meeting
- Create change request

Main content and sub-screens

- Command palette
- Context-aware create drawer
- Recent commands

Primary actions

- Pre-fill client/project when launched from a contextual page
- Validate permissions before showing actions
- Save draft when creation is interrupted

Guardrails, status rules and traceability

- Creation is not approval; governed records still follow approval/payment gates
- All created records receive audit metadata and organization scope

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-005 - Sales Overview & Pipeline

Primary lifecycle: Phase 1 | Screen baseline number: 5 of 71

Purpose

- Executive CRM workspace for lead volume, pipeline value, conversion, meetings, proposals and closed revenue.

Header / Summary / KPI area

- Total leads, qualified leads, proposals sent, deals closed, closed revenue
- Date/source/owner filters
- Pipeline columns or stage funnel
- Lead source breakdown
- Pipeline value chart

Main content and sub-screens

- Pipeline board
- Stage analytics
- Today tasks
- Upcoming meetings
- Recent sales activity

Primary actions

- Drag/move only when stage transition rules allow it
- Open lead or quotation from card
- Add lead, meeting, follow-up
- Export filtered pipeline

Guardrails, status rules and traceability

- Use Phase 1 statuses from New through Won/Lost/Nurture
- A stage move must create a CRM activity event and preserve previous status

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-006 - Leads List

Primary lifecycle: Phase 1 | Screen baseline number: 6 of 71

Purpose

- Manage inbound and imported leads with strong filtering, deduplication indicators and next-action visibility.

Header / Summary / KPI area

- Lead count by status
- Search by name, phone, email, company
- Source, status, owner, service, budget, date filters
- Needs reply / human handoff flags

Main content and sub-screens

- Lead table
- Bulk actions
- Lead preview drawer
- Import leads entry point

Primary actions

- Assign owner, update stage, set next follow-up, add tag
- Open conversation and Lead 360
- Disqualify only with reason
- Merge duplicates through governed flow

Guardrails, status rules and traceability

- Show source and consent state
- Imported historical leads must not become automatically outreach-eligible without consent

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-007 - Lead 360

Primary lifecycle: Phase 1 | Screen baseline number: 7 of 71

Purpose

- Complete lead workspace containing conversation, qualification, requirements, quotation versions, meetings, follow-ups and timeline.

Header / Summary / KPI area

- Lead identity and source
- Current deal stage/value
- Human-handoff state
- Last contact and next follow-up
- Requirement version status

Main content and sub-screens

- Overview
- Conversation
- Qualification
- Requirements
- Quotations
- Meetings
- Follow-ups
- Activity

Primary actions

- Send client message if WhatsApp rules permit
- Add internal note
- Resume/stop agent when policy allows
- Create quotation after requirements are accepted
- Mark Won/Lost through guarded transition

Guardrails, status rules and traceability

- Client-visible messages and internal notes must be clearly separated
- Every generated requirement/quotation version must remain traceable

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-008 - Qualification & Scoring

Primary lifecycle: Phase 1 | Screen baseline number: 8 of 71

Purpose

- Structured qualification surface for service fit, budget, urgency, authority, timeline and disqualification evidence.

Header / Summary / KPI area

- Qualification score
- Fit criteria
- Budget band
- Timeline
- Decision-maker status
- Risk/objection tags

Main content and sub-screens

- Qualification form
- Score explanation
- Disqualification reason history
- AI suggestion vs human decision

Primary actions

- Approve/override score with reason
- Disqualify with mandatory reason
- Return to discovery when evidence is incomplete

Guardrails, status rules and traceability

- AI may recommend but not invent client facts
- Manual override must be audited and the original score preserved

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-009 - Requirements Discovery

Primary lifecycle: Phase 1 | Screen baseline number: 9 of 71

Purpose

- Capture and version structured requirements from WhatsApp, meetings, voice notes and manual inputs before quotation.

Header / Summary / KPI area

- Latest requirement version
- Open questions count
- Client-confirmed vs proposed
- Source transcript references

Main content and sub-screens

- Requirement summary
- Feature list
- User roles
- Platforms
- Integrations
- Timeline/budget notes
- Open questions
- Version history

Primary actions

- Extract requirements
- Edit draft
- Send summary to client for confirmation
- Approve/reject proposed version
- Supersede with new version

Guardrails, status rules and traceability

- No silent replacement of previous versions
- Requirement acceptance and quotation must reference the exact accepted version

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-010 - Meetings

Primary lifecycle: Phase 1 + Cross-phase | Screen baseline number: 10 of 71

Purpose

- Calendar-backed meeting management for lead calls, client reviews, technical discussions and handover meetings.

Header / Summary / KPI area

- Verified calendar status
- Upcoming/requested/booked/completed/no-show/cancelled counts
- Mode and owner filters

Main content and sub-screens

- Meeting list
- Calendar view
- Meeting detail
- Propose time
- Book/rebook/cancel workflow

Primary actions

- Check live availability before booking
- Create Google Calendar event when configured
- Attach meeting notes/transcript after the meeting
- Link meeting to lead/client/project

Guardrails, status rules and traceability

- No invented availability
- Real-world recording/notes are uploaded by a human; extracted decisions are versioned and auditable

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-011 - Quotations List

Primary lifecycle: Phase 1 | Screen baseline number: 11 of 71

Purpose

- Versioned proposal/quotation registry showing draft, pending approval, approved, sent, superseded, accepted, rejected and expired states.

Header / Summary / KPI area

- Quote count and total value
- Status filters
- Client/project/service filters
- Validity/expiry filters

Main content and sub-screens

- Quotation table
- Version history drawer
- Approval status
- PDF preview
- Delivery status

Primary actions

- Create new version instead of editing an approval-locked version
- Open PDF
- Submit for approval
- Send approved quote to client
- Mark accepted/rejected from evidence

Guardrails, status rules and traceability

- Pricing cannot be invented by an agent
- Every client-facing quote must reference approved commercial rules and retain all superseded versions

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-012 - Create / Edit Quotation

Primary lifecycle: Phase 1 | Screen baseline number: 12 of 71

Purpose

- Controlled quote composer for scope, services, pricing, tax mode, payment schedule and terms.

Header / Summary / KPI area

- Client information
- Quotation number/date/validity
- Project type/name/duration
- GST vs Non-GST
- Sales owner

Main content and sub-screens

- Services/items
- Scope summary
- Third-party charges
- Payment schedule
- Terms & conditions
- Notes
- Quotation summary

Primary actions

- Add/remove item
- Use admin-configured cost/pricing references
- Preview PDF
- Save draft
- Submit for approval
- Send only after approval

Guardrails, status rules and traceability

- Payment terms must total 100%
- Default project milestones follow locked AgencyOS rules unless an explicitly approved commercial exception exists

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-013 - Follow-ups & Nurture

Primary lifecycle: Phase 1 + Phase 8 | Screen baseline number: 13 of 71

Purpose

- Manage scheduled follow-ups, no-response sequences, nurture cohorts and reactivation without violating communication consent.

Header / Summary / KPI area

- Due today, overdue, upcoming, paused, failed
- Channel and owner filters
- Lead/client/project context

Main content and sub-screens

- Follow-up queue
- Sequence detail
- Template mapping
- Reactivation cohort
- Pause/resume controls

Primary actions

- Schedule, reschedule, complete, pause, cancel
- Enroll eligible lead with consent
- Escalate repeated failure to human

Guardrails, status rules and traceability

- WhatsApp messages outside the 24-hour window require approved templates
- Frequency caps and opt-out/consent must be enforced centrally

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-014 - Client Management

Primary lifecycle: Phase 1 onward | Screen baseline number: 14 of 71

Purpose

- Master client registry showing active, pending, completed and on-hold clients with commercial and relationship context.

Header / Summary / KPI area

- Total clients, active, completed, pending, total revenue
- Search and lifecycle filters
- Tags and account owner

Main content and sub-screens

- Client table
- Client preview drawer
- Recent communication
- Upcoming follow-ups
- Pending invoices

Primary actions

- Add/edit client
- Open Client 360
- Export list
- Assign relationship owner
- Add tags

Guardrails, status rules and traceability

- Client identity must deduplicate against lead/contact records
- Financial totals must be derived from verified invoice/payment records

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-015 - Client 360

Primary lifecycle: Phase 2 onward | Screen baseline number: 15 of 71

Purpose

- Single source of truth for a client across projects, quotations, invoices, messages, files, notes, meetings and activity.

Header / Summary / KPI area

- Client identity/company/contact
- Total projects
- Total invoiced/paid/outstanding
- Client health
- Next follow-up

Main content and sub-screens

- Overview
- Projects
- Quotations
- Invoices
- Communication
- Files
- Notes
- Activity
- Settings

Primary actions

- Create project/quote/invoice
- Schedule meeting
- Upload file
- Add note
- Edit billing details
- Manage assigned team

Guardrails, status rules and traceability

- GST/PAN and billing data require restricted permissions
- Client-visible information must stay separate from internal AI/provider/cost data

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-016 - Client Projects & Commercial

Primary lifecycle: Phase 2 onward | Screen baseline number: 16 of 71

Purpose

- Focused view of all projects, contracts/quotations, milestone payments and commercial history for one client.

Header / Summary / KPI area

- Projects by status
- Accepted quote value
- Paid vs outstanding
- Current maintenance/renewal status

Main content and sub-screens

- Project list
- Commercial timeline
- Milestone schedule
- Invoice/payment table
- Change-request charges

Primary actions

- Open project finance
- Create new service/project
- Generate invoice from approved milestone
- Start renewal/upsell flow

Guardrails, status rules and traceability

- Payment verification remains human-controlled
- New feature/major change must not silently become maintenance work

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-017 - Client Communication, Files & Notes

Primary lifecycle: Cross-phase | Screen baseline number: 17 of 71

Purpose

- Consolidated collaboration record for messages, announcements, meeting summaries, attachments and private internal notes.

Header / Summary / KPI area

- Unread client replies
- Last announcement
- Recent uploads
- Meeting decisions/open questions

Main content and sub-screens

- Conversation
- Announcements
- Meeting notes
- Files
- Internal notes
- Activity

Primary actions

- Send permitted message
- Upload/download file
- Add internal note
- Attach meeting summary to project memory

Guardrails, status rules and traceability

- Internal notes must never be sent to the client
- Every file/message retains author, timestamp, source and project/client linkage

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-018 - All Projects

Primary lifecycle: Phase 2 onward | Screen baseline number: 18 of 71

Purpose

- Portfolio-level project registry with lifecycle, phase, payment gate, health, owner and deadline visibility.

Header / Summary / KPI area

- Total/active/blocked/completed projects
- Phase distribution
- Payment-blocked count
- At-risk count

Main content and sub-screens

- Project table/cards
- Phase filter
- Health filter
- Client/owner filter
- Saved views

Primary actions

- Create project only through allowed conversion/manual path
- Open project
- Pause/resume with reason
- Archive completed project

Guardrails, status rules and traceability

- Won lead to project conversion must preserve sales context
- Project phase cannot jump across required approval/payment gates

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-019 - Project Overview

Primary lifecycle: Phase 2 onward | Screen baseline number: 19 of 71

Purpose

- Executive 360-degree project page summarizing progress, milestones, finance, team, files, risks and phase history.

Header / Summary / KPI area

- Project status/phase
- Progress
- Days remaining
- Tasks
- Milestone payment status
- Health

Main content and sub-screens

- Progress timeline
- Phase progress
- Recent tasks
- Recent activity
- Team
- Files
- Project links
- Upcoming events

Primary actions

- Open any module in context
- Edit project metadata within permissions
- Send project update
- Create task/meeting/file

Guardrails, status rules and traceability

- Admin must see every phase output: onboarding, UI choices, plans, QA evidence, payment gates, deployment and handover

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-020 - Project Board

Primary lifecycle: Phase 2 onward | Screen baseline number: 20 of 71

Purpose

- Kanban execution view for project tasks grouped by status, phase, assignee or workstream.

Header / Summary / KPI area

- Task counts by status
- Search/filter
- Phase/priority/assignee filters

Main content and sub-screens

- To Do
- In Progress
- Review
- Completed
- Blocked
- Task detail drawer

Primary actions

- Create/edit/assign task
- Move task only through valid state transitions
- Add comment/attachment/checklist
- Link evidence

Guardrails, status rules and traceability

- Agent-generated work is not complete until required verification passes
- Blocked state must capture blocker type, owner and next action

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-021 - My Tasks

Primary lifecycle: Cross-phase internal | Screen baseline number: 21 of 71

Purpose

- Personal work queue for the signed-in admin/team member across all projects.

Header / Summary / KPI area

- Assigned to me
- Due today/overdue
- Waiting for review
- Blocked

Main content and sub-screens

- Board
- List
- Calendar
- Task drawer

Primary actions

- Complete checklist item
- Submit for review
- Reassign if authorized
- Add note/evidence

Guardrails, status rules and traceability

- Task scope and permissions inherit from project role
- Completion evidence remains attached to the task

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-022 - Project Calendar

Primary lifecycle: Cross-phase | Screen baseline number: 22 of 71

Purpose

- Calendar of project tasks, milestones, deadlines, client calls and release dates.

Header / Summary / KPI area

- Month/week/day/list modes
- Task/milestone/meeting/deadline filters

Main content and sub-screens

- Main calendar
- Upcoming events
- Milestones on calendar
- Quick actions

Primary actions

- Create task/milestone/meeting
- Open source record
- Sync supported calendars

Guardrails, status rules and traceability

- Dates are not invented; they come from project plan/tasks/meetings
- Changes must preserve history and notify affected owners

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-023 - Project Milestones / Gantt

Primary lifecycle: Phase 2 onward | Screen baseline number: 23 of 71

Purpose

- Timeline view for project business milestones and dependencies, including the locked payment milestone gates.

Header / Summary / KPI area

- Total/completed/in-progress/pending milestones
- Final delivery date
- Overall progress

Main content and sub-screens

- List
- Gantt
- Calendar
- Milestone detail panel
- Dependency list
- Milestone tasks

Primary actions

- Edit dates/scope within permission
- Open tasks
- Mark work milestone complete only when gate rules permit
- Trigger finance milestone when defined

Guardrails, status rules and traceability

- Locked financial triggers: Phase 2 30%, Phase 4 complete 20%, Phase 5 complete 30%, Phase 6 complete 20%
- No verified payment means no paid milestone progression

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-024 - Project Files

Primary lifecycle: Cross-phase | Screen baseline number: 24 of 71

Purpose

- Versioned project file manager for requirements, designs, builds, QA evidence, deployment and handover assets.

Header / Summary / KPI area

- Total files/storage
- Type breakdown
- Recent files

Main content and sub-screens

- Folder tree
- File list/grid
- Preview drawer
- Version history
- Trash

Primary actions

- Upload, download, rename, move, version, share internally
- Generate secure handover link only when permitted

Guardrails, status rules and traceability

- Suggested standard folders: Requirements, Designs, Development, QA, Deployment, Documents, Meetings, Assets, Builds
- Secrets/credentials must never be stored in normal shared project files

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-025 - Project Team

Primary lifecycle: Phase 2 onward | Screen baseline number: 25 of 71

Purpose

- Project-specific workforce assignment page for human roles plus visible internal AI agent assignments where authorized.

Header / Summary / KPI area

- Total members by role
- Active now
- Project manager
- Specialists

Main content and sub-screens

- Team roster
- Role distribution
- Recent team activity
- Invite/assign form
- Permission summary

Primary actions

- Assign/remove team member
- Set project role
- Manage project-specific defaults
- View workload

Guardrails, status rules and traceability

- Client-facing communication shows assigned project team roles, not AI provider/model internals
- Role changes are owner/admin controlled and audited

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-026 - Project Reports

Primary lifecycle: Cross-phase | Screen baseline number: 26 of 71

Purpose

- Project analytics for progress, workload, deadlines, risks, cost and completion evidence.

Header / Summary / KPI area

- Tasks/completion/in-progress/review
- Phase progress
- Team activity
- Resource usage

Main content and sub-screens

- Completion trend
- Task distribution
- Deadlines
- Risks/issues
- Project health
- Export report

Primary actions

- Change date range
- Export PDF/CSV
- Open underlying risk/task/event

Guardrails, status rules and traceability

- Health must be evidence-based, not a generic green badge
- Financial and AI cost data may be restricted to internal roles

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-027 - Project Settings, Activity & Templates

Primary lifecycle: Cross-phase | Screen baseline number: 27 of 71

Purpose

- Administrative project configuration plus immutable activity history and reusable project templates.

Header / Summary / KPI area

- Project metadata
- Defaults
- Notification settings
- Template selection
- Activity count

Main content and sub-screens

- Settings
- Activity timeline
- Project template detail
- Clone template
- Pause/cancel controls

Primary actions

- Edit permitted metadata
- Set default assignees
- Configure phase notifications
- Create template from project
- Pause/cancel with reason

Guardrails, status rules and traceability

- No setting may bypass hard approval/payment/security gates
- Every critical configuration change creates an audit event

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-028 - Requirements Dashboard

Primary lifecycle: Phase 1-5 | Screen baseline number: 28 of 71

Purpose

- Portfolio of requirement sets, clarification status, scope freeze state and change-request pressure.

Header / Summary / KPI area

- Projects with open questions
- Awaiting client confirmation
- Frozen scopes
- Open change requests

Main content and sub-screens

- Requirement sets by project
- Open-question queue
- Scope drift alerts
- Recent requirement changes

Primary actions

- Open requirement set
- Request clarification
- Create change request
- Export scope summary

Guardrails, status rules and traceability

- A requirement is never silently edited after approval; changes create a new version or change request

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-029 - Requirement Set / Detail

Primary lifecycle: Phase 1-5 | Screen baseline number: 29 of 71

Purpose

- Structured project requirements with sources, acceptance status, feature mapping and unresolved questions.

Header / Summary / KPI area

- Version/status
- Source records
- Coverage percentage
- Open questions

Main content and sub-screens

- Objectives
- User roles
- Features
- Platforms
- Integrations
- Business rules
- Non-functional requirements
- Excluded items
- Questions

Primary actions

- Edit draft
- Request client clarification
- Approve/freeze
- Link to quotation/design/development task

Guardrails, status rules and traceability

- Every requirement must have stable identity/version
- Source transcript or manual origin must be retained for traceability

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-030 - Scope Versions & Freeze

Primary lifecycle: Phase 1-5 | Screen baseline number: 30 of 71

Purpose

- Formal scope baseline manager used to prevent scope drift and connect quote, design, development and change requests.

Header / Summary / KPI area

- Current frozen version
- Included/excluded counts
- Revision allowance
- Linked quote version

Main content and sub-screens

- Version comparison
- Freeze checklist
- Included vs excluded
- Approval evidence
- Drift detection

Primary actions

- Freeze scope
- Create new version
- Compare versions
- Unfreeze only through governed override if permitted

Guardrails, status rules and traceability

- Frozen scope is immutable
- Later requests must be classified rather than appended silently

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-031 - Change Requests & Traceability

Primary lifecycle: Phase 4-8 | Screen baseline number: 31 of 71

Purpose

- End-to-end change-request workflow for classification, impact, pricing/payment, approval and implementation traceability.

Header / Summary / KPI area

- Open/awaiting approval/paid/in progress/completed/rejected counts
- Revision allowance usage

Main content and sub-screens

- Request detail
- Classification: in-scope/small-free/paid/new project/clarification/duplicate/rejected
- Impact analysis
- Approval
- Payment gate
- Linked tasks

Primary actions

- Classify, estimate, approve/reject, send quotation, trigger finance, implement after payment where required

Guardrails, status rules and traceability

- New scope never bypasses commercial approval
- All state changes and client decisions are auditable

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-032 - Design Dashboard

Primary lifecycle: Phase 3-4 | Screen baseline number: 32 of 71

Purpose

- Main design workspace showing UI status, screens, versions, prototype builds, reviews and client approval.

Header / Summary / KPI area

- Total screens/designed/approved
- Design versions
- Prototype builds
- Pending reviews
- UI status

Main content and sub-screens

- Screen gallery
- Design versions
- Recent activity
- Prototype links
- Project design progress

Primary actions

- Add screen
- Open Figma reference
- Upload design
- Submit for review
- Open prototype

Guardrails, status rules and traceability

- Admin must see which samples were sent, which option client selected and all revision history

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-033 - UI Theme Finalization

Primary lifecycle: Phase 3 | Screen baseline number: 33 of 71

Purpose

- Controls the locked Phase 3 theme/color selection flow before full screen design begins.

Header / Summary / KPI area

- Screen-list readiness
- Theme options count
- Color combinations
- Internal reviewer
- Admin/client decision status

Main content and sub-screens

- Theme option cards
- Color variants
- Reference uploads
- Internal design review
- Admin review
- Client selection

Primary actions

- Generate/record 2-3 theme directions and 2-3 color variants each
- Approve/edit internally
- Send approved options to client
- Record selected theme/color

Guardrails, status rules and traceability

- Initial options must go internal reviewer -> Admin -> PM/client
- Client-selected theme/color becomes the locked input to Phase 4

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-034 - Screen Inventory

Primary lifecycle: Phase 3-4 | Screen baseline number: 34 of 71

Purpose

- Complete screen list with state coverage so no required screen, role, empty state or error state is missed.

Header / Summary / KPI area

- Total planned/designed/approved/missing screens
- Role/device filters

Main content and sub-screens

- Screen table/gallery
- Category/user-role grouping
- State coverage
- Responsive coverage
- Requirement links

Primary actions

- Add/merge/split screen record
- Mark design state
- Open screen detail
- Export inventory

Guardrails, status rules and traceability

- Every screen must link back to accepted requirements
- Missing states block design completeness

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-035 - Screen Detail / Coverage Matrix

Primary lifecycle: Phase 4 | Screen baseline number: 35 of 71

Purpose

- Detailed specification for a single screen including components, interactions, states and requirement coverage.

Header / Summary / KPI area

- Screen name/status/version
- Device targets
- Requirement references

Main content and sub-screens

- Component list
- Navigation paths
- Buttons/actions
- Loading/empty/error/success states
- Responsive notes
- Design preview

Primary actions

- Attach Figma frame
- Add state
- Map requirement
- Submit screen for QA/review

Guardrails, status rules and traceability

- QA must confirm all required sections/buttons/components/navigation before design approval

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-036 - Design Review & Approval

Primary lifecycle: Phase 3-4 | Screen baseline number: 36 of 71

Purpose

- Internal, Admin and client review queue for UI designs with explicit edit/confirm loops.

Header / Summary / KPI area

- Awaiting internal review
- Awaiting Admin
- Awaiting client
- Revision count

Main content and sub-screens

- Review queue
- Before/after preview
- Comments
- Decision log
- Revision history

Primary actions

- Internal reviewer approve/request change
- Admin confirm/edit
- PM send to client after Admin approval
- Record client confirm/change

Guardrails, status rules and traceability

- After initial Admin approval, client revision loop returns through designer/QA/PM as locked
- No approval is implied by upload alone

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-037 - Prototype Builds & Review

Primary lifecycle: Phase 4 | Screen baseline number: 37 of 71

Purpose

- Manages client-testable prototype builds, QA status, Admin review and client confirmation.

Header / Summary / KPI area

- Build version
- Platform/type
- QA status
- Admin status
- Client status
- Revision count

Main content and sub-screens

- Build list
- Build detail
- Download/open link
- QA evidence
- Admin review
- Client feedback

Primary actions

- Upload build
- Submit to QA
- Admin confirm/edit
- PM send to client
- Record client approval/change

Guardrails, status rules and traceability

- Prototype is not full development
- Only QA-passed + Admin-approved build is sent to client on the normal path

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-038 - Assets, Brand Kit & Feedback History

Primary lifecycle: Phase 3-5 | Screen baseline number: 38 of 71

Purpose

- Project asset library and design-feedback ledger for logos, fonts references, imagery, icons, brand rules and feedback.

Header / Summary / KPI area

- Asset categories
- Approved vs draft assets
- Recent feedback

Main content and sub-screens

- Brand kit
- Asset folders
- Feedback history
- Version links

Primary actions

- Upload/replace asset version
- Mark approved
- Link asset to screen/version
- Export handoff package

Guardrails, status rules and traceability

- Do not expose licensed/private assets outside project permissions
- Feedback must link to the exact design/prototype version it refers to

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-039 - Development Dashboard

Primary lifecycle: Phase 5 | Screen baseline number: 39 of 71

Purpose

- Operational overview for the full product development phase after client-approved prototype.

Header / Summary / KPI area

- Implementation plan status
- Tasks by state
- Dependencies/blockers
- Build status
- QA handoff status

Main content and sub-screens

- Workstream progress
- Active developer tasks
- Blockers
- Recent commits/builds
- Upcoming dependency needs

Primary actions

- Open plan/task/repository/build
- Escalate blocker to PM
- Start QA handoff when acceptance criteria are met

Guardrails, status rules and traceability

- PM does not split technical work; the Development Planning Agent owns the detailed implementation plan

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-040 - Implementation Plan

Primary lifecycle: Phase 5 | Screen baseline number: 40 of 71

Purpose

- Extremely detailed Development Planning Agent output: modules, dependencies, acceptance criteria, sequencing and completion checklist.

Header / Summary / KPI area

- Plan version/status
- Coverage of approved scope
- Client dependencies outstanding
- Risk count

Main content and sub-screens

- Modules/features
- Frontend/backend/database/APIs/integrations/auth/business logic
- Dependencies
- Execution order
- Acceptance criteria
- Definition of Done

Primary actions

- Approve plan internally
- Create development tasks from plan
- Request missing client dependency through PM
- Version plan when accepted scope changes

Guardrails, status rules and traceability

- Do not confuse with Phase 2 project planning; this is technical implementation planning
- No guessed requirement may enter the plan

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-041 - Development Task Execution

Primary lifecycle: Phase 5 | Screen baseline number: 41 of 71

Purpose

- One-task-at-a-time execution surface enforcing requirement check, dependency check, implementation, test, verify, fix and retest.

Header / Summary / KPI area

- Task scope
- Acceptance criteria
- Dependencies
- Owner
- Evidence status

Main content and sub-screens

- Checklist
- Implementation notes
- Test evidence
- Artifacts
- Comments
- Handoff status

Primary actions

- Start task, submit evidence, request clarification, mark ready for QA
- Reopen after QA failure

Guardrails, status rules and traceability

- Developer cannot decide own work is finally accepted
- Task completion requires evidence and downstream QA where applicable

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-042 - Repository, Branch & Code Review

Primary lifecycle: Phase 5 | Screen baseline number: 42 of 71

Purpose

- Repository governance for branches, commits, code review, permissions and traceability to AgencyOS tasks.

Header / Summary / KPI area

- Repository binding
- Branch status
- Open reviews
- Failed checks

Main content and sub-screens

- Repo list
- Branch detail
- Commit history
- Pull/merge review
- Code-review findings

Primary actions

- Create task branch, link commit, submit review, approve/reject merge based on policy

Guardrails, status rules and traceability

- Least privilege for repo access
- Every code artifact should map to project/task and review evidence

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-043 - Builds, Environments & Dependencies

Primary lifecycle: Phase 5-7 | Screen baseline number: 43 of 71

Purpose

- Build pipeline, environment, database migration, API contract and dependency readiness without exposing secrets.

Header / Summary / KPI area

- Latest build
- Environment readiness
- Dependency blockers
- Migration/API compatibility status

Main content and sub-screens

- Build history
- Environment matrix
- Dependency list
- API contracts
- DB migrations
- External service configuration

Primary actions

- Trigger/record build
- Promote build after gates
- Mark dependency supplied
- Run contract/migration checks

Guardrails, status rules and traceability

- Secrets are referenced by secure vault, never displayed in normal project UI
- Build reproducibility and rollback information must be retained

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-044 - QA Dashboard

Primary lifecycle: Phase 4-7 | Screen baseline number: 44 of 71

Purpose

- Central Master QA workspace coordinating design/prototype QA, development QA and final Master QA.

Header / Summary / KPI area

- Test coverage
- Open defects by severity
- Retest queue
- Regression status
- Readiness status

Main content and sub-screens

- Coverage matrix
- Recent runs
- Critical blockers
- Bug trend
- Release candidate

Primary actions

- Open test run/bug/build
- Assign retest
- Block release
- Generate QA evidence summary

Guardrails, status rules and traceability

- A developer fix is not resolved until QA verifies it
- No unresolved critical/major issue at final pass

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-045 - Test Plan & Cases

Primary lifecycle: Phase 4-6 | Screen baseline number: 45 of 71

Purpose

- Structured QA plan covering UI, functional, API, backend, database, integrations, auth, E2E, negative, compatibility, performance and security.

Header / Summary / KPI area

- Coverage by category
- Planned/executed/pass/fail counts

Main content and sub-screens

- Test plan versions
- Test case list
- Preconditions
- Steps
- Expected result
- Linked requirement/task

Primary actions

- Create/import test case
- Assign suite
- Link requirement
- Approve plan

Guardrails, status rules and traceability

- Every accepted requirement should have appropriate test coverage or explicit rationale

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-046 - Test Runs

Primary lifecycle: Phase 4-7 | Screen baseline number: 46 of 71

Purpose

- Execution evidence for manual/automated test runs against a specific build/environment.

Header / Summary / KPI area

- Build/environment
- Pass/fail/blocked counts
- Tester
- Start/end time

Main content and sub-screens

- Run summary
- Case results
- Screenshots/logs
- Defects created
- Retest history

Primary actions

- Execute/record result
- Create defect
- Rerun failed cases
- Close run when complete

Guardrails, status rules and traceability

- Test evidence must identify build/version and environment
- Failed tests cannot be hidden by aggregate score

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-047 - Bugs & Defects

Primary lifecycle: Phase 4-8 | Screen baseline number: 47 of 71

Purpose

- Defect lifecycle manager with severity, reproduction, ownership, fix, retest and regression evidence.

Header / Summary / KPI area

- Open defects by severity
- Awaiting developer
- Awaiting retest
- Reopened

Main content and sub-screens

- Bug list
- Bug detail
- Reproduction steps
- Evidence
- Linked task/build
- Fix/retest history

Primary actions

- Assign developer, change severity with reason, submit fix, QA verify/reopen/close

Guardrails, status rules and traceability

- Only QA can mark verified resolution on the governed path
- Critical/major unresolved defects block final readiness

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-048 - Regression, Compatibility & Performance

Primary lifecycle: Phase 5-7 | Screen baseline number: 48 of 71

Purpose

- Specialized validation for regression suites, responsive/device coverage, browser/OS combinations and performance/stability.

Header / Summary / KPI area

- Regression pass rate
- Device/browser matrix
- Performance budgets
- Stability incidents

Main content and sub-screens

- Regression runs
- Compatibility matrix
- Performance results
- Load/stability notes

Primary actions

- Schedule suite, compare baseline, attach metrics, create defect from regression

Guardrails, status rules and traceability

- Results must be dated and tied to the tested build
- Unsupported devices/configurations must be explicitly recorded

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-049 - Production Readiness & Release Candidate

Primary lifecycle: Phase 6-7 | Screen baseline number: 49 of 71

Purpose

- Final evidence-based release gate before production deployment and post-deployment smoke verification.

Header / Summary / KPI area

- Readiness checks
- Release candidate version
- Unresolved blockers
- Rollback readiness

Main content and sub-screens

- Hard gate checklist
- Security/performance/QA summary
- Deployment dependencies
- Rollback plan
- Post-deploy smoke checklist

Primary actions

- Approve release candidate when all hard gates pass
- Block deployment
- Record post-deploy verification

Guardrails, status rules and traceability

- Production readiness is evidence, not a self-reported score
- Phase 7 also requires final 20% payment verified before launch

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-050 - Finance Overview

Primary lifecycle: Phase 2-8 | Screen baseline number: 50 of 71

Purpose

- Cross-project finance command center for invoiced, received, outstanding, expenses and profitability.

Header / Summary / KPI area

- Total invoiced/received/outstanding/expenses/net profit
- Collection rate
- Date/client/project filters

Main content and sub-screens

- Income vs expenses
- Payment status
- Top project revenue
- Recent invoices
- Recent payments
- Upcoming payments

Primary actions

- Create invoice
- Record payment submission
- Add expense
- Generate report
- Open verification queue

Guardrails, status rules and traceability

- Financial totals use verified records
- Finance Agent generates/tracks; a human Admin verifies payments

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-051 - Invoices

Primary lifecycle: Phase 2-8 | Screen baseline number: 51 of 71

Purpose

- Invoice registry for milestone invoices, change requests, maintenance renewals, new services and zero-amount maintenance invoices.

Header / Summary / KPI area

- Draft/issued/paid/overdue/void counts
- GST/Non-GST filters
- Client/project/milestone filters

Main content and sub-screens

- Invoice table
- PDF preview
- Delivery status
- Linked milestone
- Reminder history

Primary actions

- Create from eligible milestone
- Send by email + official project WhatsApp
- Download PDF
- Issue reminder
- Void through permissioned flow

Guardrails, status rules and traceability

- Phase 2 M1 is 30%
- Phase 4 complete triggers 20%, Phase 5 complete triggers 30%, Phase 6 complete triggers 20%

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-052 - Invoice Detail / Create

Primary lifecycle: Phase 2-8 | Screen baseline number: 52 of 71

Purpose

- Invoice composition and detail surface with tax mode, billing profile, line items, payment instructions and delivery evidence.

Header / Summary / KPI area

- Invoice number/status
- Billing profile
- GST vs Non-GST
- Issue/due dates
- Linked milestone

Main content and sub-screens

- Line items
- Tax calculation
- Payment account
- PDF preview
- Send history
- Payment submissions

Primary actions

- Generate, review, issue, resend, download, attach client proof
- Update billing details only through controlled profile change

Guardrails, status rules and traceability

- Locked flow assumes configured 18% GST on GST invoices and no 18% GST on Non-GST path unless user changes policy
- Never expose secret payment/account credentials beyond intended display fields

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-053 - Payments

Primary lifecycle: Phase 2-8 | Screen baseline number: 53 of 71

Purpose

- Payment submissions and reconciliation workspace across bank transfer, UPI, Razorpay or other configured methods.

Header / Summary / KPI area

- Submitted, pending verification, verified, rejected, unmatched

Main content and sub-screens

- Payment list
- Payment detail
- Proof/evidence
- Invoice match
- Reconciliation notes

Primary actions

- Record payment proof
- Match to invoice
- Send to verification
- Reject with reason
- Reconcile

Guardrails, status rules and traceability

- Client proof or Finance detection does not equal verified payment
- Only Admin verification opens the progression gate

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-054 - Payment Verification

Primary lifecycle: Phase 2-8 | Screen baseline number: 54 of 71

Purpose

- Human-only financial gate queue used to confirm money received before milestone progression.

Header / Summary / KPI area

- Pending verification count
- Amount/client/project/invoice
- Submitted proof
- Bank/gateway reference

Main content and sub-screens

- Verification queue
- Evidence preview
- Invoice/project context
- Decision history

Primary actions

- PAYMENT VERIFIED
- REJECT / NEED MORE EVIDENCE
- Add verification note

Guardrails, status rules and traceability

- No verified payment = no paid milestone progression
- Verification actor, timestamp and evidence reference are immutable audit data

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-055 - Expenses & Profitability

Primary lifecycle: Cross-phase internal | Screen baseline number: 55 of 71

Purpose

- Internal cost and margin tracking by project, service, vendor, infrastructure, AI and tooling.

Header / Summary / KPI area

- Total expenses
- Project margin
- Cost categories
- Budget vs actual

Main content and sub-screens

- Expense list
- Project profitability
- Vendor/tool costs
- AI/tooling costs
- Trend

Primary actions

- Add/edit categorized expense
- Allocate to project
- Attach receipt
- Export internal report

Guardrails, status rules and traceability

- Client-facing pricing is separate from internal delivery cost
- Sensitive margins/costs are restricted to authorized internal roles

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-056 - GST, Tax & Financial Reports

Primary lifecycle: Cross-phase internal | Screen baseline number: 56 of 71

Purpose

- Tax configuration, GST reporting support, invoice registers and management financial exports.

Header / Summary / KPI area

- GST invoice totals
- Non-GST totals
- Tax period
- Report status

Main content and sub-screens

- GST configuration
- Invoice register
- Tax summary
- Receipts
- P&L; style report
- Export history

Primary actions

- Configure tax profile
- Generate period report
- Export CSV/PDF
- Lock finalized reporting period if policy requires

Guardrails, status rules and traceability

- Do not infer legal compliance beyond configured rules
- Tax/profile changes are owner/admin-only and audited

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-057 - Communication Center

Primary lifecycle: Cross-phase | Screen baseline number: 57 of 71

Purpose

- Unified operational communication dashboard across WhatsApp, email, announcements, client updates and internal handoffs.

Header / Summary / KPI area

- Unread/failed/pending-template messages
- Recent conversations
- Announcements due
- Human handoffs

Main content and sub-screens

- Conversation queue
- Failed delivery queue
- Templates
- Announcements
- Internal escalation

Primary actions

- Open conversation
- Retry eligible delivery
- Create announcement
- Assign handoff

Guardrails, status rules and traceability

- Client communication should remain simple and client-facing; internal AI/provider details must not appear

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-058 - WhatsApp / Conversations

Primary lifecycle: Phase 1-8 | Screen baseline number: 58 of 71

Purpose

- WhatsApp-centric conversation workspace with client messages, staff replies, notes, template rules and human handoff state.

Header / Summary / KPI area

- Conversation identity
- 24-hour window state
- Template requirement
- Agent/human state

Main content and sub-screens

- Message thread
- Composer
- Internal note composer
- Delivery status
- Client context panel

Primary actions

- Send free-form message inside allowed window
- Use approved template outside window
- Let agent answer / pause agent
- Add internal transcript note

Guardrails, status rules and traceability

- Official API limitations are respected
- Project WhatsApp group creation remains a manual Admin step in the locked Phase 2 flow

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-059 - Templates & Announcements

Primary lifecycle: Cross-phase | Screen baseline number: 59 of 71

Purpose

- Manage approved outbound templates, project milestone announcements and reusable client update formats.

Header / Summary / KPI area

- Template categories/languages
- Approval/provider status
- Scheduled announcements

Main content and sub-screens

- Template registry
- Template detail
- Announcement composer
- Audience/project selection
- Send preview

Primary actions

- Register approved template metadata
- Create announcement
- Schedule/send
- Archive template

Guardrails, status rules and traceability

- Template wording must match provider-approved content where required
- Announcements are recorded against project/client timelines

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-060 - Delivery Failures, Outbox & Meeting Notes

Primary lifecycle: Cross-phase | Screen baseline number: 60 of 71

Purpose

- Recovery center for failed client deliveries plus structured meeting notes/decision extraction.

Header / Summary / KPI area

- Failed delivery count by code
- Queued/retry/dead-letter
- Meetings awaiting notes

Main content and sub-screens

- Failed message detail
- Retry history
- Outbox
- Meeting note upload
- Extracted decisions/actions/open questions

Primary actions

- Retry when safe
- Requeue dead delivery with reason
- Escalate to Admin
- Attach meeting summary to project memory

Guardrails, status rules and traceability

- Never endlessly retry permanent failures
- Meeting extraction must preserve the uploaded human source and versioned summary

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-061 - AI Workforce Dashboard

Primary lifecycle: Internal cross-phase | Screen baseline number: 61 of 71

Purpose

- Internal control center for active AI agents, task volume, model usage, cost and current operational posture.

Header / Summary / KPI area

- Total/active agents
- Tasks executed
- Tokens/usage
- AI cost
- Average task time

Main content and sub-screens

- Agent activity trend
- Agent status
- Top agents
- Recent activity
- Model usage
- Automation workflows

Primary actions

- Open agent/model/tool/run detail
- Enable actions only when policy permits
- Export usage

Guardrails, status rules and traceability

- Client never sees provider/model/API internals
- Dashboard must distinguish configured, verified, enabled and actually runnable

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-062 - Agent Registry

Primary lifecycle: Internal cross-phase | Screen baseline number: 62 of 71

Purpose

- Registry of all business agents and backend orchestration roles with responsibilities, autonomy level and activation state.

Header / Summary / KPI area

- Agent name/role
- Enabled
- Would run now
- Autonomy level
- Model
- Cost/step caps
- Validation status

Main content and sub-screens

- Agent table/cards
- Disabled reason
- Capability summary
- Validation evidence

Primary actions

- Open agent detail
- Enable/disable only if owner policy permits
- Validate agent configuration

Guardrails, status rules and traceability

- Admin and Client are humans, not AI agents
- WhatsApp is a channel/tool, not an AI agent

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-063 - Agent Detail & Permissions

Primary lifecycle: Internal cross-phase | Screen baseline number: 63 of 71

Purpose

- Deep inspection of one agent: responsibility, allowed tools, limits, project scope, prompt/config version and recent decisions.

Header / Summary / KPI area

- Current model/provider
- Autonomy
- Max steps/cost
- Allowed work classes
- Status

Main content and sub-screens

- Responsibilities
- Guardrails
- Tool permissions
- Project assignments
- Config/prompt version
- Recent runs
- Failures

Primary actions

- Adjust permitted configuration
- Assign/unassign project where allowed
- Run validation
- Disable on incident

Guardrails, status rules and traceability

- An agent cannot widen its own permissions
- Authority changes are owner/admin-controlled and audited

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-064 - Model Routing, Providers & Tools

Primary lifecycle: Internal cross-phase | Screen baseline number: 64 of 71

Purpose

- Provider/model routing control supporting external APIs today and future hybrid self-hosted models without changing business workflows.

Header / Summary / KPI area

- Provider status
- Verified runtime
- Model availability
- Routing rules
- Fallback policy

Main content and sub-screens

- Provider key vault status
- Model registry
- Routing matrix by agent/work class
- Tool permissions
- Fallback chain

Primary actions

- Store/revoke key securely
- Verify provider
- Change routing policy
- Set model budget/cap

Guardrails, status rules and traceability

- AgencyOS Orchestrator remains routing authority
- OpenRouter may be a gateway but must not become the business orchestrator

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-065 - Agent Runs, Usage, Cost & Automations

Primary lifecycle: Internal cross-phase | Screen baseline number: 65 of 71

Purpose

- Trace every AI call/run by project, agent, provider/model, tokens/cost, tool actions, events and automation workflow.

Header / Summary / KPI area

- Runs, tokens, recorded cost, failures, latency
- Project/agent/provider filters

Main content and sub-screens

- Run list
- Step trace
- Tool calls
- Cost ledger
- Automation workflows
- Retry/dead-letter linkage

Primary actions

- Inspect run
- Replay only if safe/idempotent
- Cancel long-running work
- Export cost ledger

Guardrails, status rules and traceability

- No hidden spend: every AI call should be attributable to project and agent
- Retries and automation events must be idempotent and auditable

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-066 - Operations Dashboard

Primary lifecycle: Cross-phase | Screen baseline number: 66 of 71

Purpose

- Job, queue, scheduler, outbox, dead-letter and long-running workflow control plane.

Header / Summary / KPI area

- Dead jobs
- Stalled
- Queued too long
- Unpublished events
- Dead events
- Late approvals
- Nobody told

Main content and sub-screens

- Scheduler status
- Job queues
- Dead letters
- Outbox
- Workflow runs
- Retry/requeue controls

Primary actions

- Requeue safe job
- Cancel workflow
- Inspect event chain
- Escalate operational failure

Guardrails, status rules and traceability

- Exactly-once is treated realistically using idempotency/outbox patterns
- A recovered job keeps original event/job lineage

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-067 - System Health, Production Readiness & Alerts

Primary lifecycle: Cross-phase | Screen baseline number: 67 of 71

Purpose

- Evidence-based environment and integration health covering production config, database, scheduler, WhatsApp, AI provider and alert delivery.

Header / Summary / KPI area

- Ready/not ready/needs verification
- Integration lifecycle
- Last live checks

Main content and sub-screens

- Production readiness checks
- Integration health
- Alert destination
- External verification evidence
- Incident banner

Primary actions

- Run verification
- Send controlled test message
- Verify provider
- Acknowledge alert

Guardrails, status rules and traceability

- Configured is not the same as verified
- Readiness should rely on real checks and recorded evidence, not presence of a setting alone

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-068 - Approval Center, Policies & Overrides

Primary lifecycle: Cross-phase | Screen baseline number: 68 of 71

Purpose

- Human decision queue for quotations, payments, design reviews, change requests, invoices/refunds and other governed actions.

Header / Summary / KPI area

- Pending approvals
- Due/late approvals
- Approval type
- Required role

Main content and sub-screens

- Approval queue
- Decision detail
- Policy ladder
- Override center
- Emergency controls

Primary actions

- Approve/reject/request change
- Configure stricter policy if authorized
- Record exception/override with reason

Guardrails, status rules and traceability

- Policy defines who must consent, not who may bypass controls
- No silent override; every exception is explicit and audited

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-069 - Security, Roles & Audit Log

Primary lifecycle: Cross-phase | Screen baseline number: 69 of 71

Purpose

- RBAC, tenant isolation, secondary roles, permission checks, security evidence and immutable audit history.

Header / Summary / KPI area

- Users/roles
- Security invariant status
- Recent privileged changes
- Audit event count

Main content and sub-screens

- Role assignment
- Permission matrix
- Security invariants
- Audit log filters
- Incident/security exception history

Primary actions

- Grant/revoke role
- Review access
- Export audit
- Investigate security event

Guardrails, status rules and traceability

- Cross-tenant isolation and RLS are hard requirements
- Privileged changes must show actor, time, before/after and reason where applicable

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-070 - Integrations Center & Import

Primary lifecycle: Cross-phase | Screen baseline number: 70 of 71

Purpose

- Lifecycle management for database, scheduler, WhatsApp/Meta, AI providers, calendar, Figma, alerting and historical lead import.

Header / Summary / KPI area

- Verified/configured/degraded/not configured/failed/disabled counts
- Last verified time

Main content and sub-screens

- Integration list
- Integration detail
- Verification controls
- Provider vault link
- Historical WhatsApp import staging

Primary actions

- Verify connection
- Update non-secret identifiers
- Open secure key storage
- Stage/review/commit import

Guardrails, status rules and traceability

- A failed health read means unavailable evidence, not automatic proof that the provider is broken
- Imports remain inert until reviewed/committed and do not grant outreach consent

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

SCR-071 - Organization Settings & Business Rules

Primary lifecycle: Cross-phase | Screen baseline number: 71 of 71

Purpose

- Structured settings hub replacing one long mixed page. Everything configurable must be grouped into clear tabs with safe defaults and explicit ownership.

Header / Summary / KPI area

- Organization profile
- Commercial rules
- Project defaults
- Communication rules
- Finance rules
- Team/reviewer defaults
- Security/integrations shortcuts

Main content and sub-screens

- General
- Agency profile/contact
- Pricing model/cost references
- Payment terms
- Third-party charges
- Agent limits/offers
- Project group naming/default team
- Design reviewer
- Timezone
- Internal/announcement channels
- Approval policies
- WhatsApp templates/outreach caps
- Provider vault references

Primary actions

- Edit only the tab the user is working on
- Preview impact before saving high-risk settings
- Show current value, effective date and audit history

Guardrails, status rules and traceability

- Settings can configure behaviour but must not bypass hard business/security gates
- The admin panel must expose every meaningful AgencyOS configuration in an organized, discoverable way

Implementation checklist for this screen

- All create/update/delete/approve/override actions must be permission-checked server-side, not only hidden in the UI.
- Every significant action writes an activity/audit event and preserves organization/project/client context.
- Provide search/filtering where list size can grow; show concise empty/error states and retry paths.
- Use contextual drawers for quick inspection; use dedicated page/tabs for complex workflows.
- Desktop is the primary admin experience; tablet/mobile must preserve critical actions without horizontal chaos.

7. Admin Manageability Matrix - What Must Be Configurable

Organization & Identity

- Agency name and quotation contact details
- Timezone
- Internal announcement recipient/channel
- Team roles and additional roles
- Default team members for project setup

Commercial Rules

- Internal delivery-cost references
- Pricing bands/multipliers
- Minimum price and max autonomous quote policy
- Maximum discount / authorized offer
- Third-party charge references
- Payment schedule templates

Project Defaults

- Project group naming pattern
- Default project team list
- Project templates
- Default phase notifications
- Design reviewer assignment
- Standard folder structure

Communication

- WhatsApp identifiers/status
- Approved template mapping by situation/language
- Outreach frequency caps
- Reactivation pilot/caps
- Announcement templates
- Alert webhook destination

AI Workforce

- Provider key presence through secure vault
- Model/provider verification
- Routing policy
- Agent enable/disable where permitted
- Cost/step limits
- Tool permissions

Finance

- GST/non-GST billing profile
- Invoice numbering/terms
- Payment accounts displayed to clients
- Milestone rules where user explicitly changes policy
- Reminder rules
- Expense categories

Governance & Security

- Approval policy ladder
- Role assignments
- Audit access
- Override/emergency controls
- Retention/export rules
- Integration verification

8. UI Implementation and QA Checklist

- Implement the left navigation exactly as organized modules; do not recreate a single overloaded Settings page.
- Create reusable page header, KPI card, data table, filter bar, drawer, empty state, error state, approval banner and activity timeline components.
- Ensure every phase-specific output is visible in Project Overview and the related specialist module.
- Ensure Admin can trace: who did what, which version, which approval, which client response, which payment verification and which evidence.
- Map every screen action to a backend capability/permission/event before calling the screen complete.
- Add RLS/tenant isolation and resource-level permission tests for all CRUD and approval actions.
- Add loading/empty/error/permission/stale/integration-failure states for all 71 screens and key sub-screens.
- Test desktop, tablet and mobile responsiveness; desktop remains the primary operating mode.
- Test deep links from notification -> exact source record and from activity/audit -> exact record/version.
- Test cross-module consistency: client totals equal finance records; project phase equals gate state; UI approvals reference correct design version; QA defects reference correct build/task.
- Test payment-gated progression: evidence submitted -> pending verification -> Admin verified -> gate open.
- Test Phase 3/4 UI auditability: all options/samples sent, selected theme/color, design versions, internal/Admin/client decisions and prototype revisions remain visible.
- Test Phase 5 implementation traceability: plan -> task -> evidence -> developer test -> QA -> Admin -> client approval.
- Test Master QA: bug fixed by developer cannot resolve defect until QA retest passes.
- Test production readiness: deployment cannot proceed if required final payment or hard release gate is missing.
- Test manual WhatsApp group setup flow: AgencyOS assists Admin but does not falsely claim automatic group creation.
- Keep internal AI provider/model/API and delivery-cost data restricted to authorized internal screens.
- Run full visual QA: spacing, hierarchy, table density, contrast, readable statuses, no clipping/overlap, no giant empty panels.
- Run end-to-end regression after redesign so existing working business logic is not broken by UI changes.

Definition of UI architecture complete

The Admin Panel architecture is complete when all 71 numbered screens/sub-screens have an implemented route or intentionally grouped tab/drawer, every locked phase artifact is visible, every critical action is permissioned and auditable, and no business-critical configuration or workflow is hidden in an unstructured page.