




Implement an IF Statement











| Explanation | Screenshot | |
|--|--|--|
| equals some number other than zero'). ENDIF. | | |
| For this tutorial, this step has been performed for you. | | |
| | © Eclipse Home - Global Class ZCL_54D100_01_COND [H01] - active, locked - H01_EN_1 - Eclipse IDE | - σ × |
| | File Edit SourceCode Navigate Seach Project Run Window Help The Code SourceCode Navigate Seach Project Run Window Help The Code SourceCode Navigate Seach Project Run Window Help The Code SourceCode Navigate Seach Project Run Window Help The Code SourceCode Navigate Seach Project Run Window Help The Code SourceCode Navigate Seach Project Run Window Help The Code SourceCode Navigate Seach Project Run Window Help The Code SourceCode Navigate Seach Project Run Window Help The Code SourceCode Navigate Seach Project Run Window Help The Code SourceCode Navigate Seach Project Run Window Help The Code SourceCode Navigate Seach Project Run Window Help The Code SourceCode Navigate Seach Project Run Window Help The Code SourceCode Navigate Seach Project Run Window Help The Code SourceCode Navigate Seach Project Run Window Help The Code SourceCode Navigate Seach Project Run Window Help The Code SourceCode Navigate Seach Project Run Window Help The Code SourceCode Navigate Seach Project Run Window Help The Code SourceCode Navigate Seach Ru | · ♥ ♥ ♦ • ♦ • M |
| 12. Choose Activate. | \$ Project Explorer X → \$ Hell But, Hell, 1 to C. (\$10,000000000, Hell) → \$ Hell But, Hell, 1 to C. (\$10,000000000, Hell) → \$ Factoria Package (\$1) 1 of Calc, \$10,000000000000, Hell 1 of Calc, \$10,0000000000000000000000000000000000 | 0) |
| | # 7.0CAL (9) Generated Package for 21.0CAL 2 FUBLIC 2 FUBLIC 2 FUBLIC 3 FUB | ** |
| | > \$ Released Objects (3,231) 5 FUBLIC SECTION. | • |
| | UNTERFACE 1 C. 0. 0.0 _led_clastum . PROTECTE DECIDIO. PROTECTE DECIDIO. 1 ENCLASS. | 0 |
| | 13 14 15*CLASS ZCL_S4D100_01_COMD IMPLEMENTATION. | |
| | 16 17 100 (ETTSO) if_oo_adt_classrun-main. | |
| | 10 * Example 1: IFELSEEMDIF | |
| | 22 CONSTANTS: c_numberO TYPE 1 VALUE 0. 23 24 OUE->write(''). | |
| | 35 out->write('Example 1: IFELSEENDIF'). 26 out->write(''). | |
| | 200 IF c_number0 = 0. 29 out-5write('The value of c_number0 equals zero'). | |
| | 31 ELSE. 33 out-Dwrite('The value of c_numberO equals some numer other than 33 | n zero'). |
| | 34 EMDIF. 35 EMBETHOD. 36 EMDLASS. | |
| | *Global Class Class-relevant Local Types Local Types Test Classe Macros | > |
| | Wintable Smart Insert 34:72:770 H01, 100, https://1477 | (1d4-4494-43a-810.hana.ondemand.com, CB9990000002, EN |
| | Etilpse, Home - Global Class ZCL_St0100_01_COND [H01] - active, locked - H01_EN_1 - Ecilpse IDE File Edit Source Code Navigate Search Project Run Window Help | - σ x |
| | □ ▼ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ | ▼ \$\phi \phi \phi \rightarrow \qquad \qua |
| | ✓ ☑ HOT_EN_T [HOT, 100, C89980000002, EN] → ☑ ZCL_S4D100_01_COND → □ IF_00_ADT_CLASSRUN-MAIN → ② Feverite Packages (9) | 00- |
| | | ## ## ## ## ## ## ## ## ## ## ## ## ## |
| | > \$\tilde{\phi}\$ Released Objects (3,231) 5 6 PUBLIC SECTION. 7 | © 2 |
| Please press F9 . | 0 INTERFACES if co. adt_classrum . 9 PROTECTED SECTION. 10 PRIVATE SECTION. 11 ENCLASS. | 0 |
| | 13 14 15°CLASS ZCL_SADIOQ 01_COMD IMPLEMENTATION. | |
| | 16 17 | |
| | 15 Example 1: IFELSEENDLF 21 *** 22 COMPLAINS: CRUMBERO TIPE 1 VALUE 0. | |
| | 23 24 out->write(''), | - |
| | 15 out-verifie Yample 1: IFELSEEMDIF). | - |
| | 29 out->write('The value of c number0 equals zero'). | |
| | 31 ELSE. 32 out->write('The value of c_numberO equals some numer other than 33 | n zero'). |
| | 16 EMDET_HOL. 16 EMDETAGE. 16 EMDETAGE. | |
| | Solution Class - relevant Local Types Local Types Text Classes Macros Whitable Smart Insert 34.17.170 H01, 100, https://477 | c1d4-4994-43a-810.huna.ondemand.com, CB9980000002, EN |
| | Writable Smart Insert 54:7:770 H01, 100, https://1477 | c104-9494-938e-s IU.nans.ondemand.com, C89980000002, EN |

