
















Encapsulate Remote Systems APIs using Actions Projects Task 1

Explanation	Screenshot																		
<div><div><div>i</div><div></div></div><div>In this exercise, you will rencapsulate remote systems APIs using Actions projects.</div><div>1. Choose <i>Actions</i>.</div></div>	 <p>The screenshot shows the SAP Build interface. On the left sidebar, the 'Actions' menu item is highlighted with a yellow box and a '1' icon. The main content area displays a 'Welcome to SAP Build' banner with quick start options. Below the banner, there is a section titled 'All Projects (2)' which contains a table of projects.</p> <table><tr><th>Name</th><th>Versions</th><th>Type</th><th>Last Accessed</th><th>Members</th><th>Options</th></tr><tr><td>Sales Order Management</td><td>3 Available Latest: 1.0.2</td><td>Process Automation</td><td>Apr 14, 2024 12:15 PM</td><td>Me</td><td>...</td></tr><tr><td>Sales Order Management1</td><td>1 Available Latest: 1.0.0</td><td>Process Automation</td><td>Apr 14, 2024 12:03 PM</td><td>Me</td><td>...</td></tr></table>	Name	Versions	Type	Last Accessed	Members	Options	Sales Order Management	3 Available Latest: 1.0.2	Process Automation	Apr 14, 2024 12:15 PM	Me	...	Sales Order Management1	1 Available Latest: 1.0.0	Process Automation	Apr 14, 2024 12:03 PM	Me	...
Name	Versions	Type	Last Accessed	Members	Options														
Sales Order Management	3 Available Latest: 1.0.2	Process Automation	Apr 14, 2024 12:15 PM	Me	...														
Sales Order Management1	1 Available Latest: 1.0.0	Process Automation	Apr 14, 2024 12:03 PM	Me	...														
<div>2. Choose <i>Create</i>.</div>	 <p>The screenshot shows the 'Actions (1)' section of the SAP Build interface. The 'Create' button is highlighted with a yellow box and a '1' icon. The main content area displays a table of actions.</p> <table><tr><th>Name</th><th>Versions</th><th>Last Accessed</th><th>Members</th><th>Options</th></tr><tr><td>Process Actions</td><td>1 Available Latest: 1.1.1</td><td>Apr 10, 2024 12:42 PM</td><td>Everyone</td><td>...</td></tr></table>	Name	Versions	Last Accessed	Members	Options	Process Actions	1 Available Latest: 1.1.1	Apr 10, 2024 12:42 PM	Everyone	...								
Name	Versions	Last Accessed	Members	Options															
Process Actions	1 Available Latest: 1.1.1	Apr 10, 2024 12:42 PM	Everyone	...															
<div>3. Select the scroll area to scroll down.</div>	 <p>The screenshot shows the 'Choose an API Source' dialog in the SAP Build interface. The 'Live API (5)' section is expanded, and the 'SAP Cloud Application Programming Model' is selected. A yellow box highlights the scroll area with a '1' icon.</p>																		




Explanation	Screenshot
4. Choose <i>SAP Business Accelerator Hub</i> .	 The screenshot shows the 'Choose an API Source' dialog in the SAP Build interface. The dialog has a light blue header and a white body. It contains several options: 'SAP Systems', 'Integration Suite', 'SAP Business Accelerator Hub' (highlighted with a yellow box and a callout number 4), 'Upload API Specification', and 'Build from Scratch'. The 'SAP Business Accelerator Hub' option is described as 'Choose an API specification from a list of standard APIs available in the Business Accelerator Hub.' The dialog also has a 'Cancel' button at the bottom right.
5. Select the scroll area to scroll down.	 The screenshot shows the 'Browse SAP Business Accelerator Hub' dialog in the SAP Build interface. The dialog has a light blue header and a white body. It contains a search bar and a list of integration sources: 'SAP Ariba', 'SAP Business Technology Platform', 'SAP Concur', 'SAP Customer Experience', 'SAP Fieldglass', 'SAP S/4HANA', and 'SAP SuccessFactors'. A yellow box highlights the scroll area on the right side of the dialog, with a callout number 5. The dialog also has a 'Back' button at the bottom left and a 'Cancel' button at the bottom right.
6. Choose <i>SAP S/4HANA Cloud Public Edition</i> .	 The screenshot shows the 'Browse SAP Business Accelerator Hub' dialog in the SAP Build interface. The dialog has a light blue header and a white body. It contains a search bar and a list of integration sources: 'SAP Customer Experience', 'SAP Fieldglass', 'SAP S/4HANA', and 'SAP SuccessFactors'. The 'SAP S/4HANA Cloud Public Edition' option is highlighted with a yellow box and a callout number 6. The dialog also has a 'Back' button at the bottom left and a 'Cancel' button at the bottom right.




Explanation	Screenshot
7. Select the scroll area to scroll down.	
8. Choose <i>SAP S/4HANA Cloud Public Edition</i> .	
9. In the Search field, enter <b>Sales</b> .	

Explanation	Screenshot
Please press <b>Enter</b> .	 The screenshot shows the 'Browse SAP Business Accelerator Hub' interface. The search bar contains the text 'Sales'. Below the search bar, there are several API cards displayed in a grid. The cards include details such as the API name, version, and a brief description of its functionality. The interface is part of the SAP Build environment, as indicated by the sidebar on the left.
10. Choose <i>Sales Order (A2X)</i> .	 The screenshot shows the same SAP Business Accelerator Hub interface. The search results for 'Sales' are displayed. The 'Sales Order (A2X)' card is highlighted with an orange border. A yellow callout bubble with the number '10' points to this card. The interface shows various other API cards and a sidebar on the left.
11. Choose <i>View API Documentation</i> .	 The screenshot shows the detailed view of the 'Sales Order (A2X)' API. The interface displays the API's metadata, including its type (ODATA), version (1.0.0), status (ACTIVE), last modified date (Mar 14 2024), and creation date (Dec 13 2021). Below this, there are sections for 'Sales Order Header' and 'Sales Order Line Item', each containing a list of API methods (GET, POST, PUT, DELETE) with their respective descriptions. A yellow callout bubble with the number '11' points to a 'View API Documentation' link in the top right corner.




Explanation	Screenshot
12. Select the scroll area to scroll down.	
13. Choose <i>API Specifications</i> .	
14. Choose <i>Download</i> .	




Explanation	Screenshot
<div><div>i</div><div>In the following steps, you will upload the downloaded JSON file to your project, to do this navigate back to your Build Apps tab.</div></div>	
15. Choose <i>Back</i> .	
16. Choose <i>Integration Sources</i> .	




Explanation	Screenshot
<p>17. Select the scroll area to scroll down.</p>	
<p>18. Choose <i>Upload API Specification</i>.</p>	
<p>19. Choose <i>Browse Files</i>.</p>	




Explanation	Screenshot
20. Choose <code>API_SALES_ORDER_SRV.json</code> .	 A screenshot of the SAP Build 'Open' dialog box. The left sidebar shows the 'Downloads' folder selected. The main area displays the contents of the 'Downloads' folder, including a file named 'API_SALES_ORDER_SRV.json' (977 KB) which is highlighted with a yellow box and a callout '20'. Other files visible include 'CE_BUSINESSPARTNEREVENTS.json' and 'Articulate Sample'.
21. Choose <i>Open</i> .	 A screenshot of the same SAP Build 'Open' dialog box. The 'API_SALES_ORDER_SRV.json' file remains highlighted. The 'Open' button at the bottom right is now highlighted with a yellow box and a callout '21'.
22. Choose <i>Next</i> .	 A screenshot of the SAP Build 'Upload API Specification' screen. The screen has a pink header and a light blue body. It features a graphic of two hands exchanging a document and the text 'File Uploaded'. Below this, a list shows the uploaded file 'API_SALES_ORDER_SRV.json' with its last modified date and size. At the bottom, the 'Next' button is highlighted with a yellow box and a callout '22'.









Explanation	Screenshot
23. In the <i>Project Name</i> field, enter <b>SAP S/4HANA Sales Order Actions</b> .	
24. In the <i>Description</i> field, enter <b>Actions Project to interact with sales order in S/4HANA system</b> .	
25. Choose <i>Create</i> .	




Explanation	Screenshot
26. Choose SAP S/4HANA Sales Order Actions.	 <p>The screenshot shows the SAP Build Actions interface. On the left, a sidebar contains 'Lobby', 'Connectors', 'Automation SDK', 'Store', 'Monitoring', and 'Control Tower'. The main area is titled 'Actions (2)' and contains a table with columns: Name, Versions, Last Accessed, Members, and Options. Two actions are listed: 'SAP S/4HANA Sales Order Actions' (highlighted with a yellow box) and 'Process Actions'. The first action's description is 'Actions Project to interact with Sales Order in an S/4HANA system.' The second action's description is 'Actions to manage workflow or process in SAP Build Process Automation'.</p>
27. Select the scroll area to scroll down.	 <p>The screenshot shows the 'Add Actions to SAP S/4HANA Sales Order Actions' dialog. It features a search bar and a list of actions. A yellow box highlights the bottom of the list, indicating the scroll area. The list includes actions like 'Header Billing Plan Item (9)', 'IA_SalesOrderBillingPlanItem(SalesOrder:[SalesOrder]/BillingPlan:[BillingPlan]/BillingPlanItem:[BillingPlanItem])', 'IA_SalesOrderBillingPlanItem(SalesOrder:[SalesOrder]/BillingPlan:[BillingPlan]/BillingPlanItem:[BillingPlanItem])/No_BillingPlan', 'IA_SalesOrderBillingPlanItem', 'IA_SalesOrderBillingPlanItem(SalesOrder:[SalesOrder]/BillingPlan:[BillingPlan]/BillingPlanItem:[BillingPlanItem])/No_SalesOrder', 'IA_SalesOrderBillingPlanItem(SalesOrder:[SalesOrder]/BillingPlan:[BillingPlan]/BillingPlanItem:[BillingPlanItem])', 'IA_SalesOrderBillingPlanItem(SalesOrder:[SalesOrder]/BillingPlan:[BillingPlan]/BillingPlanItem:[BillingPlanItem])', and 'IA_SalesOrderBillingPlanItem'.</p>
28. Choose Sales Order Header.	 <p>The screenshot shows the same 'Add Actions to SAP S/4HANA Sales Order Actions' dialog. A yellow box highlights the 'Sales Order Header (40)' action in the list, which is also highlighted by a yellow circle with the number 28. The list includes actions like 'Header Text (8)', 'Item Billing Plan Item (10)', 'Item Billing Plan (9)', 'Item Partner Address (7)', 'Item Partner (11)', 'Item Pricing Element (5)', 'Item Related Object (8)', 'Item Schedule Line (7)', 'Item Subsequent Process Flow (5)', 'Item Text (9)', 'Sales Order Header (40)', 'Sales Order Item (30)', and 'Service Operations (2)'.</p>




Explanation	Screenshot
29. Choose <i>Reads the header of a sales order.</i>	
30. Choose <i>Add.</i>	
31. Choose <i>Output.</i>	

Explanation	Screenshot
32. Choose <i>Select All</i> .	
33. To expand the <i>Key</i> pane, choose the arrow.	
34. Choose <i>Search</i> .	




Explanation	Screenshot																																																							
35. In the Search field, enter <b>Organi</b> .	 <p>The screenshot shows the SAP Build Actions interface for 'SAP S/4HANA Sales Order Actions'. The 'Body' table lists various fields. The 'Tags' column has a search bar with 'organi' entered, highlighted by a yellow circle and labeled 35.</p> <table><tr><th>Key</th><th>Type</th><th>Label</th><th>API Format</th><th>Tags</th></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>Sales Order Header</td><td></td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>to_Item</td><td></td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>to_Text</td><td></td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>string</td><td>Sales Group</td><td></td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>string</td><td>Sales Order</td><td></td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>to_Partner</td><td></td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>string</td><td>Bill. Plan No.</td><td></td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>string</td><td>Pricing Date</td><td></td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>string</td><td>Sales Office</td><td></td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>string</td><td>Sales Office</td><td></td><td></td></tr></table>	Key	Type	Label	API Format	Tags	<input checked="" type="checkbox"/>	object	Sales Order Header			<input checked="" type="checkbox"/>	object	to_Item			<input checked="" type="checkbox"/>	object	to_Text			<input checked="" type="checkbox"/>	string	Sales Group			<input checked="" type="checkbox"/>	string	Sales Order			<input checked="" type="checkbox"/>	object	to_Partner			<input checked="" type="checkbox"/>	string	Bill. Plan No.			<input checked="" type="checkbox"/>	string	Pricing Date			<input checked="" type="checkbox"/>	string	Sales Office			<input checked="" type="checkbox"/>	string	Sales Office		
Key	Type	Label	API Format	Tags																																																				
<input checked="" type="checkbox"/>	object	Sales Order Header																																																						
<input checked="" type="checkbox"/>	object	to_Item																																																						
<input checked="" type="checkbox"/>	object	to_Text																																																						
<input checked="" type="checkbox"/>	string	Sales Group																																																						
<input checked="" type="checkbox"/>	string	Sales Order																																																						
<input checked="" type="checkbox"/>	object	to_Partner																																																						
<input checked="" type="checkbox"/>	string	Bill. Plan No.																																																						
<input checked="" type="checkbox"/>	string	Pricing Date																																																						
<input checked="" type="checkbox"/>	string	Sales Office																																																						
<input checked="" type="checkbox"/>	string	Sales Office																																																						
36. Uncheck <i>OrganizationDivision</i> .	 <p>The screenshot shows the SAP Build Actions interface for 'SAP S/4HANA Sales Order Actions'. The 'Body' table lists various fields. The 'OrganizationDivision' row is highlighted with a yellow circle and labeled 36, and its checkbox is unchecked.</p> <table><tr><th>Key</th><th>Type</th><th>Label</th><th>API Format</th><th>Tags</th></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>Sales Order Header</td><td></td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>to_Item</td><td></td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>to_Partner</td><td></td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>string</td><td>Sales Organization</td><td></td><td></td></tr><tr><td><input type="checkbox"/></td><td>string</td><td>OrganizationDivision</td><td></td><td></td></tr></table>	Key	Type	Label	API Format	Tags	<input checked="" type="checkbox"/>	object	Sales Order Header			<input checked="" type="checkbox"/>	object	to_Item			<input checked="" type="checkbox"/>	object	to_Partner			<input checked="" type="checkbox"/>	string	Sales Organization			<input type="checkbox"/>	string	OrganizationDivision																											
Key	Type	Label	API Format	Tags																																																				
<input checked="" type="checkbox"/>	object	Sales Order Header																																																						
<input checked="" type="checkbox"/>	object	to_Item																																																						
<input checked="" type="checkbox"/>	object	to_Partner																																																						
<input checked="" type="checkbox"/>	string	Sales Organization																																																						
<input type="checkbox"/>	string	OrganizationDivision																																																						
37. In the Search field, enter <b>distrib</b> .	 <p>The screenshot shows the SAP Build Actions interface for 'SAP S/4HANA Sales Order Actions'. The 'Body' table lists various fields. The 'Tags' column has a search bar with 'distrib' entered, highlighted by a yellow circle and labeled 37.</p> <table><tr><th>Key</th><th>Type</th><th>Label</th><th>API Format</th><th>Tags</th></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>Sales Order Header</td><td></td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>to_Item</td><td></td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>to_Partner</td><td></td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>string</td><td>Sales Organization</td><td></td><td></td></tr><tr><td><input type="checkbox"/></td><td>string</td><td>OrganizationDivision</td><td></td><td></td></tr></table>	Key	Type	Label	API Format	Tags	<input checked="" type="checkbox"/>	object	Sales Order Header			<input checked="" type="checkbox"/>	object	to_Item			<input checked="" type="checkbox"/>	object	to_Partner			<input checked="" type="checkbox"/>	string	Sales Organization			<input type="checkbox"/>	string	OrganizationDivision																											
Key	Type	Label	API Format	Tags																																																				
<input checked="" type="checkbox"/>	object	Sales Order Header																																																						
<input checked="" type="checkbox"/>	object	to_Item																																																						
<input checked="" type="checkbox"/>	object	to_Partner																																																						
<input checked="" type="checkbox"/>	string	Sales Organization																																																						
<input type="checkbox"/>	string	OrganizationDivision																																																						




Explanation	Screenshot																																			
38. Uncheck <i>DistributionChannel</i> .	 <p>The screenshot shows the SAP Build Actions interface for the action 'Reads the header of a sales order.' The 'Body' table lists the following fields:</p> <table><tr><th>Key</th><th>Type</th><th>Label</th><th>API Format</th><th>Tags</th></tr><tr><td><input checked="" type="checkbox"/></td><td>d</td><td>object</td><td>Sales Order Header</td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>DistributionChannel</td><td>string</td><td>Distribution Channel</td><td></td></tr></table> <p>A yellow circle with the number 38 highlights the checkbox next to 'DistributionChannel'.</p>	Key	Type	Label	API Format	Tags	<input checked="" type="checkbox"/>	d	object	Sales Order Header		<input checked="" type="checkbox"/>	DistributionChannel	string	Distribution Channel																					
Key	Type	Label	API Format	Tags																																
<input checked="" type="checkbox"/>	d	object	Sales Order Header																																	
<input checked="" type="checkbox"/>	DistributionChannel	string	Distribution Channel																																	
39. In the Search field, enter <b>Total</b> .	 <p>The screenshot shows the SAP Build Actions interface for the action 'Reads the header of a sales order.' The 'Body' table lists the following fields:</p> <table><tr><th>Key</th><th>Type</th><th>Label</th><th>API Format</th><th>Tags</th></tr><tr><td><input checked="" type="checkbox"/></td><td>d</td><td>object</td><td>Sales Order Header</td><td></td></tr><tr><td><input type="checkbox"/></td><td>DistributionChannel</td><td>string</td><td>Distribution Channel</td><td></td></tr></table> <p>A yellow circle with the number 39 highlights the search field in the 'Tags' column.</p>	Key	Type	Label	API Format	Tags	<input checked="" type="checkbox"/>	d	object	Sales Order Header		<input type="checkbox"/>	DistributionChannel	string	Distribution Channel																					
Key	Type	Label	API Format	Tags																																
<input checked="" type="checkbox"/>	d	object	Sales Order Header																																	
<input type="checkbox"/>	DistributionChannel	string	Distribution Channel																																	
40. Uncheck <i>TotalNetAmount</i> .	 <p>The screenshot shows the SAP Build Actions interface for the action 'Reads the header of a sales order.' The 'Body' table lists the following fields:</p> <table><tr><th>Key</th><th>Type</th><th>Label</th><th>API Format</th><th>Tags</th></tr><tr><td><input checked="" type="checkbox"/></td><td>d</td><td>object</td><td>Sales Order Header</td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>to_item</td><td>object</td><td>to_item</td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>TotalNetAmount</td><td>string</td><td>Net Value</td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>TotalBlockStatus</td><td>string</td><td>Overall Block Status</td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>TotalCreditCheckStatus</td><td>string</td><td>Credit Status</td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td>OverallTotalDeliveryStatus</td><td>string</td><td>Overl Delivery Status</td><td></td></tr></table> <p>A yellow circle with the number 40 highlights the checkbox next to 'TotalNetAmount'.</p>	Key	Type	Label	API Format	Tags	<input checked="" type="checkbox"/>	d	object	Sales Order Header		<input checked="" type="checkbox"/>	to_item	object	to_item		<input checked="" type="checkbox"/>	TotalNetAmount	string	Net Value		<input checked="" type="checkbox"/>	TotalBlockStatus	string	Overall Block Status		<input checked="" type="checkbox"/>	TotalCreditCheckStatus	string	Credit Status		<input checked="" type="checkbox"/>	OverallTotalDeliveryStatus	string	Overl Delivery Status	
Key	Type	Label	API Format	Tags																																
<input checked="" type="checkbox"/>	d	object	Sales Order Header																																	
<input checked="" type="checkbox"/>	to_item	object	to_item																																	
<input checked="" type="checkbox"/>	TotalNetAmount	string	Net Value																																	
<input checked="" type="checkbox"/>	TotalBlockStatus	string	Overall Block Status																																	
<input checked="" type="checkbox"/>	TotalCreditCheckStatus	string	Credit Status																																	
<input checked="" type="checkbox"/>	OverallTotalDeliveryStatus	string	Overl Delivery Status																																	



Explanation	Screenshot
41. In the Search field, enter Salesord.	 <p>The screenshot shows the SAP Build Actions interface for the 'SAP S/4HANA Sales Order Actions' project. The 'Reads the header of a sales order' action is selected. The 'Body' table lists various fields, and the search field is highlighted with a yellow circle and the number 41, containing the text 'salesord'.</p>
42. Uncheck SalesOrderType.	 <p>The screenshot shows the SAP Build Actions interface for the 'SAP S/4HANA Sales Order Actions' project. The 'Reads the header of a sales order' action is selected. The 'SalesOrderType' checkbox in the 'Body' table is highlighted with a yellow circle and the number 42, and is unchecked.</p>
43. Uncheck SalesOrderDate.	 <p>The screenshot shows the SAP Build Actions interface for the 'SAP S/4HANA Sales Order Actions' project. The 'Reads the header of a sales order' action is selected. The 'SalesOrderDate' checkbox in the 'Body' table is highlighted with a yellow circle and the number 43, and is unchecked.</p>

Explanation	Screenshot																																																							
44. In the Search field, enter Purchase.	 <p>The screenshot shows the SAP Build Actions interface for 'SAP S/4HANA Sales Order Actions'. The 'Body' table lists various fields and their types. The 'SalesOrder' tag is selected in the search field, highlighted with a yellow circle and labeled 44.</p> <table><tr><th>Key</th><th>Type</th><th>Label</th><th>API Format</th><th>Tags</th></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>Sales Order Header</td><td></td><td><input checked="" type="checkbox"/> SalesOrder</td></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>to_Item</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>to_Text</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input checked="" type="checkbox"/></td><td>string</td><td>Sales Order</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>to_Partner</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input type="checkbox"/></td><td>string</td><td>SalesOrderDate</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input type="checkbox"/></td><td>string</td><td>Sales Order Type</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>to_BillingPlan</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>to_RelatedObject</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input type="checkbox"/></td><td>chart</td><td>In-ProcessElement</td><td></td><td><input type="checkbox"/></td></tr></table>	Key	Type	Label	API Format	Tags	<input checked="" type="checkbox"/>	object	Sales Order Header		<input checked="" type="checkbox"/> SalesOrder	<input checked="" type="checkbox"/>	object	to_Item		<input type="checkbox"/>	<input checked="" type="checkbox"/>	object	to_Text		<input type="checkbox"/>	<input checked="" type="checkbox"/>	string	Sales Order		<input type="checkbox"/>	<input checked="" type="checkbox"/>	object	to_Partner		<input type="checkbox"/>	<input type="checkbox"/>	string	SalesOrderDate		<input type="checkbox"/>	<input type="checkbox"/>	string	Sales Order Type		<input type="checkbox"/>	<input checked="" type="checkbox"/>	object	to_BillingPlan		<input type="checkbox"/>	<input checked="" type="checkbox"/>	object	to_RelatedObject		<input type="checkbox"/>	<input type="checkbox"/>	chart	In-ProcessElement		<input type="checkbox"/>
Key	Type	Label	API Format	Tags																																																				
<input checked="" type="checkbox"/>	object	Sales Order Header		<input checked="" type="checkbox"/> SalesOrder																																																				
<input checked="" type="checkbox"/>	object	to_Item		<input type="checkbox"/>																																																				
<input checked="" type="checkbox"/>	object	to_Text		<input type="checkbox"/>																																																				
<input checked="" type="checkbox"/>	string	Sales Order		<input type="checkbox"/>																																																				
<input checked="" type="checkbox"/>	object	to_Partner		<input type="checkbox"/>																																																				
<input type="checkbox"/>	string	SalesOrderDate		<input type="checkbox"/>																																																				
<input type="checkbox"/>	string	Sales Order Type		<input type="checkbox"/>																																																				
<input checked="" type="checkbox"/>	object	to_BillingPlan		<input type="checkbox"/>																																																				
<input checked="" type="checkbox"/>	object	to_RelatedObject		<input type="checkbox"/>																																																				
<input type="checkbox"/>	chart	In-ProcessElement		<input type="checkbox"/>																																																				
45. Uncheck PurchaseOrderByShipToParty.	 <p>The screenshot shows the SAP Build Actions interface for 'SAP S/4HANA Sales Order Actions'. The 'Body' table lists various fields and their types. The 'Purchase' tag is selected in the search field, highlighted with a yellow circle and labeled 45.</p> <table><tr><th>Key</th><th>Type</th><th>Label</th><th>API Format</th><th>Tags</th></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>Sales Order Header</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>to_Item</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input checked="" type="checkbox"/></td><td>string</td><td>PurchaseOrderByCustomer</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input checked="" type="checkbox"/></td><td>string</td><td>CustomerPurchaseOrderDate</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input checked="" type="checkbox"/></td><td>string</td><td>CustomerPurchaseOrderType</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input checked="" type="checkbox"/></td><td>string</td><td>PurchaseOrderByShipToPart</td><td></td><td><input checked="" type="checkbox"/></td></tr><tr><td><input checked="" type="checkbox"/></td><td>string</td><td>CustomerPurchaseOrderSup</td><td></td><td><input type="checkbox"/></td></tr></table>	Key	Type	Label	API Format	Tags	<input checked="" type="checkbox"/>	object	Sales Order Header		<input type="checkbox"/>	<input checked="" type="checkbox"/>	object	to_Item		<input type="checkbox"/>	<input checked="" type="checkbox"/>	string	PurchaseOrderByCustomer		<input type="checkbox"/>	<input checked="" type="checkbox"/>	string	CustomerPurchaseOrderDate		<input type="checkbox"/>	<input checked="" type="checkbox"/>	string	CustomerPurchaseOrderType		<input type="checkbox"/>	<input checked="" type="checkbox"/>	string	PurchaseOrderByShipToPart		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	string	CustomerPurchaseOrderSup		<input type="checkbox"/>															
Key	Type	Label	API Format	Tags																																																				
<input checked="" type="checkbox"/>	object	Sales Order Header		<input type="checkbox"/>																																																				
<input checked="" type="checkbox"/>	object	to_Item		<input type="checkbox"/>																																																				
<input checked="" type="checkbox"/>	string	PurchaseOrderByCustomer		<input type="checkbox"/>																																																				
<input checked="" type="checkbox"/>	string	CustomerPurchaseOrderDate		<input type="checkbox"/>																																																				
<input checked="" type="checkbox"/>	string	CustomerPurchaseOrderType		<input type="checkbox"/>																																																				
<input checked="" type="checkbox"/>	string	PurchaseOrderByShipToPart		<input checked="" type="checkbox"/>																																																				
<input checked="" type="checkbox"/>	string	CustomerPurchaseOrderSup		<input type="checkbox"/>																																																				
46. In the Search field, enter salesorga.	 <p>The screenshot shows the SAP Build Actions interface for 'SAP S/4HANA Sales Order Actions'. The 'Body' table lists various fields and their types. The 'Purchase' tag is selected in the search field, highlighted with a yellow circle and labeled 46.</p> <table><tr><th>Key</th><th>Type</th><th>Label</th><th>API Format</th><th>Tags</th></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>Sales Order Header</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input checked="" type="checkbox"/></td><td>object</td><td>to_Item</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input type="checkbox"/></td><td>string</td><td>PurchaseOrderByCustomer</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input checked="" type="checkbox"/></td><td>string</td><td>CustomerPurchaseOrderDate</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input checked="" type="checkbox"/></td><td>string</td><td>CustomerPurchaseOrderType</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input checked="" type="checkbox"/></td><td>string</td><td>PurchaseOrderByShipToPart</td><td></td><td><input type="checkbox"/></td></tr><tr><td><input checked="" type="checkbox"/></td><td>string</td><td>CustomerPurchaseOrderSup</td><td></td><td><input type="checkbox"/></td></tr></table>	Key	Type	Label	API Format	Tags	<input checked="" type="checkbox"/>	object	Sales Order Header		<input type="checkbox"/>	<input checked="" type="checkbox"/>	object	to_Item		<input type="checkbox"/>	<input type="checkbox"/>	string	PurchaseOrderByCustomer		<input type="checkbox"/>	<input checked="" type="checkbox"/>	string	CustomerPurchaseOrderDate		<input type="checkbox"/>	<input checked="" type="checkbox"/>	string	CustomerPurchaseOrderType		<input type="checkbox"/>	<input checked="" type="checkbox"/>	string	PurchaseOrderByShipToPart		<input type="checkbox"/>	<input checked="" type="checkbox"/>	string	CustomerPurchaseOrderSup		<input type="checkbox"/>															
Key	Type	Label	API Format	Tags																																																				
<input checked="" type="checkbox"/>	object	Sales Order Header		<input type="checkbox"/>																																																				
<input checked="" type="checkbox"/>	object	to_Item		<input type="checkbox"/>																																																				
<input type="checkbox"/>	string	PurchaseOrderByCustomer		<input type="checkbox"/>																																																				
<input checked="" type="checkbox"/>	string	CustomerPurchaseOrderDate		<input type="checkbox"/>																																																				
<input checked="" type="checkbox"/>	string	CustomerPurchaseOrderType		<input type="checkbox"/>																																																				
<input checked="" type="checkbox"/>	string	PurchaseOrderByShipToPart		<input type="checkbox"/>																																																				
<input checked="" type="checkbox"/>	string	CustomerPurchaseOrderSup		<input type="checkbox"/>																																																				



Explanation	Screenshot
47. Uncheck <i>SalesOrganization</i> .	
48. In the <i>Search</i> field, enter <b>request</b> .	
49. Uncheck <i>RequestedDeliveryDate</i> .	

Explanation	Screenshot
50. Choose <i>Remove</i> .	
51. Choose <i>Remove</i> .	
<div><div></div><div>Note that we have now removed all the other unrequired key for the action.</div></div>	

Explanation	Screenshot
52. Choose Save.	 <p>The screenshot shows the SAP Build Actions interface for the 'SAP S/4HANA Sales Order Actions' project. The 'Actions (1)' list on the left contains the action 'Reads the header of a sales order.' The main panel shows the configuration for this action, including the HTTP method (GET), the endpoint path (/A_SalesOrder/{SalesOrder?}), and the input/output fields. The 'Header' and 'Body' sections are visible, with the 'Body' section containing a list of fields and their types. The 'Save' button in the top right corner is highlighted with a yellow circle and the number 52.</p>
<div><div></div><div>You have now successfully encapsulated remote systems APIs using Actions projects.</div></div>	 <p>This screenshot is identical to the one above, showing the same SAP Build Actions interface configuration. The 'Save' button is highlighted with a yellow circle and the number 52.</p>