

API Reference

API docs

API Version: 1.0.0

INDEX

1. ADDRESSES	4
1.1 GET /addresses/	4
1.2 POST /addresses/	5
1.3 GET /addresses/{address_id}	6
1.4 PUT /addresses/{address_id}	6
1.5 DELETE /addresses/{address_id}	8
1.6 PATCH /addresses/{address_id}	8
2. CARTS	11
2.1 GET /carts/	11
2.2 POST /carts/	11
2.3 DELETE /carts/	12
2.4 GET /carts/{cart_id}	13
2.5 PUT /carts/{cart_id}	13
2.6 DELETE /carts/{cart_id}	14
2.7 PATCH /carts/{cart_id}	15
2.8 GET /carts/{cart_id}/items	16
2.9 POST /carts/{cart_id}/items	17
2.10 GET /carts/{cart_id}/items/{item_id}	18
2.11 PUT /carts/{cart_id}/items/{item_id}	19
2.12 DELETE /carts/{cart_id}/items/{item_id}	20
2.13 PATCH /carts/{cart_id}/items/{item_id}	21
3. FILES	23
3.1 POST /files/upload/	23
3.2 GET /files/download/{file_id}	23
4. HEARTBEAT	25
4.1 GET /heartbeat	25
5. OPINIONS	26
5.1 GET /opinions/	26
5.2 POST /opinions/	26
5.3 GET /opinions/{opinion_id}	27
5.4 PUT /opinions/{opinion_id}	28
5.5 DELETE /opinions/{opinion_id}	29
5.6 PATCH /opinions/{opinion_id}	29
6. ORDERS	32
6.1 GET /orders/	32
6.2 POST /orders/	32
6.3 DELETE /orders/	34
6.4 GET /orders/{order_id}	34
6.5 PUT /orders/{order_id}	35

6.6 DELETE /orders/{order_id}	36
6.7 PATCH /orders/{order_id}	37
7. PRODUCTS	39
7.1 GET /products/	39
7.2 POST /products/	40
7.3 GET /products/{product_id}	41
7.4 PUT /products/{product_id}	42
7.5 DELETE /products/{product_id}	43
7.6 PATCH /products/{product_id}	44
7.7 GET /products/name/{product_name}	45
7.8 POST /products/vec_search/	46
8. USERS	48
8.1 GET /users/	48
8.2 POST /users/	49
8.3 GET /users/{user_id}	50
8.4 PUT /users/{user_id}	51
8.5 DELETE /users/{user_id}	53
8.6 PATCH /users/{user_id}	54
8.7 GET /users/{user_id}/cart	55
8.8 PUT /users/{user_id}/cart	56
8.9 POST /users/{user_id}/cart	56
8.10 DELETE /users/{user_id}/cart	57
8.11 PATCH /users/{user_id}/cart	58
8.12 GET /users/{user_id}/cart/items	58
8.13 POST /users/{user_id}/cart/items	59
8.14 GET /users/{user_id}/cart/items/{item_id}	60
8.15 PUT /users/{user_id}/cart/items/{item_id}	60
8.16 DELETE /users/{user_id}/cart/items/{item_id}	61
8.17 PATCH /users/{user_id}/cart/items/{item_id}	62
8.18 GET /users/{user_id}/address	62
8.19 PUT /users/{user_id}/address	63
8.20 POST /users/{user_id}/address	64
8.21 DELETE /users/{user_id}/address	64
8.22 PATCH /users/{user_id}/address	65

API

1. ADDRESSES

1.1 GET /addresses/

Read Addresses

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
skip	integer	
limit	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
[{  
  Array of object:  
  id  
    ANY OF  
    prop0  
      integer  
    prop1  
      null  
  name*      string  
  street*    string  
  city*      string  
  postal_code* string  
}]
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{  
  detail [{  
    Array of object:  
    loc*  
      ANY OF  
      prop0  
        string  
      prop1  
        integer  
    msg*  string  
    type* string  
  }]  
}
```

1.2 POST /addresses/

Create Address

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
user	undefined	

REQUEST BODY - application/json

```
{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  name*      string
  street*    string
  city*      string
  postal_code* string
}
```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  name*      string
  street*    string
  city*      string
  postal_code* string
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
  }
}
```

```

        type* string
    }]
}

```

1.3 GET /addresses/{address_id}

Read Address

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*address_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```

{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  name*      string
  street*    string
  city*      string
  postal_code* string
}

```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```

{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}

```

1.4 PUT /addresses/{address_id}

Update Address

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*address_id	integer	

REQUEST BODY - application/json

```
{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  name*      string
  street*    string
  city*      string
  postal_code* string
}
```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  name*      string
  street*    string
  city*      string
  postal_code* string
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}
```

1.5 DELETE /addresses/{address_id}

Delete Address

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*address_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  name*      string
  street*    string
  city*      string
  postal_code* string
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}
```

1.6 PATCH /addresses/{address_id}

Patch Address

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
------	------	-------------

NAME	TYPE	DESCRIPTION
*address_id	integer	

REQUEST BODY - application/json

```
{
  name
    ANY OF
    prop0
    string
    prop1
    null
  street
    ANY OF
    prop0
    string
    prop1
    null
  city
    ANY OF
    prop0
    string
    prop1
    null
  postal_code
    ANY OF
    prop0
    string
    prop1
    null
}
```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id
    ANY OF
    prop0
    integer
    prop1
    null
  name*      string
  street*    string
  city*      string
  postal_code* string
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
```

```
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}
```

2. CARTS

2.1 GET /carts/

Read Carts

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
skip	integer	
limit	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
[{  
  Array of object:  
  id  
    ANY OF  
    prop0  
    integer  
    prop1  
    null  
}]
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{  
  detail [{  
    Array of object:  
    loc*  
      ANY OF  
      prop0  
      string  
      prop1  
      integer  
    msg* string  
    type* string  
  }]  
}
```

2.2 POST /carts/

Create Cart

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
user	undefined	

REQUEST BODY - application/json

```
{
  id
  ANY OF
  prop0
  integer
  prop1
  null
}
```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id
  ANY OF
  prop0
  integer
  prop1
  null
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}
```

2.3 DELETE /carts/

Delete Carts

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

2.4 GET /carts/{cart_id}

Read Cart

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*cart_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id
  ANY OF
  prop0
  integer
  prop1
  null
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}
```

2.5 PUT /carts/{cart_id}

Update Cart

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*cart_id	integer	

REQUEST BODY - application/json

```
{
}
```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id
  ANY OF
  prop0
  integer
  prop1
  null
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}
```

2.6 DELETE /cars/{cart_id}

Delete Cart

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*cart_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```

{
  id
  ANY OF
  prop0
  integer
  prop1
  null
}

```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```

{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}

```

2.7 PATCH /carts/{cart_id}

Patch Cart

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*cart_id	integer	

REQUEST BODY - application/json

```

{
}

```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```

{
  id
  ANY OF
  prop0
  integer
  prop1
  null
}

```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}
```

2.8 GET /carts/{cart_id}/items

Read Cart Items

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*cart_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
[{
  Array of object:
  id
  ANY OF
  prop0
  integer
  prop1
  null
  product_id*  string
  quantity*    integer
  cart_id
  ANY OF
  prop0
  integer
  prop1
  null
}]
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
```



```

    loc*
      ANY OF
        prop0
          string
        prop1
          integer
      msg*  string
      type* string
    }]
  }

```

2.9 POST /carts/{cart_id}/items

Create Or Update Cart Item

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*cart_id	integer	

REQUEST BODY - application/json

```

{
  id
    ANY OF
      prop0
        integer
      prop1
        null
  product_id*  string
  quantity*    integer
  cart_id
    ANY OF
      prop0
        integer
      prop1
        null
}

```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```

{
  id
    ANY OF
      prop0
        integer
      prop1
        null
  product_id*  string
  quantity*    integer
  cart_id

```

```
    ANY OF
    prop0
    integer
    prop1
    null
  }
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}
```

2.10 GET /carts/{cart_id}/items/{item_id}

Read Cart Item

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*cart_id	integer	
*item_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  product_id* string
  quantity* integer
  cart_id
  ANY OF
  prop0
  integer
  prop1
}
```

```
    null
  }
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}
```

2.11 PUT /carts/{cart_id}/items/{item_id}

Update Cart Item

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*cart_id	integer	
*item_id	integer	

REQUEST BODY - application/json

```
{
  product_id
  ANY OF
  prop0
  string
  prop1
  null
  quantity
  ANY OF
  prop0
  integer
  prop1
  null
}
```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id
}
```

```

    ANY OF
    prop0
    integer
    prop1
    null
    product_id*  string
    quantity*    integer
    cart_id
    ANY OF
    prop0
    integer
    prop1
    null
  }
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```

{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}
```

2.12 DELETE /carts/{cart_id}/items/{item_id}

Delete Cart Item

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*cart_id	integer	
*item_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```

{
  id
  ANY OF
  prop0
  integer
  prop1
}
```

```

    null
    product_id*  string
    quantity*   integer
    cart_id
    ANY OF
    prop0
    integer
    prop1
    null
  }

```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```

{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}

```

2.13 PATCH /carts/{cart_id}/items/{item_id}

Patch Cart Item

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*cart_id	integer	
*item_id	integer	

REQUEST BODY - application/json

```

{
  product_id
  ANY OF
  prop0
  string
  prop1
  null
  quantity
  ANY OF
  prop0
  integer
  prop1
  null
}

```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  product_id*  string
  quantity*   integer
  cart_id
  ANY OF
  prop0
  integer
  prop1
  null
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}
```

3. FILES

3.1 POST /files/upload/

Upload File

REQUEST

FORM DATA PARAMETERS

NAME	TYPE	DESCRIPTION
file	string(binary)	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
      loc*
      ANY OF
      prop0
      string
      prop1
      integer
      msg* string
      type* string
    }]
}
```

3.2 GET /files/download/{file_id}

Download File

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*file_id	string	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}
```

4. HEARTBEAT

4.1 GET /heartbeat

Heartbeat

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

5. OPINIONS

5.1 GET /opinions/

Get All Opinions

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
user_id	undefined	
product_id	undefined	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
[{  
  Array of object:  
    id          string  
    user_id*    integer  
    product_id* string  
    content*    string  
}]
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{  
  detail [{  
    Array of object:  
      loc*  
      ANY OF  
      prop0  
      string  
      prop1  
      integer  
      msg*  string  
      type* string  
    }]  
}
```

5.2 POST /opinions/

Create Opinion

REQUEST

REQUEST BODY - application/json

```
{
```

```

id            string
user_id*     integer
product_id*  string
content*     string
}

```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```

{
  id            string
  user_id*     integer
  product_id*  string
  content*     string
}

```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```

{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}

```

5.3 GET /opinions/{opinion_id}

Read Opinion

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*opinion_id	string	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```

{
  id            string
  user_id*     integer
  product_id*  string
}

```

```
    content*    string
  }
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}
```

5.4 PUT /opinions/{opinion_id}

Update Opinion

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*opinion_id	string	

REQUEST BODY - application/json

```
{
  id          string
  user_id*    integer
  product_id* string
  content*    string
}
```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id          string
  user_id*    integer
  product_id* string
  content*    string
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
```

Array of object:

```
loc*  
  ANY OF  
  prop0  
  string  
  prop1  
  integer  
msg*  string  
type* string  
}]  
}
```

5.5 DELETE /opinions/{opinion_id}

Delete Opinion

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*opinion_id	string	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{  
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{  
  detail [{  
    Array of object:  
    loc*  
      ANY OF  
      prop0  
      string  
      prop1  
      integer  
msg*  string  
type* string  
  }]  
}
```

5.6 PATCH /opinions/{opinion_id}

Patch Opinion

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*opinion_id	string	

REQUEST BODY - application/json

```
{
  user_id
    ANY OF
    prop0
    integer
    prop1
    null
  product_id
    ANY OF
    prop0
    string
    prop1
    null
  content
    ANY OF
    prop0
    string
    prop1
    null
}
```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  user_id
    ANY OF
    prop0
    integer
    prop1
    null
  product_id
    ANY OF
    prop0
    string
    prop1
    null
  content
    ANY OF
    prop0
    string
    prop1
    null
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
```

```
detail [{
```

Array of object:

```
  loc*
```

```
    ANY OF
```

```
    prop0
```

```
    string
```

```
    prop1
```

```
    integer
```

```
  msg*  string
```

```
  type* string
```

```
}]
```

```
}
```

6. ORDERS

6.1 GET /orders/

Read Orders

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
user	string	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
[{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  cart_id*      integer
  user_id*      integer
  address_id*   integer
  date          string
  status*       string
  total_amount* number
}]
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}
```

6.2 POST /orders/

Create Order

REQUEST

REQUEST BODY - application/json

```
{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  cart_id*    integer
  user_id*    integer
  address_id* integer
  date        string
  status*     string
  total_amount* number
}
```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  cart_id*    integer
  user_id*    integer
  address_id* integer
  date        string
  status*     string
  total_amount* number
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}
```

6.3 DELETE /orders/

Delete Orders

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

6.4 GET /orders/{order_id}

Read Order

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*order_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  cart_id*      integer
  user_id*      integer
  address_id*   integer
  date          string
  status*       string
  total_amount* number
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
```

```

        string
        prop1
        integer
    msg*   string
    type*  string
  }
}

```

6.5 PUT /orders/{order_id}

Update Order

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*order_id	integer	

REQUEST BODY - application/json

```

{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  cart_id*   integer
  user_id*   integer
  address_id* integer
  date       string
  status*    string
  total_amount* number
}

```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```

{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  cart_id*   integer
  user_id*   integer
  address_id* integer
  date       string
  status*    string
  total_amount* number
}

```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}
```

6.6 DELETE /orders/{order_id}

Delete Order

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*order_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  cart_id* integer
  user_id* integer
  address_id* integer
  date string
  status* string
  total_amount* number
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
```

```

        string
        prop1
        integer
    msg*  string
    type* string
  }]
}

```

6.7 PATCH /orders/{order_id}

Patch Order

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*order_id	integer	

REQUEST BODY - application/json

```

{
  cart_id
  ANY OF
  prop0
  integer
  prop1
  null
  user_id
  ANY OF
  prop0
  integer
  prop1
  null
  date
  ANY OF
  prop0
  string
  prop1
  null
  status
  ANY OF
  prop0
  string
  prop1
  null
  total_amount
  ANY OF
  prop0
  number
  prop1
  null
}

```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  cart_id*    integer
  user_id*    integer
  address_id* integer
  date        string
  status*     string
  total_amount* number
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}
```

7. PRODUCTS

7.1 GET /products/

Get All Products

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
category	undefined	
tag	undefined	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
[{
  Array of object:
    id          string
    name        string
    description  string
    sell_price  number    DEFAULT:0
    quantity    integer   DEFAULT:0
    buy_price   number    DEFAULT:0
    date        string
    image_id
    ANY OF
    prop0
    string
    prop1
    null
    tags        [string]
    is_enabled  boolean   DEFAULT:true
}]
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
      loc*
      ANY OF
      prop0
      string
      prop1
      integer
      msg*  string
      type* string
  }]
}
```

```
}
```

7.2 POST /products/

Create Product

REQUEST

REQUEST BODY - application/json

```
{
  id            string
  name          string
  description    string
  sell_price    number    DEFAULT:0
  quantity      integer   DEFAULT:0
  buy_price     number    DEFAULT:0
  date          string
  image_id
    ANY OF
    prop0
    string
    prop1
    null
  tags          [string]
  is_enabled    boolean   DEFAULT:true
}
```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id            string
  name          string
  description    string
  sell_price    number    DEFAULT:0
  quantity      integer   DEFAULT:0
  buy_price     number    DEFAULT:0
  date          string
  image_id
    ANY OF
    prop0
    string
    prop1
    null
  tags          [string]
  is_enabled    boolean   DEFAULT:true
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
```



```

    loc*
      ANY OF
        prop0
          string
        prop1
          integer
      msg* string
      type* string
    }
  }
}

```

7.3 GET /products/{product_id}

Read Product

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*product_id	string	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```

{
  id          string
  name        string
  description  string
  sell_price  number    DEFAULT:0
  quantity    integer   DEFAULT:0
  buy_price   number    DEFAULT:0
  date        string
  image_id
    ANY OF
      prop0
        string
      prop1
        null
  tags         [string]
  is_enabled   boolean   DEFAULT:true
}

```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```

{
  detail [{
    Array of object:
    loc*
      ANY OF
        prop0
          string

```

```

        prop1
        integer
    msg*   string
    type*  string
  }
}

```

7.4 PUT /products/{product_id}

Update Product

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*product_id	string	

REQUEST BODY - application/json

```

{
  id           string
  name         string
  description   string
  sell_price    number    DEFAULT:0
  quantity     integer   DEFAULT:0
  buy_price     number    DEFAULT:0
  date         string
  image_id
  ANY OF
  prop0
  string
  prop1
  null
  tags         [string]
  is_enabled   boolean   DEFAULT:true
}

```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```

{
  id           string
  name         string
  description   string
  sell_price    number    DEFAULT:0
  quantity     integer   DEFAULT:0
  buy_price     number    DEFAULT:0
  date         string
  image_id
  ANY OF
  prop0
  string
  prop1
}

```

```

    null
    tags      [string]
    is_enabled boolean  DEFAULT:true
  }

```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```

{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}

```

7.5 DELETE /products/{product_id}

Delete Product

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*product_id	string	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```

{
}

```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```

{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}

```

}

7.6 PATCH /products/{product_id}

Patch Product

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*product_id	string	

REQUEST BODY - application/json

```
{
  name
    ANY OF
    prop0
    string
    prop1
    null
  description string DEFAULT:default description
  sell_price number DEFAULT:0
  quantity integer DEFAULT:0
  buy_price number DEFAULT:0
  date
    ANY OF
    prop0
    string
    prop1
    null
  image_id
    ANY OF
    prop0
    string
    prop1
    null
  tags [string]
}
```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  name
    ANY OF
    prop0
    string
    prop1
    null
  description string DEFAULT:default description
  sell_price number DEFAULT:0
  quantity integer DEFAULT:0
}
```

```

    buy_price      number      DEFAULT:0
    date
    ANY OF
    prop0
    string
    prop1
    null
    image_id
    ANY OF
    prop0
    string
    prop1
    null
    tags           [string]
  }

```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```

{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}

```

7.7 GET /products/name/{product_name}

Read Product

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*product_name	string	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```

{
  id           string
  name         string
  description   string
  sell_price   number      DEFAULT:0
  quantity     integer     DEFAULT:0
}

```

```

    buy_price      number      DEFAULT:0
    date           string
    image_id
    ANY OF
    prop0
    string
    prop1
    null
    tags           [string]
    is_enabled     boolean     DEFAULT:true
  }

```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```

{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}

```

7.8 POST /products/vec_search/

Vector Search

REQUEST

REQUEST BODY - application/json

```

{
  question* string
}

```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

[undefined]

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```

{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
  }]
}

```

```
    prop1
      integer
    msg*  string
    type* string
  }]
}
```

8. USERS

8.1 GET /users/

Read Users

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
username	undefined	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
[{
  Array of object:
    id
      ANY OF
      prop0
        integer
      prop1
        null
    username* string
    password* string
    is_admin* boolean
    address_id
      ANY OF
      prop0
        integer
      prop1
        null
    cart_id
      ANY OF
      prop0
        integer
      prop1
        null
}]
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
      loc*
        ANY OF
        prop0
          string
```



```

        prop1
        integer
    msg*  string
    type* string
  }]
}

```

8.2 POST /users/

Create User

REQUEST

REQUEST BODY - application/json

```

{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  username*  string
  password*  string
  is_admin*  boolean
  address_id
  ANY OF
  prop0
  integer
  prop1
  null
  cart_id
  ANY OF
  prop0
  integer
  prop1
  null
}

```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```

{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  username*  string
  password*  string
  is_admin*  boolean
  address_id
  ANY OF
  prop0
}

```

```
integer
prop1
null
cart_id
ANY OF
prop0
integer
prop1
null
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}
```

8.3 GET /users/{user_id}

Read User

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  username* string
  password* string
  is_admin* boolean
  address_id
```

```
    ANY OF
    prop0
    integer
    prop1
    null
  cart_id
  ANY OF
  prop0
  integer
  prop1
  null
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}
```

8.4 PUT /users/{user_id}

Update User

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	

REQUEST BODY - application/json

```
{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  username* string
  password* string
  is_admin* boolean
  address_id
  ANY OF
  prop0
  integer
}
```

```

    prop1
    null
  cart_id
  ANY OF
  prop0
  integer
  prop1
  null
}

```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```

{
  id
  ANY OF
  prop0
  integer
  prop1
  null
  username* string
  password* string
  is_admin* boolean
  address_id
  ANY OF
  prop0
  integer
  prop1
  null
  cart_id
  ANY OF
  prop0
  integer
  prop1
  null
}

```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```

{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}

```

8.5 DELETE /users/{user_id}

Delete User

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id
    ANY OF
    prop0
    integer
    prop1
    null
  username* string
  password* string
  is_admin* boolean
  address_id
    ANY OF
    prop0
    integer
    prop1
    null
  cart_id
    ANY OF
    prop0
    integer
    prop1
    null
}
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
      ANY OF
      prop0
      string
      prop1
      integer
    msg* string
    type* string
  }]
}
```

8.6 PATCH /users/{user_id}

Patch User

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	

REQUEST BODY - application/json

```
{
  username
    ANY OF
    prop0
    string
    prop1
    null
  password
    ANY OF
    prop0
    string
    prop1
    null
  is_admin
    ANY OF
    prop0
    boolean
    prop1
    null
  address_id
    ANY OF
    prop0
    integer
    prop1
    null
  cart_id
    ANY OF
    prop0
    integer
    prop1
    null
}
```

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
{
  id
    ANY OF
    prop0
    integer
    prop1
```

```
    null
    username* string
    password* string
    is_admin* boolean
    address_id
    ANY OF
    prop0
    integer
    prop1
    null
    cart_id
    ANY OF
    prop0
    integer
    prop1
    null
  }
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}
```

8.7 GET /users/{user_id}/cart

Redirect To User Cart

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```

{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}

```

8.8 PUT /users/{user_id}/cart

Redirect To User Cart

REQUEST

PATH PARAMETERS		
NAME	TYPE	DESCRIPTION
*user_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

```
undefined
```

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```

{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}

```

8.9 POST /users/{user_id}/cart

Redirect To User Cart

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}
```

8.10 DELETE /users/{user_id}/cart

Redirect To User Cart

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
```

```

    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}

```

8.11 PATCH /users/{user_id}/cart

Redirect To User Cart

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```

{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}

```

8.12 GET /users/{user_id}/cart/items

Redirect To Cart Items

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}
```

8.13 POST /users/{user_id}/cart/items

Redirect To Cart Items

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
  }]
}
```

```
        type* string
    }]
}
```

8.14 GET /users/{user_id}/cart/items/{item_id}

Redirect To Cart Item

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	
*item_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}
```

8.15 PUT /users/{user_id}/cart/items/{item_id}

Redirect To Cart Item

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	
*item_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}
```

8.16 DELETE /users/{user_id}/cart/items/{item_id}

Redirect To Cart Item

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	
*item_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg*  string
    type* string
  }]
}
```

```
}]
}
```

8.17 PATCH /users/{user_id}/cart/items/{item_id}

Redirect To Cart Item

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	
*item_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
      loc*
      ANY OF
      prop0
      string
      prop1
      integer
      msg* string
      type* string
    }]
}
```

8.18 GET /users/{user_id}/address

Redirect To User Address

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}
```

8.19 PUT /users/{user_id}/address

Redirect To User Address

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}
```

8.20 POST /users/{user_id}/address

Redirect To User Address

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}
```

8.21 DELETE /users/{user_id}/address

Redirect To User Address

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}
```

8.22 PATCH /users/{user_id}/address

Redirect To User Address

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	integer	

RESPONSE

STATUS CODE - 200: Successful Response

RESPONSE MODEL - application/json

undefined

STATUS CODE - 422: Validation Error

RESPONSE MODEL - application/json

```
{
  detail [{
    Array of object:
    loc*
    ANY OF
    prop0
    string
    prop1
    integer
    msg* string
    type* string
  }]
}
```